Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
Abbott	Australasia Pty Ltd			
Cardio-	thoracic			
AY025	Stents	ACS Multilink Coronary Stent; ACS Megalink Peripheral Stent; ACS RX Herculink Peripheral Stent. Stainless steel	1.5mm - 8.0mm	Deleted
AY026	Multilink Coronary Stent System	Stainless Steel	Length 1.5mm - 8.0mm	Deleted
AY027	Multilink Coronary Stent System - Frontier	316L Stainless steel stent	Length 1.5 - 8.0mm	Deleted
Vascula	r CAG			
AY010	JOStent Peripheral Stent Graft	Stainless Steel/PTFE	4 - 12 mm x 12 - 58m mm	Deleted
Advanc	eed Surgical Design & Manufactur	re Ltd		
Orthopa	nedic			
AE044	Active Knee Mobile Tibial Tray	Tibial Tray, mobile, Cemented, CoCr	Sizes 1-5	Deleted
AE075	Active Knee Stems	Tibial and femoral stems for revision, varying lengths, Titanium	11 - 13 Dia, 60 - 100mm	Deleted
AE078	Active Knee Stem	Tibial stem for morse tapered tibial baseplate	1-5, A & B	Deleted
AE100	Orthoss - Bone implant material	Orthoss Chips 3-4mm Spongiosa. Bone Implant material, biological, animal source.	(Granule Size 3-4mm) Packs 3-7g (=approx. 8-20ccm)	Transferred to LH473
AE101	Orthoss - Bone implant material	Orthoss Micro Chips 1-2mm Spongiosa. Bone Implant material, biological, animal source.	(Granule Size 1-2mm) 5g (= approx. 13ccm)	Transferred to LH474
AE102	Orthoss - Bone implant material	Orthoss Spongiosa Block. Bone Implant material, biological, animal source.	2 x 2 x 1.3cm (approx. 3.6g)	Transferred to LH475
AE103	Orthoss - Bone implant material	Orthoss Spongiosa Block. Bone Implant material, biological, animal source.	1 x 1x 2 approx. 1.6g	Transferred to LH476
Plastic a	and Reconstructive			
AE053	ASDM Bone Plates	Custom Skull Mesh Plate, Titanium	One size only	Deleted
Allerga	n Australia Pty Limited			
Plastic a	and Reconstructive			
AW006	Mammary Prosthesis	Smooth Surface - Saline	120 to 510cc	Deleted
AW014	Style 468 Biodimensional Saline-filled Mammary Implant	Silicone shell filled with saline	195 - 205 cm3 x 620 - 650 cm3	Deleted
AW015	Style 168 Biocell Textured Mammary Implant	Silicone shell filled with saline	120 - 150 cm3 x 510 - 540 cm3	Deleted

Deleted Items for Prostheses List Report

Page 1 of 37

Billing Co	de Product Name	Further Description	Size	Explanation of Deletion
Americ	an Medical Systems			
Urogenit	tal			
AM011	Influence Bone Screw	Bone screw with pre-attached polypropylene monofilament suture. For incinsionless tranvaginal sling procedure. In-Fast Bone Screw	5.5 x 1.7 mm	Deleted
AMO A	Australia Pty Ltd			
1 - Opht	halmic			
AO005	Intraocular Lens: Allergan Model SI-30NB Silicone PC IOL; or AMO model SI-40NB Silicone PC IOL	PhacoFlex II SI-30NB Silicone or PhacoFlex II SI-40NB Silicone; Foldable IOL	6.0 mm Optic Diameter x 13.0mm in overall length.	Deleted
AO007	Viscoelastic Fluid: AMO Vitrax (sodium hyaluronate) 30mg/mL, 0.65mL	Surgically Implanted Intraocular Viscoelastic	0.65mL	Deleted
Anatom	nics Pty Ltd			
Plastic a	and Reconstructive			
AT051	E-POR Biomaterial/ Sheet - Porous Polyethylene	Sheet - Porous Polyethylene	30mm - 50mm x 0.4mm - 3mm	Transferred to HW442
AT068	E-POR Biomaterial/Panel - Porous Polyethlene Titanium Mesh Composite	Panel - Porous Polyethylene Titanium Mesh Composite	0.5mm - 0.8mm thick, 38mm x 50mm	Transferred to HW443
AT069	E-POR Biomaterial/ Panel - Porous Polyethlene Titanium Mesh Composite	Panel - Porous Polyethylene Titanium Mesh Composite	0.5mm-0.8mm thick, 76mm x 50mm	Transferred to HW444
Arthroc	eare Australasia Pty Ltd			
6 - Speci	ialist Orthopaedic			
AF009	CPS Bioabsorbable Fixation System	CPS Systems and Baby System Plates. Polylactic Acid Trimethylene Carbonate Copolymer	1.5-2.5 mesh plates, 14 x 14 holes; 1.5mm baby mesh plate 14 x 14 holes	Transferred to SQ066
AF010	CPS Bioabsorbable Fixation System	CPS Systems and Baby System Plates. Polylactic Acid Trimethylene Carbonate Copolymer	1.5-2.5 mesh plate, 7 x 7 holes; 1.5mm baby mesh plate 7 x 7 holes	Transferred to SQ052
AF011	CPS Bioabsorbable Fixation System	CPS Systems and Baby System Plates. Polylactic Acid Trimethylene Carbonate Copolymer	1.5mm baby plates:- 20 hole, c-plate & x-plate 7 hole, 2 hole	Transferred to SQ053
AF012	CPS Bioabsorbable Fixation System	CPS Systems and Baby System Plates. Polylactic Acid Trimethylene Carbonate Copolymer	1.5mm plates:- 20 holes, c-plate & x-plate 7 hole, L-plate 7 hole L & R. burrhole	Transferred to SQ054
AF013	CPS Bioabsorbable Fixation System	CPS Systems and Baby System Plates. Polylactic Acid Trimethylene Carbonate Copolymer	1.5-2.5mm plates:- 2-10 hole plates and extended, c-plate & x-plate 7 hole, H-plate 8 hole, orthognathic hole and L-plate L & R 7 hole	Transferred to SQ055
AF016	CPS Bioabsorbable Fixation System	OTPS fixation system: PLGA/TMC copolymer	Plates 6 & 8 hole	Transferred to SQ062
AF018	CPS Bioabsorbable Fixation System	OTPS fixation system: PLGA/TMC copolymer	Pin 1.5 & 2 mm dia x 20-50 mm long	Transferred to SQ063
AF021	CPS Bioabsorbable Fixation System	OTPS fixation system: PLGA/TMC copolymer	4.5 x 90mm	Transferred to SQ058
AF031	CPS Screw Hexalon Biodegradable ACL/PCL Reconstruction	Biodegradable ACL/PCL Recon Screw PLLA/PGA/TMC	6 x 20, 6 x 25, 6 x 30, 7 x 20, 7 x 25, 7 x 30, 8 x 20, 8 x 25, 8 x 30, 9 x 20, 9 x 25, 9 x 30, 10 x 30	Transferred to SQ067

Deleted Items for Prostheses List Report

Page 2 of 37

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
Orthop	aedic			
AF028	CPS Bioabsorbable Fixation System	Anterior Cervical Plate System: PLGA/TMC Copolymer Screws	10-20mm	Transferred to SQ061
AF029	CPS Bioabsorbable Fixation System	Anterior Cervical Plate System: PLCA/TMC Copolymer	19-60mm	Transferred to SQ064
AF030	CPS Bioabsorbable Fixation System	Anterior Cervical Plate System: PLCA/TMC Copolymer	62.5-110mm	Transferred to SQ065
Plastic a	and Reconstructive			
AF019	CPS Bioabsorbable Fixation System	OTPS fixation system: PLGA/TMC copolymer	Screws 2.8 x 6-23mm, 3.1 x 6-8mm	Transferred to SQ056
AF020	CPS Bioabsorbable Fixation System	OTPS fixation system: PLGA/TMC copolymer	Screws 3.1 x 6 - 30mm and 2.5 x 30mm	Transferred to SQ057
AF022	CPS Bioabsorbable Fixation System	OTPS fixation system: PLGA/TMC copolymer	Screws 4.5 x 20-55mm, 3.1 x 40mm	Transferred to SQ059
AF023	CPS Bioabsorbable Fixation System	OTPS fixation system: PLGA/TMC copolymer	Screws 2 x 9-19mm, 2.5 x 10-23mm and 2.8 x 10 - 23mm	Transferred to SQ060
AF024	CPS Bioabsorbable Fixation System	OTPS fixation system: PLGA/TMC copolymer	Screws 1.5 - 2.5mm dia x 5-8mm long	Transferred to SQ051
AF026	Inion GTR Biodegradable System	PLGA/TMC Copolymer: membrane & tacks	a) 30 x 40mm membrane kit; b) 6 tack kit and applicator	Transferred to SQ049
AF027	Inion GTR Biodegradable System	PLGA/TMC Copolymer: membrane & tacks	6 tack kit	Transferred to SQ050
AstraT	ech Pty Ltd			
Plastic a	and Reconstructive			
AZ005	Astra Tech Abutments	PreFab Titanium Abutment, BiAbutment/Abutment Kit	Diam 3.5 - 5.0mm	Deleted
AZ006	Astra Tech Abutments	UniAbutment, Angled Abutment, Ball Abutment	Diam 3.5 - 7.0mm	Deleted
AZ007	Astra Tech Abutments	Ceramic Abutment	Diam 4.5 - 5.0mm	Deleted
AZ008	AstraTech Cast to Abutment			Deleted
Atrium	Australia - Pacific Rim Pty Lin	nited		
Vascula	r CAG			
AC004	Atrium PTFE Vascular Graft	Vascular Access Graft PTFE Standard Wall	4mm x 10cm - 10mm x 100cm	Deleted
AC015	Atrium PTFE Vascular Graft	Vascular Access Graft PTFE Thin Wall	4mm x 10cm - 10mm x 100cm	Deleted
Austral	asian Medical & Scientific Ltd			
General	Miscellaneous			
AN002	Animas IR Insulin Infusion Cartridge	3.0ml Cartridge, sterile, indicated as reservoir for insulin by the Animas infusion pump; not intended for use with any other infusion device.	one size only	Deleted

Deleted Items for Prostheses List Report

Page 3 of 37

Austspine Pty Ltd

Orthopaedic

Orthopa	cuic			
AJ011	Denali Spinal System / Offset Fixation Connector	Offset connector for linking rods	Varied	Transferred to ER010
AJ012	Denali Spinal System / In-Line Fixation Connector	In-line connector for linking rods	Varied	Transferred to ER011
AJ013	Denali Spinal System / Closed Hook	Thoracic and Lumbar Closed Hooks	Various blade and throat sizes	Transferred to ER012
AJ014	Denali Spinal System / Open Hook	Thoracic and Lumbar Open Hooks	Various blade and throat sizes	Transferred to ER013
AJ016	Denali Spinal System / Polyaxial Pedicle Screw	Polyaxial Pedicle Screw	Diameter: 4.5, 5.5, 6.5, 7.5, 8.5mm and Length: 25,30,35,40,45,50,55,60,65mm	Transferred to ER014
AJ017	Denali Spinal System / ATR Set Screw	Set Screw	8mm diameter and 4mm height	Transferred to ER015
AJ018	Pyrenees Cervical Plate System / bone Screw	Self-drilling, self-tapping and bone reduction screws for fixating the Pyrenees plate to bone	Diameter: 4.0, 4.35 and 4.5mm. Length: 10,12,14 and 16mm	Transferred to ER016
AJ025	Mesa Spinal System / Polyaxial Pedicle Screw	Polyaxial Pedicle Screw	4.5, 5.5, 6.5, 7.5, 8.5mm	Transferred to ER017
AJ026	Mesa Spinal System / Rod	Straight and contoured 5.5mm diameter rods	Straight: 30mm - 500mm and Contoured: 35mm - 150mm	Transferred to ER018
AJ027	Mesa Spinal System / Natural Bridge Transverse Connector	Transverse Connector	Mini: 14mm-22mm, Small: 38mm-43mm, Medium: 43mm-53mm, Large: 53mm-73mm, X- Large: 73mm-93mm	Transferred to ER019
AJ028	Aleutian AN PLIF	An insert-and-rotate posterior lumbar interbody spacer designed to stabilise and maintain the intervertebral space	22mm and 28mm long, 8.5mm wide in a range of heights from 6mm to 17mm	Transferred to ER020
AJ029	Aleutian ALIF	An anterior lumbar interbody spacer designed to stabilise and maintain the intervertebral space	Footprints: 24mm x 30mm, 28mm x 36mm Heights: 9mm to 21mm	Transferred to ER021
AJ030	Aleutian TLIF	A tranforaminal posterior lumbar interbody spacer designed to stabilise and maintain the intervertabral space	27mm Long, 10mm wide in a range of heights from 7mm to 17mm	Transferred to ER022
AJ031	Cayman Thoracolumbar Plate System / Bone Screw	Self tapping screw that lags plate to bone and forms an autogenic lock with plate. Available in two diameters and a variety of lengths	Length: 20mm to 54mm Diameter: 6mm and 7mm	Transferred to ER023
AJ032	Cayman Thoracolumbar Plate System / Plate	A thoracolumbar plate system consisting of plates of various lengths and sizes and a range of fixation screws	22mm to 109mm	Transferred to ER024
AJ033	Denali cannulated polyaxial screw	Cannulated polyaxial pedicle screw	Diameter: 5.5mm, 6.5mm and 7.5mm Length: 35 to 55mm	Transferred to ER025
AJ035	Capsian OCT Spinal System - Mini Mesa Polyaxial Screw	cervico-thoracic posterior rigid fixation system	Diameter: 3.5mm and 4.0mm screws ☐ Length: 10mm - 20mm (2mm increments) ☐ 25mm - 50mm (5mm increments)	Transferred to ER026
AJ036	Caspian OCT Spinal System - Rod	cervico-thoracic posterior rigid fixation system - Rod	Diameter: 3.5mm□Length: 1.80mm - 240mm	Transferred to ER027
AJ037	Caspian OCT Spinal System - Hook	cervico-thoracic posterior rigid fixation system	3.5mm Posterior Cervical hook	Transferred to ER028
AJ038	Caspian OCT Spinal System - Set Screw	cervico-thoracic posterior rigid fixation system	one size only	Transferred to ER029
AJ039	Pyrenees Cervical Plate	1 and 2 level cervical plate	18mm to 54mm	Transferred to ER030
AJ040	Pyrenees Cervical Plate	3, 4 and 5 level cervical plate	57mm to 110mm	Transferred to ER031

Deleted Items for Prostheses List Report

Billing C	ode Product Name	Further Description	Size	Explanation of Deletion
AJ045	ARI Anterior Staple System - Staple	A non-cervical anterolateral thoracolumbar screw stabilization as an adjunct to fusion.	Single Hole Design and Dual Hole Design: 13mm, Left & Right; 16mm, Left & Right; 18mm, Left & Right.	Transferred to ER032
AJ046	ARI Anterior Staple System - Washer	The ARI Anterior Staple System - washer	One size only	Transferred to ER033
Biomet	t 3i Australia Pty Ltd			
Plastic a	and Reconstructive			
NW003	Biogran	Resorbable Synthetic Bone Graft	3i Biogran 750mg Glass Syringe 2 pack; 3I Biogran 750mg Glass Syringe 7 pack; 3I Biogran 500mg Mixing Cup 7 pack; 3I 750mg Mixing Cup 7 pack; 3I Biogran 1500mg Mixing Cup 7 pack	Deleted
Biomet	t Australia Pty Ltd			
6 - Spec	ialist Orthopaedic			
BH048	Comprehensive Shoulder - Versa-Dial Head	Versadial humeral head and adaptor	(38 to 58)mm x(19 to 37)mm x(39 to 61)mm	Expanded into BH126, BH127
BI881	Mosaic Humeral Replacement System	Mosaic System - CoCr, Ti	Segment - 80 to 140 mm	Expanded into BH128, BH129
Orthop	aedic			
BH033	ARCOS Revision Hip System Cone Proximal Body	Cone proximal body porous plasma spray coated	59 to 80mm bodies, std or High Offsets Size A B C D E F D	Expanded into BH130, BH131
BH035	ARCOS Modular Revision Hip Sydtem Short Distal Stems	Distal stems bullet tip or slotted porous plasma spray	12-26mm dia x 115mm to 200mm length	Expanded into BH132, BH133
BI867	Orthopaedic Salvage System	Femoral/Tibial Interlocking devices:Locking Pin, Femoral and Tibial Bushings, Tibial Bearing, Axle, Reinforced Yoke, Locking Screws. CoCr, Ti	One size only except for Locking Screw - Small or Large; Tibial Bearing - 12-22mm	Expanded into BH136, BH137
BI869	Orthopaedic Salvage System	Tibial Component, Resurfacing or Segmental, Modular and non Modular, CoCr, Ti	63-83mm	Expanded into BH134, BH135
Biotron	nik Australia Pty Ltd			
Cardio-	thoracic			
BT060	Philos II DR	Multiprogrammable, rate responsive, DDDR	One size only	Deleted
BT062	Philos II SR	Multiprogrammable, Rate Responsive, SSIR pacemaker	One size only	Deleted
BT063	Selox SR	Lead, pacemaker, implantable, endocardial	45, 53, 60cm length	Deleted
BT071	Philos II DR-T	Dual Chamber Rate Responsive with Home Monitoring	One size only	Deleted
BT079	Cylos DR-T	Dual chamber dual sensor rate responsive with home monitoring system option	one size	Deleted
BT080	Cylos VR	single chamber dual sensor rate responsive	one size only	Deleted
BT087	Lumax 300 VR-T	ICD-VR with bidirectional Home Monitoring. Single chamber	One Size Only	Deleted
BT088	Lumax 300 HF-T	CRT-D with bidirectional Home Monitoring	One size only	Deleted

Deleted Items for Prostheses List Report

Page 5 of 37

Billing Cod	de Product Name	Further Description	Size	Explanation of Deletion
BT089	Lumax 340 HF-T	CRT-D 34 J with bidirectional Home Monitoring	One Size Only	Deleted
BT090	Lumax 340 VR-T	ICD-VR 34 J with bidirectional Home Monitoring. Single chamber	One size only	Deleted
BT091	Lumax 300 DR-T	ICD-DR with bidirectional Home Monitoring	One size only	Deleted
BT104	Cylos 990 DR	Dual-chamber pacemaker with Closed Loop Stimulation (CLS)	57* 43* 6mm/28g	Deleted
BT105	Cylos 990 DR-T	Dual-chamber pacemaker with Closed Loop Stimulation (CLS) and Biotronik Home Monitoring Technology	57*43*6mm/28g	Deleted
BT106	Cylos 990 SR	Single-chamber pacemaker with Closed Loop Stimulation (CLS)	57 x 39 x 6mm / 27g	Deleted
Vascular	CAG			
BT099	PRO-Kinetic Explorer	Rapid Exchange, Balloon expandable cobalt chromium (L-605) peripheral stent - passive coating - 0.014" / RX	Diameter: 2.0mm - 5.0mm; Length: 10mm - 40mm	Deleted
Boston S	Scientific Australia Pty Ltd			
Ear, Nose	e & Throat			
BS159	Harmony ™ HiResolution® Bionic Ear System - HiRes 90K Implant Cochlear Stimulator with HiFocus 1j Electrode	The HiRes 90K with HiFocus 1j Electrode is the implanted component of the HiResolution Bionic Ear System. It receives information through an RF transmission coil, processes the information and then sends the resulting signal to an electrode array implanted in the cochlea. It consists of receiving/transmitting coil, Stimulator electrodes and HiFocus 1j Electrode array.	Straight array (1j). 56.0mm (L) x 28.0mm (W) x 3.0mm (D)	Transferred to BD006
BS160	Harmony [™] HiResolution® Bionic Ear - HiRes 90K Implant Cochlear Stimulator with HiFocus Helix Electrode	The HiRes 90K with HiFocus Helix Electrode is the implanted component of the HiResoulution Bionic Ear System. It receives information through an RF transmission coil, precesses the information and then sends the resulting signal to an electrode array implanted in the cochlea. It consists of receiving/transmitting coil, Stimulator electronics and HiFocus Helix Electrode array	Helix (coiled) electrode array - 56.0mm (L) x 28.0mm (W) x 3.0mm (D)	Transferred to BD007
BS161	Harmony™ HiResolution® Bionic Ear System - Behind The Ear Sound Processor - Auria Harmony Sound Processor (INITIAL Order)	The Auria Harmony Processor is an external component of the HiRes Bionic Ear System. This processor is intended to deliver HiResolution sound to a cochlear implant by converting sound waves (received via a microphone) into an electrical signal which is then transmitted to the implant via a headpiece. This listing includes sound processor, headpiece, earhooks, powercels, rechargers, cables and essential accessories.	Sound Processor Size 54 mm (H) x 13mm (TH) x 21 mm (w). Headpiece Diameter: 28.1 mm	Transferred to BD008

Deleted Items for Prostheses List Report

Page 6 of 37

Billing Cod	le Product Name	Further Description	Size	Explanation of Deletion
BS162	Harmony™ HiResolution® Bionic Ear System - Behind The Ear Sound Processor - Auria Harmony Sound Processor (REPLACEMENT Order)	The Auria Harmony Processor is an external component of the HiRes Bionic Ear System. This processor is intended to deliver HiResolution sound to a cochlear inplant by converting sound waves (received via a microphone) into an electrical signal which is then transmitted to the implant via a headpiece. This listing Processor only.	Sound Processor - one size 54 mm (H) x 13mm (TH) x 21 mm (W)	Transferred to BD009
BS163	Harmony ™ HiResolution® Bionic Ear System - Behind the Ear Sound Processor Auria Harmony Essential Accessory Kit	1x HPwcable; 1x direct connect earhook; 1x standard earhook; 1x audio cable; 1x monitor earphone.	various	Transferred to BD010
BS164	Harmony™ HiResolution® Bionic Ear System - Body worn sound processor - Platinum Series Processor (PSP) INITIAL Order	The Platinum Sound Processor is a body worn component of the HiRes Bionic Ear System. This processor is intended to deliver HiResolution sount to a cochlear implant by converting soundwaves (received via a microphone in the Platinum Headpiece) into an electrical signal that is then transmitted to the implant via the headpiece. This listing consists of the sound processor, headpiece, connecting cables, and essential accessory kit.	PSP only one size; 2.69' x 2.19" x 0.81" Headpiece cable : options 18, 24, 32, 42 and 48 inches	Transferred to BD011
BS165	Harmony™ HiResolution® Bionic Ear System - Body worn Platinum Sound Processor (PSP) REPLACEMENT Order	The Platinum Sound Processor is a body worn component of the HiRes Bionic Ear System. This processor is intended to deliver HiResolution sount to a cochlear implant by converting soundwaves (received via a microphone in the Platinum Headpiece) into an electrical signal that is then transmitted to the implant via the headpiece. This listing comes with the processor only.	PSP: one size; 2.69' x 2.19" x 0.81"	Transferred to BD012
BS166	Harmony ™ HiResolution® Bionic Ear System - Body worn Sound Processor - Platinum Series Processor (PSP) Essential Accessory Kit	1x HP cable; 1x Auxiliary microphone; 1x telephone adaptor; 1x monitor earphone	various	Transferred to BD013
General I	Miscellaneous			
3S049	Wallstent Flamingo Oesophageal Stent	Monofilament wire, self-expanding stent	Diameters up to 30mm & lengths up to 150mm	Deleted
Neurosur	gical			
BS107	Precision SCS Clinician Programmer	Independent clinician programmer for the precision SCS system	One Size Only	Deleted
BS108	Precision SCS Bionic Navigator	Remote Control for the Clinician Programmer	One Size Only	Deleted
BR & C	T Enterprises Pty Ltd			
1 - Ophth	almic			
BC005	LIDCHAIN Platinum Eyelid Implant	Platinum	Weights - 0.8, 1.0, 1.2, 1.4, 1.6, 1.8 grams	Transferred to RC001
Ear, Nose BC010	e & Throat Ventilation tube	Ventilation tube - Silicone - T-tube, T-tube grommet	1.1mm; 1.27mm lumen	Transferred to RC002

Billing Code	e Product Name	Further Description	Size	Explanation of Deletion
BC011	Ventilation Tubes - Collar Button	Teflon, w/o wire	1.10mm, 1.25mm, 1.50mm lumen	Transferred to RC003
BC012	Ventilation Tubes - Collar Button	Teflon w/wire, and titanium w/o wire	0.76mm, 1.00mm, 1.25mm, 1.50mm lumen	Transferred to RC004
BC013	Ventilation Tubes - Collar Button	Titanium w wire	1.00mm, 1.25mm, 1.50mm lumen	Transferred to RC005
BC014	Ventilation Tubes - Shepherd	Teflon, w or w/o wire	1.15mm lumen	Transferred to RC006
BC015	Ventilation Tubes - Shepherd	Titanium, w/o wire	1.00mm, 1.25mm lumen	Transferred to RC007
BC016	Ventilation Tubes - Shepherd	Titanium with wire	1.00mm, 1.25mm lumen	Transferred to RC008
BC017	Ventilation Tubes - Silicone	Armstrong Grommet, Donaldson w & w/o Tab, Paparella 1 and Paparella 2 (1.5mm)	1.1mm & 1.5mm lumen	Transferred to RC009
CareFusi	on Australia 200 Pty Ltd (former	lyCardinal Health)		
General M	Iiscellaneous			
CI004	Pleurx	Pleurx Peritoneal Catheter Mini Kit	Catheter 71.0cm x 15.5 Fr	Transferred to ZQ004
CI005	Pleurx	Pleurx Pleural Catheter Mini Kit	Catheter 24cm x 15.5Fr	Transferred to ZQ005
CI006	PleurX® Peritoneal Catheter Drainage System	Peritoneal Catheter kit with Drainage system with 10 x 1000 mL or 500mL vacuum bottle set. Refer to CI004 for catheter alone if preferred.	Catheter 71cm x 15.5FR; 500mL or 1000mL vacuum bottles	Transferred to ZQ006
CI007	PleurX® Pleural Catheter Drainage System	Pleural Catheter kit with Drainage system with 10 x 1000 mL or 500mL vacuum bottle set. Refer to CI005 for catheter alone if preferred.	Catheter 24cm x 15.5 FR; 500 mL or 1000 mL vacuum bottles	Transferred to ZQ007
Orthopae	dic			
CI001	Ava-Tex Radiopaque Bone Cement Kit	13.8g Barium-Polymer Powder & 6ml Liquid Monomer (part No. BCPM003	12mL	Transferred to ZQ001
CI002	AVAmax Plus	Radiopaque bone cement system	11G & 13G	Transferred to ZQ002
CI003	AVAmax	Radiopaque bone cement system	11G & 13G	Transferred to ZQ003
Carl Zeis	s Pty Ltd			
1 - Ophtha	almic			
CZ001	T.Flux: Non-Absorbable Galucoma Drain	-	One size only	Deleted
CZ023	ZEISS - Acri. Comfort 646TLC, Special Range	ZEISS - Acri. Comfort 646TLC (MICS Bitoric Aspheric Foldable IOL) Special Range	Optic Size 6.0mm; Overall Length 11.0mm	Deleted
ConMed	Linvatec Australia Pty Ltd			
General M	Iiscellaneous			
LV094	Niti-S Pyloric Stent D-type	Niti-S Pyloric self-expanding metal stent D-type made from Nitinol in D mesh construction, uncovered, OTW or TTS	Diameter: 16 - 18mm Length: 40 - 120mm	Transferred to PY017
LV095	Niti-S Biliary Stent D-Type	Niti-S Biliary Stent D-Type Uncovered. Deployed via stent delivery system for use TTS or percutaneously	10mm Diameter x 50 - 120mm length	Transferred to PY018
LV093	Mil-S Billary Stellt D-Type	via stent delivery system for use TTS or	Tollin Dianetel X 30 - 120mm fengur	Transferred to F

Deleted Items for Prostheses List Report

Page 8 of 37

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
LV096	Niti-S Biliary Stent Y-Type and T-Type	Niti-S Biliary is a self expanding metal stent, made from Nitinol uncovered. Stent Y-Type for TTS approach, T-Type for percutaneous approach.	10mm Diameter x 5 - 10cm Length	Transferred to PY019
LV097	Niti-S Biliary Covered Stent	Niti-S Biliary self expanding nitinol stent fully covered with a silicone membrane and a nylon drawstring for removal. Stent delivery system is designed for use TTS for endoscopic or percutaneous procedures	Diameter 8mm and 10mm Stent lengths 40- 120mm	Transferred to PY020
LV099	Niti-S Oesophageal Fully Covered Stent	Niti-S Oesophageal fully covered self expanding nitinol stent with a covering of PTFE or silicone and nylon drawstring for removal or repositioning.	Diameter □ 16mm x 24mm, 18mm x 26mm, 20mm x 28mm and 22mm x 30mm □ Length □ 60-150mm	Transferred to PY021
LV100	Niti-S Oesophageal Double Stent	Niti-S Oesophageal Double self-expanding metal stent made from Nitinol, with an antimigration outer uncovered wire construction to allow the mesh to embed in the oesophageal wall. Also with anti-reflux valve inner polyurethane layer to prevent tumour ingrowth. String for retrieval or repositioning.	Diameter □16mm x 24mm, 18mm x 26mm, 20mm x 28mm □Length □60-150mm	Transferred to PY022
LV101	Niti-S Colorectal Stent D-type	Niti-S D- type Colorectal self-expanding metal stent made from Nitinol in unique D mesh construction, uncovered OTW or TTS. With string for ease of removal.	Diameters: 18 - 28mm Lengths: 60 - 120mm	Transferred to PY023
LV102	Niti-S Colorectal Stent	Niti-S Colorectal self-expanding metal stent made from Nitinol. Stent PTFE covered and uncovered OTW or TTS with string for ease of removal.	Stent Dimensions mm: 18x26x30, 18x24x30, 20x26x30, 22x30x30, 24x30x30, 20x28x30 Length mm: 30-90	Transferred to PY024
LV104	Niti-S Tracheal Stent	Tracheal Nitinol Self Expanding Metal Stent, ePTFE covered with retrieval suture	16mm to 20mm diameter x 3cm to 10cm length	Transferred to PY025
LV105	Niti-S Bronchial Stent	Bronchial Nitinol Self Expanding Metal Stent, Expanded Poly Tetra Fluoro Ethylene (ePTFE) covered, with retrieval suture	10mm to 14mm diameter x 3cm to 6cm length	Transferred to PY026
LV106	Niti-S ComVi Biliary Stent (Fully Covered)	The Niti-S ComVi Biliary Stent (Fully Covered) is comprised of 2 Nitinol D-type stents with a layer of polytetraethylene (PTFE) between that fully envelopes the proximal and distal ends of the stent, resulting in an integrated structure designed to prevent tissue invasion.	8mm to 10mm diameter x 4cm to 12cm length	Transferred to PY027
Cook N	Medical Australia Pty Ltd			
General	Miscellaneous			
WC182	Esophageal EZS Stents Polyurethane Coating	Uncoated Flange Esophageal Stent with Z-Speed TM Introducer	8, 10, 12, 14cm	Deleted
Orthopa	aedic			
WC135	Vertebroplasty Procedure Pack	Percutaneous Vertebroplasty set with Osteo-Site needle and bone cement	11/13 Gauge 10/15CM M1, M1M, M2	Deleted

Deleted Items for Prostheses List Report

Page 9 of 37

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
Vascula	r CAG			
WC258	Zenith AAA Endovascular Graft Contralateral/Ipsilateral Lliac Legs	Leg Extension	Diameters from 8 to 24mm, Lengths from 37 to 122mm	Deleted
Corin A	Australia Pty Ltd			
Orthopa	aedic			
CR089	Alpha Fit Femoral Stem	Titanium stem proximally coated with plasma spray and HA	9.5mm, 11mm, 12.5mm, 14mm, 15.5mm, 17mm	Deleted
CR130	METS Femoral Knee	CoCR-Molybdenum femoral component include axle, bushes and circlip	Small, Standard	Expanded into CR181, CR182
CR131	METS Tibial Rotating Hinge Polyethylene	A CoCr-Molybdenum tibial component with UHMWPE Tibial bearing	stem lengths 105mm and 114mm	Expanded into CR183, CR184
CR132	METS Tibial Rotating Hinge Metal Casing	UHMWPE tibial bearing with a CoCr-Mo tibial component and Ti casing	Stem lengths 140mm and 180mm	Expanded into CR185, CR186
CR136	METS Femoral Knee with Stem	CoCR-Molybdenum with titanium stem, including axle, circlip & bushes	Small and standard	Expanded into CR189, CR190
CR144	METS Proximal Tibia Rotating Hinge Coated	Titanium with UHMWPE bearing and HA coated patella tendon reattachment mechanism	Small and standard	Expanded into CR191, CR192
CR148	METS Integral Shaft & Stem	Titanium shaft and stem with HA coated collar	Shaft Length 30-70mm, stem length 120mm	Expanded into CR187, CR188
CR154	Ceramic Modular Head	Biolox Delta	28-40mm	Expanded into CR179, CR180
Covidio	en Pty Ltd			
General	Miscellaneous			
AS012	GIA* Reloading Unit	Titanium. Multifire 60 Cartridge, 90 Premium Disposable Loading Unit with Titanium Staples, 50 Premium Disposable Loading Unit with Titanium Staples, Inverted Linear Anastomosis Cartridges 3944, 3943, 3978, 3946, 3945, 3976, 3977	50-60mm (2.5, 3.8mm)	Deleted
AS094	GIA*, ILA* Staplers	Titanium	80mm (3.8mm, 4.8mm)	Deleted
Darco A	Australia			
6 - Spec	ialist Orthopaedic			
DC030	Hot-Staples	Manufactured from Nitinol. Once implanted, staple is heated using a thermo-cautery system causing the staple shape to reduce and compress, providing efficient and continued interfragmental compression.	11 - 25mm	Deleted

Deleted Items for Prostheses List Report

Page 10 of 37

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
Denwar	rd Dell Pty Ltd TA Surimex			
Vascula	r CAG			
DW005	Dual Port Set - Vascular Access Port	Implantable injection / infusion port system: dual port chamber with silicone membranes; connectable double lumen polyurethane catheter; and introducer kit.	Port: Length: 53.0mm, Width: 20.0mm, Height: 13.5mm (chamber 1), 15.5mm (chamber 2); Catheter: Length: 500mm, internal diameter double D, external diameter 3mm	Deleted
Device	Technologies Australia Pty Ltd			
1 - Opht	chalmic			
DE253	Torica-s	Torica Silicone IOL Standard Range, UV inhibitor, sharp edge design	Lens Dia =6.00mm Haptics Dia =11.6mm-3.00 to 31.00 Sphere with Cylinder from 2.00 to less than 7.00 Diopters	Deleted
DE254	Torica-s	Torica Silicone IOL Customised Range, UV inhibitor, sharp edge design	Lens Diameter = 6.00mm Haptics Dia = 11.6mm- 3.00 to 31.00 Sphere with Cylinder from 7.00 to 12.00 dioptres	Deleted
DE255	Torica-s	Torica Silicone IOL - Customised Plus IOL, UV inhibitor, sharp edge design	Lens Dia = 6.00mm Haptics Dia = 11.6mm-30.00 to 30.00 Sphere with Cylinder from 13.00 to 30.00	Deleted
DE264	Aspira-aXA Hydrophillic MicroCryl IOL	Aspira-aXA IOL, Foldable Monobloc Posterior Chamber Lens, UV inhibitor, sharp edge optic	Lens Dia=7.0mm for -6.0 to 18.0 Dioptres, Lens Dia=6.5mm for 18.5 to 26.0 dioptres, Lens Dia=6.0mm for 26.5 to 30.0 dipotres, Lens dia=5.5 for 30.5 to 40.0 dioptres	Deleted
DE269	MicroPlex Capsular Tension Ring	PMMA, highly flexible	11mm - 13mm	Deleted
6 - Speci	ialist Orthopaedic			
DE080	Tissue Button	PLA	6.5mm - 10mm	Deleted
General	Miscellaneous			
DE259	AERO Tracheobronchial Stent System	Radiopaque self-expanding nitinol stent and delivery system	Diameter 10-18mm, length 20-80mm	Transferred to CM026
DE262	ALIMAXX-E Esophageal Stent System	Esophageal stent, radiopaque, self expanding nitinol covered stent, premounted on a delivery system	Diameter 18-22mm, Length 70-120mm	Transferred to CM025
Urogeni	tal			
DE280	Double Pigtail Ureteral Stent Set	Ureteral Stent	5FR, 6FR, 7FR - various lengths 22-30cm	Deleted
DJO Aı	ustralasia Pty Ltd			
6 - Speci	ialist Orthopaedic			
DD033	Reverse Shoulder System	Glenoid Baseplate, Ti, Porous, HA	Small to Large	Compressed into DD053
DD034	Reverse Shoulder System	Glenoid Head, CoCr	32mm to 40mm	Compressed into DD053

Deleted Items for Prostheses List Report

Page 11 of 37

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
Endote	c Australia Pty Ltd			
6 - Spec	ialist Orthopaedic			
EA001	Buechel-Pappas Ultracoat Total Ankle Replacement System (Primary and Revision)	Thick or Revision Talar - Ceramic coated titanium	Size 1-6	Deleted
EA002	Buechel-Pappas Ultracoat Total Ankle Replacement System (Primary and Revision)	Primary Talar - Ceramic coated titanium	Size 1-6	Deleted
EA036	Buechel-Pappas Ultracoat Total Ankle Replacement System (Primary and Revision)	Tibial componenet ceramic coated titanium	1-6	Deleted
EA037	Buechel-Pappas Ultracoat Total Ankle Replacement System (Primary and Revision)	Polyethylene mobile bearing	3mm - 11mm	Deleted
ESKA.	Australia			
Orthopa	aedic			
EK017	ESKA Tumor Revision System MML	Total femoral implant	various sizes	Expanded into EK112, EK113, EK114
EK018	ESKA Tumor Revision System MML	Distal femoral implant	various sizes	Expanded into EK109, EK110, EK111
Femcar	re Australia Pty Ltd			
Urogeni	ital			
FE002	Fallopian Tube Rings (Pair)	Silicone	One size only	Deleted
Genzyr	ne Australasia Pty Ltd			
General	l Miscellaneous			
GE011	Sepraspray Adhesion Barrier	Sepraspray Adhesion Barrier Kit - 1 Box containing 1 x 1g of Powder Reload and Applicator	1 x 1g of Powder Reload and Applicator	Deleted
GE012	Sepraspray Adhesion Barrier	Sepraspray Adhesion Barrier Reload 1g - 1 Box containing 1 x 1g of powder	1 x 1g of Powder	Deleted
Global	Manufacturing Technology Pty	Ltd		
General	l Miscellaneous			
GM040	Alpha Infusion Pump	Alpha Infusion Pump Kit, includes Alpha Infusion Pump, introducer needle, syringe, hip pack, labels and instructions for use plus Alpha Cath Infusion Catheter	450ml	Deleted
Orthopa	aedic			
GM016	Cer-Met II UHMWPE Insert	UHMWPE	46mm to 66mm, neutral & 10 degree	Deleted
GM017	Cer-Met Acetabular Shell	Titanium, plasma spray, HA with variable number of holes	46mm to 66mm	Deleted
GM020	Optimal Spinal System	Hooks-open & closed-pedical & laminar	Various	Deleted
GM021	Classic Marathon Bipolar Head	CoCr, Poly Liner	40mm to 58mm	Deleted
GM024	Cer-Met II Ceramic Insert	Ceramic, Biolox Forte	46mm to 66mm	Deleted

Billing Cod	e Product Name	Further Description	Size	Explanation of Deletion
GM025	Maxima/Optima Anterior Cervical Plate System	Cancellous Bone Screws	3.5 x 10mm to 20mm; 4.0 x 10mm to 20mm	Deleted
GM026	Maxima/Optima Anterior Cervical Plate System	Anterior Cervical Plates	24mm to 108mm	Deleted
GM027	NeoIC (Neo Interbody Fusion Cage)	Interbody Fusion Cage	Various	Deleted
GM029	Optimal Spinal System	Axial/Lateral Connectors	Various	Deleted
GM031	Optimal Spinal System	Traverse Link Assembly	40 to 80mm	Deleted
GM032	Optimal Spinal System	Set Screw	9 x 1.5 to 10 x 1.5mm	Deleted
GM033	Optimal Spinal System	Rod	6 x 40 to 6 x 600mm	Deleted
GM034	Optimal Spinal System	Pedicle Screw Monoaxial Type	4 x 25 to 8 x 55mm	Deleted
GM035	Optimal Spinal System	Pedicle Screw-Poly Type	5 x 30 to 8 x 55mm	Deleted
GM036	Callos Bone Void Filler	Calcium Phosphate	10cc	Deleted
GM037	Callos Bone Void filler	Calcium Phosphate	5cc	Deleted
GM038	Edinburgh Femoral Stem	CoCr, double taper, highly polished	CDH to Size 4 Narrow: Size 1 to Size 4 Standard	Deleted
GM039	Prima OCT Spinal System	Occiput Plate	One size only	Deleted
GM060	Maxima/Optima Anterior Cervical Plate System	Pedicle Screw - Mono Axial Type	4.5 mm -8.5mm Length 25mm-60mm	Deleted
GM061	Maxima/Optima Anterior Cervical Plate System	Rod	30mm - 100mm	Deleted
GM062	Maxima/Optima Anterior Cervical Plate System	Set Screw	One Size	Deleted
GM063	Maxima/Optima Anterior Cervical Plate System	Traverse Link assembly	44mm - 75mm	Deleted
GM064	Maxima/Optima Anterior Cervical Plate System	Hooks Open & Closed - Pedicle & Laminar	6.5mm-11mm	Deleted
GM065	Maxima/Optima Anterior Cervical Plate System	Axial/Lateral Connections	7.5mm-30mm	Deleted
GM067	BacFix (Thoracolumbar System)	Anterior washer - Titanium alloy	Small, standard	Deleted
GM068	BacFix (Thoracolumbar System)	Multi axial bone screw - Nitinol	5 - 8mm x 30 - 60mm	Deleted
GM069	BacFix (Thoracolumbar System)	Serrated tooth locking clip - Titanium alloy	Nominal, deep	Deleted
GM070	BacFix (Thoracolumbar System)	Spinal rod, rigid/flex - Titanium alloy	5.5 - 6mm x 50 - 125mm	Deleted
GM071	BacFix (Thoracolumbar System)	Spinal rod, rigid/flex - Titanium alloy	5.5 - 6mm x 300 - 600mm	Deleted
GM072	BacFix (Thoracolumbar System)	Non-threaded wedge with serrated teeth - Titanium alloy	5.5 - 6mm	Deleted
GM073	BacFix (Thoracolumbar System)	Hook - Titanium alloy	6.5 - 11mm	Deleted
GM074	BacFix (Thoracolumbar System)	Smooth profile flexible angle screw - Titanium alloy	5 - 8mm x 30 - 60mm	Deleted
GM075	BacFix (Thoracolumbar System)	SpeedLink fixed distance rod - Titanium alloy	5.5 - 6mm x 15 - 35mm	Deleted
GM076	BacFix (Thoracolumbar System)	SpeedLink adjustable length rod - Titanium alloy	5.5 - 6mm x 39.5 - 75mm	Deleted
GM077	AcuFix	Cancellous bone screw - Anterior cervical plate system - Titanium	4mm x 10 - 18mm	Deleted
GM078	AcuFix	Self tapping wide root screw - Anterior cervical plate system - Titanium	4mm x 10 - 18mm	Deleted
GM079	AcuFix	Rescue screw - Anterior cervical plate system - Titanium	4.5mm x 10 - 18mm	Deleted

Deleted Items for Prostheses List Report

Page 13 of 37

Billing Co	de Product Name	Further Description	Size	Explanation of Deletion
GM080	AcuFix	1 segment SlimLine plate - Anterior cervical plate system - Titanium	20 - 34mm	Deleted
GM081	AcuFix	2 segment SlimLine plate - Anterior cervical plate system - Titanium	34 - 54mm	Deleted
GM082	AcuFix	3 segment SlimLine plate - Anterior cervical plate system - Titanium	47 - 71 mm	Deleted
GM083	AcuFix	4 segment SlimLine plate - Anterior cervical plate system - Titanium	68 - 92mm	Deleted
GM084	AcuFix	2 segment Corpectomy plate - Anterior cervical plate system - Titanium	34 - 54mm	Deleted
GM085	AcuFix	3 segment Corpectomy plate - Anterior cervical plate system - Titanium	53 - 77mm	Deleted
GM086	AcuFix	4 segment Corpectomy plate - Anterior cervical plate system - Titanium	68 - 101mm	Deleted
GM095	Optimal Spinal System	Hooks - open & closed - pedical & laminar	Various	Deleted
GM098	AcuFix	2 segment SlimLine plate - Anterior cervical plate system - Titanium	34 - 54mm	Deleted
GM099	AcuFix	3 segment SlimLine plate - Anterior cervical plate system - Titanium	47 - 71mm	Deleted
GM135	Edinburgh Ceramic Femoral Head	Ceramic, Biolox Forte	36mm, -4.0mm to +8.00mm	Deleted
GM136	Edinburgh Ceramic Femoral Head	Ceramic, Biolox Forte	28mm Small, Medium, Long 32mm Small, Medium, Long	Deleted
GM137	Edinburgh Head	Femoral Head Stainless Steel	36mm, -4.0mm to +8.00mm	Deleted
GM138	Edinburgh Femoral Head CoCr	Femoral Head CoCr 28mm to 32mm	Small, Medium, Long	Deleted
GM141	Edinburgh Femoral Stem Distal Centraliser	PMMA - Distal Centraliser	35 x 10mm	Deleted
GM142	Edinburgh Femoral Stem Distal Centraliser	PMMA - Distal Centraliser	25 x 10mm	Deleted
GM147	Cer-Met Acetabular Shell Bone Screws	6.5 mm cancellous bone screws	25mm to 60mm	Deleted
Global	Orthopaedic Technology			
6 - Speci	alist Orthopaedic			
GO170	Resofix Anchor	Resofix anchor is a 2-shell expansion bolt made of amorphous poly DL-Lactide resorbablel polyester	Resofix - S Anchor - 10mm; Resofix - P Anchor - 10mm	Deleted
Orthopa	nedic			
GO010	Consensus Femoral Head	Ceramic, biolox forte	28-32mm	Deleted
GO076	Traxis (non sterile)	Titanium Interbody Implant	9-13mm	Deleted
GO077	Traxis Peek-Optima (sterile)	Vue Radiolucent Implant	12mm	Deleted
GO078	Nex-Link	Spinal Fixation System, Open Screw Closure	4.00mm	Deleted
GO079	Nex-Link	Spinal Fixation System, Closed Screw Set Screw	4.0mm	Deleted
GO080	Nex-Link	Spinal Fixation System, Polyaxial Screws	3.5mmx10mm - 4.00mmx22mm	Deleted

Deleted Items for Prostheses List Report

Page 14 of 37

Billing Cod	le Product Name	Further Description	Size	Explanation of Deletion
GO081	Nex-Link	Spinal Fixation System, Transverse Connectors	4.00mm Rod x 25mm - 45 length	Deleted
GO082	Nex-Link	Spinal Fixation System, Cervical Hooks	5 & 7mm	Deleted
GO083	Nex-Link	Spinal Fixation System, Spinal Rod	120 & 240mm	Deleted
GO084	Incompass	Thoracolumbar Fixation System, Open Implant Closure Top	5.5mm	Deleted
GO085	Incompass	Thoracolumbar Fixation System, Closed Implant Set Screw	5.5mm	Deleted
GO086	Incompass	Thoracolumbar Fixation System, Offset Connector Open	9.5 - 30mm	Deleted
GO087	Incompass	Thoracolumbar Fixation System, Offset Connector Closed	7.5 - 30mm	Deleted
GO088	Incompass	Thoracolumbar Fixation System, Polyaxial Screw Open	5.5 - 7.5	Deleted
GO089	Incompass	Thoracolumbar Fixation System, Fixed Angle Screw Open	4.5 - 8.5mm	Deleted
GO090	Incompass	Thoracolumbar Fixation System, Fixed Angle Screw Closed	4.5 - 8.5mm	Deleted
GO091	Incompass	Thoracolumbar Fixation System, Hooks	5.5mm	Deleted
GO093	AcuFix	1 segment ThinLine plate	20 - 36mm	Deleted
GO094	AcuFix	2 segment ThinLine plate	34 - 54mm	Deleted
GO095	AcuFix	1 segment Ant-Cer dynamic plate	24 - 32mm	Deleted
GO096	AcuFix	2 segment Ant-Cer dynamic plate	34 - 54mm	Deleted
GO097	AcuFix	3 segment Ant-Cer dynamic plate	50 - 71mm	Deleted
GO098	AcuFix	4 segment Ant-Cer dynamic plate	68 - 96mm	Deleted
GO099	InFix Interbody Fusion System	Endplate	Small - Large	Deleted
GO100	InFix Interbody Fusion System	Strut	Small - Large	Deleted
GO101	InFix Interbody Fusion System	Endcap	8-10mm	Deleted
GO102	Pathfinder	Minimally invasive pedicle fixation system	Cannulated Polyaxial Screws 6.5 - 7.5mm	Deleted
GO103	Pathfinder	Minimally invasive pedicle fixation system	Open Implant Closure Top 5.5mm	Deleted
GO104	OctaFix	Occipital Cervical Plating System	Occipital Plate	Deleted
GO106	OctaFix	Occipital Cervical Plating System	Screw Offset Connector	Deleted
GO107	OctaFix	Occipital Cervical Plating System	Primary Bone Screw 3.5mm	Deleted
GO108	OctaFix	Occipital Cervical Plating System	Bone Screw 3.5 - 4.0mm	Deleted
GO109	Cadence (non sterile)	Titanium Interbody Implant	9-15mm	Deleted
GO110	Cadence Peek - Optima (sterile)	Vue Radiolucent Implant	9-13mm	Deleted
GO111	Fortitude (non sterile)	Titanium Interbody Implant	12mm	Deleted
GO112	Fortitude Peek-Optima (sterile)	Vue Radiolucent Implant	12mm	Deleted
GO122	InFix Interbody Fusion System	Strut	Small - Large	Deleted

Deleted Items for Prostheses List Report

Page 15 of 37

Global Scientific Pty Ltd

Neurosurgical

	O ***			
GS001	Heyer-Schulte In Line Valve System	Anti Siphon Device	One size only	Deleted
GS003	Heyer-Schulte Pudenz Flushing Valve	With Anti Siphon Device, Pressure range low - high	12, 16mm	Deleted
GS004	Heyer-Schulte Pudenz Flushing Valve with Integral Conn	Pressure range low - high	12, 16mm	Deleted
GS005	Heyer-Schulte Mishler Dual Chamber Flushing Valve System	Burr-hole and flat bottom designs ☐ Pressure range low - high	Standard, mini	Deleted
GS011	LPV Shunt System	Standard, mini, Pressure range low - high		Deleted
GS014	Edwards Barbaro Syringo Peritoneal Shunt	80 x 3.5cm 5FRT-Tube, 90cm peritoneal reflux control catheter □Step down connector, Foltz CSF Reservoir	One size only	Deleted
GS017	Heyer-Schulte In Line Valve System	Ultra VS Cylindrical Shunt/Valve system - Neonate style, Pressure range low - high	•	Deleted
GS018	Heyer-Schulte In Line Valve System	Ultra VS Shunt Valve, Pressure low - high	small, standard	Deleted
GS134	Shunt	Lumbar	80cm	Deleted
GS137	Shunt	Pressure valve (anti-siphon device or flushing valve or flush pump)	Low - High pressure range	Deleted
GS140	Heyer Schulte Ultra VS Valve Kit Neonatal Style	Comprises of silicone, kit includes valve, peritoneal cather, ventricular catheter and rickham style reservoir	Peritoneal catheter 90cm, ventricular catheter 18cm	Deleted
GS141	Ultra VS Shunt Kit Standard - Heyer Schulte	Composition silicone, kits contain standard valve, ventricular catheter, peritoneal catheter, rickham reservoir	3.8-5.8mm diameter valve, 18cm ventricular catheter, low, medium high pressure, 120cm peritoneal catheter	Deleted
GS142	Novus Hydrocephalic Shunt - Heyer Schulte	Novus valve made from silicone/polysulfone, each valve is packed with a valve and a right angled catheter guide	Standard size - low & medium pressure; Mini size - low & medium pressure	Deleted
GS143	LPV Shunt System Kit - Heyer Schulte	Composition silicone, kit includes LPV valve, peritoneal catheter, ventricular catheter, right angle catheter guide	Standard - low, medium, high pressure; Mini - low, medium, high pressure	Deleted
GS144	Spetzler In Line Valve - Heyer Schulte	Composition silicone, valve with integral connectors	Low, Medium, High Pressure	Deleted
GS209	Neonatal Shunt System	Shunt Assembly, includes separate ventricular catheter, integral distal catheter	Medium, low or low-low pressure	Deleted
GS213	Lumboperitoneal Shunt Assemblies	CSF LP Shunt includes: silicone catheter, stainless steel trocar, suture tabs	Straight or "T" tube	Deleted
GS217	Siphon Limiting Device	Silicone Shunt Accessory for control of CSF overdrainage	15mm length, 4.5mm height, 10mm width	Deleted

Deleted Items for Prostheses List Report

Page 16 of 37

Billing Code Product Name		Further Description	Size	Explanation of Deletion			
Integra	Integra Neurosciences Pty Ltd						
6 - Speci	ialist Orthopaedic						
IG054	Universal Total Wrist Implant System (UTW)	Consists of 3 parts, proximal radius component made of cobalt/chrome, distal titanium plate, titanium screws and polyethylene joint surface	Radial Component - Small - left & right, Medium - left & right, Large - left & right; Carpal Component - Small, Medium, Large; Polyethylene Carpal Component - Small - Standard, +1, +2, Medium - Standard, +1, +2, Large - Standard, +1, +2; Bone Screws - 4.	Expanded into IG110, IG111, IG112, IG113			
Johnson	n & Johnson Medical Pty Ltd						
6 - Speci	ialist Orthopaedic						
DP081	Global Shoulder	Global Advantage HUM HD	Size 15 - 21	Compressed into JJ828			
DP957	Delta Shoulder system	Cemented Epiphysis INOX/ ST. Steel + Aluminia+HAC	Size 1-4 in 26-42mm	Expanded into JJ833, JJ834			
DY414	Guepar Radial Implants	Radial Stem, Radial Head	+0 to+4	Deleted			
DY415	Guepar Radial Implants	Radial Stem, Radial Head	14/12mm to 16/16mm	Deleted			
JJ126	Contack Fastener	Polylactic acid tack	(3.5 to 7.5mm) x11.5mm	Deleted			
JJ613	Global AP Shoulder	Humeral Head	Humeral Heads - 40x15, 40x18, 44x15, 44x18, 44x21, 48x15, 48x18, 48x21, 52x15, 52x18, 52x21, 56x18, 56x21	Compressed into JJ828			
Cardio-	thoracic						
JJ026	BX Velocity with Hepacoat System	Balloon expandable, stainless steel, heparin coated		Deleted			
JJ200	BX Velocity Stent and Delivery System	Stainless steel stent	Diameter: 2.25-5.0 mm; Length 8 - 33 mm	Deleted			
JJ239	BX Sonic	Stainless steel coronary stent mounted on a balloon delivery system	Dia 2.25 - 4.0mm, lengths 8 - 33mm	Deleted			
General	Miscellaneous						
JJ412	Swedish Adjustable Gastric Band	Silicone	One size only	Expanded into JJ831, JJ832			
Orthopa	nedic						
DP416	Moss Miami (Titanium)	Washers - Slotted / Angled	One Size Only	Expanded into JJ829, JJ830			
DY062	Brazenor Device	Custom Cervical Buttress	One size only	Deleted			
DY431	Expedium Spine System	Si Polyaxial Screw	4.35 - 11mm x 20 - 100mm	Expanded into DY556, DY557			
DY435	Expedium Spine System	Rod	4.5 - 7.5mm Diameter x 12 - 60cm	Expanded into DY554, DY555			
JJ522	Viper Spine System	Polyaxial and Uniplanar Screw, with and without tab	30 - 100mm	Expanded into JJ835, JJ836			
11808	ZygoLoc	Facet Fusion Cage	3-15mm	Transferred to SF004			

Deleted Items for Prostheses List Report

Page 17 of 37

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
Plastic a	and Reconstructive			
MN024	Round Cohesive Gel-Filled Mammary Prosthesis	Model 354-1009; Model 354-1259; Model 354- 1509; Model 354-1759; Model 354-2009; Model 354-2259; Model 354-2509; Model 354-2759; Model 354-3009; Model 354-3259; Model 354- 3509; Model 354-3759; Model 354-4509; Model 354-5009; Model 354-5509; Model 354-6009;	100cc, 125cc, 150cc, 175cc, 200cc, 225cc, 250cc, 275cc, 300cc, 325cc, 350cc, 375cc, 400cc, 450cc, 500cc, 550cc, 600cc, 700cc, 800cc	Expanded into MN102, MN103, MN104, MN105, MN106, MN107
Kendal	l Australasia Pty Ltd TA Covidier	n Pty Ltd		
Vascula	r CAG			
KA009	RAAF Dual Lumen Catheter	Central Venous Catheter constructed of radiopaque silicone rubber	4.5mm (Catheter), 95cm (Catheter Overall Length); 3.2mm (Catheter), 102cm (Catheter Overall Length)	Deleted
KA010	Triple Lumen Right Arterial Catheter	Central Venous Catheter constructed of radiopaque silicone rubber	3.9mm	Deleted
Lifehea	lthcare Pty Ltd			
6 - Speci	ialist Orthopaedic			
LH197	SR Hand Implant System	SR Hand MCP/PIP/TMC (Basal Thumb) Implants - CoCr- Titanium Alloy, UHMWPE	XS/S/M/L/XL, 1,2,3,4,5	Expanded into LH471, LH472
LH306	HemiCAP Contoured Articular Resurfacing Shoulder System	Articular Component - Chrome Cobalt	Articular Component 25mm - 2.5mm x 2.5mm to 5.0mm x 5.0mm offset; Articular Component 30mm - 4.5mm x 4.5mm to 7.0mm x 7.0mm offset; Articular Component 35mm - 6.0mm x 6.0mm to 9.5mm x 9.5mm; Articular Component 40mm - 8.0mm x 8.0mm to 12.0mm x 12.0mm	Transferred to AE131
LH307	HemiCAP Contoured Articular Resurfacing Shoulder System	Fixation Screw - Titanium	Fixation component for 25mm, 30mm, 35mm, 40mm Artuclar Components Screw 10.5mm Dia & 12.5mm Dia & 13.7mm Dia	Transferred to AE132
LH315	Delivery Track	Composition: Peek	8 x 20/25/30mm	Deleted
LH347	Hemi CAP Articular Resurfacing Great Toe System	Articular Component	12mm (1-2mm x 1.5-3mm offset), 15mm (1.5- 2.5mm x 2.5-4.5mm offset)	Transferred to AE138
LH348	Hemi CAP Articular Resurfacing Great Toe System	Fixation Component	8mm x 16mm, 9.5mm x 18mm	Transferred to AE139
LH371	Stability Sigmoid Notch Total DRUJ system / Stability Sigmoid Notch Radial Stem	The Stability Sigmoid Notch Radial Stem is made from implantable Cobalt chromium (ASTM 1537-94) with a CPTi plasma spray on the back for bone ongrowth. It has a fixation post about 18mm in length and has a single hole in its base to accept a single cancellous bone screw. The front of the stem is highly polished and has raised edges to accept a UHMPE radial insert.	Small & Large	Compressed into LH470

Deleted Items for Prostheses List Report

Page 18 of 37

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
LH372	Stability Sigmoid Notch Total DRUJ System / Stability Sigmoid Notch Radial Insert	The Stability Sigmoid Notch Radial Insert is made of UHMW Polyethylene. It is formed to fit onto the Stability Sigmoid Notch Radial Plate and slides onto the plate and secures firmly via a peripheral lock and a ramp lock snap fit. It has a concave surface and a smooth back.	The Stability Sigmoid Notch radial Insert has two sizes, small and large and each size has just one thickness	Compressed into LH470
Veurosu	ırgical			
.H296	Duraseal Dural Sealant	DuraSeal is a Synthetic, absorbable, Polyethylene Glycon, hydrogel sealant used as an adjunct to sutured dural repair to achieve watertight closure.	5ml of hydrogel sealant	Transferred to AS180
.H369	DuraSeal Xact Spinal Dural Sealant	Xact Dural Sealant for spine)Packaged in sterile single use disposable tray with MicroMyst Applicator & precurser syringes)	2ml vial	Transferred to AS181
Orthopa	aedic			
LH293	Wafer Cartridge Assemby,	Composition: Peek	8 x 20/25/30mm	Deleted
LH304	HemiCAP Contoured Articular Knee System Resurfacing Component	Articular resurfacing component - CoCr with titanium plasma spray	Articular Component 15mm - 0.5mm x 0.5mm to 2.0mm x 2.0mm offset; Articular Component 20mm - 1.0mm x 1.0mm to 4.0mm x 4.0mm offset; 6 x 2mm to 10 x 3mm Offset	Transferred to AE133
.H305	HemiCAP Contoured Articular Knee System Fixation component	Proximal Morse taper, fully cannulated, tapered, threaded fixation component - Titanium with titanium plasma spray	Component for 15mm & 20mm Articular Components Screw 9.5mm Dia x 20mm; 11mm x 22mm	Transferred to AE134
LH308	HemiCAP Contoured Articular Resurfacing Hip System	Articular Component - Chrome Cobalt	Articular Component 25mm - 2.5mm x 2.5mm to 5.0mm x 5.0mm offset; Articular Component 30mm - 4.5mm x 4.5mm to 7.0mm x 7.0mm offset; Articular Component 35mm - 6.0mm x 6.0mm to 9.5mm x 9.5mm	Deleted
LH309	HemiCAP Contoured Articular Resurfacing Hip System	Fixation Component - Titanium	Fixation component for 25mm,30mm, 35mm Artuclar Components	Deleted
H406	HemiCAP Patello-Femoral Resurfacing System - Fixation Stud	A titanium-alloy fixation stud	8.5mm x 17.0mm	Transferred to AE135
LH407	HemiCAP Patello-Femoral Resurfacing System - Patella Component	An all-polyethylene patella resurfacing device used alone or in conjunction with a femoral trochlear component Available in 2 configurations Button and Anatomic	20mm,25mm,30mm	Transferred to AE136
.H409	HemiCAP Patello-Femoral Resurfacing System - Femoral Trochlear Component Articular	A distal femoral trochlear surface articular component comprised of cobalt-chromium alloy which mates to a fixation stud	20mm, 35mm	Transferred to AE137
H464	Caspian OC Plate	Occipital Plate for posterior occipital/cervical/thoracic fixation	40mm & 50mm	Transferred to ER034
LH465	Caspian OC screw	The Caspian OC screw is used to fixate the Caspian OC plate to the occiput	4.5mm diameter. 6-16mm length in 1mm increments 5.25mm diameter. 6-16mm length in 1mm increments	Transferred to ER035

Deleted Items for Prostheses List Report

Page 19 of 37

Link Orthopaedics Australia				
Orthopa	edic			
LO014	Link McMinn Acetabular insert	UHMWPE acetabular Insert unmodified	45 - 55 mm	Deleted
LO025	Link femoral body	Titanium, grit blast, non HA	35-65mm IN 126 & 135 degrees	Deleted
LO037	Link Gemini Femoral Component	Femoral component, cemented, CoCr, microporous	Extra Small - Extra Large	Expanded into LO153, LO154
LO041	LINK Endo Model Rotational Knee System	Entire prosthesis in single pack, femoral and tibial components are hinged and also includes a non weight bearing UHMWPE insert with locking screw	Small, medium & large	Expanded into LO170, LO171, LO172, LO173, LO174
LO046	LINK Endo Model Rotational Knee System (with femoral and tibial buildups)	Entire prosthesis in single pack Total Rotational Knee Joint with Anti Lux Device, with Patella Flange and includes extensive polyethylene distal/ femoral and proximal tibial moulded spacers	Extra small, small, medium & large	Expanded into LO155, LO156, LO157, LO158, LO159, LO160, LO161, LO162, LO163, LO164, LO165, LO166, LO167
LO128	Link Gemini Femoral Component	Femoral Component, uncemented, CoCr, microporous, HX Coating (hydroxy apatite)	Extra Small - Extra Large	Expanded into LO168, LO169
LO129	Link Gemini Tibial Baseplate	Tibial Baseplate, uncemented, Microporous, HX coating (hydroxy apatite)	Extra Small - Extra Large	Expanded into LO175, LO176
LO131	Link Gemini Tibial Insert	Tibial Insert, UHMWPE, mobile insert	Extra Small - Extra Large	Expanded into LO177, LO178
LO134	Waldemar Link MP Reconstruction Hip Prosthesis	Link body, Titanium, grit blast, non HA	35-65mm IN 126 & 135 degrees	Deleted
LO135	Waldemar Link MP Reconstruction Hip Prosthesis	Titanium, grit blast, HA	35-65mm IN 126 & 135 degrees	Deleted
LO140	Link Body	Titanium, grit blast, non HA	35 - 65mm	Deleted
LO141	Link MP reconstruction hip prostheses	Titanium, grit blast, HA	38 & 58 mm	Deleted
LO142	Prostheses, Femoral Head	Link body, Titanium, grit blast, HA	35-65mm IN 126 & 135 degrees	Deleted
LO146	CFP Hip Stem	Titanium, grit blast, non HA	Extra small to Extra Large	Deleted
LMA Pa	ncMed Pty Ltd			
6 - Specia	alist Orthopaedic			
PM111	Gotfried PC.C.P.	Internal Hip Compression Plate	One size only	Deleted
PM112	Neck, Shaft & Locking Screws	Telescopic, Self-Tapping, Primary, Revision	Neck L90 - 140mm; Primary Locking L20 - 75mm	Deleted
PM113	Neck, Shaft & Locking Screws	Telescopic, Self-Tapping, Primary, Revision	Shaft L31-43mm:	Deleted
PM114	Neck, Shaft & Locking Screws	Telescopic, Self-Tapping, Primary, Revision	Revision Locking L20-75mm	Deleted
Ear, Nos	e & Throat			
PM115	Montgomery Safe-T-Tube	Paediatric, Standard, Thoracic, Extra-Long, Tapered, Hebeler and HMS	ID 7, 9, 11mm; Length 100, 110mm	Deleted
Orthopa	edic			
PM001	Perioglas:	Bioglass granules	0.5cc	Deleted

Size

Further Description

Explanation of Deletion

Billing Code Product Name

Deleted Items for Prostheses List Report

Page 20 of 37

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
LMT S	urgical Pty Ltd			
6 - Speci	ialist Orthopaedic			
LM018	Ascension Silicone Finger joint replacement	MCP/PIP moulded silicone finger joint	Various	Expanded into LM102, LM103
LM043	Ascension Radial Head	The Ascension Radial Head is modular with a Pyrocarbon Head and Metal Stem which is made of Cobalt Chromium Alloy compliant with ASTM F1537-00, also available in all CoCr	Head Size - 20 Short and Long, 22 Short and Long, 24 Short and Long; Stem Size - 01/02/03/04	Expanded into LM104, LM105
LM094	CCI Evolution	Total ankle replacement	standard, standard plus, large, large plus	Expanded into LM106, LM107, LM108
LSS Su	rgical Pty Limited			
Orthopa	nedic			
LS001	SAS Spinal Advanced System	Peek-Optima Lumbar Cage	9mm t 15mm	Deleted
LS002	Solas Spinal System	Traverse Link Assembly	30mm - 120mm	Deleted
LS003	Solas Spinal System	Set Screw	One Size	Deleted
LS004	Solas Spinal System	Rod	40 - 400mm	Deleted
LS005	Solas Spinal System	Monoaxial Pedicle	4 x 25mm to 8 x 55mm	Deleted
LS006	Solas Spinal System	Polyaxial Pedicle	4 x 30mm to 8 x 55mm	Deleted
LS008	Solas Spinal System	Axial/Lateral Connectors	Small to Large	Deleted
LS009	Anatomix Cervical Cage System	Vue Radiolucent Implant	Size 5 to 10	Deleted
LS011	Anatomix Cervical Plate System	Titanium Anterior Cervical Plate System - 4mm Self-Drilling/Tapping Screw	12-20mm	Deleted
LS012	Anatomix Cervical Plate System	Titanium Anterior Cervical Plate System - 4.35mm Slef-Drilling/Tapping Screw	12-20mm	Deleted
LS024	Solas Spinal System	Hooks open, Pedicle and Lamina	4mm -11mm	Deleted
LS025	Solas Spinal System	Hooks closed, Pedicle and Lamina	4mm - 11mm	Deleted
LS028	Anatomix Cervical Plate System	Titanium Anterior Cervical Plate System	22mm to 55mm	Deleted
LS029	Anatomix Cervical Plate System	Titanium Anterior Cervical Plate System	58mm to 82mm	Deleted
Mathys	Orthopaedics Pty Ltd			
6 - Speci	ialist Orthopaedic			
MA081	Finger	Prosthesis - distal, proximal, standard, large	L18 D4.0 - L26 D6.0	Expanded into MA520, MA521
MA449	Affinis Total Shoulder Prosthesis	Stem - CoCr; Stem - Titanium; Glenoid - UHMWPE	Cemented 6, 9, 12, and 15mm; Cementless 6, 7.5, 9, 10.5, 12, 13.5 and 15mm	Expanded into MA522, MA523
Orthopa	nedic			
MA023	RM Classic Acetabular Cup, Metal on Metal	Titanium with lugs and CoCr bonded bearing surface plus UHMWPE sandwich	46mm - 68mm	Compressed into MA512
MA031	RM Classic Acetabular Cup	Titanium with lugs bonded bearing surface UHMWPE	46mm - 68mm	Compressed into MA513

Deleted Items for Prostheses List Report

Billing Co	de Product Name	Further Description	Size	Explanation of Deletion
MA032	CCE Acetabular Reinforcing Ring Screws	Titanium, cancellous screws	varying lengths	Compressed into MA514
MA109	BalanSys Tibial Baseplate	Tibial Baseplate for fixed bearing insert, cemented, CoCr	ML/AP Dimensions: 64/70/75/80/85	Compressed into MA515
MA110	Balansys Tibial Insert	Tibial insert, minimally stabilised, UHMWPE	Insert 64/8 - 85/15.5	Compressed into MA516
MA420	SeleXys Acetabular Screws	Titanium, cancellous screws	varying lengths & diameters	Compressed into MA514
MA459	Balansys Tibial Insert	Tibial insert, ultra congruent, deep dished, UHMWPE	64/8mm -85/20.5mm	Compressed into MA516
MA468	Mathys Ceramic Large Femoral Head	Ceramic, Bionit (alumina)	36mm (S,M,L,XL,XXL)	Compressed into MA517
MA470	Mathys Unipolar Ceramic Femoral Head	Ceramic, Bionit (alumina)	42-54mm	Compressed into MA517
MA471	RM Acetabular Dowel Screws	Titanium, cancellous screws	varying lengths	Compressed into MA514
MA472	RM Pressfit Cup	Titanium bonded bearing surface UHMWPE	46-64mm	Compressed into MA513
MA473	RM Pressfit Acetabular Cup, Metal on Metal	Titanium and CoCr bonded bearing surface plus UHMWPE sandwich	46-64mm	Compressed into MA512
MA488	BalanSys Tibial Baseplate	Tibial Baseplate for posterior stabilised fixed insert only, cemented, CoCr	ML/AP Dimensions: 64/70/75/80/85	Compressed into MA515
MA491	Balansys Tibia Baseplate / Tibial Baseplate for CR fixed bearing insert only, cemented, Co,Cr, TiNbN coated	Balansys Tibial Baseplate/ Tibial Baseplate for CR fixed bearing insert only, cemented, CoCrMo, TiNbN coated	64-85	Compressed into MA518
MA492	Balansys Tibial Baseplate? Tibial Baseplate for posterior stabilised fixed insert only, cemented, CoCr, TiNbN coated	Balansys Tibial Baseplate? Tibial Baseplate for posterior stabilised fixed insert only, cemented, CoCrMo, TiNbN coated	64 - 85	Compressed into MA518
MA499	Lima Revision Total Hip System	Femoral body, Titanium, non HA	50 - 110mm	Expanded into MA524, MA525
MA504	Metamys Metal on Metal Femoral Head	CoCr metal on metal	28mm, 32mm	Compressed into MA519
MA505	Metamys Metal on Metal Femoral Head	CoCr, metal on metal	36mm	Compressed into MA519
Medarti	S			
Orthopa	edic			
EO041	EUROBONE - Synthetic Bone Substitute	EUROBONE	5cc	Deleted
EO042	EUROBONE - Synthetic Bone Substitute	EUROBONE	10cc	Deleted
EO043	EUROBONE - Synthetic Bone Substitute	EUROBONE	20cc	Deleted
EO051	ENGlpore	Granules (size 1,0-2,5 mm) 15 cc Granules (size 2,5-4,0 mm) 15 cc	Granules (size 1,0-2,5 mm) 15 cc Granules (size 2,5-4,0 mm) 15 cc	Transferred to DE309
EO052	SINTlife	Nanostructured Paste/putty in syringe 5cc	5 cc	Transferred to DE310
EO054	SINTlife	Nanostructured Paste/putty in syringe 10 cc	10 cc	Transferred to DE311
EO055	ENGlpore	Granules (size 1,0-2, 5 mm) 5 cc Granules (size 2, 5-4, 0 mm)5 cc	Granules (size 1,0-2, 5 mm) 5 cc Granules (size 2, 5-4, 0 mm)5 cc	Transferred to DE312

Deleted Items for Prostheses List Report

Page 22 of 37

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
Medica	al & Optical Instruments Austra	alia Pty Ltd		
6 - Spec MO146	cialist Orthopaedic Martin Ulna Head prosthesis	Ceramic Head, Chromium Cobalt	Small, medium and large	Expanded into MO324, MO325
Medica	al Device Alliance Pty Ltd			
6 - Spec MP011	cialist Orthopaedic Phalangeal Joint Implant	Flexible monoblock implant to restore finger articulation, 2001	00-7	Deleted
Plastic a	and Reconstructive			
MP003	Facial Implant Nasal "L" Shaped	White, pink	1.9 x 4.1 x 2.8cm, 1.8 x 4 x 2.9cm	Transferred to DE315
MP005	Calf Implants	Asymmetrical shape, silicone gel smooth surface	85-180cc	Transferred to DE316
MP007	Facial Implant Malar	Malar	Small, medium, large/left or right	Transferred to DE317
MP008	Calf Implant	Silicone elastomer - smooth surface, asymmetrical shape,	70-175cc	Transferred to DE318
ЛР009	Facial Implant Nasal	Nasal dorsum	Small, large	Transferred to DE319
MP010	Facial Implant Chin	Anotomical chin	Small, medium, large/left, right	Transferred to DE320
MP012	Facial Implant Chin	Chin	Small, medium, large/left, right	Transferred to DE321
MP013	Facial Implant Nasal	Zygomatic	Right, left	Transferred to DE322
MP014	Calf Implant	Silicone elastomer - smooth surface, symmetrical shape	15-105cc	Transferred to DE323
MP016	Calf Implants	Symmetrical shape, silicone gel	12-140cc	Transferred to DE325
/IP017	Gluteal Implants filled with Gel	Oval Shape, Silicone Gel, Smooth	100-300cc	Transferred to DE326
/IP018	Gluteal Implants filled with Gel	Oval Shape, Silicone Gel, Textured Surface	200-400cc	Transferred to DE327
ЛР019	Gluteal Implants filled with Gel	Round Shape, Silicone Gel, Smooth Surface	200-300cc	Transferred to DE328
/IP020	Gluteal Implants filled with Elastomer	Oval Shape, Silicone Elastomer, Smooth Surface	95-260cc	Transferred to DE329
MP021	Gluteal Implants filled with Elastomer	Oval Shape, Silicone Elastomer, Textured Surface	225-420cc	Transferred to DE330
MP022	Gluteal Implants filled with Elastomer	Round Shape, Silicone Elastomer, Smooth Surface	250-340cc	Transferred to DE331
MP023	Silicone Sheets	Sheet standard-small with reinforcement	100mm	Deleted
MP024	Silicone Sheets	Sheet standard - large with reinforcement	200mm	Deleted
MP025	Silicone Sheets	Sheet standard - small without reinforcement	100mm	Deleted
MP026	Silicone Sheets	Sheet standard - large without reinforcement	200mm	Deleted
М Р027	Silicone Sheets	Sheet extra strength small	100mm	Deleted
Л Р028	Silicone Sheets	Sheet extra strength large	200mm	Deleted
MP029	Silicone Sheets	Block standard super soft	Soft, Medium, Hard	Deleted
MP030	Silicone Sheets	Block coloured, single consistency, white/pink	One size only	Deleted
MP031	Silicone Sheets	Block coloured, double consistency, white/pink	One size only	Deleted

Billing Co	de Product Name	Further Description	Size	Explanation of Deletion		
MP032	Suspension Sheet for Mammoplasty	Silicone sheet - textured	0.3mm, 29cm x 17cm;	Deleted		
MP034	Facial Implant - Ear		One size only	Transferred to DE332		
MP035	Facial Implant Malar	Malar Anatomical	Small, medium, large/left or right	Transferred to DE333		
MP036	Infraclavicular Implant	Infraclavicular Implant	14cc; 20cc; 38cc; 63cc; 122cc	Deleted		
MP037	Pectoral Implants	Gel - Smooth surface	190cc - 300cc	Transferred to DE334		
MP040	Silimed Tissue Expanders	Various shapes, smooth, remote port. Catalogue numbers: 80x, 81x, 82x, 807, 817, 741, 841, 851, 881, 861	1ml - 1000ml	Deleted		
MP041	Tissue Expander	Double Chamber, Smooth, \square Remote port \square Model # 730	320-850	Deleted		
MP042	Silimed Tissue Expanders	Anatomical shape, textured, remote port. Catalogue number: 20760	200ml-800ml	Deleted		
MP043	Silimed Tissue Expander	Double chamber, textured, magnetic. Catalogue number: 20739	320ml-850ml	Deleted		
MP044	Silimed Tissue Expander	Double chamber, textured, magnetic, with suture tabs. Catalogue number: 20799	470mm-780mm	Transferred to DE335		
MP045	Tissue Expander	Crescent model, Smooth, \square Remote Port \square Models # 820, 827, 829	12-700ml	Deleted		
MP046	Tissue Expander	Rectangular model, Smooth, □ Remote Port □ Models # 810, 819, 817	30-1000ml	Deleted		
MP047	Silimed Tissue Expanders	Specialised shapes, smooth, remote port. Catalogue numbers: 830, 880	145ml-520ml	Deleted		
MP048	Silimed Tissue Expanders	Ball Shaped Orbital Model # 741, 747	3-60ml	Deleted		
MP049	Silimed Tissue Expanders	Auricular Model # 841, 847	16-55ml	Deleted		
MP051	Silimed Tissue Expanders	Finger Syndactylism Model # 851, 857	1-5ml	Deleted		
MP052	Silimed Tissue Expander	various shapes, textured, magnetic port	150ml-1000ml	Transferred to DE336		
MP053	Silimed Tissue Expander	Various shapes, smooth, ,magnetic port	150ml-1000ml	Deleted		
MP054	Silimed Tissue Expander	Anatomical superior-pole/inferior-pole shape, textured, magnetic	200ml-840ml	Transferred to DE337		
MP055	Silimed Tissue Expander	Various shapes, smooth, textured, remote port	12ml - 1000 ml	Deleted		
MP056	Silimed Anatomical Textured Mammary Implant	Anatomical shape, textured surface, silicone gel filled mammary implant	115cc to 600cc	Transferred to DE338		
MP057	Silimed Textured Mammary Implant	Textured surface silicone gel mammary implant	40cc to 695cc	Transferred to DE339		
MP058	Silimed Smooth Mammary Implant	Smooth surface silicone gel mammary implant	80cc to 1000cc	Deleted		
MP059	Silimed Polyurethane Breast Implant	Polyurethane coated silicone gel breast implant	40cc to 695cc	Transferred to DE340		
MP060	Silimed Anatomical Polyurethane Breast Implant	Polyurethane coated silicone gel breast implant	115cc to 640cc	Transferred to DE341		
Urogenit	Urogenital					
MP001	Inflatable Periurethral Constrictor	Consists of a membrane, filler product and silicone tube	One size only	Transferred to DE313		

Deleted Items for Prostheses List Report

Page 24 of 37

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
/IP002	Malleable Penile Implant	Consists of a membrane, filler product and silicone tube	14-23cm	Transferred to DE314
1P015	Testicular Implant	Silicone with holes for fixation 3230	5-38cc	Transferred to DE324
Medica	l Specialties Australia Pty Ltd			
Jrogeni	tal			
IS051	TiLoop	Tension-free pelvic floor titanised tape for pelvic floor reconstruction. Composition: Prosthetic warp-knitted fabric made of monofil polypropylene threads with an encapsulating titanic coating	tape, fix, two, four	Expanded into MS060, MS061, MS062
Medica	l Vision Australia Pty Ltd			
Plastic a	and Reconstructive			
ЛF054	Cereform Silicone Breast Implant, Anatomical, Textured Surface	Silicone Gel-Filled Breast Implant	100cc to 545cc	Expanded into MF059, MF060, MF061
F056	Cereform Silicone Gel-filled Breast Implant, Round, Smooth and Textured Surface	Silicone gel-filled breast implant.	100cc to 500cc	Expanded into MF062, MF063, MF064
IF057	Cereform "Aptima" Silicone Gel-Filled Breast Implant	Silicone gel-filled breast implant with very high profile and filled with "Aptima" high cohesive gel.	240cc to 500cc	Expanded into MF065, MF066, MF067
Medtel	Australia Pty Ltd			
Cardio-	thoracic			
1E065	Amplatzer Duct Occluder	Nitinol Wire Mesh	5 - 24mm	Transferred to SJ260
E066	Amplatzer Septal Occluder	Nitinol Wire Mesh	4mm - 40mm	Transferred to SJ261
E067	Amplatzer Muscular VSD Occluder	Nitinol Wire Mesh	4 - 24mm	Transferred to SJ262
IE068	Amplatzer PFO Occluder	Nitinol Wire Mesh	25mm & 35mm	Transferred to SJ263
IE074	Amplatzer Membranous VSD Occluder	Nitinol wire mesh, double disc occluder and delivery system	4-24mm, Length 7-10mm	Transferred to SJ264
IE187	AMPLATZER Duct Occluder II	Self expandable multiple Nitinol wire mesh PDA occlusion device	Waist diameter 3-6mm, Nominal length 4-6mm	Transferred to SJ267
General	Miscellaneous			
IE124	Emphasys Endobronchial Valve	One way valve	Small, Medium, Large	Deleted
/ascula	r CAG			
IE182	Amplatzer Vascular Plug	Self expandable nitinol wire mesh	Diameter 4mm - 16mm, Length 7 & 8mm	Transferred to SJ265

Deleted Items for Prostheses List Report

Page 25 of 37

Billing Co	de Product Name	Further Description	Size	Explanation of Deletion
ME186	AMPLATZER Vascular Plug - II	The AMPLATZER Vascular Plug II is a self-expandable, multi-lobed cylindraical device made from a nitinol wire mesh. The device is secured on both ends with platinum marker bands, A stainless steel micro screw is welded to one of the platinum marker bands, which allows attachment to a delivery wire. The plug is preloaded into a loader attached to a nitinol pusher wire and is coiled in a hoop dispenser	9-AVP2-003, 3mm Diameter, 6mm Plug Length.□9-AVP2-004, 4mm Diameter, 6mm Plug Length.□9-AVP2-006, 6mm Diameter, 6mm Plug Length.□9-AVP2-008, 8mm Diameter, 7mm Plug Length.□9-AVP2-010, 10mm Diameter, 7mm Plug Length.□9-AVP2-012, 12mm Diameter, 9mm Plug Length.□9-AVP2-014, 14mm Diameter, 10mm Plug Length.□9-AVP2-016, 16mm Diameter, 12mm Plug Length.□9-AVP2- 018, 18mm Diameter, 14mm Plug Length.□9- AVP2-020, 20mm Diameter, 16mm Plug Length.□9-AVP2-022, 22mm Diameter, 18mm Plug Length	Transferred to SJ266
ME192	Amplatzer Vascular Plug III	AVP III is a self-expanding, Nitinol mesh occlusion device. The device has a radiopaque marker band at each end and a micro screw attachment at one end for attaching to the delivery wire. It has increased number of layers of braid, creating a denser plug device and potentially reducing the time to occlusion. The modified shape is intended to allow treatment of a wider range of defects in the peripheral vasculature. It allows the embolization of elongated, irregular and round shaped vessels.	Size: (mm): 4, 6, 8, 10, 10, 12, 12, 14, 14 Long Axis (mm): 4, 6, 8, 10, 10, 12, 12, 14, 14 Length (mm): 6.5	Transferred to SJ268
ME194	AMPLATZER Vascular Plug 4	The AMPLATZER Vascular Plug 4 (AVP4) is a self-expanding, Nitinol mesh occlusion device. The Device has a radiopaque marker band at each end and a micro screw attachment at one end for attaching to the delivery wire. The AVP4 fits through a 0.038 guidewire compatible diagnostic catheter allowing the use of the same catheter throughout the procedure rather than having to exchange the diagnostic catheter for a second delivery catheter to place a plug.	4mm 4 diameter 10.0 length 5mm 5 diameter 10.5 length 6mm 6 diameter 11.0 length 7mm 7 diameter 12.5 length 8mm 8 diameter 13.5 length	Transferred to SJ269
Medtro	nic Australasia Pty Ltd			
Cardio-t	horacic			
MC226	Medtronic Insync III Triple Chamber Pacemaker Model 8042	Titanium	One size only	Deleted
MC360	EnRhythm	Model P150 1DR, Rate Responsive dual chamber pacemaker with Anti-Tachycardia functions: DDDRP	21g, 13cc	Deleted
MC720	Concerto CRT-D	Implantable Cardioverter Defibrillator with Cardiac Resynchronisation Therapy	38cc	Deleted
MC721	Virtuoso	DR Model ☐ Implantable Cardioverter Defibrillator, Dual Chamber	37cc, 68g	Deleted
MC722	Virtuoso	VR Model ☐ Implantable Cardioverter Defibrillator, Single Chamber	37cc, 68g	Deleted

Deleted Items for Prostheses List Report

Page 26 of 37

Billing Co	de Product Name	Further Description	Size	Explanation of Deletion
MC935	EnRhythm MRI SureScan	Model EMDR01, MRI Conditional, Rate Responsive Dual Chamber Pacemaker with Anti- Tachycardia functions and MVP	13cc, 22g	Deleted
MC937	Concerto II	Fully automatic, wireless implantable cardioverter defibrillator with Cardiac Resynchronisation Therapy (CRT), and therapies for ventricular and atrial tachyarrhythmia.	38cc	Deleted
MC938	Virtuoso II	DR Model - Implantable Cardioverter Defibrillator, Dual Chamber	37cc, 68g	Deleted
MC939	Virtuoso II	VR Model - Implantable Cardioverter Defibrillator, Single Chamber	37cc, 68g	Deleted
General	Miscellaneous			
MC282	Medtronic MiniMed Insulin Infusion Pump Reservoir	Ambulatory Insulin Infusion Pump System Administration Sets and Accessories; Insulin Infusion Pump Reservoir MMT-103A (for use with pumps MMT - 507C & MMT - 508)	One Size Only	Deleted
MC284	Medtronic MiniMed Paradigm Insulin Infusion Pump Reservoir	Paradigm Insulin Infusion Pump Reservoir MMT-326A (for use with Model MMT-511 insulin infusion pump)	One Size Only	Compressed into MC989
MC304	Medtronic Minimed Paradigm Insulin Infusion Pump Reservoir	Reservoir Model MMT - 332A (for use with the Paradigm Model MMT - 712). Polycarbonate	3.0 ml reservoir	Compressed into MC989
Neurosu	rgical			
MC061	Medtronic IsoMed Drug Infusion Pump.	Models 8472-20-03, 8472-20-05, 8472-20-10, 8472-20-15. Models 8472-35-05, 8472-35-10, 8472-035-15. Titanium	20ml, 35ml	Deleted
Urogenit	tal			
MC175	Neo-anal sphincter stimulator implant	Implantable intramuscular assist lead, Dynamic Graciloplasty Lead. Platinum iridium, polyurethane, polypropylene.	35-50 cm	Deleted
Vascular	CAG			
MC146	Exponent RX Self Expanding Carotid Stent Delivery System	Nitinol	Diameter: 6 - 10mm, Length: 20 - 40mm	Deleted
MC148	Talent AAA Bifurcated Stent Graft	Endoluminal Stent Graft System -Bifurcated Graft & Contralateral Limb	24-36 x 8-24 x 140-170mm	Deleted
MC160	Talent Iliac Extension Graft	Talent Endoluminal Stent Graft - Iliac Extension	8 - 26mm x 60 - 200mm	Deleted
MC370	GuardWire Plus Temporary Occlusion and Aspiration System	GuardWire temporary occlusion balloon, MicroSeal adaptor, EZ Flator, Export Aspiration Catheter and filter. Materials: nitinol hypotube, a soft elastic polymer, polycarbonate, polyurethane, stainless steel	Length 200 and 300cm; Balloon Occlusion Diameter: 3.0-6.0mm; Distal Tip Length: 2.5cm; Guard Wire Shaft O.D: 3.5mm	Deleted
MC702	Aurora Stents: Self Expanding Stent Delivery System	Stainless Steel, Nitinol	Diameter: 6 - 10mm, Length: 20 - 80mm	Deleted
MC729	Bridge Assurant Stents: Balloon Expandable Stent Delivery System	Stainless Steel, Nitinol	Diameter: 6 - 10mm, Length: 20 - 80mm	Deleted

Deleted Items for Prostheses List Report

Page 27 of 37

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
N Steni	ning & Co Pty Ltd			
General	Miscellaneous			
NG042	Weck Hem-o-lok	Hem-o-lok Automatic Open Applier	15 Clips per applier	Deleted
NG047	Hanarostent Biliary Stent	Biliary Stent Silicone Covered Nitinol Wire 99% Pure Gold complete with delivery device	Diameter: 8mm - 10mm Length: 50mm - 100mm	Deleted
NG048	Hanarostent/Choostent Covered Oesophageal Stent	Oesophageal Covered Stent Silicone Nitinol Wire 99% Pure Gold Complete with delivery device	Diameter: 18mm - 22mm Usable Length: 30mm - 130mm	Deleted
NG049	Hanarostent - Covered Tracheal airway Stent	Tracheal Airway Stent Silicone Nitinol Wire 99% Pure Gold Complete with delivery device	Diameter: 12mm - 22mm Usable Length: 30mm - 80mm Total Length: 40mm - 80mm	Deleted
NG050	Hanarostent Colo-Rectal Stent	Colo-Rectal Stent Silicone covered Nitinol Wire 99% Pure Gold complete with delivery device	16mm - 24mm Diameter, 38mm - 130mm Length	Deleted
Orthop	aedic Solutions Pty Ltd			
Orthopa	aedic			
OE002	BioProfile Pyrocarbon Carpal Components	Includes: Proximal Scaphoid; Scapho-Trapezium; Resurfacing Capitate & Trapezium Interposition Implants. Composition: Pyrolitic Carbon	One Size Only	Expanded into OE027, OE028, OE029
OE011	BioProfile Modular Pyrocarbon Ulna Head	A modular titanium Pyrocarbon Ulnar head prosthesis which includes a Pyrocarbon head and titanium stem.	Small, medium, large	Expanded into OE030, OE031
OE012	BioProfile Modular Pyrocarbon Radial Head	A modular titanium Pyrocarbon Radial head prosthesis which includes a Pyrocarbon head and titanium stem, neck, head and expansion screw	Small, medium, large and X-large	Expanded into OE032, OE033
Pacing	Importers Pty Ltd - Life Systems			
Ear. No	se & Throat			
PI007	Duet EAS Hearing System	Cochlear implant speech processor and accoustic hearing aid combined in one device	Length 53.5mm, width 8.5mm, Height 58.4mm (one size only)	Deleted
Penuml	bra Neuro Australia Pty Ltd			
PoCE-N	leuro			
PN001	Penumbra Reperfusion Catheter	Intracranial reperfusion catheter	Outer diameter: 2.8, 3.4, 4.1FR; Working length: 150, 150, 137cm	Deleted
PN002	Penumbra Separator	Intracranial reperfusion separator	Outer diameter: 0.56, 0.71, 0.89mm. Working length: 155, 155, 142	Deleted
Pharma	a-Devices Pty Ltd			
PoCE-N	euro			
PA001	ADHERUS Dural Sealant	Dural sealant	6ml	Transferred to MB007

Deleted Items for Prostheses List Report

Page 28 of 37

Billing Code Product Name		Further Description	Size	Explanation of Deletion
Promed	ica Pty Ltd			
General	Miscellaneous			
PO001	Corflo Cubby LPGD Kit	Low profile gastronomy device	12 - 24fg x 1.0 - 4.5cm	Transferred to FT001
PO002	Corflo Gastronomy Replacement Device	Dual and triple gastronomy tubes	Dual 12 - 24fg 5 - 20cc balloon; Triple 16 - 24fg 20cc balloon	Transferred to FT002
PO003	Corflo Max 20fg PEG Kit Complete with 7fg Snare - "Pull Type"	Sterile enteral feeding tube with accessories	20fg	Transferred to FT003
PO004	Corflo Max 20fg PEG Kit "Pull Type"	Sterile enteral feeding tube with accessories	20fg	Transferred to FT004
Pyrame	d Pty Limited			
Vascular PY005	r CAG Optimed Iliac Sinus Stent ealthcare	Sinus-wave nitinol stent	6 - 14mm x 30 - 200mm	Expanded into PY015, PY016
Cardio-1				
RH002	Kalangos Mitral Ring	KALANGOS Mitral Ring is intended for heart valve repair. Each device is characterized by a resorbable polymeric curved segment, processed in poly-1,4-dioxanone, moulded around a PVDF suture itself ended by swaged stainless steel needles. These three constituents are assembled in such a way that they cannot be shared or dismounted after assembly without irremediably destroying the device. For these reasons, KALANGOS Mitral Ring should be considered as a single device. Each extremity of the polymeric segment is terminated by a sharp end prolonged by the PVDF suture with a swaged stainless steel needle on both sides.	Diameter 16mm - 36mm, Height 10.62mm - 24.61mm Thickness 1.3mm - 1.5mm	Deleted

Deleted Items for Prostheses List Report

Page 29 of 37

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
RH003	Kalangos Tricuspid Ring	KALANGOS Tricuspid Ring is intended for heart valve repair. Each device is characterized by a resorbable polymeric curved segment, processed in poly-1,4-dioxanone, moulded around a PVDF suture itself ended by swaged stainless steel needles. These three constituents are assembled in such a way that they cannot be shared or dismounted after assembly without irremediably destroying the device. For these reasons, KALANGOS Tricuspid Ring should be considered as a single device. Each extremity of the polymeric segment is terminated by a sharp end prolonged by the PVDF suture with a swaged stainless steel needle on both sides.	TRK16 5.10 Radius 1 (mm) 9.31 Radius 2 (mm) 3.1 Radius 3 (mm) 5.44 Height (mm) 1.30 Thickness (mm) TRK18 6.1 Radius 1 (mm) 10.44 Radius 2 (mm) 4.1 Radius 3 (mm) 7.98 Height (mm) 1.30 Thickness (mm) TRK20 7.1 Radius 1 (mm) 8.92 Radius 2 (mm) 5.1 Radius 3 (mm) 8.96 Height (mm) 1.30 Thickness (mm) TRK22 8.1 Radius 1 (mm) 9.27 Radius 2 (mm) 6.1 Radius 3 (mm) 10.05 Height (mm) 1.30 Thickness (mm) TRK24 9.1 Radius 1 (mm) 11.21 Radius 2 (mm) 7.1 Radius 3 (mm) 10.97 Height (mm) 1.30 Thickness (mm) TRK26 10 Radius 1 (mm) 11.21 Radius 2 (mm) 8 Radius 3 (mm) 10.37 Height (mm) 1.50 Thickness (mm) TRK28 10.5 Radius 1 (mm) 16.71 Radius 2 (mm) 9 Radius 3 (mm) 11.02 Height (mm) 1.50 Thickness (mm) TRK30 12 Radius 1 (mm) 11.9 Radius 2 (mm) 10 Radius 3 (mm) 12.83 Height (mm) 1.50 Thickness (mm) TRK32 13 Radius 1 (mm) 15.45 Radius 2 (mm) 11 Radius 3 (mm) 13.15 Height (mm) 1.50 Thickness (mm) TRK34 14 Radius 1 (mm) 16.25 Radius 2 (mm) 12 Radius 3 (mm) 13.5 Height (mm) 1.50 Thickness (mm) TRK36 15 Radius 1 (mm) 15.85 Radius 2 (mm) 13 Radius 3 (mm) 16.09 Height (mm) 1.50 Thickness (mm)	Deleted
Roche	Diagnostics Australia Pty Ltd			
General RO001 RO009	Miscellaneous "Disetronic Insulin Infusion Pump System" "Disetronic Insulin Infusion Pump System"	D-Tron plus D-Tron plus	Large Kit Blue or Anthracite Small Kit Blue or Grey	Deleted Deleted
	x Australia	•	•	
Orthopa SX020		Polyaxial screws		Deleted
SX020	TTC-rod	Rigid Rod	Diameter: 3.5mm, Length: 10-200mm	Deleted
SX022	Bioscorp	Bioresorbable corpectomy implant	Diameter: 10-12mm, Length; 30-70mm	Deleted
SX023	Aladyn-Plate	Rigid Plate	Length: 38-76mm	Deleted
SX024	Lyra plate	Antero-lateral thoraco-lumbar plate	length 40mm; 45mm; 50mm; 55mm; 60mm; 65mm; 70mm; 80mm; 90mm 100mm; 110mm	Deleted

Deleted Items for Prostheses List Report

Page 30 of 37

Billing Cod	de Product Name	Further Description	Size	Explanation of Deletion
SX025	Lyra Screws	Screws for antero-lateral thoraco-lumbar plate: short hemispherical, locking spherical	Diameter:6.5mm; 5.5mm Length: 30mm; 32.5mm; 35mm; 37.5mm; 40mm; 45mm; 50mm; 55mm; 60mm	Deleted
SX026	MX System Open Monoaxial Screw	Open monoaxial pedicle screw	Diameter 5.5mm; 6.2mm; 7mm - length 35mm; 40mm; 45mm; 50mm	Deleted
SX027	MX System Polyaxial Screw	Polyaxial Pedicle Screw	Diameter 5.5mm; 6.2mm; 7mm - Length 35mm; 40mm; 45mm; 50mm	Deleted
SX028	MX System Closed Monoaxial Screw	Closed monoaxial pedicle screw	Diameter 5.5mm; 6.2mm; 7mm - Length 35mm; 40mm; 45mm	Deleted
SX029	Lyra Nut	Short Hemispherical nut	one size only	Deleted
SX030	MX System Nut	Inner Locking nut for MX System Screws	One size only	Deleted
Smith &	Nephew Surgical Pty Ltd			
6 - Specia	alist Orthopaedic			
SN063	TC 100 2.7mm Small Fragment (Compression) plates	2 - 12 holes	20 - 100mm	Deleted.
SN400	Modular Cofield	+ 2 insert	Small, Standard, Standard with offset	Deleted
SN669	Standard Humeral Components	Modular Shoulder System Humeral Head, Chromium Cobalt	11.25 - 25mm Height, 40 - 49.5mm Diameter	Deleted
SN676	Genoid Components	Anatomic Glenoid Component, Ti-6A1-4V, UHMWPE	Extra Small & Standard	Deleted
SN889	Promos Modular Shoulder system	Glenoid Base Plate with Ti/HA-Ti 6A i4V	5-20mm, 1-5, Small, Medium, Large	Deleted
Orthopa	edic			
SM023	Bicon - PLUS Porosis Acetabular Shell	Titanium, grit blast, double thread	1 to 9	Deleted
SM038	PLUS Bipolar Head	Bipolar Head, CoCr UHMWPE insert with insertable locking ring	39mm-60mm	Deleted
SM048	UC (Unicompartment) PLUS Solution Knee System Uni Tibial Baseplate	Uni Tibial Baseplate, all poly, cemented UHMWPE,	40 (8mm, 10mm, 12mm, 14mm), 44 (8mm, 10mm, 12., 14mm), 48 (8mm, 10mm, 12mm, 14mm), 52 (8mm, 10mm, 12mm, 14mm), 56 (8mm, 10mm, 12mm, 14mm)	Deleted.
SM050	Bicon - PLUS Acetabular Shell	Titanium, grit blast, single thread	01, 0, 1, 2, 3, 4, 5, 6, 7, 8, 9	Deleted
SM069	VKS (Vario) Knee System Tibial Insert	Tibial Insert, UHMWPE, fixed, deep dished	1-6	Compressed into SL004
SM076	VKS (Vario) Knee System Tibial Insert	Tibial Insert, UHMWPE, fixed	1-12	Compressed into SL004
SM115	Proxy Plus Femoral Stem	Titanium, grit Blasted, triple tapered	5-20 various offsets	Deleted
SN264	Buck	IM Prep Kit	One size only	Deleted
SN272	Echelon	Revision Hip Stem - Porous, Standard Collar	Sizes 11 - 22	Deleted
SN310	Genesis II Knee System Tibial Insert	Tibial Insert, Fixed, UHMWPE, (deep dished)	1-8. 9 - 21mm	Compressed into SL002
SN335	Genesis Uni Tibial Baseplate	Uni Tibial baseplate, uncemented, CoCr, beaded, HA for fixed insert	Left & Right, X Small- Magnum Plus	Deleted.
SN356	Genesis Knee System Tibial Baseplate	Tibial Baseplate, uncemented, CoCr, beaded, for fixed insert	Left/Right Small - Magnum	Deleted.

Deleted Items for Prostheses List Report

Page 31 of 37

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
SN361	ITH	Trunnion Sleeve	One size only	Deleted
SN371	MOD III Patella Femoral Knee System Trochlear Component	Trochlear Component, CoCr, cemented,	Small & Large	Deleted.
SN727	Genesis II Knee System Tibial Insert	Tibial Insert, Posterior Stabilised, UHMWPE, fixed, high flex with peg	1-8, 9-25mm thickness	Compressed into SL005
N814	Genesis II Knee System Femoral Component	Femoral Component, totally Constrained, CoCr, Cemented	Left & Right size 1-8	Deleted.
N826	Birmingham PC Hip Replacement	Plasma carbarised articular surface	30-70	Deleted
N852	Gen II Mobile Bearing PS Insert	Primary Mobile Bearing Posterior Stabilised Tibia Insert	2-12	Deleted.
N867	Genesis II Knee System Tibial Insert	Tibial insert, UHWPE, fixed	1-9	Compressed into SL002
N868	Profix Knee System Tibial Insert	Tibial insert, UHWPE, fixed	1-9	Compressed into SL003
SN875	Genesis II Knee System Tibial Insert	Tibial Insert, UHMWPE, posterior stabilised with peg, fixed	1-8	Compressed into SL005
N877	Genesis II	CR HA Porous	1-8	Expanded into SN910, SN911
SN881	Profix Knee System Tibial Insert	Tibial Insert, UHMWPE, fixed, includes standard and deep dished / high flex insert without peg	Left / Right 1 - 8	Compressed into SL003
N882	Genesis II Knee System Tibial Insert	Tibial Insert, UHMWPE, fixed, includes standard and deep dished / high flex insert without peg	Left / Right 1 - 8	Compressed into SL002
St Jude	Medical Australia Pty Ltd			
Cardio-	thoracic			
J033	Aescula LV Model 1055K	Left Ventricular Pacing Lead	75cm	Deleted
SJ038	St Jude Medical Toronto SPV Valve Model SPA- 101, St Jude Medical Bioimplant Heart Valve	Tissue Heart Valves, Bioimplant	TSPV: 21 - 29mm, Bioimplant Aortic: 21-27mm, Bioimplant Mitral: 27-32mm	Deleted
J050	Verity ADx Model XL DC 5256 Dual - Chamber pacemaker	Dual Chamber multi-programmable rate-adaptive pacing devices with extended longevity	11cc, 23.5g	Deleted
J053	Verity Adx Model XL SC 5056 implantable pacemaker	Single Chamber multi-programmable rate-adaptive pacing device with extended longevity	10.5cc, 23g	Deleted
J057	Verity ADx Model XL VDR 5456 implantable pacemaker	Single Chamber multi-programmable rate-adaptive pacing device with extended longevity	11cc, 23.5g	Deleted
J061	Identity Adx Model XL DC 5286 Dual Chamber Pacemaker	Identity ADx Model XL DC Model 5286 is an implantable, multi-programmable rate-adaptive pacing device with AF suppression	11cc, 23.5g	Deleted
J069	St Jude Medical Biocor Porcine Prosthetic Heart Valve	St Jude Medical Biocor Porcine Prosthetic Heart Valve is manufactured from selected procine aortic valve cusps that have been cross-linked with a glutaraldehyde solution	Aortic Valves - Tissue Annulus Diameter - 21- 29mm, Implant Height - 11-15c; Mitral Valves - Tissue Annulus Diameter - 25-35mm, Implant Height - 8-10mm	Deleted
J074	Riata Transvenous tachyarrhythmia Leads Model 1582	Tri-polar Active - Fixation, Steroid-Eluting, Single shock Coil Tachyarrhythmia; Lead	60cm, 65cm, 8F introducer	Deleted
J075	Riata Transvenous Tachyarrhythmia Lead Model 1580, Model 1581	Quadripolar, dual-coil, steroid eluting, active fixation tachyarrhythmia leads	One size only	Deleted

Deleted Items for Prostheses List Report

Page 32 of 37

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
SJ078	IsoFlex S, Models 1645K, 1643K, 1635K	Endocardial, Steroid Eluting, Silicone, Passive Fixation Leads with Fast-Pass Coating	34cm, 40cm, 46cm, 52cm, 58cm, 85cm, 7F	Deleted
SJ081	Riata i Transvenous Tachyarrhythmia Leads Model 1590/1591	Active fixation leads, Steroid Eluting, Dual Shock Coil Defibrillation Lead	60cm, 65cm, 75cm, 8F introducer	Deleted
SJ084	Riata i Transvenous Tachyarrhythmia Lead Model 1592	Active Fixation, Steroid Eluting, Single Shock Coil Defibrillation Lead	60cm, 65cm, 75cm, 8F introducer	Deleted
J096	Riata ST 7000/7001/7002	Active-Fixation True-Bipolar, Dual-Coil, (7002 - Single-Coil) Steroid-Eluting Steroid Eluting, Endocardial Defibrillation Leads	60, 65cm 7F introducer	Deleted
J097	Isoflex P 1644T and 1648T	Endocardial, Steroid Eluting, Polyurethane, Passive-Fixation Bipolar Pacing Leads with Fast- Pass Coating	1648T - 34-85cm 1644T - 34-42cm	Deleted
J099	QuickSite 1056T	Bipolar Steroid-Eluting, Titanium Nitride Coated Electrodes Guidewire/Stylet-Placed Keft Heart Lead with Fast-Pass Coating	75cm, 6F and 86cm, 6F	Deleted
SJ110	Riata ST Transvenous Tachyarrhythmia Leads 7040/41/42 and 7050/51/52	Riata ST 7040/41 Passive-Fixation True-Bipolar, Dual-Coil, Steroid-eluting, Endocardial Defibrillation Leads, 7042 - Single Coil, 7050/51 - Integrated Bipolar, Dual Coil, 7052 - Integrated Bipolar, Single Coil	60 - 75cm, 6.3 Fr, 7 Fr Introducer	Deleted
J117	Promote CRT-D 3107	Cardiac Resynchronisation Therapy Defibrillator	41cc, 80g	Deleted
SJ126	QuickSite XL 1058T	Bipolar, Steroid-Eluting, Titanium Nitride Coated Electrodes, Guidewire/Stylet-Placed Left Heart Lead with Fast-Pass Coating	75-86cm	Deleted
SJ127	Proxis Embolic Protection System - Long Sheath	Proximal embolic protection device and delivery system	6F and 7F	Deleted
J141	SJM Epic Supra Valve	triple composite Bioprosthetic heart valve for supra-annular placement in the aortic position	Tissue Annulus Diameter - 19-23mm Total Height - 14-16mm	Deleted
J156	SJM Epic Valve	Triple composite bioprosthetic heart valve	Aortic valve 21-29mm tissue annulus diameter 14-20 total height Mitral Valves 25-33mm tissue annulus diameter 15-20mm total height	Deleted
Neurosu	ırgical			
J137	Lamitrode Leads - Tripole 8, Tripole 8C and Exclaim	Tripole 8 (3208), Tripole 8C (3210) and Exclaim (3224)	Length - 60cm	Deleted
J166	ANS Spinal Cord Stimulation System (SCS) RENEW	Transmitter Kit 16 Channel	One size only	Deleted
J167	ANS Spinal Cord Stimulation System (SCS) RENEW	Transmitter Kit 8 Channel	One size only	Deleted
SJ181	Genesis RC Rechargeable IPG	External Charging System		Deleted
J189	Axxess Permanent Lead	Axxess Quad Lead: 7mm - Model #4044, 9mm - Model #4054	Length - 45cm	Deleted
J190	Axxess Permanent Lead	Axxess Quad permanent Lead: 7mm - Model #4143 & 4146, 9mm- Model # 4153 & 4156	Length 30 - 60cm	Deleted

Deleted Items for Prostheses List Report

Page 33 of 37

Billing Code Product Name	Further Description	Size	Explanation of Deletion
Vascular CAG SJ080 Proxis Embolic Protection System	Proximal embolic protection device and delivery system	7F and 8F	Deleted
Stryker Australia Pty Ltd			
6 - Specialist Orthopaedic			
ST820 Osteonics Solar Elbow System - ulna component	Titanium alloy	Small, standard, large	Deleted
Surgeons Choice Australia Pty Ltd			
Plastic and Reconstructive			
SH001 Eurosilicone Breast Implants	Textured Cohesive Gel Breast Implants for Plastic and Reconstructive Surgery	100cc to 900cc	Transferred to ZW001
SH002 Eurosilicone Breast Implants	Round Cohesive Gel Breast Implants for Pastic and Reconstructive Surgery	100cc to 900cc	Transferred to ZW002
SH003 Eurosilicone Breast Implants	Anatomical Cohesive Gel Breast Implants for Plastic and Reconstrive Surgery	100cc to 500cc	Transferred to ZW003
Surgical Specialties			
6 - Specialist Orthopaedic			
SQ017 CBS Screw	Titanium Compression Screw, Cannulated	1-1.5mm	Deleted
Surgiplas Medical			
6 - Specialist Orthopaedic			
SP050 The Radius Plating System - Screws	The Radius System - 2.7-3.0mm diameter Locking anchor, cancellous, bone screws.	2.7-3.0mm diameter screws, 8-38mm length.	Deleted
SP053 The Radius Plating System - Locking Plates	Distal radius plate system	Fracture plates volar and dorsal 2.0mm thickness, left and right of short and long.	Deleted
Synthes Australia Pty Ltd			
6 - Specialist Orthopaedic			
Epoca Custom Offset Shoulder Prosthesis	Epoca Stem	6 - 14mm, Length: 115 - 215mm	Expanded into SY571, SY572
Orthopaedic			
SY176 chronOS™ β-TCP	Porous β -Tricalcium Phosphate Bone Graft Substitute-Wedge	Small, Medium, Large	Expanded into SY575, SY576
SY177 chronOS TM β-TCP	Porous β -Tricalcium Phosphate Bone Graft Substitute-Block	Small, Medium, Large	Expanded into SY573, SY574
Гад Medical			
Neurosurgical			
ΓΜ041 TissuePatchDural	Synthetic Self-Adhesive Barrier to Cerebrospinal Fluid Leaks	50mm x 100mm	Transferred to MC990
Deleted Items for Prostheses List Report			Page 34

Billing Co	de Product Name	Further Description	Size	Explanation of Deletion
TM042	TissuePatchDural	Synthetic Self-Adhesive Barrier to Cerebrospinal Fluid Leaks	50mm x 50mm	Transferred to MC991
TM043	TissuePatchDural	Aynthetic Self-Adhesive Barrier to Cerebrospinal Fluid Leaks	50mm x 25mm	Transferred to MC992
Tekmed	d Pty Ltd			
Vascula	r CAG			
TK007	Pro-PICC CT power injection and PICC therapy catheter sets	Mecomp Pro-PICC CT power injection and PICC therapy catheter sets, incl. micro-puncture set, tearaway introducer sheath, nitinol marked guidewire with platinum tip, positive pressure valved cap(s), syringe, statlock, mini scalpel, 21g echo tip needle	Single and double lumen, 4, 5, and 6 french, 65cm or 130cm nitinol guidewire	Deleted
Tornier	Pty Ltd			
6 - Speci	ialist Orthopaedic			
TO014	Tornier Latitude Total Elbow Prosthesis	Radial Head, Radial Stem	Radial Head - (Small, Medium, Large); Radial Stem - (Diameter - 5mm, 6.5mm)	Expanded into TO076, TO077
TO037	Aequalis Reversed Shoulder - Revision Base Plate (Metaglene)	Long pegged base plate/ metaglene for revision reversed shoulder.	One Size: Long Peg	Compressed into TO066
TO038	Aequalis Reversed Shoulder Eccentric Glenosphere	Eccentric Glenoid Sphere for Aequalis Reversed Shoulder	36mm and 42mm, eccentricity +2mm, 4mm or 6mm.	Compressed into TO067
TO039	Aequalis Reversed Shoulder Wear Compensation Glenosphere	Wear Compensation Glenoid Sphere for Aequalis Reversed shoulder.	36mm and 42mm, wear compensation 5 degrees or 10 degrees, combination wear compensation 5 degrees or 10 degrees and eccentricity +2mm, 4mm or 6mm.	Compressed into TO067
TO041	Aequalis Reversed Shoulder -Glenoid Base Plate	Ti HA Coated	One Size	Compressed into TO066
TO042	Aequalis Reversed Shoulder -Glenoid Sphere	CoCr, Ti Alloy	D.36mm & 42mm	Compressed into TO067
TO044	Aequalis Reversed Shoulder - Stem (Cemented or Cementless)	Cemented: CoCr Cementless: Ti, HA coated	D. 6.5, 9, 12, 15mm L 100, 150, 180, 210mm	Expanded into TO078, TO079
Orthopa	nedic			
TO001	Cheville Salto Ankle Prostheses	Components include tibial, mobile bearing, talar, malleolar for use as a total ankle prostheses, Ti CoCr	Tibial/Talar Sizes 1small to $3 = x$ -large. Mobile Bearing Thickness 4,5,6,7 mm. Malleoloar Sizes $1 \& 2$	Expanded into TO071, TO072, TO073
TO005	Radial Head Prostheses	Ti CoCr, Elbow prostheses, consists of Radial Stem + Cup.	Stem 6.5mm & 8mm Mod Head size 19mm & 22mm	Expanded into TO074, TO075
TO012	Tornier Latitude Total Elbow Prosthesis	Humeral Spool, Humeral Stem, Ulnar Stem	Humeral Spool - (Small, Medium, Large) (Anterior, Posterior, Centered) (Left, Right); Humeral Stem - (Small, Medium, Large) (Left, Right); Ulnar Stem - (Small, Medium, Large) (Left, Right)	Expanded into TO068, TO069, TO070

Deleted Items for Prostheses List Report

Page 35 of 37

Billing C	ode Product Name	Further Description	Size	Explanation of Deletion
Wright	Medical Australia			
Orthop	aedic			
WR054	Bone Plug	PMMA Cement	8, 10, 12, 14, 16mm	Deleted
WR182	Advance Double High Tibial Insert	Minimally stabilised, fixed, tibial insert, with high flexion, UHMWPE	All inserts are available in Left and Right: Sizes 1.5, 0, 1, 2, 3, 4, 5, & 6, in the following increments of 10, 12, 14, 17, 20 & 25mm	Compressed into WR223
WR191	Advance Total Knee System	High anterior lipped, Medial pivot UHMWPE fixed tibial insert	0, 1, 2, 3, 4, 5, 6 in 10 - 25mm thicknesses	Compressed into WR223
Zimme	r Pty Ltd			
6 - Spec	ialist Orthopaedic			
ZI218	Zimmer Plates	Spoon Plates	5 - 6 Hole	Deleted
ZI231	ZPS	Recon Bridge Plate	4 Hole	Deleted
ZI320	ITST Intramedullary Nails	Stainless Steel Intertrochanteric Nailing System	Diameter 10 - 14mm; Length 18 - 50cm	Deleted
ZI321	Intramedullary Nail Caps	Stainless Steel Intertrochanteric Nailing System	Diameter 0 - 20mm	Deleted
ZI322	ITST Intramedullary Nailing System - Lag screw	Stainless Steel Intertrochanteric Nailing System	Diameter 11mm: Length 70mm - 120mm	Deleted
ZI459	Collagen Meniscus Implant	Porous collagen-glycosaminoglcan matrix	7.5mm, 9mm	Deleted
Orthop	aedic			
ZI064	Insall-Burstein II CCK Tibial Insert	Tibial Insert which is fixed and posterior stabilised, UHMWPE,	10 - 35mm	Deleted
ZI079	Miller Galante I	Bone Screw - Ti	20 - 60mm	Deleted
ZI302	VerSys Hip System Femoral Stems	Minimally invasive hip stem	Sizes 9 - 19	Deleted
ZI315	Trilogy Acetabular System - Longevity Eccentric	UHMPE modified	22 + 28 + 32 Head Diameters; 38 - 80mm Outer Diameters	Deleted
ZI317	Trilogy Acetabular System - Longevity Oblique	Highly crosslinked ultrahigh molecular weight polyethylene	22 + 28 + 32 Head Diameters; 38 - 80mm Outer Diameters	Deleted
ZI318	Trilogy Acetabular System - Longevity Constrained	UHMPE modified	22 + 28 + 32 Head Diameters; 38 - 80mm Outer Diameters	Deleted
ZI362	Natural Hip System	Eccentric Ball Heads - CoCr alloy	28/14 (S,M,L)	Deleted
ZI409	Natural Knee Tibial Insert	Tibial Insert, UHMWPE, posterior stabilised, fixed	00 to 5, 9 to 22mm	Deleted
ZI419	Natural Knee Femoral Component CSTi	Femoral Component, uncemented, CoCr, with Cancellous Structured Titanium ingrowth surface, posterior stabilised	Size 00 to 5	Deleted
ZI421	Natural Knee Femoral Component	Femoral Component, Cemented, posterior stabilised, CoCr	Size 00 to 5	Deleted
ZI428	Natural Knee	Unicompartmental - Femur - Ti/CoCr alloy	Size 1 to 7	Deleted
ZI497	Zimmer Hip Systems Femoral Stem	VerSys Beaded Fullcoat - Cobalt Chrome, Long	11 - 20	Deleted
ZI498	Femoral Head	Zimaloy - Stainless Steel	36mm, 40mm	Deleted
ZI499	Femoral Head	Zimaloy - Co Cr	36mm, 40mm	Deleted

Billing Code Product Name		Further Description	Size	Explanation of Deletion
ZI503	Natural Knee	Primary Tibial Baseplate - Mobile Bearing Non Porous - CoCr alloy	Size 00 to 5	Deleted
ZI504	Natural Knee	Revision - Femoral Spacers Non Porous - metal alloy	Size 0 to 4	Deleted

Grand Total: 611 Records

Deleted Items for Prostheses List Report

Page 37 of 37