Billing Cod	de Product Name	Further Description	Size	Explanation of Deletion
Advance	ed Surgical Design & Manufactur	e Ltd		
12 - Knee	a			
AE047	Active Knee Tibial Insert	Tibial Insert, UHMWPE, ultra congruent	Sizes 1 - 5 Thickness 6 - 17.5mm	Compressed into AE251
AE079	Active Knee Ultra Plus Tibial Insert	Tibial Insert, UHMWPE, anterior lipped	1 - 5, 6 - 17.5mm Thickness	Compressed into AE251
Alliance	e Surgical			
3 - Gener	al Miscellaneous			
AA011	Adhesix Mesh	Auto-adhesive mesh	7.5x15.5cm, 8.5x12.5cm, 10x15cm, 12x15cm	Deleted
AA012	Adhesix Mesh	Auto-adhesive mesh	15x20cm	Deleted
AA013	Adhesix Mesh	Auto-adhesive mesh	30x30cm	Deleted
Arthroca	are Australasia Pty Ltd			
6 - Specia	alist Orthopaedic			
AF002	AutoCuff System - Suture Cartridge	SmartStitch Magnum Wire - Ultra high tensile strength		Deleted
AF032	Bilok Screw (Parallel, Tapered, ST)(Fixation device)	Bilok (TCP/PLLA) - Tricalcium phosphate and poly-L-lactide	Bilok Screw Tapered: Length 20-35mm, Diameter 7-12mm Bilok Screw parallel: Length 25-35mm, Diameter 7-9mm Bilok Screw ST: Length 30-35mm, Diameter 7-9mm	Deleted
Atrium A	Australia - Pacific Rim Pty Limite	ed		
10 - Vasc	eular			
AC063	Intergard W	Woven Bifurcated	18mm x 9mm - 24mm x 12mm	Compressed into AC086
AC065	Intergard K	Knitted Bifurcated	12mm x 6mm - 24mm x 12mm	Compressed into AC086
AC066	Intergard K	Knitted Radially Supported	6mm x 70cm - 8mm x 60cm	Compressed into AC085
AC069	InterGuard UltraThin Knitted	Radially Supported Straight	6mm - 70cm to 8mm - 70cm	Compressed into AC085
AC070	Intergard W - Woven straight	Woven straight	6-8mm, 30cm	Compressed into AC083
AC071	Intergard W - Woven Straight	Woven Straight	10-32mm, 60-70cm	Compressed into AC084
AC072	Intergard K Knitted Straight	Knitted straight	20-40cm, 10-24mm	Compressed into AC083
AC073	Intergard K Knitted straight	Knitted straight	10mm 70cm	Compressed into AC084
AC074	InterGard Knitted Ultrathin	Straight	6-8mm X 40cm	Compressed into AC083
AC075	InterGard Knitted Ultrathin	Straight	6-8mm X 70cm	Compressed into AC084
AC076	Interflow UltraThin	ePTFE vascular graft	6-8mm X 40cm	Compressed into AC083
AC077	Interflow UltraThin	ePTFE vascular graft	6-8mm X 80cm	Compressed into AC084
AC078	Interflow Ultrathin Radially Supported	ePTFE vascular graft with radial support	6-8mm X 80cm	Compressed into AC085

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
AC080	Intergard W - Woven Straight	Intergard W - Woven Straight	30cm	Compressed into AC083
Austral	lasian Medical & Scientific Ltd			
5 - Urog	genital			
AN007	Coaptite	Calcium hydroxylapatite spheres suspended in an aqueous gel carrier, Coaptite is an injectable synthetic tissue reconstructive material	1 ml syringe	Deleted
Austsp	ine Pty Ltd			
13 - Spi	nal			
AJ020	Vigor PEEK Lumbar Interbody Fusion Cage	Rotatable posterior lumbar interbody fusion cage	Heights: 10mm, 11mm, 12mm, 14mm, 16mm and Lengths: 24mm and 26mm	Transferred to BF001
AJ021	Smartloc Spinal Fixation System / Fixation Rod	Fixation Rod for Smartloc Spinal Fixation System	40mm - 80mm	Transferred to BF005
AJ022	Smartloc Spinal Fixation System/Polyaxial Pedicle Screw & Reduction Screw	Polyaxial Pedicle Screw and Reduction screw	Length 30mm - 50mm Diameter 4.5mm, 5.5mm, 6.5mm, 7.0mm, 8.0mm	Transferred to BF006
AJ023	Smartloc Spinal Fixation System/Transverse Link	Cross link for Smartloc Spinal Fixation System	Telescopes to 70mm	Transferred to BF007
AJ024	Smartloc Spinal Fixation System / Set Screw	Set screw for poyaxial pedicle screw	8mm diameter, 5mm height	Transferred to BF008
B Brau	n Australia Pty Ltd			
12 - Kno	ee			
BB231	Columbus Total Knee System (TKS) Tibial Baseplate	Tibial Baseplate, uncemented, CoCr for fixed insert	T1 - T5	Deleted
BB234	Columbus Total Knee System (TKS) Femoral Component	Femoral Component, uncemented, CoCr, Titanium plasma spray (Plasmapore)	F1 - F7, Left and Right	Deleted
BB254	Columbus Total Knee System (TKS) Tibial Baseplate	Tibial Baseplate, uncemented, CoCr, Titanium plasma spray (Plasmapore), polished insert surface for mobile insert	T1- T5	Deleted
Bard A	ustralia Pty Ltd			
10 - Vas	scular			
BA040	VitaCuff, Hickman Catheter	Dialysis/Apheresis catheter, dual lumen, silicone	36-45cm overall length	Deleted
BA050	Hickman Catheters	Open-Ended CVC, Single Lumen	7 - 14.4F French Catheter	Deleted
BA052	Hickman Catheters	Open-Ended CVC, Triple Lumen	7Fr - 12.5Fr	Deleted
BA159	HemoSplit Long Term Haemodialysis catheter	Dialysis Catheter, Multiple Lumen	14.5Fr - 16Fr	Deleted
BA182	PowerPICC	Triple Lumen Power Injector Catheter	6F, 55cm length	Deleted
BA214	Peripherally Inserted Central Catheter	Valved, Power Injectable PICC, Triple Lumen	4Fr-6Fr	Deleted
3 - Gene	eral Miscellaneous			
BA063	Bard Mesh	Composix Ventral mesh	10"x14"	Compressed into BA231
BA064	Bard Mesh	Composix Ventral mesh	12"x12"	Compressed into BA231

Deleted Items for Prostheses List Report

Billing Cod	e Product Name	Further Description	Size	Explanation of Deletion
BA065	Bard Mesh	Composix Ventral mesh	2" x 4"	Compressed into BA228
BA066	Bard Mesh	Composix Ventral mesh	3" x 6"	Compressed into BA228
BA067	Bard Mesh	Composix Ventral mesh	4" x 8"	Compressed into BA228
BA068	Bard Mesh	Composix Ventral mesh	6" x 8"	Compressed into BA229
BA069	Bard Mesh	Composix Ventral mesh	8" x 10"	Compressed into BA230
BA071	Bard Mesh	3D Mesh	Large Left	Compressed into BA222
BA072	Bard Mesh	3D Mesh	Medium Left	Compressed into BA222
BA073	Bard Mesh	3D Mesh	Large Right	Compressed into BA222
BA074	Bard Mesh	3D Mesh	Medium Right	Compressed into BA222
BA083	Bard Mesh	Kugel Patch	Small Oval 8 x 12cm	Compressed into BA224
BA085	Bard Mesh	Kugel Patch	Small Circle 8 x 8cm	Compressed into BA224
BA086	Bard Mesh	Kugel Patch	Large Circle 12 x 12cm	Compressed into BA224
BA087	Bard Mesh	Kugel Patch	Medium Oval 11 x 14cm	Compressed into BA224
BA096	Bard Composix Kugel Hernia Patch	Small Oval w/e PTFE	8 x 12 cms	Compressed into BA228
BA097	Bard Composix Kugel Hernia Patch	Medium Oval w/e PTFE	11 x 14 cms	Compressed into BA228
BA098	Bard Composix Kugel Hernia Patch	Large Oval w/e PTFE	14 x 18 cms	Compressed into BA229
BA099	Bard Composix Kugel Hernia Patch	Small Circle w/e PTFE	8 x 8cms	Compressed into BA228
BA100	Bard Composix Kugel Hernia Patch	Large Circle w/e PTFE	12 x 12cms	Compressed into BA228
BA101	Bard Composix E/X Mesh	Elliptical	4" x 6" (10 x 15cm)	Compressed into BA228
BA102	Bard Composix E/X Mesh	Elliptical	6" x 8" (15 x 20cm)	Compressed into BA229
BA103	Bard Composix E/X Mesh	Elliptical	7" x 9" (18 x 23cm)	Compressed into BA230
BA104	Bard Composix E/X Mesh	Elliptical	8" x 10" (20 x 25 cm)	Compressed into BA230
BA105	Bard Composix E/X Mesh	Elliptical	10" x 13" (25 x 33 cm)	Compressed into BA231
BA106	Bard Composix E/X Mesh	Rectangle	10" x 14" (25 x 36 cm)	Compressed into BA231
BA127	Composix Kugel Hernia Patch	Extra large oval - w/e PTFE	20cm X 25cm	Compressed into BA230
BA128	Composix Kugel Hernia Patch	Extra large oval - w/ePTFE	25cm X 33cm	Compressed into BA231
BA131	Bard Composix Kugel Hernia Patch	The Bard Composix Kugel Hernia Patch is a self- expanding, non-absorbable, sterile prosthesis. Two layers of monofilament, polypropylene mesh are stitched to an ePTFE sheet; an extruded monofilament PET polymer "ring" provides memory, adds stability to the	Extra Large Oval w/e PTFE 18cm x 23cm	Compressed into BA230
BA132	Bard Modified Kugel Hernia Patch	The Bard Modified Kugel Hernia Patch is a self-expanding, non-absorbable, sterile prosthesis. It consists of two layers of monofilament, polypropylene mesh; an extruded monofilament PET polymer "ring" provides memory, adds stability to the device. The p	7.5 cm (3") diameter	Compressed into BA224

Deleted Items for Prostheses List Report

Page 3 of 35

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
BA133	Bard Modified Kugel Hernia Patch	The Bard Modified Kugel Hernia Patch is a self- expanding, non-absorbable, sterile prosthesis. It consists of two layers of monofilament, polypropylene mesh; an extruded monofilament PET polymer "ring" provides memory, adds stability to the device. The p	10 cm (4") diameter	Compressed into BA224
BA134	Bard Modified Kugel Hernia Patch	The Bard Modified Kugel Hernia Patch is a self- expanding, non-absorbable, sterile prosthesis. It consists of two layers of monofilament, polypropylene mesh; an extruded monofilament PET polymer "ring" provides memory, adds stability to the device. The p	11.5 cm (4.5") diameter	Compressed into BA224
BA135	Bard Composix Kugel Hernia Patch	The Bard Composix Kugel Hernia Patch is a self- expanding, non-absorbable, sterile prosthesis. Two layers of monofilament, polypropylene mesh are stitched to an ePTFE sheet; an extruded monofilament PET polymer "ring" provides memory, adds stability to the	Oval w/e PTFE 16cm x 31.2cm	Compressed into BA230
BA136	Bard Ventralex Hernia Patch	The Bard Ventralex Patch is a self-expanding, non- absorbable, sterile prosthesis. Two layers of monofilament, polypropylene mesh are stitched to an ePTFE sheet; an extruded monofilament PET polymer "ring" provides memory, adds stability to the device. The	4.3 cm x 4.3 cm (1.7" x 1.7")	Compressed into BA226
BA137	Bard Ventralex Hernia Patch	The Bard Ventralex Patch is a self-expanding, non- absorbable, sterile prosthesis. Two layers of monofilament, polypropylene mesh are stitched to an ePTFE sheet; an extruded monofilament PET polymer "ring" provides memory, adds stability to the device. The	6.4 cm x 6.4 cm (2.5" x 2.5")	Compressed into BA226
BA138	Bard 3DMax Mesh	The Bard 3DMax Mesh is a sterile prosthesis constructed of monofilament polypropylene mesh. 3DMax mesh is a three-dimensional, anatomically formed prosthesis for use in laparoscopic hernia repair.	Extra Large Left 5" x 7"	Compressed into BA223
BA139	Bard 3DMax Mesh	The Bard 3DMax Mesh is a sterile prosthesis constructed of monofilament polypropylene mesh. 3DMax mesh is a three-dimensional, anatomically formed prosthesis for use in laparoscopic hernia repair.	Extra Large Right 5" x 7"	Compressed into BA223
BA160	Bard Crurasoft Patch	Dual sided mesh with PTFE mesh on one side and ePTFE mesh on the other side	7cm x 6cm Small	Compressed into BA225
BA161	Bard Crurasoft Patch	Dual sided mesh with PTFE mesh on one side and ePTFE mesh on the other side	11cm x 8cm Large	Compressed into BA225
BA162	Bard CK Parastomal Patch	Bard CK Parastomal Patch	12.5 x 15.5cm, 15.5 x 20.5cm	Expanded into BA234, BA235
BA179	Bard Ventralex Hernia Patch	Bard Ventrlex Hernia Patch, Large	8cm x 8cm	Compressed into BA226

Deleted Items for Prostheses List Report

Page 4 of 35

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
BA189	SEPRAMesh IP Bioresorbable Coating/Permanent Mesh	Polypropylene & polyglycolic acid polymer mesh coated with a biopolymer: a bioresorbable coating of modified sodium hyaluronate, carboxymethylcellulose & polyethylene glycol based hydrogel.	8 x 12 inch	Expanded into BA232, BA233
BA202	Ventrio Hernia Patch	Three layer, mesh/ePTFE with absorbable polydioxanone monofilament.	11.4cm Diameter, 11x14cm	Compressed into BA227
BA210	Ventrio Hernia Patch	Three layer, mesh/ePTFE with absorbable polydioxanone monofilament.	7.6cm Diameter, 8x12cm	Compressed into BA227
Bausch	& Lomb (Australia) Pty Ltd			
1 - Oph	thalmic			
BL006	Posterior chamber IOLS model P359 UV, P399 UV, 68 UV, 95 BUV, or lolab PC One Piece, model 6741B, 8591B, 8191B; Model EZE-Fit 65	PMMA Posterior Chamber lens 1 piece;	12.25mm to 13.75mm length. 5.5mm to 7mm optic size, diopter range -4.5 - 45d to 10 - 34d; EZE-Fit 65: 6.5mm optic, 13.35mm length, Power range: 10.0 to 30.0 Diopter	Deleted
BL020	Akreos Adapt acrylic foldable posterior chamber intraocular lens	Composition: Hydrophilic acrylic polymer. Packaged in lens folding device in a sterile vial. Four haptic design	10.0 to 15.0 Diopter in 1.0 Diopter increments15.0 to 25.0 Diopter in 0.5 Diopter increments25.0 to 30.0 Diopter in 1.0 Diopter increments	Deleted
BL021	SoflexSE, Intraocular lenses, Posterior Chamber	Composition: silicone, Lenses - foldable, posterior chamber intraocular lenses	Range of powers: 5.0 to 30.0 Diopter - Optic diameter 6.0mm; 13.0mm length	Deleted
BL028	Akreos Toric Astigmatism- Correcting Lens	Single piece, foldable, acrylic intraocular lens with a toric optic on the posterior surface and axis marks on the posterior optic's flat meridian.	The overall diameter is 11 millimetres for the entire lens power range (spherical equivalent powers from +10.0 to +30.0 diopters in 0.5 diopter steps and cylinder powers of +1.25, +2.00 & +2.75 diopters).	Deleted
Biomet	t Australia Pty Ltd			
13 - Spi	nal			
BH105	GEO Structure Vertebral Cage - PLIF	3 dimensional titanium intervertebral cage	One size only	Deleted
BH106	Ibex Interbody Cage	Lumbar Cage	7-17mm	Deleted
BH109	ESL Spine System	PLIF Cage	Short 8-14mm, Medium 8-14mm, Long 8-14mm	Deleted
6 - Spec	ialist Orthopaedic			
BH156	EBI XFIX Dynafix System	Fixator body	small, Extra small	Deleted
BH160	EBI XFIX Dynafix System	Compression / Distraction / Dynamisation modules	5 - 8 cm	Deleted
BH162	EBI XFIX Dynafix System	Fixator Complete - Small	Small, Extra Small	Deleted
BH165	EBI XFIX Dynafix System	CD Mechanism	Small, Extra Small Fixator	Deleted
BH172	Tibial Nail System	Tibial Nail or Dynamic Tibial Nail Titanium Unsterile or Sterile	8-13mm x 25.5-42.5cm	Deleted
BH173	Tibial Nail System	End Cap Titanium	One size only	Deleted
BH174	Femoral Nail System	Femoral Nail Titanium Sterile or Unsterile	8 -15mm x 30- 240mm	Deleted

Deleted Items for Prostheses List Report

Page 5 of 35

Billing Cod	le Product Name	Further Description	Size	Explanation of Deletion
BH176	Humeral Nail System	Humeral Nail Titanium Sterile or Unsterile	20 – 30 cm	Deleted
BH177	Humeral Nail System	End Cap Various Titanium Unsterile or Sterile	One size only	Deleted
BH178	Ace External Fixator	Pin Holder Bolt - Titanium	All sizes	Deleted
BH182	Art Retrograde Nail	Femoral Nail Titanium Unsterile or Sterile	9 -12mm x 30 - 50cm	Deleted
BH196	Periarticular Plating System	Medial Pilon Plate - Titanium	3 Hole	Deleted
BH203	Ace External Fixator	Ring, aluminium	1/3 ring small 6" diameter	Deleted
BH204	Ace External Fixator	Ring, composite	1/3 ring small - large	Deleted
BH205	Ace External Fixator	Ring, composite	1/3 ring medium	Deleted
BH206	Ace External Fixator	Ring, composite	1/3 ring small	Deleted
BH207	Ace External Fixator	Threaded Rod, titanium	1/4" x 10cm	Deleted
BH208	Ace External Fixator	Threaded Rod, titanium	1/4" x 15cm	Deleted
BH209	Ace External Fixator	Threaded Rod, titanium	1/4" x 10-25cm	Deleted
BH210	Ace External Fixator	Titanium half pin thread	15-80mm, 155 x 5mm to 220 x 5mm	Deleted
BH211	Ace External Fixator	Spacer with bolt, titanium	2.5-5mm	Deleted
BH212	Ace External Fixator	Ring, aluminium	2/3 ring, Small - Large	Deleted
BH213	Ace External Fixator	Ring, composite	2/3 ring, small - Large	Deleted
BH214	Ace External Fixator	Ring, aluminium	2/3 ring, small 6" diameter	Deleted
BH215	Ace External Fixator	Ring, composite	2/3 ring, small	Deleted
BH216	Ace External Fixator	Stainless steel transfix pin	250/300 x 5mm with 40-70mm thread	Deleted
BH217	Ace External Fixator	Titanium Transfix Pin	250/300 x 5mm with 40-70mm thread	Deleted
BH218	Ace External Fixator	TIP CapS, polyethylene	3-5mm	Deleted
BH220	Ace External Fixator	Adaptor rod, titanium	8mm	Deleted
BH221	Ace External Fixator	Pin holder adaptor, aluminium	90"	Deleted
BH222	Ace External Fixator	Anchor assembly, titanium	One size only	Deleted
BH223	Ace External Fixator	Articulation, titanium	One size only	Deleted
BH224	Ace External Fixator	Bolt clevis, titanium	One size only	Deleted
BH225	Ace External Fixator	Locking nut, titanium	One size only	Deleted
BH226	Ace External Fixator	Nut, stainless steel	One size only	Deleted
BH227	Ace External Fixator	Position pins I/C foot plate, titanium	One size only	Deleted
BH228	Ace External Fixator	Ring adapter bolt, titanium	One size only	Deleted
BH229	Ace External Fixator	Ring connector, titanium	One size only	Deleted
BH230	Ace External Fixator	Spherical nut and washer, titanium	One size only	Deleted
BH231	Ace External Fixator	U rings, aluminium	One size only	Deleted
BH232	Ace External Fixator	Universal joint, titanium	One size only	Deleted
BH233	Ace External Fixator	Wire bolt hinge, titanium	One size only	Deleted

Deleted Items for Prostheses List Report

Page 6 of 35

Billing Cod	le Product Name	Further Description	Size	Explanation of Deletion
BH234	Ace External Fixator	Wire fixation bolt, cannulated or slotted (stainless steel)	One size only	Deleted
BH235	Ace External Fixator	Connecting rod, aluminium	X-Short, short, medium or long	Deleted
BH236	Ace External Fixator	Ring adaptor, titanium	One size only	Deleted
BH237	Ace Trochanteric Nail	Trochanteric Anti Rotation Screw Sterile	60 to 100mm	Deleted
BH238	Ace Trochanteric Nail	Trochanteric End Cap Sterile	5 to 25mm	Deleted
BH270	Polyax Plating System	Multidirectional Locking Screw, Titanium	4.5-5.5MM	Deleted
BH323	Orthosorb Absorbable Pin	Orthosorb K Wire - Stainless Steel Tapered Pins	1 x 40mm x 1.3mm Pk 3	Deleted
BI233	Arthrotek Ligament Fixation System	Suture Button, HMWPE	15mm, 19mm	Deleted
BI264	EBI XFIX Dynafix System	Distal Radius Fixator, Dimension, Stainless Steel, Aluminium	One size only	Deleted
BI287	Uniflex Tibial Nail	Tibial Nail Transverse Screw, Titanium	4.0, 5.0mm x (20-70mm)	Deleted
Orthopae	edic			
BH175	Supacondylar Nail System	Solid End Cap Titanium Unsterile or Sterile	One size only	Deleted
BH219	Ace External Fixator	Peg, titanium	5mm	Deleted
BI286	Uniflex Tibial Nail	Tibial Nail, Titanium	8-14mm x 240-420mm	Deleted
Cook M	edical Australia Pty Ltd			
10 - Vasc	ular			
WC116	Cook Central Venous Long Term Catheter	Cook TPN single lumen catheter	Fr 3, length 55, 65cm; Fr 4, length 65cm, Fr 6.5, 9.5, length 90cm	Deleted
WC118	Cook Central Venous Long Term Catheter	Cook TPN double lumen catheter	Fr 5, length special; Fr 7, length 65cm, Fr 9 length 80, 90cm, Fr 12, length special	Deleted
WC206	Cook Central Venous Catheterisation Kits	PICC Peripherally Inserted Central Venous Catheter Set, Single Lumen Silicone with Micropuncture Peel-Away Sheath Introducer and Nitinol Wire Guide	3Fr - 50cm and 4Fr and 5Fr - 60cm	Deleted
WC278	Zilver Vascular Stent with Rapid Exchange Delivery System	Zilver Stent Vascular Design, self-expandable nitinol stent. Preloaded in a 5.0 French Rapid Exchange delivery catheter.	Delivery System 5Fr, 125cm. Stent diameter 4mm-10mm. Stent length 2cm-8cm.	Deleted
3 - Gener	al Miscellaneous			
WC068	Esophageal Anti-reflux Stent	Self Expanding Metal Stent with Polyurethane coating and Dua anti-reflux valve	Flared End Diameter: 25mm Shaft Diameter: 18mm Length: 8, 10, 12, 14cm	Deleted
WC100	Colonic Z Stent with Introduction System	Composition of Stent Stainless Steel, includes Stent Introducer Set	Dia 25mm, length 4, 6, 8, 10, 12cm	Deleted
Corin A	ustralia Pty Ltd			
11 - Hip				
CR097	Alumina Head	Ceramic femoral head, biolox forte	>32mm	Transferred to LI055

Deleted Items for Prostheses List Report

Page 7 of 35

Billing Cod	e Product Name	Further Description	Size	Explanation of Deletion
CR099	Acor Anatomic Femoral Stem for Modular Neck	Anodised titanium, fully HA Coated, curved stem and used with separate neck	7 Sizes	Transferred to LI054
CR100	Integrale Femoral Stem	Anodised titanium, fully HA Coated, straight stem and used with separate neck	7 Sizes	Transferred to LI056
CR101	Modular Neck for Acor & Integrale Femoral Stems	Titanium neck, with varying alignments & tapers	4 sizes	Transferred to LI052
CR113	Extreme Hip System Femoral Stem	Stem component of modular femoral stem, titanium, HA, with distal screw holes	4 lengths - 250 to 400mm, 6 diameters	Transferred to L1049
CR114	Extreme Hip System Extended Neck	Femoral neck with extension for locking screw for stem	4 sizes	Transferred to LI053
CR116	Femoral Shaft Locking Screw	Titanium femoral locking screw	4.5 and 6.5 diameters, 13 lengths in 5 mm increments	Transferred to LI047
CR119	Horizon Acetabular Shell	Anodised titanium, HA encoated with screw holes for ceramic inserts	42 - 70 mm	Transferred to L1060
CR120	Horizon Ceramic Liner	Ceramic insert, Biolox Forte	9 sizes for 28, 32 and 36mm heads	Transferred to LI044
CR121	Horizon Acetabular Fixation Screw	Titanium countersunk cancellous screw	Diam 6.5mm, lenghts 16 - 55 mm	Transferred to LI048
CR143	metallic femoral head	M30NW femoral head with 10/12 taper	28mm-32mm with short, medium or long neck	Transferred to LI058
CR155	Extreme Revision Hip Metaphyseal Section	Metaphyseal segment, adjustable rotation, anodized titanium with HA coating	4 sizes	Transferred to LI057
CR156	Extreme Revision Hip Monobloc Epiphysis Metaphyseal Section	Combined metaphyseal and epiphyseal sections, adjustable rotation, anodized titanium with HA coating	4 sizes	Transferred to L1050
CR159	Saturne Cemented Tripolar Cup	Stainless steel cemented acetabular cup with an anatomical anti-disloction profile	Sizes 44 - 60 in 2mm increments	Transferred to L1059
CR160	Saturne reconstruction cup	Dual coated, mobile, cementless reconstruction cup	Sizes: 50 - 66mm	Transferred to LI046
CR161	Saturne Press Fit Dual Mobility Acetabular Cup	A cementless, stippled and peripherally expanded, acetabular cup. Flattened pole and an elevated rim to help prevent dislocation.	Sizes: 44 - 64 in 2mm increments	Transferred to LI061
CR162	Saturne acetabular liner	Polyethylene liner for double mobility cup	Sizes 44/22; 46/22; 48/28; 50/28; 54/28; 56/28; 60/28; 64/28; 66/28	Transferred to L1045
CR195	Optimal Revision Stem	Cementless, modular revision / reconstruction stem	Sizes 1-5	Transferred to LI051
12 - Knee				
CR102	Score Knee System Tibial Baseplate	Tibial baseplate, CoCr, uncemented, stippled surface, titanium plasma spray with HA	7 Sizes	Transferred to LI069
CR103	Score Knee System Patellar Component	All poly patella UHMWPE, cemented	6 Diameters	Transferred to LI072
CR104	Score Knee System Femoral and Tibial Stems	Femoral and Tibial Stems, Titanium, cemented	4 diameters, 3 lengths	Transferred to LI066
CR105	Score Knee System Femoral Component	Femoral component, Cemented, CoCr, with extended patellar groove	7 sizes	Transferred to L1062
CR106	Score Knee System Tibial Baseplate	Tibial Baseplate, Cemented, CoCr, polished insert surface for mobile insert	7 Sizes	Transferred to LI068
CR107	Score Knee System Femoral Component	Femoral Component, CoCr, uncemented, stippled surface, titanium plasma spray with HA, pegged	7 Sizes	Transferred to LI064
CR108	Score Knee System Tibial Insert	Tibial Insert, mobile bearing, UHMWPE	7 sizes, 5 thicknesses	Transferred to LI070

Deleted Items for Prostheses List Report

Billing Co	de Product Name	Further Description	Size	Explanation of Deletion
CR109	Score Knee System Femoral Component	Femoral Component, CoCr, cemented, Posterior Stabilised	4 sizes in left and right	Transferred to LI063
CR110	Score Knee System Tibial Insert	Tibial Insert, mobile bearing, posterior stabilised with reinforcement post	20 sizes	Transferred to LI071
CR111	Score Knee System Offset Connector	Connector for stems to alter stem offset morse taper but also including screw for additional fixation, titanium	2mm, 4mm, 6mm	Transferred to LI067
CR112	Score Knee System Tibial and Femoral Augments	Tibial and Femoral half blocks, CoCr, screw fixation used for femoral blocks, tibial blocks cemented	31 sizes	Transferred to LI065
Device	Technologies Australia Pty Ltd			
6 - Speci	alist Orthopaedic			
DE195	Corkscrew FT	Suture Anchor with Fiberwire	3.5mm - 6.5mm	Expanded into DE431, DE432
DE196	Corkscrew Suture Anchor	Titanium alloy with Fibrewire suture	3.5mm - 6.5mm	Expanded into DE428, DE429, DE430
DE261	Pushlock Suture Anchor	Knotless Suture Anchor	2.5 - 5.5 x 5 - 18.5mm	Expanded into DE433, DE434
DE305	BioComposite PushLock	The PushLock is a knotless anchor used for repair of soft tissue to bone. The unique PushLock design allows the surgeon to adjust the amount of tension on the tissue intraoperatively allowing for precise tisse reduction. The tissue is securely held in a knotless fashion allowing for soft tissue healing to bone.	3.5mm - 5.5mm	Expanded into DE435, DE436
Emergo	Asia Pacific Pty Ltd			
6 - Speci	alist Orthopaedic			
ER055	PediLoc - 4.5mm Self Tapping Cortical Screws	4.5 mm non locking full thread screw	10mm-60mm, in 2 mm increments 60mm-90mm, in 5mm increments	Transferred to SQ088
ER056	PediNail End Caps	Nail End Cap	0-20mm, in 5mm increments	Transferred to SQ087
ER057	PediLoc - 3.5mm Cortical Screws	3.5mm non locking cortical full thread screw	10-60mm, in 2mm increments 60-70mm, in 5mm increments	Transferred to SQ092
ER058	Pedinail - Cannulated, intramedullary nail, left and right	IM Femoral Nail (Right/Left)	Right:7mm x 20cm-30cm, 8mm x 24cm-36cm, 9mm x 28cm-38cm in 2cm increments Left: 7mm x 20cm-30cm, 8mm x 24cm-36cm, 9mm x28cm-38cm in 2cm increments	Transferred to SQ086
ER059	PediLoc - 4.5 Self-tapping, Locking Cortical Screws	4.5 mm locking full thread screw	10mm-60mm, in 2mm increments 60mm-90m, in 5mm increments	Transferred to SQ091
ER060	PediPlates - Cannulated Screws	4.5 mm Cannulated Screw	4.5mm x 16-36mm, in 4mm increments	Transferred to SQ089
ER062	K wires	k wire threaded	1.6mm	Transferred to SQ076
ER064	Cannulated Screw System - Large: 7.0mm Stainless Steel	7 mm partially threaded/fully threaded cannulated screw	Fully Threaded: 30mm-120mm, in 5 mm increments 32mm Threaded: 50-120 in 5mm increments 16mm Threaded: 30mm-120mm in 5 mm increments	Transferred to SQ090

Deleted Items for Prostheses List Report

Page 9 of 35

Billing Co	de Product Name	Further Description	Size	Explanation of Deletion
ER065	PediLoc - Anterolateral and Medial Distal Tibial Paediatric Locking Plate	3.5 mm distal tibial locking compression plate (narrow/wide; 2-5 holes)	3.5mm anterolateral left (2,3,4,5, holes) 3.5mm anterolateral right (2,3,4,5 holes) 3.5mm Narrow Left (2,3,4,5, holes) 3.5mm narrow right (2,3,4,5 holes) 3.5mm wide left (2,3,4,5 holes) 3.5mm wide right (2,3,4,5 holes)	Transferred to SQ083
ER117	PediNail - Captured Locking screws - standard	4.5x16 Cort Screw 4.5x20 Cort Screw 4.5x20 Cort Screw 4.5x24 Cort Screw 4.5x26 Cort Screw 4.5x28 Cort Screw 4.5x30 Cort Screw 4.5x30 Cort Screw 4.5x32 Cort Screw 4.5x32 Cort Screw 4.5x34 Cort Screw 4.5x36 Cort Screw 4.5x38 Cort Screw 4.5x40 Cort Screw 4.5x50 Cort Screw 4.5x50 Cort Screw 4.5x50 Cort Screw 4.5x60 Cort Screw 4.5x70 Cort Screw 4.5x80 Cort Screw 4.5x80 Cort Screw 4.5x80 Cort Screw 4.5x80 Cort Screw 4.5x55 Cort Recon Screw 4.5x55 Cort Recon Screw 4.5x60 Cort Recon Screw 4.5x60 Cort Recon Screw 4.5x60 Cort Recon Screw 4.5x60 Cort Recon Screw 4.5x70 Cort Recon Screw 4.5x70 Cort Recon Screw 4.5x80 Cort Recon Screw 4.5x85 Cort Recon Screw 4.5x80 Cort Recon Screw 4.5x90 Cort Recon Screw	4.5mm Cort screws: 4.5mm x 16-50mm, in 2mm increments 4.5mmx50mm-85mm, in 5mm increments 4.5mm Cort Recon Screws: 4.5mmx45-100mm, in 5mm increments	Transferred to SQ084
ER118	PediPlates: O Plates	O-plate 12mm - Center Hole O-plate 16mm - Center Hole O-plate 20mm - Center Hole O-plate 24mm - Center Hole	12mm, 16mm, 20mm, 24mm	Transferred to SQ074
ER119	PediLoc - Periarticular Locking Plating System Femur<6 holes	4.5 contour locking compression femur 6 hole plate right4.5 contour locking compression femur 6 hole plate left	4.5 contour, 6 hole, right 4.5 contour, 6 hole, left	Transferred to SQ077

Deleted Items for Prostheses List Report

Page 10 of 35

Billing Cod	e Product Name	Further Description	Size	Explanation of Deletion
ER120	PediPlates: I Plates	I-Plate 16mm - Center Hole I-Plate 22mm - Center Hole I-Plate 32mm - Center Hole	16mm 22mm 32mm	Transferred to SQ075
ER121	PediNail-Captured locking screws-small	4.0 x 15 Cort Screw (7mm Distal Lock) 4.0 x 20 Cort Screw (7mm Distal Lock) 4.0 x 25 Cort Screw (7mm Distal Lock) 4.0 x 55 Cort Screw (7mm Distal Lock) 4.0 x 60 Cort Screw (7mm Distal Lock) 4.0 x 30Cort Screw (7mm Distal Lock) 4.0 x 35 Cort Screw (7mm Distal Lock) 4.0 x 45 Cort Screw (7mm Distal Lock) 4.0 x 45 Cort Screw (7mm Distal Lock) 4.0 x 45 Cort Screw (7mm Distal Lock) 4.0 x 50 Cort Screw (7mm Distal Lock)	4mmx15mm-60mm in 5 mm increments	Transferred to SQ085
ER122	PediLoc-Periarticular Locking Plating System Femur - >7 to < 15 holes, screw siz 2.71 - 4.49mm	3.5mm Bowed locking compression femur 14 hole plate 3.5mm contour locking compression femur 8 hole plate right 3.5mm contour locking compression femur 10 hole plate right 3.5mm contour locking compression femur 12 hole plate right 3.5mm contour locking compression femur 14 hole plate right 3.5mm contour locking compression femur 8 hole plate left 3.5mm contour locking compression femur 10 hole plate left 3.5mm contour locking compression femur 12 hole plate left 3.5mm contour locking compression femur 12 hole plate left 3.5mm contour locking compression femur 14 hole plate left	3.5mm Bowed, 14 hole 3.5mm contour, 8 hole right 3.5mm contour, 10 hole right 3.5mm contour, 12 hole right 3.5mm contour, 14 hole right 3.5mm contour, 8 hole left 3.5mm contour, 10 hole left 3.5mm contour, 12 hole left 3.5mm contour, 14 hole left	Transferred to SQ081
ER123	PediLoc - Periarticular Locking Plating System Femur- > 16 holes, screw size ≥4.5mm	4.5mm Bowed locking compression femur 16 hole plate 4.5mm Bowed locking compression femur 18 hole plate 4.5mm contour locking compression femur 16 hole plate right 4.5mm contour locking compression femur 18 hole plate right 4.5mm contour locking compression femur 20 hole plate right 4.5mm contour locking compression femur 16 hole plate left 4.5mm contour locking compression femur 18 hole plate left 4.5mm contour locking compression femur 20 hole plate left	4.5mm Bowed, 16 hole 4.5mm Bowed, 18 hole 4.5mm contour, 16 hole, right 4.5mm contour, 18 hole, right 4.5mm contour, 20 hole, right 4.5mm contour, 16 hole, left 4.5mm contour, 18 hole, left 4.5mm contour, 20 hole, left	Transferred to SQ079
ER131	PediLoc System ≥7 to ≤15 holes, scfew size ≥4.5mm	4.5mm Bowed locking compression femur 10, 12, 14 hole plates 4.5mm contour locking compression femur 8, 10, 12, 14 hole plates left and right	4.5mm bowed 10, 12, 14 hole 4.5mm contour 8,10,12,14 hole right 4.5mm contour 8, 10, 12, 14 hole left	Transferred to SQ078

Deleted Items for Prostheses List Report

Page 11 of 35

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
ER132	PediLoc-Plating System ≥ 16 holes, screw size 2.71 – 4.49mm	3.5mm bowed locking compression femur 16,18 hole plate 3.5mm contour locking compression femur 16,18 hole plate right 3.5mm contour locking compression femur 16,18 hole plate left	3.5mm Bowed, 16,18 hole 3.5mm contour 16,18 hole right 3.5mm contour 16,18 hole left	Transferred to SQ082
ER133	PediLoc-Plating System ≥ 6 holes, screw size 2.71 – 4.49mm	3.5 contour locking compression femur 6 hole plate right3.5 contour, 6 hole left	3.5 mm contour, 6 hole right 3.5mm contour 6 hole left	Transferred to SQ080
Euros (Orthopaedics Australia Pty Ltd			
6 - Spec	ialist Orthopaedic			
EU018	EUROS-SSBS - Insert custom-fit with EUROS cervical Interbody Cage LOVE	Biphasic calcium phosphate ceramic bone graft substitute, custom-fit with EUROS cervical	7 Sizes custom-fit with EUROS Cevical Interbody Cage LOVE:	Deleted
		Interbody Cage LOVE	- 3 possible heights: 4.5, 5.5 and 6.5mm	
			-2 possible widths: 11.9 and 14.9 mm	Transferred to SQ080 Deleted Transferred to AS189 Transferred to AS190 Transferred to AS191 Transferred to AS192 Transferred to AS192
			- 2 possible depths: 5.8 and 7.9 mm	
ev3 Au	stralia Pty Ltd			
10 - Vas	•			
EE006	Protégé GPS Peripheral Stent	Protégé RX Peripheral Stent	Diameter 6-10mm Length 20-60mm	Transferred to AS189
EE018	Onyx	DSMO/Liquid Embolic Material	18, 20, 34 (formulations)	Transferred to AS190
EE019	Onyx System	DSMO Liquid Embolic Material	500 Formulation	Transferred to AS191
EE022	Spider FX Embolic Protection Device	The Spider FX is a rapid exchange device percutaneously delivered distal embolic protection device with components designed to capture and remove debris from vessels during interventional procedures in the vasculature.	Filter: 3.0 - 7.0mm; Capture Wire: 190 and 320cm	Transferred to AS192
EE024	Protégé EverFlex Peripheral Stent	Protégé EverFlex is a self expanding Nitinol stent premounted on an OTW delivery system.	Diameter 5-8, Length 20-120mm	Transferred to AS194
EE025	Protégé EverFlex Peripheral Stent	Protégé EverFlex is a self expanding Nitinol stent premounted on an OTW delivery system.	Diameter 5-8mm, Length 150-200mm	Transferred to AS195
3 - Gene	eral Miscellaneous			
EE032	Protege [™] GPS [™] Self-expanding Billary Stent System	Nitinol self expanding stent pre-mounted on 6F OTW delivery system	Diameter (mm) 6 -14, Length (mm) 20 - 150	Transferred to AS199
EE033	VisiPro™ Balloon-Expandable Biliary Stent	Stainless Steel balloon expandable stent mounted	Diameter (mm) 5 - 10, Length (mm) 12 -57	Transferred to AS200

Deleted Items for Prostheses List Report

Page 12 of 35

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
4 - Neur	osurgical			
EE023	Axium Detachable Coil System	Platinum alloy coils (including coils enlaced with PGLA filaments and Nylon Fibers) attached to a composite implant delivery pusher with a radiopaque positioning marker. The proximal end of the pusher is loaded into the Actuator which detaches the coil.	Diameter: 1.5 - 25mm; Length: 1 - 50cm	Transferred to AS193
EE026	Solitaire	Solitaire Neurovascular Remodelling Device is a self-expanding, fully retrievable device which can be delivered and deployed by a single operator.	Diameter: 3-6mm Length: 15-40mm	Transferred to AS196
EE028	LRS Actuator	LRS Actuator is a sterile, hand held mechanical unit with a thumb slide that detaches the coil. When the slider is retracted while the pusher is loaded, it releases the coil into the targeted vaculature. Coils cannot be deployed without the use of the actuator.	Length 5.75", Diameter 1", Weight 28 grams	Transferred to AS197
EE029	Marksman Microcatheters	The MARKSMAN Microcatheter is a variable stiffness, single lumen catheter designed to access small, tortuous vascular areas. The outer surface of the catheter's distal segment is coated with a hydrophilic material to provide lubricity during use. The catheter also incorporates a PTFE liner to facilitate movement of delivery devices passed through its lumen and has a radiopaque marker at the distal tip to facilitate fluoroscopic visualization. The distal tip of the catheter is shapeable.	Outer Diameter: 2.8F Inner Diameter: 0.027" Length: 105-150cm	Transferred to AS201
EE030	ev3 Occlusion Balloon Catheters	Single lumen balloon catheter to temporarily occlude the central lumen allowing inflation of the balloon during neurosurgical and vascular procedures.	3-7mm diameter; 7-30mm length	Transferred to AS198
Five Co	orners Pty Ltd			
5 - Urog	enital			
FC002	UroLift® System	Prostatic urethral tissue-retaining retractor with adjustable retraction.	One size.	Transferred to NZ001
Global	Orthopaedic Technology			
11 - Hip				
GO009	Consensus Femoral Head	CoCr	22-32mm	Transferred to CX008
GO011	UniSyn Hip Fluted Femoral Stem	Titanium, highly polished, fluted	<200mm	Transferred to CX003
GO012	UniSyn Hip Fluted Long Femoral Stem	Titanium, highly polished, fluted, long, straight & bowed	>200mm	Transferred to CX004
GO013	UniSyn Hip Plasma Femoral Stem	Titanium, plasma spray, non HA	<200mm	Transferred to CX005

Deleted Items for Prostheses List Report

Page 13 of 35

Billing Co	de Product Name	Further Description	Size	Explanation of Deletion
GO014	UniSyn Hip Complex Neck	Titanium, with lateral extension for stem connection, includes calcar & non calcar replacement necks, separate locking bolt	30-36mm non calcar, 45-55mm for calcar	Transferred to CX001
GO016	UniSyn Proximal Femoral Body non HA	Titanium, plasma spray, non HA	single height, variable diameter and variable medial projections	Transferred to CX006
GO017	UniSyn Proximal Femoral Body with HA	Titanium, plasma spray, with HA	single height, variable diameter and variable medial projections	Transferred to CX007
GO019	UniSyn Hip Connecting Nut	Titanium, locking nut, supplied seperately	short & long	Transferred to CX002
Imaxeo	n Pty Ltd			
10 - Vaso	cular			
IX004	ALN Vena Cava Filter	The ALN Vena Cava Filter is implanted into the SVC via the femoral, brachial and jugular vein to prevent pulmonary emboli (PEs).	One size, diameter up to 32mm	Transferred to IZ001
Integra	Neurosciences Pty Ltd			
_	alist Orthopaedic			
IG101	Panta Arthrodesis Nail	Locking Screw, Titanium	Diameter 5 mmLength - 20 - 110 mm	Expanded into IG137, IG138
IQ Med	ical			
1 - Opht	halmic			
IQ010	PreciSAL 302AC	Acrylic, single piece, foldable intraocular lens with anterior and posterior optic-haptic square edge, 360 degree optic square edge design, precision power calculation, aberration technology and UV light filter.	Available in dioptric powers from 0.0 to +30.0. 1D steps: 0.0 to +10.0; 0.5D steps: +10.5 to + 17.5 and +28.5 to +30.0; 0.25D steps: +18.0 to +28.0	Expanded into IQ013, IQ014
IQ011	PreciSAL 302A	Acrylic, single piece, foldable intraocular lens with anterior and posterior optic-haptic square edge, 360 degree optic square edge design, precision power calculation, aberration technology and blue light filter.	Available in dioptric powers from 0.0 to +30.0. 1D steps: 0.0 to +10.0; 0.5D steps: +10.5 to +17.5 and +28.5 to +30.0; 0.25D steps: +18.0 to +28.0	Expanded into IQ015, IQ016
Johnson	& Johnson Medical Pty Ltd			
13 - Spin	al			
DP046	VSP System (Titanium)	Pedicle/Sacral Screw	4.75-8.5mm x 25-88mm	Compressed into JJ911
DP058	Isola System (Stainless Steel)	Modular Cross Connector Hex Nut	One size only	Compressed into JJ943
DP060	VSP System (Stainless Steel)	Sacral Connector - Left & Right Offset	One size only	Compressed into JJ919
DP074	Isola System (Titanium)	Modular Cross Connector Hex Nut	One size only	Compressed into JJ943
DP304	Moss Miami (Stainless Steel)	Inner Screw and Outer Nut	3 - 5mm	Compressed into JJ942
DP305	Moss Miami (Stainless Steel)	Axial Connector	4/4mm to 5/7mm	Compressed into JJ920
DP306	Moss Miami (Stainless Steel)	Monoaxial Screws	5 - 8mm x 25 - 60mm	Compressed into JJ941
DP307	Moss Miami (Stainless Steel)	Polyaxial Screws	4.35 - 8mm x 25 - 90mm	Compressed into JJ940

Billing Cod	le Product Name	Further Description	Size	Explanation of Deletion
DP407	Moss Miami (Titanium)	Monoaxial Screw	5 - 8mm x 25 - 80mm	Compressed into JJ941
DP408	Moss Miami (Titanium)	Polyaxial Screw	4.35 - 8mm x 25 - 90mm	Compressed into JJ940
DP413	Moss Miami (Titanium)	Axial Connector	5mm/5mm	Compressed into JJ920
DP422	Moss Miami 4mm Anterior System (SS)	12 Sided Outie	One size only	Compressed into JJ942
DP449	Kaneda SR (Smooth Rod) Anterior (TI)	Closed Screw	1/4" - 6.25mm x 25 - 60mm	Compressed into JJ939
DP459	Isola System (Titanium)	Jaw Clamp	1/4" & 3/16"	Compressed into JJ921
DP460	Isola System (Titanium)	Right Hand Nut	5/16"	Compressed into JJ943
DP462	Isola System (Stainless Steel)	Wedding Band	1/4 " & 3/16"	Compressed into JJ918
DP463	Isola System (Titanium)	Set Screw	6.35mm	Compressed into JJ943
DP466	Isola System (Titanium)	Wedding Band	1/4" & 3/16"	Compressed into JJ918
DP473	Isola System (Stainless Steel)	Iliac Screw	6.25 & 7.0mm	Compressed into JJ938
DP474	Isola System (Stainless Steel)	Jaw Clamp	1/4" & 3/16"	Compressed into JJ921
DP475	Isola System (Stainless Steel)	Right Hand Nut	5/16"	Compressed into JJ943
DP489	Isola Paediatric System (Stainless Steel)	Cable Wire Screw	4.75 - 6.35mm x 25 - 30mm	Compressed into JJ938
DP490	Isola Paediatric System (Stainless Steel)	Wedding Band	3/16"	Compressed into JJ918
DP492	Isola System (Titanium)	Iliac Screws	6.25mm & 7.0mm	Compressed into JJ938
DP501	Isola System (Stainless Steel)	Set Screw	One size only	Compressed into JJ943
DP576	Kaneda Anterior Scoliosis System S/S	Open Screw - Standard or Blunt	3/16" - 6.25mm x 25 - 50mm	Compressed into JJ935
DP577	Kaneda Anterior Scoliosis System S/S	Closed Screw - Standard or Blunt	3/16" - 6.25mm x 25 - 60mm	Compressed into JJ939
DP832	Profile Anterior Thoracolumbar Plate System	Locking Inner Screw	One size only	Compressed into JJ914
DP834	Profile Anterior Thoracolumbar Plate System	Locking Outer Nut	One size only	Compressed into JJ914
DP847	Moss Miami 4mm Anterior System (SS)	Screws - Monoaxial	6mm x 25 - 55mm	Compressed into JJ941
DP848	Moss Miami 4mm Anterior System (SS)	Screws - Polyaxial	6mm x 25 - 55mm	Compressed into JJ940
DY078	Kaneda SR Anterior	Kaneda SR Anterior Open Screw	1/4"-6.25mm x 25-60mm, 3/16"	Compressed into JJ935
DY098	Moss Miami (Titanium)	Pin Nut	One size only	Compressed into JJ942
DY103	Isola System (Stainless Steel)	Modular Cross Connector Set Screw	One Size Only	Compressed into JJ943
DY106	Isola System (Titanium)	Modular Cross Connector Set Screw	One size only	Compressed into JJ943
DY108	Isola System	Titanium, Locking Screw	60-120mm	Compressed into JJ943
DY121	VSP System (Stainless Steel)	Pedicle Screw & Sacral Screw	4.75-8.5mm x 25-88mm	Compressed into JJ911
DY305	VSP System (Titanium)	Sacral Connector - Left & Right Offset	One size only	Compressed into JJ919
DY339	Summit Cervical Rod System	Mini Polyaxial Screw Standard or High	3.5mm x 12-50mm	Compressed into JJ937
DY340	Summit Cervical Rod System	Mini Polyaxial Outer Nut	One size only	Compressed into JJ913
DY341	Summit Cervical Rod System	Pin Nut with Flange or No Flange	One size only	Compressed into JJ913
DY345	Summit Cervical Rod System	Transverse Connector Screw	One size only	Compressed into JJ913
DY432	Expedium Spine System	Si Screw Set	4.35 - 7.5mm	Compressed into JJ915

Deleted Items for Prostheses List Report

Billing Cod	le Product Name	Further Description	Size	Explanation of Deletion
DY440	Expedium Spine System	Di Polyaxial Screw	4 -10mm diameter 20 -100mm length	Compressed into JJ944
DY441	Expedium Spine System	Monoaxial Screw	4 to 10mm diameter x 20-100mm length	Compressed into JJ936
DY442	Summit SI System	Polyaxial Screw - Mini Favoured Angle	3.5 or 4mm diameter x 12-48mm length	Compressed into JJ937
DY444	Summit SI System	Inner Set Screw	one size	Compressed into JJ913
DY518	Isola System (Stainless Steel)	Domino Connector	1/4" & 3/16"	Compressed into JJ918
DY557	Expedium Spine System	Si Polyaxial Screw	4.35 - 11mm x 20 - 100mm	Compressed into JJ944
JJ586	Expedium	Uni-Planar deformity correction (Titanium)	4.35-10mm Diameter, 20- 100mm Length	Compressed into JJ944
JJ594	Mountaineer OCT Spinal System	CT Inner Set Screw	One size only	Compressed into JJ916
JJ600	Mountaineer Oct Spinal System	Transverse Connector Inner Screw	One size only	Compressed into JJ916
JJ601	Mountaineer Oct Spinal System	Transverse Connector Outer Nut	One size only	Compressed into JJ916
JJ645	Monoaxial Screw - Expedium Anterior Spine System	Monoaxial Screw - Titanium	Diameters 5-7mm x Lengths 20-60mm	Compressed into JJ936
JJ691	Mountaineer OCT Spinal System - Inner screw	Titanium inner screw	One size only	Compressed into JJ916
JJ762	Moss Miami (Titanium)	Inner set screw	One Size	Compressed into JJ942
JJ763	Moss Miami (Titanium)	Outer nut	One Size	Compressed into JJ942
JJ791	Expedium Spine System - Unitised Set Screw	Unitised Set Screw	one size	Compressed into JJ915
JJ794	Mountaineer OCT Spinal System	Dual Rod Connectors	3.5 - 3.5mm, 3.5 - 4.75mm, 3.5 - 5.5mm, 3.5 - 6.35mm	Compressed into JJ917
JJ795	Mountaineer OCT Spinal System	Adjustable axial Connector	3.5 - 3.5mm, 3.5 - 4.75mm, 3.5 - 5.5mm	Compressed into JJ917
3 - Gener	al Miscellaneous			
JJ019	Vypro Mesh	Vicryl/Prolene Composite Mesh	Medium - 15cm x 15cm	Deleted
JJ179	VYPRO Mesh	Vicryl (polyglactin 910) / Prolene (polypropylene) composite mesh	30cm x 30cm	Deleted
4 - Neuro	surgical			
JJ228	Codman Medos Connector	Codman Medos stainless steel shunt connector straight	One size only	Compressed into JJ934
JJ262	ACCU-FLO Intracranial Pressure shunt	ACCU-FLO three way connector, packaged sterile, metal or plastic	One size only	Compressed into JJ934
JJ264	ACCU-FLO Intracranial Pressure shunt	ACCU-FLO right angle connector, packaged sterile, metal or plastic	One size only	Compressed into JJ934
MN138	Micrus ACT Platinum Microcoil Delivery System	Platinum Coil	Helical - 2mm x 2cm - 10mm x 30cm	Deleted
MN141	Micrus ACT Platinum Microcoil Delivery System	Platinum Coil	Straight - 4mm x 10cm - 6mm x 30cm	Deleted
MN147	Micrus DELTAPAQ Platinum Coil	DELTAPAQ Platinum Coils for endovascular embolisation of microcoils, featuring a traingular wind pattern for increased flexibility and comformance to shape of aneurysm	Coil Diameter from 1.5mm to 10mm +/5mm Coil Length from 1cm1/+0.25 to 25cm +/- 1cm	Deleted

Deleted Items for Prostheses List Report

Page 16 of 35

Billing Code Product Name		Further Description	Size	Explanation of Deletion
MN148	Micrus DELTAPAQ Cerecyte Coil	DELTAPAQ Cerecyte Coils for endovascular embolisation of microcoils, featuring a triangular wind pattern for increased flexibility and conformance to shape of aneurysm.	Coil Diameter from 1.5mm to 10mm +/5mm Coil Length from 1cm1/+0.25 to 25 cm +/- 1cm	Deleted
6 - Spec	ialist Orthopaedic			
DP039	Orthosorb Absorbable Pin	Orthosorb K-Wire	L300 D2.0mm Thread Each	Deleted
DP232	Suture Wire	Wire Suture Stainless Steel	10-36G	Deleted
DP339	Femoral Nail	End Cap Titanium	One size only	Deleted
DP683	Small / Large Fragment Set S/S	Cerclage Wire Loop Stainless Steel	0.8-1.2mm x 280-600	Deleted
DP854	Songer Cable System - Titanium	Flex Bar - Large/Small or Flanged Crimp 2 Hole Bar /Flat Bar (Pk 2)	35mm/30mm	Compressed into JJ924
DP858	Songer Cable System - Stainless Steel	Flanged Crimp/Flat Bar (Pk2) or 2 Hole Bar (Pk 2)	One size only	Compressed into JJ924
DP859	Songer Cable System - Stainless Steel	Isola Single Cable & Crimp (Pkt 6)	One size only	Compressed into JJ925
DP860	Songer Cable System - Stainless Steel	Double Loop Cable with 2 Crimps	One size only	Compressed into JJ923
DP862	Songer Cable System - Titanium	Double Loop Cable with 2 Crimps	One size only	Compressed into JJ923
DP864	Songer Cable System - Titanium	Isola Single Cable & Crimp (Pkt 6)	One size only	Compressed into JJ925
DP900	Albizza Nail	Albizza Nail - Stainless Steel	240-320mm Length	Deleted
DP901	Albizza Nail	Albizza Nail Cotter Screw	3.5 or 4.5 0r 5.5 mm 25-75 mm length	Deleted
DP929	Supacondylar Nail System	Supracondylar Titanium Nail Sterile or Unsterile	10 to 12 mm x 15-30cm	Deleted
DY230	Ace External Fixator	Threaded Rod, titanium	1/4" x 20cm	Transferred to BH358
DY323	Ace Trochanteric Nail	Trochanteric Lag Screw Sterile	60 to 120mm	Deleted
DY326	Ace Trochanteric Nail	Trochanteric Nails Sterile in Standard or Left or Right	125 - 130 deg, 9 - 11mm, 320 - 420mm, sterile and non-sterile	Deleted
DY381	Versa Nail	TTC Fusion Nail Unsterile	10mm x 15cm up to 12mm x 30cm	Deleted
DY538	Healix Anchor System	Titanium anchor with suture	4.5 - 6.5mm	Expanded into DY576, DY577
JJ071	Mitek Kurosaka Advantage Fixation Screw	Titanium Screw Cannulated - Advantage	7 & 9mm x (15 to 40mm)	Compressed into JJ922
JJ072	Mitek Kurosaka Fixation Screw	Titanium Screw Cannulated - Profile	7,8 & 9mm x (20 to 30mm)	Compressed into JJ922
JJ077	Mitek Polypropylene Meniscus Fastner	Polypropylene anchor	6 & 8mm x 4mm	Deleted
JJ084	Mitek Rotator Cuff Anchor Threader Tab	Titanium Suture Anchor	2.8 x 11mm	Deleted
JJ085	Mitek Super Anchor Threader Tab to bone	Titanium Suture Anchor	2.8 x 11.4mm	Deleted
JJ098	Panalok RC Anchor System	Polylactic acid absorbable anchor with absorbable and non-absorbable suture	2.9 x 11.0mm	Compressed into JJ927
JJ124	Intrafix Tibial Sheath	High density non absorbable tibial sheath	7 to 10mm x (15 to 30mm)	Compressed into JJ912
JJ125	Intrafix Tibial Tapered Screw	Plastic tapered screw	6 to 10mm x (15 to 30mm)	Compressed into JJ912
JJ128	Cuff Link	High density plastic link	8mm	Deleted
JJ231	Bioknotless Anchor System	PLA absorbable material with various sutures	Dia 3.9mm, length 9mm	Compressed into JJ928

Deleted Items for Prostheses List Report

Page 17 of 35

Billing C	ode Product Name	Further Description	Size	Explanation of Deletion
JJ233	Panalok RC QuickAnchor Plus DS Panacryl Suture	Anchor composed of PLA, Suture composed of PLA and PGA	Anchor diameter 2.9mm, length 11mm	Compressed into JJ927
JJ234	Panalok RC QuickAnchor Plus DS Ethibond Suture	Anchor composed of PLA, Suture composed of polyester	Anchor diameter 2.9mm, length 11mm	Compressed into JJ927
JJ307	Rapidloc Meniscal Repair PLA Tophat with Ethibond Suture	Composition: PLA Implant and Ethibond Suture, non absorbable suture	2/0	Compressed into JJ930
JJ308	Rapidloc Meniscal Repair PLA Tophat with Panacryl Suture	Composition: PLA Implant and Panacryl Suture	Straight needle, 12 degree curved needle, 27 degree curved needle	Compressed into JJ930
JJ420	MiniLok Quick Anchor Plus with Suture	Anchor composition is PLA	Anchor with Suture and Multiple size needles	Compressed into JJ926
JJ422	MiniLok Quick Anchor with Suture	Anchor with Suture	Anchor with Suture and Multiple size needles	Compressed into JJ926
JJ424	Panalok RC Loop Anchor with Ethibond Suture	Anchor composition is PLLA	One size only	Compressed into JJ927
JJ425	Panalok RC Loop Anchor with Panacryl Suture	Anchor composition is PLLA	One size only	Compressed into JJ927
JJ426	Bioknotless RC Anchor with Panacryl Suture	Anchor composition is PLLA	One size only	Compressed into JJ929
JJ427	Lupine Loop Anchor System	PLLA with various sutures	Dia 3.9mm Length 9mm	Compressed into MN171
JJ429	Bioknotless RC Anchor with Ethibond Suture	Anchor composition is PLLA	One size only	Compressed into JJ929
JJ431	Lupine Loop Anchor System	PLLA with various sutures	Dia 3.9mm Length 9mm	Compressed into MN171
JJ457	Spiralok Anchor System	Spiralok Absorbable PLA Anchor with absorbable suture with needles	5mm, 6.5mm	Compressed into JJ931
JJ458	Spiralok Anchor System	Spiralok Absorbable PLA Anchor with non- absorbable suture without needles	5mm, 6.5mm	Compressed into JJ931
JJ460	Spiralok Anchor System	Spiralok Absorbable PLA Anchor with non- absorbable suture with needles	5 & 6.5mm	Compressed into JJ931
JJ461	RapidLoc Meniscal Repair System with PDS	PLA (absorbable) backstop and PDS (absorbable) top hat and Panacryl absorbable suture connecting the top hat and backstop	One size only	Compressed into JJ930
JJ471	Spiralok Anchor System	Spiralok Absorbable PLA Anchor with absorbable suture without needles	5 - 6.5mm	Compressed into JJ931
JJ472	BioKnotless Anchor System	PLA absorbable material with various sutures	Dia 3.9mm Length 9mm	Compressed into JJ928
JJ483	Spiralok Anchor System	Spiralok Absorbable PLA Anchor with non- absorbable suture with or without needles	5mm, 6.5mm	Compressed into JJ931
JJ577	SmartSet GMV Endurance Medium Viscosity Antibiotic Bone Cement	PMMA, Styrene Copolymer Bone Cement With Gentamicin	20-40 gram	Compressed into JJ933
JJ578	SmartSet GHV High Viscosity Antibiotic Bone Cement	Methyl Methacrylate, Methyl Acrylate Copolymer Bone Cement With Gentamicin	40 Gram	Compressed into JJ933
JJ580	SmartSet HV High Viscosity Bone Cement	Methyl Methacrylate, Methly Acrylate Copolymer Bone Cement	40 Gram	Compressed into JJ932
JJ581	SmartSet MV Endurance Medium Viscosity Bone Cement	PMMA, Styrene Copolymer Bone Cement	40 Gram	Compressed into JJ932
JJ673	VersaNail IM Nailing Platform	Humeral Nails, Universal and Proximal, Titanium, Locking, cannulated	7-10 mm x 150-280mm	Transferred to BH357
JJ696	Lupine BR Anchor System	Biocryl Rapide anchor with two strands of Orthocord suture	One size only	Compressed into MN171

Deleted Items for Prostheses List Report

Page 18 of 35

Billing Co	de Product Name	Further Description	Size	Explanation of Deletion
1698	Bioknotless BR Bone Anchor System	BIOKNOTLESS BR anchors with Orthocord or Panacryl suture	One size only	Compressed into JJ928
707	ATN Trochanteric Nail System	Titanium anti-rotational screw for Trochanteric nail	40 - 150mm	Deleted
708	ATN Trochanteric Nail System	Titanium lag screw for Trochanteric nail	40-150mm	Deleted
74	Healix PEEK Suture Anchor	PEEK anchor with Orthocord suture	4.5 - 6.5mm anchor diameter	Expanded into JJ947, JJ948
03	HEALIX BR Anchor	Biocryl Rapide anchor with suture	4.5-6.5mm	Expanded into JJ949, JJ950
06	TEMPFIX External Fixation System -transfixing pin sterile kit	Sterile pack for external fixation of lower extremity periarticular fractures	Sterile transfixing pin lower leg frame kits	Transferred to BH353
07	TEMPFIX External Fixation System - half pin sterile kit	Sterile pack for external fixation of lower extremity periarticular fractures	Sterile half pin lower leg frame kits	Transferred to BH354
10	GRYPHON BR Instability Anchor	Instability Anchor with Orthocord	2.4-3.0mm	Expanded into JJ945, JJ946
01	ALPS Fibula Plating System	Composite Locking Plate	6 holes	Transferred to BH355
02	ALPS Fibula Plating System	Composite Locking Plate	7 to 14 holes	Transferred to BH356
ivento	Pty Ltd			
l - Hip				
001	Spheric Hip System	Resurfacing Head	38mm - 60mm	Deleted
002	Spheric Hip System	Titanium, plasma spray, HA	44mm - 66mm	Deleted
2 Sur	gical			
- Speci	ialist Orthopaedic			
001	Foot Motion - self-drilling cannulated compression screws	Self-drilling auto-compressive cannulated screw	3.0mm diameter, length 8mm-40mm	Transferred to LM186
002	Foot Motion - weil screws	Weil screw is a titanium self tapping, self-cutting screw	2.0mm diameter, length 8mm - 15mm	Transferred to LM187
H NX	GEN (AUS) Pty Limited			
- Spir	ıal			
001	L8 Spine System - Pedicle screw - mono-axial	Monoaxial pedicle screw, titanium alloy	Diameter: 4.0 - 7.5mm Length: 25 - 60mm	Deleted
1002	L8 Spine System - Pedicle screw - polyaxial	Polyaxial pedicle screw, titanium alloy	Diameter: 5.0 - 7.0mm Length: 30 - 55mm	Deleted
003	L8 Spine System - Setscrew	Set screw, titanium alloy	One size only	Deleted
005	L8 Spine System - Adjustable Crosslink	Adjustable crosslink (straight or curved), titanium alloy	Straight or curved; Span 28 - 70mm	Deleted
038	Cercage Cervical Cage	Cervical interbody fusion cage	Depth: 11mm/ 14mm Width: 5/6/7/8/9/10mm	Deleted
039	Lumcage Lumbar Cage	Lumbar interbody fusion cage	Height: 8/10/12/14/16mm Length: 22/26/32/36mm	Deleted

Deleted Items for Prostheses List Report

Page 19 of 35

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
Lifehea	Ilthcare Pty Ltd			
13 - Spir	nal			
LH478	A-Mesh Spinal Titanium Mesh Spacer	A-Mesh® Spinal Titanium Mesh is designed to restore biomechanical integrity throughout the thoracic and lumbar spine following vertebrectomy or corpectomy for patients with spine tumors or fractures.	Diameter: 14mm, length: 20mm, 50mm. 70mm Diameter: 20mm, Length: 20mm, 50mm, 70mm, 90mm Diameter: 25mm, Length: 20mm, 50mm, 90mm Diameter: 30mm, Length: 20mm, 50mm, 90mm	Transferred to BF002
LH479	A-Mesh Spinal Titanium Mesh Plate	A-Mesh® Spinal Titanium Mesh is designed to restore biomechanical integrity throughout the thoracic and lumbar spine following vertebrectomy or corpectomy for patients with spine tumors or fractures	Diameter: 14, 20 or 25mm	Transferred to BF003
LH480	A-Mesh Spinal Titanium Mesh Set Screw	A-Mesh® Spinal Titanium Mesh is designed to restore biomechanical integrity throughout the thoracic and lumbar spine following vertebrectomy or corpectomy for patients with spine tumors or fractures.	Diameter 3mm and Length 9mm	Transferred to BF004
Lima O	orthopaedics Australia Pty Ltd			
11 - Hip				
LC006	Lima Plug and hood	UHMWPE Cement Plug with distal femoral stem hood	8mm - 16mm	Expanded into LC149, LC150, LC151
LC016	Lima Total Hip Replacement System	Titanium, plasma, HA	44 - 66mm	Expanded into LC164, LC165, LC166, LC167
LC017	Lima Delta Ceramic Liner	Ceramic Liner, biolox forte and delta	A, B, C, D, E	Expanded into LC168, LC169
LC018	Lima Delta Cup Insert	Protruded UHMWPE Unmodified Liner	A, B, C, D, E	Expanded into LC170, LC171
LC019	Lima bipolar Total Hip Replacement System	Bipolar shell, inset and head	41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57mm	Expanded into LC162, LC163
LC028	H-Max Femoral stem	Modular stem	9-18	Expanded into LC158, LC159
LC031	Lima Revision Total Hip System	Titanium, grit blast, non HA	20, 22, 24	Expanded into LC160, LC161
LC033	Lima Total Hip replacement	CoCr Femoral Head	S, M, L, XL	Expanded into LC156, LC157
LC034	Lima Total Hip replacement	Ceramic Femoral Head (Biolox Delta)	S, M, L, XL	Expanded into LC152, LC153
LC035	Lima Total Hip replacement	Ceramic Femoral Head (Biolox Delta)	S, M, L, XL	Expanded into LC154, LC155
Link O	rthopaedics Australia			
6 - Speci	ialist Orthopaedic			
LO148	Thabe Titanium Cerclage Band with Lock	Thabe Titanium Cerclage Band is crimped at the lock	6.0mm wide, 240mm	Deleted
LO149	Bone Cerclage Band with Lock	The Cerclage Band with a locking mechanism consists of a band, manufactured from stainless steel, 165mm long and 5mm wide and a lock	Complete, length with lock: 165mm, width 5mm	Deleted

Deleted Items for Prostheses List Report

Page 20 of 35

Billing Co	de Product Name	Further Description	Size	Explanation of Deletion
Loxo M	ledical Pty Ltd			
3 - Gener	ral Miscellaneous			
LP001	Accufuser Continuous	Continuous flow rate ambulatory and disposable silicone balloon infusion pump	Volume 60ml, 100ml, 300ml, 600ml	Transferred to FK001
LP002	Accufuser Selectus, Accufuser Varicon	Ambulatory and disposable silicone balloon infusion pump	Volume 60ml, 100ml, 300ml, 600ml	Transferred to FK002
LP003	Accufuser Plus, Accufuser EasyBolus, Accufuser Omnibus	Ambulatory and disposable silicone balloon infusion pump with bolus function	Volume 60ml, 100ml, 300ml, 600ml	Transferred to FK003
LP004	Accumate 1100 Infusion Pump	Ambulatory infusion pump	One size only	Transferred to FK004
LP005	Accumate 1100 Tubing Set	A-type (Luer type) tubing set, B-type (spike type) tubing set	160.5 cm, 174cm	Transferred to FK005
P006	Accumate 1100 Reservoir Bag	Reservoir bag	150ml, 250ml, 500ml	Transferred to FK006
MatOrtl	no			
12 - Kne	e			
4J004	MRK (Medial Rotation Knee) Total Knee System Femoral Component	Femoral Component, Cemented, CoCr	0-5 Left and Right	Expanded into MJ020, MJ021
Medical	l & Optical Instruments Australia	Pty Ltd		
5 - Speci	alist Orthopaedic			
лО365	Acu-Loc Distal Radius Plating System	Volar, Dorsal, Distal Ulna, Standard, Long, Extra long, wide, narrow, left, right, extra-articular plates	≥7 to ≤15 holes	Expanded into MO406, MO407
Medical	Specialties Australia Pty Ltd			
4 - Neuro	osurgical			
AS003	Sterile Hydrocephalic Shunts	Plastic/magnetic. Programmable valve. Programmer kit and shunts kit.	3, 8 settings	Transferred to NK029
Medtro	nic Australasia Pty Ltd			
4 - Neuro	osurgical			
И1095	CSF Ventricular Catheter PSM range	Ventricular catheter, non metallic latex free. Barium impregnated, include stainless steel stylet.	1.3 - 35cm	Expanded into MI122, MI123
Nipro A	Lustralia			
3 - Gene	ral Miscellaneous			
N001	Surefuser	Non electronic, elastomeric balloon driven, ambulatory infusion pump, various flow rates	50ml	Deleted
N002	Surefuser	Non electronic, elastomeric balloon driven, ambulatory infusion pump, various flow rates	100ml	Deleted
RN003	Surefuser	Non electronic, elastomeric balloon driven, ambulatory infusion pump, various flow rates	250ml	Deleted

Billing Co	de Product Name	Further Description	Size	Explanation of Deletion
Oceania	a Orthopaedics			
11 - Hip				
OO100	Mutars RS revision system - Proximal component - Silver	RS Proximal component, silver coated	127 degrees, 32/42mm, 135 degrees, 32/42mm	Compressed into OO118
OO116	Mutars RS revision system - Proximal component	RS Proximal component	127 degrees, 34/42mm, 135 degrees, 32/42mm	Compressed into OO118
12 - Kne	ee			
OO015	ACS Knee System - Tibial extension stem	Tibial extension stem	14/25mm, 14/50mm, 14/75mm	Compressed into OO122
OO028	ACS Knee System - ACS revision stems, straight and offset	ACS revision tibial and femoral stems, straight and offset	12/14/16/18/20/22mm wide stems	Compressed into OO122
OO045	Mutars - Peek optima locking mechanism for distal femur	Mutars bushing for distal femur	Left/right, standard, small, extra small	Deleted
OO055	MUTARS - Tibial joint modular	MUTARS - Tibial joint modular	small / standard	Deleted
6 - Speci	ialist Orthopaedic			
OO079	MUTARS - Arthodesis body Silver coated	Arthrodesis body	Arthrodesis body, 120mm long	Compressed into OO121
OO080	MUTARS - Arthrodesis body	Arthrodesis body	Arthrodesis body, 120mm long	Compressed into OO121
OO083	MUTARS - RS arthrodesis Femoral component - Silver	Arthrodesis femoral component - Silver coated	45mm, left and right	Compressed into OO120
OO084	MUTARS - RS arthrodesis Femoral component	Arthrodesis femoral component	45mm, left and right	Compressed into OO120
OO085	MUTARS - RS arthrodesis tibial component - SILVER COATED	Arthrodesis tibial component component - Silver	45mm high	Compressed into OO119
OO086	MUTARS - RS arthrodesis tibial component	Arthrodesis tibial component component	45mm high	Compressed into OO119
Orthopa	aedic Solutions Pty Ltd			
6 - Speci	ialist Orthopaedic			
OE039	611 Ankle Fusion Nail - Component: INTERNAL LOCKING SCREW	The 611 ankle arthrodesis nail, 2.5mm internal locking screw is made out of titanium alloy (Ti6Al4V) it is supplied non-sterile	2.5mm Internal Locking Screw	Deleted
Pacing	Importers Pty Ltd - Life Systems			
2 - Ear.]	Nose & Throat			
PI009	OPUS 2 Speech Processor	Cochlear implant speech processor, fine structure speech processing, remote control, interface for assistive listening devices according to the international hearing aid standard (initial patient kit)	54.0mm x 35.1mm x 8.7mm	Transferred to US004
PI010	Opus 2 Speech Processor Replacement	Cochlear implant speech processor, fine structure speech processing, remote control, interface for assistive listening devices according to the international hearing aid standard (replacement kit)	54.0mm x 35.1mm x 8.7mm	Transferred to US005

Deleted Items for Prostheses List Report

Page 22 of 35

Billing Co	de Product Name	Further Description	Size	Explanation of Deletion
PI011	Sonata Ti 100 Cochlear Implant	Cochlear implant, titanium casing, 24 independent current sources, sequential and parallel stimulation modes up to 50,074 pulses per sec, 19 or 24 oval-	Stimulator Housing: L 17.3 mm, W 24.8 mm, Thin 5.9 mm (Weight 8.6g)Electrode:	Deleted
		shaped platinium electrodes, different sizes	Standard (31.5 mm), Medium (20.9mm), Compressed/Short (12.1mm), FLEXsoft (26.4 mm)	
PI018	Sonata TI with FLEX EAS electrode	Cochlear Implant with atraumatic electrode specifically designed for partial deafness & hearing preservation surgery	One size	Deleted
PI019	DUET 2	Audio Processor for Electric and Acoustic Stimulation (2nd Generation EAS)	50.6mm x 8.5mm x 59.7mm	Transferred to US006
PI021	Mi1000 CONCERTO/ Mi1000 Concerto PIN	Ultra small minimally invasive titanium cochlear implant with six atraumatic electrode options. Includes sequential and parallel stimulation, comprehensive diagnostic toolkit and safety features such as unique implant ID and output capacitors for each channel	Stimulator Housing: L 17.3 mm, W 25.4 mm, Thin 4.5 mm (Weight 7.6g) Electrode: Standard (26.4 mm), FLEXsoft (26.4 mm), Medium (20.9mm), FLEX24 (20.9mm), Compressed (12.1mm), FLEX28 (23.1mm)	Transferred to US008
PI022	DUET 2 Replacement	The DUET 2 speech processor adds hearing aid processing, power and audio input. The DUET 2 directly amplifies the acoustic sound in the low frequencies of the OPUS2 Processor to the recipient. It is intended to evoke auditory sensations via electrical stimulation or via combined electro acoustic stimulation (EAS) of the auditory pathways for partially deaf individuals who obtain benefit from acoustic amplification in the lower frequencies only.	Dimensions: 50.6mm x 8.5mm x 59.7mm	Transferred to US007
Prism S	Surgical Designs Pty Ltd			
13 - Spir	nal			
PZ001	Aquila Plate System	Anterior Cervical Plate	1 level and 2 level plates (21 - 55mm Length)	Transferred to SF051
PZ002	Aquila Plate System	Anterior Cervical Plate	2, 3 and 4 level cervical plates (55m - 109mm length)	Transferred to SF052
PZ003	Aquila Plate System, Aquila screw	Bone Screw	4.0mm Diameter (length 10, 12, 14, 16, 18, 20mm) and 4.5mm Diameter (Length 10, 12, 14, 16, 18, 20mm)	Transferred to SF053
Q-Med	(Sweden) Australia Pty Ltd			
5 - Urog	enital			
QM001	Deflux	Deflux is a sterile, highly viscous gel of dextranomer microspheres and non-animal stabilised hyaluronic acid constituting a biocompatible and biodegradable implant for the treatment of vesicoureteral reflux. The stabilised hyaluronic acid acts mainly as	1ml in syringe	Transferred to GD001

Deleted Items for Prostheses List Report

Page 23 of 35

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
QM002	Deflux and Metal needle kit	Deflux is a sterile, highly viscous gel of dextranomer microspheres and non-animal stabilised hyaluronic acid constituting a biocompatible and biodegradable implant for the treatment of vesicoureteral reflux. The stabilised hyaluronic acid acts mainly as	1 ml syringe and needle size 3.7FR x 23G x 350mm	Transferred to GD002
RQSolı	utions Medical Devices Distribution	on Support		
4 - Neur	rosurgical			
RQ054	Axium Neurostimulator System - Implantable Neurostimulator	Spinal modulation implantable neurostimulator.	1 size; 31cc (1 presentation)	Transferred to OD015
RQ055	Axium Neurostimulator System - 22cm Delivery Sheath Kit - small curve and big curve	22cm delivery sheath kit - small curve and big curve.	2 sizes (2 presentations) 1 x Big Curve - MN23650 1 x Small Curve - MN22150	Transferred to OD016
RQ056	Axium Neurostimulator System - Programmer - Patient	Programmer - patient	1 size (1 presentation)	Transferred to OD017
RQ057	Axium Neurostimulator System - Lead accessories kit	Lead accessories kit.	1 size (1 presentation)	Transferred to OD018
RQ058	Axium Neurostimulator System - Connector Cable Kit	Connector cable kit.	1 size (1 presentation)	Transferred to OD019
RQ059	Axium Neurostimulator System - Lead Extension Kit	Lead extension kit.	1 size (1 presentation)	Transferred to OD020
RQ060	Axium Neurostimulator System - Implant Lead Kit	Implant lead kit.	Package containing either 50cm or 90cm lead	Transferred to OD021
RQ061	Axium Neurostimulator System - Tunneling Tool	Tunneling tool.	30cm or 51cm	Transferred to OD022
Smith &	& Nephew Surgical Pty Ltd			
11 - Hip				
SM020	BICON UHMWPE Insert	UHMWPE	1 to 9	Deleted
SM021	Bicon Ceramic Insert	Ceramic, Biolox Forte	For shells 1-9, all head sizes	Deleted
SM035	Universal Ceramic Femoral Head	Ceramic, Biolox Forte	S,M,L - 28mm/32mm	Deleted
SM039	BOFOR Acetabular Reconstruction Shell	Titanium, plasma spray, eccentric design with multiple fixation holes	48mm X + 5mm - 70mm X +12mm	Deleted
SM042	Bicon Constrained Liner	UHMWPE	1 - 9, 28mm, 32mm	Deleted
SM043	Bofor Acetabular Insert	UHMWPE with titanium surround	48 -70mm	Deleted
SM053	Bicon highly cross linked UHMWPE Insert	Modified UHMWPE	42 -76mm Dia, all head sizes	Deleted
SM094	Universal Ceramic Femoral Head	Ceramic Biolox Forte	>32mm	Deleted
SM106	SBG Femoral Stem	Titanium, grit blasted, proximal HA	05 - 7	Deleted
SM136	Polar Cup Acetabular Pegs	Stainless steel, morse tapered anchorage pegs	15mm	Deleted
SM145	PLUS Hip Joint Prostheses System	Titanium, grit blasted, with stem locking bolt	Sizes CL/BX/CX >=75mm various offsets	Deleted
SN003	Image Hip Stem	Titanium, beaded, HA	Sizes 9 - 18	Deleted
SN282	Opera	Acetabular Cup Flanged unmodified UHMWPE	22 - 28mm; 40 - 53mm	Deleted

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
SN289	Reflection	Acetabular Liner, unmodified UHMPE	22 - 36mm, 42 - 76mm	Deleted
SN365	Matrix: Modular Hip System	Sleeve -Trunnion	One size only	Deleted
SN695	Opera	Acetabular Cup Flanged - XLPE modified polyethylene	22-36mm, 42-76mm	Deleted
SN751	Synergy	Shortened Synergy Stem, Titanium, beaded, HA	1-18	Deleted
12 - Kne	ee			
SM078	TC (Tri Compartment) PLUS Knee System Tibial Augment	Tibial Augment Half blocks, CoCr, includes screws for fixation	5mm, 10mm, 15mm	Deleted
SM079	TC (Tri Compartment) PLUS Knee System Femoral and Tibial Stems	Femoral and Tibial Stems, Cemented, CoCr	80-150	Deleted
SM080	TC (Tri Compartment) PLUS Knee System Femoral and Tibial Stems	Femoral and Tibial Stems, uncemented, Titanium	10/80 - 20/150	Deleted
SM081	TC (Tri Compartment) PLUS Knee System Femoral and Tibial Stems	Femoral and Tibial Stems, uncemented, Titanium, Varus or Valgus angulation correction	10/80 - 20/150	Deleted
SM098	TC (Tri Compartment) PLUS Knee System Femoral Augment	Femoral Augment Distal and posterior blocks, CoCr, includes screws for fixation	5mm, 10mm, 15mm	Deleted
SM100	TC (Tri Compartment) PLUS Knee System Tibial Baseplate	Tibial Baseplate, CoCr, Cemented, for fixed insert	2 - 10	Deleted
SN350	Genesis Knee System Patella Component	Patella Component, cemented, all poly, UHMWPE	X-Small - Large	Deleted
SN354	Genesis Knee System Tibial Baseplate	Tibial Baseplate, cemented, titanium	Left/Right Small- Magnum 8mm-15mm	Deleted
SN375	Profix Knee System Femoral Component	Femoral Component, CoCr, uncemented, beaded	Left/Right Size 1-8	Deleted
SN394	Mod III Patella Femoral Component	Patella Component, UHMWPE, Onlay, cemented, for Mod III	Mini-Large	Deleted
SN870	Profix Knee System Tibial Baseplate	Tibial Baseplate, all poly, cemented	Left / Right 1 - 8	Deleted
SN886	Profix Knee System Offset Couplers	Offset Coupler, titanium	2-4	Deleted
6 - Speci	ialist Orthopaedic			
SN080	TC 100 4.5mm T-plate	Sterile, 5 - 8 holes	100 - 148mm	Deleted
SN108	TC 100	Plate: Broad Compression	4.5mm, 3 - 10 holes	Deleted
SN443	Reis	Cable and Swage	1.6 & 2.0mm	Deleted
SN479	Compression Hip Screw System	Hip Screw Clip (ambi only)	One size only	Compressed into SL026
SN480	Compression Hip Screw System	Intramedullary Hip Screw (IMHS), Centering Sleeve, Stainless Steel	One size only	Compressed into SL026
SN481	Compression Hip Screw System	Lag Screw	55 - 140mm	Compressed into SL026
SN509	Russel Taylor	Intramedullary Hip Screw Nail (IMHS) Stainless Steel	Standard 10-16mm 21 cm length, Long 10-12mm Diameter Right& Left 34-42cm Length	Deleted
St Jude	Medical Australia Pty Ltd			
4 - Neur	osurgical			
SJ165	ANS Spinal Cord Stimulation System (SCS)	Trial Lead. Temporary Screening Lead	30cm, 60cm	Deleted

Deleted Items for Prostheses List Report

Page 25 of 35

Stryker Australia Pty Ltd

11 - Hip

HW055	Citation Hip	TMZF - HA Stem - Titanium/HA coated	Stem sizes 0 - 8 Left & Right	Deleted
HW057	RELIANCE HIP	Distal Centraliser - PMMA	10-18mm	Deleted
HW403	Exeter Hip System	Exeter Duration Cup - Enhanced Polyethylene - Low and High Profile	OD: 40-60mm, ID: 22, 26, 28, 30	Deleted
SK056	Stryker Modular Revision Hip System	Milled Proximal Body Titanium Plasma Spray, HA	Dia 19-25mm with 2 mill Depths; 27-29mm with 3 Mill Depths	Compressed into HW523
SK060	Stryker Modular Revision Hip System	Broached Proximal Body Titanium Plasma Spray, HA	1-8	Compressed into HW523
SK061	Stryker Modular Hip System	Cone Proximal Body Titanium Plasma Spray, HA	Dia 19-31mm, Heights +0,+10,+20,+30	Compressed into HW523
SK062	Stryker Modular Revision Hip System	Calcar Proximal Body Titanium Plasma Spray	Diameter 19-29mm, 3 Heights each	Compressed into HW523
SK128	Trident Acetabular Component System	Titanium, arc deposited, non HA	Shell sizes 42mm - 74mm OD	Deleted
SK404	Stryker large ceramic femoral head	Alumina Femoral Head	38mm-60mm	Deleted
SK444	ABG II Modular Hip System	Neck for the ABGII stem	Long & Short	Deleted
SK445	Rejuvinate SPT Femoral Hip System	Titanium (TMZF), plasma, HA with removable neck	7-12	Deleted
SK446	Rejuvinate SPT Femoral Hip System	Neck for Rejuvinate SPT Stem	30-38mm	Deleted
SR017	Omnifit hip system	OMNIFIT cemented femoral component - cobalt chrome	Stem sizes 4-11	Deleted
SR018	Omnifit hip system	OMNIFIT 'C' stem - cemented cobalt chrome, collared and collarless, 132 degree offset	Stem sizes 4-11	Deleted
SR056	Hipstar™ TMZF® Hip Stem	Titanium, grit blast and HA	Size 0 through to 12	Deleted
SR062	ABGII Modular Stem	Titanium (TMZF), plasma, HA with removable neck	1-8 (left and right)	Deleted
ST001	Restoration T3 Revision Hip System - Proximal body	Titanium femoral body, grit blast, non HA	S,M,L	Deleted
ST013	Trident Crossfire All Polyethelene Cup	UHMPE modified	40-64mm(Outer Diameter)	Deleted
ST547	Restoration acetabular gap ring	Acetabular reconstruction cage	48-72mm OD in 2mm increments	Deleted
ST552	Osteonics hip prostheses	All poly cup polyethylene unmodified	OD: 46-61mm. ID: 22, 26, 28, 32mm	Deleted
ST554	Stryker Securfit HA Coated Shell	Titanium, arc deposited, with HA	40 - 80mm	Deleted
ST587	Osteonics hip prostheses	Restoration stem - 155mm titanium - HA coated	155mm length - stem sizes 7-12	Deleted
ST588	Osteonics hip prostheses	Restoration stem - 205mm titanium - HA coated	205mm length - stem sizes 8-12	Deleted
ST589	Osteonics hip prostheses	Restoration cacar replacement stem 15mm titanium - HA coated	205mm length - stem sizes 8-14	Deleted
ST591	Osteonics hip prostheses	Restoration HA long stem titanium - HA coated anatomic (left & right)	255mm length - stem sizes 8 - 14, left & right	Deleted

Deleted Items for Prostheses List Report

Page 26 of 35

Billing Cod	le Product Name	Further Description	Size	Explanation of Deletion
12 - Knee	2			
HW075	Duracon Knee System Femoral Component	Minimally stabilised, uncemented, beaded, CoCr (Vitallium)	Small, Medium, Medium-Large, Large, Extra- Large	Deleted
HW076	Duracon Knee System Femoral Component	Minimally stabilised, cemented, CoCr (Vitallium)	Small, Medium, Medium-Large, Large, Extra- Large	Deleted
HW077	Duracon Knee System Femoral Component	Minimally stabilised, uncemented, beaded with PA (Hydroxyapatite), CoCr	Small, Medium, Medium-Large, Large, Extra- Large	Deleted
HW080	Duracon Knee System Femoral Component	Posterior stabilised, cemented, CoCr (Vitallium)	Small, Medium, Medium-Large, Large, Extra- Large	Deleted
HW087	Duracon Knee System Tibial Baseplate	Tibial baseplate, cemented, cruciform stem, CoCr (Vitallium)	Small, Medium, Large, Extra-Large	Deleted
HW088	Duracon Knee System Tibial Baseplate	Tibial baseplate, uncemented, beaded, cruciform stem, with PA (Hydroxyapatite), CoCr (Vitallium)	Small, Medium, Large, Extra-Large	Deleted
HW095	Duracon Knee System Tibial Baseplate	Tibial baseplate, All UHMWPE, cemented	Small, Medium, Large, Extra-Large	Deleted
HW147	Kinemax Knee System Femoral Component	Minimally stabilised, cemented, CoCr (Vitallium)	XS, S, M, L, XL, XXL	Deleted
HW149	Kinemax Knee System Stabilizer Femoral Component	Totally constrained, cemented, CoCr (Vitallium)	XS, S, M, L, XL, XXL	Deleted
HW154	Kinemax Knee System Tibial Baseplate	Tibial baseplate, cemented, CoCr (Vitallium)	XS, S, M, L, XL	Deleted
HW197	HMRS (Howmedica Modular Replacement System) Proximal Tibial Component	HMRS Proximal Tibia, uncemented, CoCr (Vitallium), porous coated, and metal cHydroxyapatitember for axis of hinge, connects to anchorage piece for bone attachement, Fixed	6346	Deleted
HW204	HMRS Extension Piece	Extension Piece, Uncemented CoCr, connects to anchorage piece (optional)	60mm, 80mm, 100mm	Deleted
HW205	HMRS (Howmedica Modular Replacement System) Straight Anchorage Piece	HMRS Straight Anchorage Piece (Stem) w/ small diaphyseal replacement, uncemented, porous coated, CoCr (Vitallium), porous coated with lateral flange w/ 3 holes for fixation	11, 12, 13, 14, 15mm	Deleted
HW206	HMRS (Howmedica Modular Replacement System) (Howmedica Modular Replacement System) Curved Anchorage Piece	HMRS Curved Anchorage Piece w/diaphyseal replacement, uncemented, CoCr (Vitallium), porous coated with lateral flange w/ 3 holes for fixation	12, 13, 14, 15, 16, 17, 19mm	Deleted
HW207	HMRS (Howmedica Modular Replacement System) Connecting Piece	HMRS Connecting Piece, uncemented, CoCr (Vitallium) 2 parts, bolted together with 2 screws, connecting Distal & Proximal Femur +/- extension piece for total femur replacement.	One size only	Deleted
HW208	HMRS (Howmedica Modular Replacement System) Hexagonal Socket Bolt	HMRS Hexagonal Socket Bolt - CoCr (Vitallium) for HMRS Connecting piece assembly (2)	One size only	Deleted
HW209	HMRS (Howmedica Modular Replacement System) Screw Jack	HMRS Screw Jack UHMWPE (Duration) - use with Self Tapping Hex Head Cortical Bone Screws for Proximal Femur and Tibia soft tissue fixation	One size only	Deleted
HW246	MRS (Modular Replacement System) Femoral Body	MRS Femoral Body uncemented, male/female connections, Titanium	Standard Diametre 40-220mm in 20mm increments and small diameter 40-160mm in 20mm increments	Deleted

Deleted Items for Prostheses List Report

Page 27 of 35

Billing Cod	e Product Name	Further Description	Size	Explanation of Deletion
HW396	Duracon Knee System Femoral Component	Minimally stabilised, cemented, CoCr (Vitallium), with removable lugs, and capacity to attach femoral box	Small, Medium, Medium-Large, Large, Extra- Large	Deleted
HW397	Duracon Knee System Femoral Component	Minimally stabilised, uncemented, beaded, with removable lugs and capacity to attach box, CoCr (Vitallium),	Small, Medium, Medium-Large, Large, Extra- Large	Deleted
HW398	Duracon Knee System Femoral Component	Posterior stabilised, uncemented, beaded with PA (Hydroxyapatite), CoCr,	Small, Medium, Medium-Large, Large, Extra- Large	Deleted
HW401	Kinemax Knee System Femoral Component	Minimally stabilised, uncemented, beaded, CoCr, (Vitallium)	XS, S, M, L, XL, XXL	Deleted
SK159	HMRS (Howmedica Modular Replacement System) Plus Curved Anchorage Stem	HMRS Plus Curved Anchorage Piece with GMRS locking taper for crossover w/ GMRS system. Offers small diaphyseal replacement, uncemented, CoCr (Vitallium), porous coated with lateral flange w/ 3 holes for fixation, Fixed	12, 13, 14, 15, 16, 17, 19mm	Deleted
SK160	HMRS (Howmedica Modular Replacement System) Plus Straight Anchorage Stem	HMRS Plus Straight Anchorage Piece with GMRS locking taper for crossover w/ GMRS system. Offers small diaphyseal replacement, uncemented, CoCr (Vitallium), porous coated with lateral flange w/ 3 holes for fixation	11, 12, 13, 14, 15mm	Deleted
ST054	EIUS Unicompartmental Knee System Tibial Baseplate	Uni tibial baseplate, cemented, all UHMWPE, (N2VAC)	XS, S, M, L, XL	Deleted
ST055	EIUS Unicompartmental Knee System Femoral Component	Uni Femoral component, cemented, CoCr	XS, S, M, L, XL	Deleted
ST643	S7000 Knee System Tibial Insert	Minimally stabilised tibial insert, UHMWPE (N2VAC), used for Series 7000 Minimally stabilised tibial insert revisions	3, 5, 7, 9, 11, 13 in 8, 10, 12, 15, 18, 21,24mm	Deleted
ST644	S7000 Tibial Insert series I	Posterior stabilised tibial insert, Series II, UHMWPE (N2VAC)	3, 5, 7, 9, 11, 13 in 8, 10, 12, 15, 18, 21,24mm	Deleted
ST658	Series 7000 Knee System Femoral & Tibial Augments	Series 7000, femoral & tibial blocks, CoCr, cemented	3, 5, 7, 9, 11, 13 in 4mm, 8mm, 10 degree and 20 degree	Deleted
ST913	Duracon ISA Knee System Tibial Baseplate	Mobile bearing tibial baseplate, cemented, CoCr (Vitallium)	Small, medium, large, X-large	Deleted
6 - Specia	list Orthopaedic			
HW203	Howmedica Modular Resection System	Bearing - Vitallium	One size only	Deleted
HW303	Dall Miles Cable Grip System - Stainless Steel	Stainless Steel: Cable & Sleeve - Stainless Steel	1.6 and 2mm	Compressed into HW524
HW315	Dall Miles Cable Grip System - Vitallium	Vitallium: Cable and Sleeve - Vitallium	1.6 and 2mm	Compressed into HW524
HW463	Memometal Anchor Fixation System	Anchors	Various	Expanded into HW526, HW527
SK398	Trochanteric Grip	Trochanteric Grip Plate	Medium, 100-200mm, 2 -6 holes	Deleted
SK399	Trochanteric Grip	Trochanteric Grip Plate.	Large, 110 - 220mm, 2 -6 holes	Deleted
SK400	Trochanteric Grip	Dall-Miles Trochanteric Grip with 2 Stainless Steel Cables	Small, Medium and Large	Deleted
ST722	Leibinger Titanium Implant System	Leibinger profyle hand & small fragment system, fixation plate, 3D plate, titanium	1.2mm system, 4x2 holes	Deleted

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
ST741	Leibinger Titanium Implant System	Leibinger profyle hand & small fragment system, 3D plate, titanium	1.7mm system, 4x2 holes	Deleted
ST764	Leibinger Titanium Implant System	Leibinger Profyle Hand & Small Fragment System, fixation plate, 3D plate, Titanium	2.3mm system, 4x2 holes	Deleted
7 - Plast	ic and Reconstructive			
ST390	Luhr Fixation System	Luhr Micro and Pan Fixation Systems: Micro mesh Vitallium	40x60mm	Deleted
Orthopa	aedic			
IW044	Exeter Hip System	X-Change Revision Mesh - Stainless Steel	Acetabular, Femoral and Flat Mesh	Compressed into HW525
IW045	Exeter Hip System	X-Change Revision Mesh -Rim - Stainless Steel	Small	Compressed into HW525
IW046	Exeter Hip System	X-Change Revision Mesh - Rim - Stainless Steel	Large	Deleted
Surgeo	ns Choice Australia Pty Ltd			
3 - Gene	eral Miscellaneous			
SH004	MiniMizer gastric band.	Adjustable Silicone band which is placed around the upper part of the stomach to reduce the volume and speed of intake of food.	The gastric band comes in one size, but could come with a small or medium sized port. 14mm wide, 16.6cm band two phase closure, 1: 31mm inner diameter, phase 2: 26mm inner diameter. 40cm silicon tube attached.	Deleted
SH005	MiniMizer gastric band (injection port)	Adjustable Silicone band which is placed around the upper part of the stomach to reduce the volume and speed of intake of food. The injection port is used to inflate or deflate the gastric band therefore adjusting the diameter of the band.	Small or medium sized port.	Deleted
H009	Minimizer Ring	Adjustable Gastric Ring	One size ranging from 6.5cm to a 8.0cm diameter	Deleted
Synthes	s Australia Pty Ltd			
5 - Speci	ialist Orthopaedic			
Y060	AO/ASIF Intermedullary Nails	Cannulated and Solid Tibial Nail	7.0mm-19mm dia 200-600mm length	Compressed into SY788
Y087	AO/ASIF K-Wires, Pins, Washers etc - Steel	K-wire single ended	0.06 - 3.0mm / length 70 - 400mm	Compressed into SY787
Y089	AO/ASIF K-Wires, Pins, Washers etc - Steel	K-wires threaded	0.25 & 15mm / dia .08 - 3.0mm & length 70- 300mm	Compressed into SY787
Y127	AO/ASIF Intramedullary Nails	Shaft screw	5.0mm, length 70 - 125mm	Compressed into SY789
Y131	AO/ASIF Intramedullary Nails	Locking bolts - steel	3.9 - 4.9mm, length 18 - 100mm	Compressed into SY789
Y132	AO/ASIF Intramedullary Nails	Locking bolts	3.0mm-6.0mm Dia 10-150mm Length	Compressed into SY789
Y262	AO/ASIF Intramedullary Nails	Femoral Nail	9-15mm dia / 120-150 deg / 170 - 500mm Length	Expanded into SY790, SY791
Y265	AO/ASIF Intramedullary Nails	Locking Screws	15 -150mm	Compressed into SY789
Orthopa	aedic			
Y123	AO/ASIF Intermedullary Nails	Femoral reamed, tibial nail	9 - 19mm, length 200 - 500mm.	Compressed into SY788

Deleted Items for Prostheses List Report

Page 29 of 35

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion		
Tag Me	edical					
_	9 - Cardiothoracic					
TM040	Repel - CV	Bioresorbable Adhesion Barrier	18cmx13.5cmx137 microns	Deleted		
Tornier	· Pty Ltd					
6 - Spec	ialist Orthopaedic					
TO053	Insite [™] Polymer Suture Anchors	Polymer suture anchor pre loaded with 2 Force Fiber Sutures	3mm, 5mm or 6.5mm	Deleted		
TO054	Insite™ Titanium Suture Anchors	Titanium suture anchor pre loaded with 2 Force Fiber® Sutures	3mm, 5mm or 6.5mm	Deleted		
TO091	Tornier Duo	Bone anchor PEEK for tied or knotless fixation	3.4mm diam	Deleted		
Ultimat	te Medical Pty Ltd					
3 - Gene	eral Miscellaneous					
UM001	LA Bubble	Balloon based local anaesthetic infusion system	One size only	Deleted		
W L G	ore & Associates					
3 - Gene	eral Miscellaneous					
GT269	Bio A Tissue Reinforcement	Bio A Tissue Reinforcement	20cm x 20cm	Deleted		
Wright	Medical Australia					
12 - Kne	ee					
WR192	Medial pivot Knee System	Cemented, grit blasted, minimally stabilised, femoral component	0, 1, 2, 3, 4, 5, 6, 7 & 8	Expanded into WR262, WR263		
Young	Sun Global Pty Ltd TA Implanti	um				
7 - Plast	ic and Reconstructive OSTEON, Bone grafting material: 0.5cc	OSTEON is a synthetic osteoconductive bone	Particle size: 0.5-1.0mm, 1.0-2.0mm	Deleted		
		graft substitute composed of hydroxyapatite (HA) and beta-tricalcuim phosphate (β -TCP).	Volume: 0.5cc			
Zimme	r Pty Ltd					
11 - Hip						
ZI008	Zimmer Austin Moore	Stainless Steel	Sizes 38 - 60	Deleted		
ZI015	Zimmer 'VerSys Hip Systems Femoral Stem	Cemented - Cobalt Chrome unpolished	11 - 17	Deleted		
ZI022	Zimmer Hip Systems Femoral Stem	VerSys Beaded Fullcoat - Cobalt Chrome, Short & Standard	11 - 20	Deleted		
ZI023	Zimmer Heritage Hip Systems Femoral Stem	Cobalt Chrome, polished, straight	11 - 17	Deleted		
ZI338	Natural Hip System	Femoral Stem Porous, Titanium	140 - 160mm	Deleted		

Billing Cod	le Product Name	Further Description	Size	Explanation of Deletion
ZI349	Thrust Plate Prosthesis	Allopro Thrust Plate - Ti alloy	38 to 44mm	Deleted
ZI350	Thrust Plate Prosthesis	Allopro Lateral Plate - Ti alloy	Std & Long (15 & 25 deg)	Deleted
ZI351	Thrust Plate Prosthesis	Allopro Threaded bolt - CoCr alloy	70 to 89mm	Deleted
ZI352	Thrust Plate Prosthesis	Allopro Cortical Screw - SS	36, 60mm	Deleted
ZI354	Alpha Cerasul Insert	UHMPE unmodified with ceramic insert	52 to 70mm	Deleted
ZI364	Natural Hip System	CoCr femoral head	22 to 32mm	Deleted
ZI367	Armour Cup	Armor Cup P/E Insert	22 to 32mm, FF to 66QU	Deleted
ZI368	Apollo Hooded acetabular cup	UHMPE unmodified	28/46mm to 28/62mm	Deleted
ZI371	Lor Acetabular Cup	Oblong Revision Shell, cementless - Ti alloy	52/58 to 72/84	Deleted
ZI372	Lor Acetabular Cup	P/E Insert	28, 32	Deleted
ZI378	PFM Hip series	Titanium, grit blast, non HA, femoral body	55 to 85	Deleted
ZI379	PFM Hip series	Uncemented Stems, titaniuam, grit blast and non HA	140 to 260 x 14 to 24	Deleted
ZI383	MS30 Hip - Cups Cemented	Low Profile with Metasul - PE with special metal alloy	38 to 58mm	Deleted
ZI385	CLS Cups	Titanium, macro texture, non HA	46 to 62mm	Deleted
ZI388	Liner for CLS, Fitmore and Allofit	UHMPE unmodified	22, 28, 32mm Size 46 to 62	Deleted
ZI393	Variall Screw Cup System	Durasul Insert - special UHMWPE	II28 to NN28mm	Deleted
ZI394	Variall Screw Cup System	Cerasul Insert - Ceramic	II28 to NN28mm	Deleted
ZI395	Variall Screw Cup System	Metasul Insert - special metal alloy	II28 to NN28mm	Deleted
ZI396	Variall Screw Cup System	Titanium, macro texture, non HA	46 to 62mm	Deleted
ZI397	Variall Hip System	Titanium, grit blast, non HA	sizes 0 to 11,	Deleted
ZI466	Durom (Metasul)	Resurfacing femoral component	A - V	Deleted
12 - Knee				
ZI066	Insall-Burstein II Tibial Insert	Tibial Insert which is fixed and posterior stabilised, UHMWPE,	8 - 25mm	Deleted
ZI067	Insall-Burstein II Femoral and Tibial augments	Femoral posterior, distal and combined blocks, tibial hemi blocks and wedges	5, 10mm	Deleted
ZI072	Insall-Burstein II Femoral and Tibial Stems	Tibial and Femoral Stems, cemented, titanium	10 - 24mm	Deleted
ZI073	Insall-Burstein II Tibial Baseplate	Tibial baseplate cemented, titanium, PMMA coating, for fixed insert	54 - 74mm	Deleted
ZI075	Insall-Burstein II Wedge	Full - Ti	7 - 20mm	Deleted
ZI095	Miller Galante II long femoral and tibial stems	Femoral and Tibial straight and offset, titanium, cemented, long	12 - 18mm	Deleted
ZI096	Miller Galante II standard femoral and tibial stems	Femoral and Tibial straight and offset, titanium, cemented, standard	12 - 18mm	Deleted
ZI102	Miller Galante II Tibial Baseplate	Tibial Baseplate, PMMA, Titanium, cemented, for fixed insert	A - K	Deleted

Deleted Items for Prostheses List Report

Page 31 of 35

Billing Co	de Product Name	Further Description	Size	Explanation of Deletion
ZI103	Miller Galante II Tibial Baseplate	Tibial Baseplate, titanium, fibre metal mesh ingrowth, uncemented for fixed insert	A - K	Deleted
ZI104	Miller Galante II Tibial Baseplate	Tibial Baseplate, titanium, uncemented, fibre metal mesh ingrowth, for fixed insert	A - K	Deleted
ZI138	NexGen MBK Tibial Insert	Tibial Insert, UHMWPE, mobile	9 - 23mm	Deleted
ZI402	Allegretto Unicompartmental Knee Tibial Component	All poly uni tibial component, cemented, UHMWPE	9/38 to 15/48mm	Deleted
ZI411	Natural Knee Tibial Insert	Tibial Insert, UHMWPE, fixed, ultracongruent dished	00 to 5, 9 to 22mm	Deleted
ZI424	Natural Knee Femoral Stems	Femoral Stem, Titanium, cemented including locking bolt	10.5mm/125mm to 18.5mm/250mm	Deleted
ZI425	Natural Knee Femoral Augments	Femoral blocks combined distal and posterior, titanium	Size 0 to 4	Deleted
ZI426	Natural Knee Stem Locking Bolt	Femoral Stem Locking Bolt (additional separate listing)	One size only	Deleted
ZI427	Natural Knee Posterior Stabiliser Bar	Posterior Stabiliser Bar including fixation screws	One size only	Deleted
ZI429	Natural Knee	Unicompartmental - Tibia PE Insert	1,2 x 9mm to 5,6 x 13mm	Deleted
ZI434	SAL Knee Tibial Insert	Tibial Insert, UHMWPE, mobile bearing	Mobile Bearing - 0/1 to E/16	Deleted
ZI435	SAL Knee	Tibial Baseplate - CoCr alloy	60/AOA to 92/E	Deleted
ZI607	Natural Knee II Modular Cemented Tibial Baseplate Augments	Modular Cemented Tibial Augments - Medial & Lateral	Sizes 00.0, 1,2,3,4 x 4mm; 00,0,1,2,3,4 x 8mm - Medial & Lateral	Deleted
13 - Spir	nal			
ZI477	Silhouette Spinal System Implants	Nut, Connector, Transverse	1 size	Deleted
ZI478	Silhouette Spinal System I	Adjustable Transverse Connector Rod	1 size	Deleted
ZI479	Silhouette Spinal System Implants	Nut, Locking, Polyaxial	1 size	Deleted
ZI480	Silhouette Spinal System	Adjustable Transverse Connector Sleeve with Set Screw	12 - 90mm lengths	Deleted
ZI481	Silhouette Spinal System Implants	Rod	5.5 dia x 10cm, 20cm and 47cm length	Deleted
ZI488	Silhouette Transverse Connector Insert	Titanium	one size only	Deleted
ZI636	BacFix (Thoracolumbar System)	Anterior washer - Titanium alloy	Small, standard	Deleted
ZI637	BacFix (Thoracolumbar System)	Multi axial bone screw - Nitinol	5 - 8mm x 30 - 60mm	Deleted
ZI638	BacFix (Thoracolumbar System)	Serrated tooth locking clip - Titanium alloy	Nominal, deep	Deleted
ZI640	BacFix (Thoracolumbar System)	Spinal rod, rigid/flex - Titanium alloy	5.5 - 6mm x 300 - 600mm	Deleted
ZI641	BacFix (Thoracolumbar System)	Non-threaded wedge with serrated teeth - Titanium alloy	5.5 - 6mm	Deleted
ZI642	BacFix (Thoracolumbar System)	Hook - Titanium alloy	6.5 - 11mm	Deleted
ZI643	BacFix (Thoracolumbar System)	Smooth profile flexible angle screw - Titanium alloy	5 - 8mm x 30 - 60mm	Deleted
ZI644	BacFix (Thoracolumbar System)	SpeedLink fixed distance rod - Titanium alloy	5.5 - 6mm x 15 - 35mm	Deleted

Deleted Items for Prostheses List Report

Page 32 of 35

Billing Cod	de Product Name	Further Description	Size	Explanation of Deletion
ZI645	BacFix (Thoracolumbar System)	SpeedLink adjustable length rod - Titanium alloy	5.5 - 6mm x 39.5 - 75mm	Deleted
ZI646	AcuFix	Cancellous bone screw - Anterior cervical plate system - Titanium	4mm x 10 - 18mm	Deleted
ZI647	AcuFix	Self tapping wide root screw - Anterior cervical plate system - Titanium	4mm x 10 - 18mm	Deleted
ZI648	AcuFix	Rescue screw - Anterior cervical plate system - Titanium	4.5mm x 10 - 18mm	Deleted
ZI649	AcuFix	1 segment SlimLine plate - Anterior cervical plate system - Titanium	20 - 34mm	Deleted
ZI650	AcuFix	2 segment SlimLine plate - Anterior cervical plate system - Titanium	34 - 54mm	Deleted
ZI651	AcuFix	3 segment SlimLine plate - Anterior cervical plate system - Titanium	47 - 71mm	Deleted
ZI652	AcuFix	4 segment SlimLine plate - Anterior cervical plate system - Titanium	68 - 92mm	Deleted
ZI653	AcuFix	2 segment Corpectomy plate - Anterior cervical plate system - Titanium	34 - 54mm	Deleted
ZI654	AcuFix	3 segment Corpectomy plate - Anterior cervical plate system - Titanium	53 - 77mm	Deleted
ZI655	AcuFix	4 segment Corpectomy plate - Anterior cervical plate system - Titanium	68 - 101mm	Deleted
ZI656	AcuFix	3 segment SlimLine plate - Anterior cervical plate system - Titanium	47 - 71mm	Deleted
ZI657	Traxis (non sterile)	Titanium Interbody Implant	9-13mm	Deleted
ZI664	Incompass	Thoracolumbar Fixation System, Open Implant Closure Top	5.5mm	Deleted
ZI665	Incompass	Thoracolumbar Fixation System, Closed Implant Set Screw	5.5mm	Deleted
ZI666	Incompass	Thoracolumbar Fixation System, Offset Connector Open	9.5 - 30mm	Deleted
ZI667	Incompass	Thoracolumbar Fixation System, Offset Connector Closed	7.5 - 30mm	Deleted
ZI669	Incompass	Thoracolumbar Fixation System, Fixed Angle Screw Open	4.5 - 8.5mm	Deleted
ZI670	Incompass	Thoracolumbar Fixation System, Fixed Angle Screw Closed	4.5 - 8.5mm	Deleted
ZI671	Incompass	Thoracolumbar Fixation System, Hooks	5.5mm	Deleted
ZI672	AcuFix	1 segment ThinLine plate	20 - 36mm	Deleted
ZI673	AcuFix	2 segment ThinLine plate	34 - 54mm	Deleted
ZI674	AcuFix	1 segment Ant-Cer dynamic plate	24 - 32mm	Deleted
ZI675	AcuFix	2 segment Ant-Cer dynamic plate	34 - 54mm	Deleted
ZI676	AcuFix	3 segment Ant-Cer dynamic plate	50 - 71mm	Deleted

Deleted Items for Prostheses List Report

Page 33 of 35

Billing Co	ode Product Name	Further Description	Size	Explanation of Deletion
ZI677	AcuFix	4 segment Ant-Cer dynamic plate	68 - 96mm	Deleted
ZI688	Cadence (non sterile)	Titanium Interbody Implant	9-15mm	Deleted
ZI690	Fortitude (non sterile)	Titanium Interbody Implant	12mm	Deleted
ZI692	Incompass	Thoracolumbar Fixation System, Hooks	5.5mm	Deleted
ZI697	Java screw system	Sacral fixation	Left and right	Deleted
ZI698	Java screw system	Java Blocker	Set screw	Deleted
ZI700	Java screw system	Precontoured rod	Rod length 30/40/50/60/70/80/90/100	Deleted
ZI701	Java screw system	Secondary sacral screw	Size 6 L 35	Deleted
ZI702	Java screw system	Monoaxial pedicle screw	diam 4.5 lg 35, 40, 45; diam 5 lg 35, 40,45, 50,55, 60; diam 5.5 lg 35, 40, 45, 50, 55; diam 6 lg 35, 40, 45, 50, 55, 60; diam 6.5 lg 35, 40, 45, 50, 55, 60; diam 7 lg 35, 40, 45, 50, 55, 60; diam 7.5 lg 35, 40, 55, 60; diam 8 lg 35, 40, 45, 50, 55, 60	Deleted
ZI703	Java screw system	Straight rods	Rod length 30/40/50/60/70/80/90/100	Deleted
ZI704	Java screw system	Transverse connector	Length 52, 62, 72, 82	Deleted
Z1705	Java screw system	Poly axial screw	TL pedicle screw diam 4 lg 35; diam 5 lg 35, 40, 45, 50, 55; diam 6 lg 35, 40, 45, 50, 55; diam 7 lg 35, 40, 45, 50, 55; diam 7 lg 35, 40, 45, 50, 55; diam 5.5 lg 35, 40, 45, 50, 55, 60; diam 6 lg 60; diam 6.5 lg 35, 40, 45, 50, 55, 60; diam 7 lg 60; diam 7.5 lg 35, 40, 45, 50, 55, 60	Deleted
ZI707	AcuFix	2 segment SlimLine plate - Anterior cervical plate system - Titanium	34 - 54mm	Deleted
6 - Speci	ialist Orthopaedic			
ZI342	GSB Cemented Elbow	GSB Humerus - CoCr alloy/PE	76,86,86L	Deleted
I343	GSB Cemented Elbow	GSB Elbow Humeral Medullary Plug - PE	One size only	Deleted
I344	GSB Cemented Elbow	GSB Ulna Component - CoCr alloy	12/71,12/61,16/71,16/61	Deleted
I345	GSB Cemented Elbow	GSB Washer - PE	2/12,4/12,6/12,2/16,4/16,6/16	Deleted
1442	Select Shoulder	Glenoid - PE	S, M, L, XL	Deleted
II443	Select Shoulder	Stem - Ti alloy	7mm Short to 14.5mm	Deleted
ZI445	Intermedics Select Shoulder	UniPolar Head -metal alloy	40 x 16mm to 56 x 32mm	Deleted
ZI446	Intermedics Select Shoulder	Long Stem - Ti alloy	7 to 14.5mm	Deleted
ZI464	GSB Elbow	Ulna Extension	One size only	Deleted
1465	GSB Elbow	Special Bushing for Humerous	Length 76 - 86mm	Deleted
II484	Wristore	Disposable External Fixation device for the treatment of distal radial fractures.	Wristore Pack	Deleted
1522	SIRUS Nail	Sirus Tibial Nail	8, 9, 10mm diam x 240 to 420mm in 14mm increments	Deleted

Deleted Items for Prostheses List Report

Page 34 of 35

Billing Code Product Name		Further Description	Size	Explanation of Deletion
ZI523	SIRUS Nail	Sirus Femoral Nail	9, 10, 11, 12, 13mm diam x 300 to 480mm in 20mm increments	Deleted
ZI524	SIRUS Nail	Sirus Locking Screws	3.9, 4.9mm x 24 to 100mm	Deleted
ZI525	SIRUS Nail	Sirus Cervical Screws	6.5mm diam x 60 to 140mm in 5mm increments	Deleted
ZI526	SIRUS Nail	Sirus End Cap	5-25mm length in 5mm increments	Deleted
ZI602	Trans Fx LITE Ankle Implant Kit	MRI Ankle Bridging Implant Kit	Large	Deleted
ZI603	Trans Fx LITE - Pelvic Resuscitation Kit	MRI Pelvic Resuscitation Kit	Large	Deleted
ZI606	Trans Fx LITE	MRI Universal Clamp	One size only	Deleted
ZI731	Hi-Fatigue Bone Cement	Hi Fatigue Bone Cement	1 x 40 grams	Deleted
ZI826	Trans Fx LITE	Trans FX LITE Carbon Fibre Rods - Medium & Large	Various Diameters and Lengths	Deleted
ZI827	Trans Fx LITE	Trans Fx LITE Coupling Device	Various Sizes	Deleted
ZI828	Trans FX Lite	Trans FX Carbon Fibre Rods - Small	Various Diameters and Lengths	Deleted
ZI829	'Trans Fx LITE	Trans Fx LITE Coupling Device	Various Sizes	Deleted

Grand Total: 679 Records