

Changed Items for Prostheses List

August 2014

Billing Code	Product Name	Further Description	Size	Explanation of Change
Abbott Australasia Pty Ltd				
08 - Cardiac				
AY012	GRAFTMASTER RX Coronary Stent Graft	Stainless Steel/PTFE	16-26 mm x 2.8 - 4.8 mm	Changed Product Name, Size, Benefit.
Admedus (Australia) Pty Ltd				
03 - General Miscellaneous				
AH006	Dosifuser	Non electronic, elastomeric balloon driven, ambulatory infusion pump, which can be supplied in a variety of volumes and flow rates to meet different clinical applications. Its primary purpose is for continuous delivery of fluids/medications.	65ml - 140mm x 45mm x 40mm; 100ml - 140mm x 52mm x 50mm; 150 - 140mm x 55mm x 55mm; 250ml - 140mm x 60mm x 60mm	Changed Product Sub Group, Suffix, Benefit.
Advanced Bionics Australia Pty Ltd				
02 - Ear, Nose & Throat				
BD017	Naida CI Q70 Sound Processor (Initial Order)	The Naida CI sound processor is one part of a cochlear implant system that enables hearing. The other necessary parts of the system are the Implantable Cochlear Stimulator (ICS), headpiece and headpiece cable. The sound processor consists of two parts: the sound processor and battery power source. There are five battery options, including three sizes of Lithium Ion rechargeable PowerCel™ batteries and a Zn-Air Battery Pak	Measurements Size H x W x D in mm: Processor Only 26 x 9 x 19 - with Off-the-Ear Adaptor 40 x 9 x 19 - with 110 mAh 49 x 9 x 19 - with 170 mAh 55x 9 x 19 - with 230 mAh 59 x 9 x 19 - with Zn-Air Battery Pak 53 x 9 x 19	Changed Product Name.
BD018	Naida CI Q70 Sound Processor (Replacement Order)	The Naida CI sound processor is one part of a cochlear implant system that enables hearing. The other necessary parts of the system are the Implantable Cochlear Stimulator (ICS), headpiece and headpiece cable. The sound processor consists of two parts: the sound processor and the battery power source. There are five battery options, including three sizes of Lithium Ion rechargeable PowerCel™ batteries and a Zn-air Battery Pak - this listing is for processor only	Measurements Size H x W x D in mm Processor Only 26 x 9 x 19	Changed Product Name, Description.
Advanced Surgical Design & Manufacture Ltd				
06 - Specialist Orthopaedic				
AE240	STAR Ankle Prosthesis	Talar Component, cemented	xx-Small - x- large	Changed Product Name.
AE241	STAR Ankle Prosthesis	Tibial Component, cemented	xx-small - x-large	Changed Product Name.

Billing Code	Product Name	Further Description	Size	Explanation of Change
AE242	STAR Ankle Prosthesis	UHMWPE Sliding Core	6- 14mm	Changed Product Name.
AE243	STAR Ankle Prosthesis	Talar Component, cementless	xx- small - x-large	Changed Product Name.
AE244	STAR Ankle Prosthesis	Tibial Component, cementless	xx-small - x-large	Changed Product Name.
AE245	STAR Ankle Prosthesis	Revision Tibial Component, Cemented	Extra small - Extra large	Changed Product Name.

Allergan Australia Pty Limited

03 - General Miscellaneous

AW016	Lap-Band AP with RapidPort EZ	LAP-BAND AP RapidPort EZ System	11.6mm x 30.5mm x 14mm 11.6mm x 30.5mm x 16.5mm	Changed Description, Size, Product Sub Group.
AW017	RapidPort EZ Access Port Kit (replacement port)	Access Port Kit for LAP-BAND RapidPort EZ system	11.6mm x 30.5mm x 14mm 11.6mm x 30.5mm x 16.5mm	Changed Product Name, Description, Size, Product Sub Group.

American Medical Systems Pty Ltd

05 - Urogenital

AM054	AMS Spectra Concealable Penile Prosthesis	AMS Spectra Concealable Penile Prosthesis	9.5 mm x 12cm AMS Spectra 9.5 mm x 16cm AMS Spectra 9.5 mm x 20cm AMS Spectra 12 mm x 12cm AMS Spectra 12 mm x 16cm AMS Spectra 12 mm x 20cm AMS Spectra 14 mm x 12cm AMS Spectra 14 mm x 16cm AMS Spectra 14 mm x 20cm AMS Spectra 9.5mm Spectra Rear	Changed Product Group, Product Sub Group, Benefit.
-------	---	---	---	--

Amplitude Australia

11 - Hip

LI045	Saturne acetabular liner	Polyethylene liner for double mobility cup	44/22- 66/22 (12 sizes) 48/28- 66/28 (10 sizes)	Changed Size.
LI047	Femoral Shaft Locking Screw	Titanium femoral locking screw	6.2 diameter, 13 lengths 20-80 in 5mm	Changed Size, Product Sub Group.
LI058	metallic femoral head	M30NW femoral head with 10/12 taper	22.2mm - 32mm short, medium, long	Changed Size.

12 - Knee

LI066	Score Knee System Femoral and Tibial Stems	Femoral and Tibial Stems, Titanium, cemented	7 diameters (10-22), 4 lengths (75-200mm)	Changed Size, Product Sub Group.
-------	--	--	---	----------------------------------

Applied Medical Australia Pty Ltd

03 - General Miscellaneous

MH014	Direct Drive laparoscopic clip applier with TiGold titanium clips	Single-use, sterile 10mm laparoscopic clip applier with 20 medium-large size titanium clips	10mm shaft diameter with medium-large size clips.	Changed Suffix, Benefit.
MH015	Epix™ Disposable Laparoscopic Clip Applier w/ TiGold M/L titanium clips	Epix™ Disposable Laparoscopic Clip Applier w/ TiGold M/L titanium clips 5mm	5mm	Changed Suffix, Benefit.

Austspine Pty Ltd

Billing Code	Product Name	Further Description	Size	Explanation of Change
06 - Specialist Orthopaedic				
AJ041	i-FACTOR Putty Peptide Enhanced Bone Graft	P-15, ABM, Osteoinductive, Osteoconductive bone graft substitute	0 - 5.0mL	Changed Product Name, Product Sub Group, Suffix, Benefit.
AJ042	i-FACTOR Putty Peptide Enhanced Bone Graft	P-15, ABM, Osteoinductive, Osteoconductive bone graft substitute	5.0ml - 10ml	Changed Product Name, Product Sub Group, Suffix, Benefit.
AJ043	i-FACTOR Flex Peptide Enhanced Bone Graft - 25mm	P-15, ABM, Osteoinductive, Osteoconductive bone graft substitute	25mm x 25mm x 4mm	Changed Product Sub Group, Suffix, Benefit.
AJ044	i-FACTOR Flex Peptide Enhanced Bone Graft - 50 & 100mm	P-15, ABM, Osteoinductive, Osteoconductive bone graft substitute	50mm x 25mm x 4mm, 100mm x 25mm x 4mm	Changed Product Sub Group, Suffix, Benefit.

13 - Spinal

AJ009	Kasios KAGE	Cervical interbody cage, PEEK	Height 3mm - 10mm	Changed Description, Size, Benefit.
-------	-------------	-------------------------------	-------------------	-------------------------------------

B Braun Australia Pty Ltd

04 - Neurosurgical

BB332	Miethke proGAV	Adjustable valve with intergrated gravitational unit. Titanium, MR safe up to 3 tesla.	Adjustable valve: Diameter 18mm, Opening pressure 0-20 cmH2O, Height 4.5mm. Gravitational unit: Length 14.9mm, Height 4.6mm.	Changed Description, Size.
BB335	Miethke proGAV with distal catheter	Adjustable valve with a gravitational unit and a distal catheter	Adjustable valve: diameter 18mm, opening pressure 0-20 cmH2O, height 4.5mm Gravitational unit: length 14.9mm, height 4.6mm, opening pressure 0-35 cm H2O Distal catheter: length 1200mm, inside diameter 1.2mm, outside diameter 2.5mm	Changed Description, Size.
BB337	Miethke proGAV Shunt System	Shunt system containing an adjustable valve with a gravitational unit, a distal catheter, a ventricular catheter and a reservoir.	Adjustable valve: diameter 18mm, opening pressure 0-20 cmH2O, height 4.5mm. Gravitational unit: length 14.9mm, height 4.6mm, opening pressure 0-35 cmH2O. Distal catheter: length 1200mm, inside diameter 1200mm, inside diameter 1.2mm, outside diameter 2.5mm. Reservoir: diameter 14/20mm. Ventricular catheter: 180/250mm.	Changed Description, Size.
BB338	Miethke proGAV with pre-attached reservoir	Shunt system containing an adjustable valve with a gravitational unit and a reservoir.	Adjustable valve: diameter 18mm, opening pressure 0-20 cmH2O, height 4.5mm. Gravitational unit: length 14.9mm, height 4.6mm, opening pressure 0-35 cmH2O Reservoir: diameter 14/20mm.	Changed Description, Size.

12 - Knee

BB200	Emotion Total Knee System (TKS) Tibial and Femoral Stems	Tibial and femoral stems, CoCr, cemented or uncemented	Short, D: 10mm to 20mm , Medium, D: 10mm to 20mm, Long, D: 10mm to 20mm	Changed Size, Product Sub Group.
-------	--	--	---	----------------------------------

Bausch & Lomb (Australia) Pty Ltd

01 - Ophthalmic

Billing Code	Product Name	Further Description	Size	Explanation of Change
BL022	SofPort Advanced Optic (AO)	Posterior chamber, foldable silicone IOL with anterior optic-haptic square edge, posterior optic-haptic square edge, 360-degree optic square edge and aspheric optic for aberration control	0 D to 30.0 D	Changed Description.
BL026	Akreos AO Micro Incision Lens	Micro Incision, posterior chamber, foldable acrylic, aphakic, anterior & posterior edge modification, preloaded, with aberration control, intraocular lens	6mm optic overall diameter 11.0mm(10D-15D), 10.7mm (15.50-22D), 10.5mm (22.50-30D)	Changed Description.
Baxter Healthcare Pty Ltd				
03 - General Miscellaneous				
BX247	Intermate	Sterile infusor devices, elastomeric driven	SV 200 - 200ml/hr, nominal 100ml vol. max 105 mL. SV 100 - 100ml/hr, nominal 100ml vol. max 105 mL. LV 250, 250ml/hr, 275ml vol. SV 50 - 50ml/hr, nominal 100ml vol. max 105mL. LV 100 - 100ml/hr, 275ml vol. LV 50, 50ml/hr, 275ml vol	Changed Description, Size, Product Group, Product Sub Group.
BX249	Multirate with PCM	Sterile infusor devices, elastomeric driven	Multirate 5, 7 or 12 ml/hr with PCM	Changed Description, Product Group, Product Sub Group, Benefit.
BX258	FloSeal Hemostatic Matrix	FloSeal is a proprietary combination of collagen-derived particles and topical thrombin. Comes with a syringe with needle or needle free vial adapter. It is not sponge, but is a high viscosity gel for haemostasis. Clinical proven to control bleeding from capillary oozing to arterial spurting.	5ml	Changed Description, Benefit.
BX259	FloSeal Hemostatic Matrix	FloSeal is a proprietary combination of collagen-derived particles and topical thrombin. Comes with a syringe with needle or needle free vial adapter. It is not sponge, but is a high viscosity gel for haemostasis. Clinical proven to control bleeding from capillary oozing to arterial spurting, FloSeal functions on w	10ml	Changed Description, Benefit.
BX281	Baxter Folfusor	Sterile infusor devices, elastomeric driven. Folfusor SV 0.5mL/hr 120mL (Baxter Code 2C4700K), Folfusor SV 2.5mL/hr 120mL (Baxter Code 2C4711K), Folfusor SV 5mL/hr 120mL (Baxter Code 2C4705K). The Baxter Folfusor is a disposable infusion pump used in an ambulatory setting for the continuous infusion of intravenous medications. The codes listed above represent three separate flow rates specific to Chemotherapy protocols.	120mL Maximum Volume	Changed Description, Product Group, Product Sub Group.

Billing Code	Product Name	Further Description	Size	Explanation of Change
BX287	Intermate XLV 250	Sterile infusor devices, elastomeric driven. The Intermate XLV 250 is an ambulatory device utilising elastomeric technology to deliver continuous infusion of parenteral therapy to patients in an ambulatory setting. The device is specifically suitable for patients requiring intravenous immunoglobulin therapy. The nominal flow rate of the Intermate XLV 250 is 250mL/hr, however when used for the administration of IVIG the flow rate is reduced to approximately 120mL/hr.	Volume 500mL. Approximate infusion time for IVIG solutions is 4.2 hrs.	Changed Description, Product Group, Product Sub Group.
06 - Specialist Orthopaedic				
BX308	Actifuse ABX MIS	Actifuse ABX MIS, Refill Cartridge, 7.5ml	7.5ml	Changed Product Group, Product Sub Group, Suffix, Benefit.
BX309	Actifuse ABX MIS	Actifuse ABX MIS, Applicator and Cartridge, 7.5ml	7.5ml	Changed Product Group, Product Sub Group, Suffix.
BX310	Actifuse ABX Easyfill	Actifuse ABX Easyfill - A silicate substituted synthetic bone graft	1.5mL to 4mL	Changed Product Group, Product Sub Group, Suffix, Benefit.
BX311	ACTIFUSE ABX Putty	Actifuse AVX Putty - A silicated substituted synthetic bone graft.	20ml	Changed Product Group, Product Sub Group, Suffix.
BX312	Actifuse ABX Easyfill Putty	Actifuse ABX Easyfill Putty - A silicate substituted synthetic bone graft	10ml	Changed Product Group, Product Sub Group, Suffix, Benefit.
BX313	Actifuse ABX Easyfill Putty	Actifuse ABX Easyfill Putty - A silicate substituted synthetic bone graft	5ml	Changed Product Group, Product Sub Group, Suffix, Benefit.

Biomet Australia Pty Ltd

06 - Specialist Orthopaedic

BH318	Affixus Hip Fracture Nail System	Anti- rotational screw	5mm diameter	Changed Product Group, Product Sub Group, Suffix, Benefit.
BH352	DVR EPAK	Sterile Distal Radius Fracture Procedure Pack	Wide, Long, Extra Long, Extra Extra Long	Changed Suffix, Benefit.
BH357	VersaNail IM Nailing Platform	Humeral Nails, Universal and Proximal, Titanium, Locking, cannulated	7-10 mm x 150-280mm	Changed Product Group, Product Sub Group, Suffix, Benefit.
BI232	Moore Pins	Scan Pin, Stainless Steel	16mm x 51-152mm	Changed Suffix.
BI271	EBI XFIX Dynafix System	Wire Straight or Olive with Washer, Chrome Cobalt	160 or 200mm x (1.6 or 2.0mm)	Changed Suffix.
BI487	Mimix Calcium Phosphate Bone Void Filler	Calcium Phosphate	5 grams	Changed Product Group, Product Sub Group, Benefit.
BI488	Mimix Calcium Phosphate Bone Void Filler	Calcium Phosphate	10 grams	Changed Product Group, Product Sub Group, Benefit.
BI489	Mimix Calcium Phosphate Bone Void Filler	Calcium Phosphate	20 grams	Changed Product Group, Product Sub Group, Benefit.

Biomimetic Therapeutics PTY Ltd

06 - Specialist Orthopaedic

Billing Code	Product Name	Further Description	Size	Explanation of Change
BM008	Augment Bone Graft - rhPDGF-BB component	rhPDGF-BB solution (0.3mg/ml)	1.5cc (0.45mg)	Changed Suffix, Benefit.
BM009	Augment Bone Graft - rhPDGF-BB component	rhPDGF solution (0.3mg/ml)	3cc (0.90mg)	Changed Suffix, Benefit.

Carl Zeiss Pty Ltd

01 - Ophthalmic

CZ016	CT ASPHINA 409M	ZEISS Micro Incision Aspheric (aberration neutral) IOL: Foldable, square-edged, single piece IOL for capsular bag fixation	6mm optic, 11mm overall diameter. Diopter range 0.0 to +32.0D (0.5D steps from 10.0 to 30.0D, 1.0D outside this range)	Changed Description.
CZ028	CT ASPHINA 409MP	Preloaded, micro incision, aspheric (aberration neutral), foldable square-edged single piece intraocular lens for capsular bag fixation.	Diopter range: 0.0 to 32.0D; Optic size: 6.0mm; Overall length: 11.0mm	Changed Description.

Cochlear Limited

02 - Ear, Nose & Throat

CO023	Nucleus Freedom Speech Processor	Speech processor, and accessories	one size only	Changed Description.
CO024	Nucleus Freedom Implant with Straight Electrode	Model CI24RE (ST), Generation 4 Cochlear Implant with straight array electrode	One size only	Changed Description.
CO044	Freedom Hybrid Sound Processor (Initial)	The modular sound processor of the Cochlear Hybrid system provides dual electrical and acoustic processing within a single device.	One size	Changed Description.
CO045	Freedom Hybrid Sound Processor (Replacement)	The modular sound processor of the Cochlear Hybrid system provides dual electronic and acoustic processing within a single device.	One size	Changed Description, Suffix.
CO066	Cochlear™ Nucleus® CP920 Sound Processor - Hybrid™ Mode (Initial)	The Cochlear Nucleus CP920 Sound Processor in "Hybrid Mode" facilitates electroacoustic stimulation of the cochlea	There is only one size of the processing unit and coil. There are two sizes for battery holder and cover.	Changed Product Name, Description.
CO067	Cochlear™ Nucleus® CP920 sound Processor - Hybrid™ Mode (Replacement)	The Cochlear Nucleus CP920 Sound Processor in "Hybrid Mode" facilitates electroacoustic stimulation of the cochlea.	There is only one size of the processing unit and coil. There are two sizes for battery holder and cover.	Changed Product Name, Description.
CO068	Cochlear™ Baha® BIM400 Implant Magnet	The Cochlear Baha BIM400 is an implantable magnet that lies completely under the skin	One size	Changed benefit

Coloplast Pty Ltd

05 - Urogenital

CT007	Genesis Penile Prosthesis (Resist Coated)	Malleable Penile Prosthesis (Resist Coated)	Dia 9mm (14 - 23cm lengths), Dia: 11mm (16 - 25cm lengths), Dia: 13mm (18 - 27cm lengths)	Changed Product Group, Product Sub Group, Benefit.
-------	---	---	---	--

ConMed Linvatec Australia Pty Ltd

03 - General Miscellaneous

LV076	Reflex ELC 530 Automatic Clip Applier	Titanium Endoscopic Clip Applier	Medium/Large, 10mm, 20 Clips	Changed Suffix.
LV086	Reflex 5mm Automatic Clip Applier	Autofeeding disposable clip applier. Contains 15 non absorbable polymer locking clips	medium/large	Changed Suffix, Benefit.

Billing Code	Product Name	Further Description	Size	Explanation of Change
LV127	Touchstone Linear Cutter Stapler 60mm	A device that incorporates a disposable staple cartridge that lays a double staggered row of staples on each side of a cutting knife. Used for extensive bowel, gastric, gynaecological and thoracic surgical stapling procedures.	60mm length in staple line with choice of 2.5mm, 3.8mm and 4.5mm titanium staples	Changed Product Group, Product Sub Group, Benefit.
LV128	Touchstone Linear Cutter Stapler 80mm	A device that incorporates a disposable staple cartridge that lays a double staggered row of staples on each side of a cutting knife. Used for extensive bowel, gastric, gynaecological and thoracic surgical stapling procedures.	80mm length in staple line with choice of 3.8mm, 4.2mm and 4.5mm titanium staples	Changed Size, Product Group, Product Sub Group, Benefit.
LV129	Touchstone Linear Cutter Stapler 100mm	A device that incorporates a disposable staple cartridge that lays a double staggered row of staples on each side of a cutting knife. Used for extensive bowel, gastric, gynaecological and thoracic surgical stapling procedures.	100mm length in staple line with choice of 3.8mm and 4.5mm titanium	Changed Product Group, Product Sub Group, Benefit.
LV131	Touchstone Linear Cutter Stapler Cartridge (Reloads) 80mm	A disposable staple cartridge used in conjunction with a matched Touchstone Linear Cutter Stapler that lays a double staggered row of staples on each side a cutting knife. Used for extensive bowel, gastric, gynaecological and thoracic surgical stapling procedures.	80mm length in staple line with choice of 3.8mm, 4.2mm and 4.5mm titanium staples	Changed Size, Benefit.
LV134	Touchstone Linear Stapler	A device housing a staple cartridge that places a double staggered row of staples into appropriate target tissue.	30, 45, 60 and 90mm staple lines in 2.5, 3.5 or 4.8mm staples	Changed Product Group, Product Sub Group, Benefit.
LV135	Touchstone Circular Stapler	A surgical implanting device for placing s specific size of double staggered row of titanium staples in a circular fashion in the large bowel, small bowel or oesophagus to maintain function of the digestive tract. A suitable size is used to match the lumen size of the patient's digestive tract	External dimension - 21mm, 25mm, 29mm or 33mm	Changed Size, Benefit.

Cook Medical Australia Pty Ltd

03 - General Miscellaneous

WC267	Cotton-Leung Sof-Flex Biliary Stent	Cotton-Leung Sof-Flex Biliary Stent	6 - 11.5 Fr; Length 3 - 20cm	Changed Product Name, Description.
WC271	Geenen Sof-Flex Pancreatic Stent	Straight plastic pancreatic stent with or without ductal flaps	Diameter 3 - 10 Fr; length 2 - 15cm	Changed Product Name, Product Sub Group.
WC311	Instinct Endoscopic Hemoclip	Endoscopic hemoclip used within the GI tract	Opening span up to 16mm.	Changed Benefit.

05 - Urogenital

WC031	Bander Ureteral Diversion Stent Set	Left or right stent	Multiple French Sizes and Lengths	Changed Product Sub Group, Benefit.
-------	-------------------------------------	---------------------	-----------------------------------	-------------------------------------

Corin Australia Pty Ltd

06 - Specialist Orthopaedic

CR166	METS Humeral Collar Round Smooth	Titanium, smooth uncoated collar for a secure fit in the humeral canal	20mm, 22mm, 24mm	Changed Product Group, Product Sub Group.
-------	----------------------------------	--	------------------	---

Billing Code	Product Name	Further Description	Size	Explanation of Change
CR167	METS Humeral Component for use with Hemi Head	Titanium humeral component	Small and standard	Changed Product Group, Product Sub Group.
CR168	METS Humeral Head Fixation Screw	Titanium screw which fixes the humeral component and the humeral head together	Small and standard	Changed Product Group, Product Sub Group.
CR169	METS Humeral Component with Liner and re-attachment	Titanium component with HA coated rails for tissue reattachment, HYMWPE liner with encased metal ring for use with constrained glenoid	Mono-size, left and right	Changed Product Group, Product Sub Group.
CR170	METS Humeral Collar Round Coated	Titanium collar with HAP coated stipples	20mm, 22mm, 24mm	Changed Product Group, Product Sub Group.
CR171	METS Humeal Stem	Straight titanium stems, 7-11mm diameters	Diameters 7-11mm, Lengths 70-90mm	Changed Product Group, Product Sub Group.
CR172	METS Humeral Shaft	Titanium shafts in 15mm increments, reconstructs the humeral shaft where there is diseased or deficient bone	Lengths 38-143mm	Changed Product Group, Product Sub Group.
CR173	METS Humeral Integral Shaft & Stem Coated	Titanium, combined shaft, stem & collar with HA coated stipples	20mm shaft plateau with 8mm diameter stem, 24mm shaft plateau with 10mm diameter stem 7945	Changed Product Group, Product Sub Group.
CR174	METS Humeral Integral Shaft & Stem Uncoated	Titanium, combined shaft, stem & collar	20mm shaft plateau with 8mm diameter stem, 24mm shaft plateau with 10mm diameter stem	Changed Product Group, Product Sub Group.
CR175	METS Humeral Component with Liner	Titanium component, UHMWPE liner with encased metal ring for use with constrained glenoid	Mono-size, left and right	Changed Product Group, Product Sub Group.
CR176	METS Humeral Component with Reattachment for use with Hemi Head	Titanium humeral component with HA coated rails for tissue reattachment	Small and standard	Changed Product Group, Product Sub Group.
CR177	METS Bayley Walker Glenoid Component	Titanium HAP coated tapered screw with 22.2mm CoCr-Molybdenum head, for Glenoid fixation	Extra small, small and standard	Changed Product Group, Product Sub Group.
CR178	METS Humeral Hemi-head	Titanium humeral hemi-head forming part of a modular system to replace diseased or damaged bone	Diameters 43mm, 46mm, 52mm, 55mm, 58mm	Changed Product Group, Product Sub Group.

Covidien Pty Ltd

03 - General Miscellaneous

AS006	Ligation Clips - Disposable clip applier and ligating clips	Surgiclip	Small	Changed Suffix.
AS073	ENDOCLIP*; Acuclip Single use Endoscopic Multiple Clip Applier.	Titanium Surgical Stapler	5mm (12 clips); One size only.	Changed Suffix.
AS074	ENDOCLIP*	Titanium Surgical Stapler	10mm (ML, M, L)-(20 clips)	Changed Suffix.
AS131	Ligation Clips - Disposable clip applier and ligating clips	Surgiclip	Medium	Changed Suffix.
AS132	Ligation Clips - Disposable clip applier and ligating clips	Surgiclip	Large	Changed Suffix.
AS137	Endo Clip III	Laparoscopic 5mm Clip Applier	5mm	Changed Suffix.
AS139	Parietex Composite 9FX	Dual sided polyester meshes with a resorbable adhesion-prevention hydrophilic film	9cm round	Changed Product Name, Suffix.

Billing Code	Product Name	Further Description	Size	Explanation of Change
AS140	Parietex Composite 12FX	Dual sided polyester meshes with a resorbable adhesion-prevention hydrophilic film	12cm round	Changed Product Name.
AS141	Parietex Composite 15FX	Dual sided Polyester meshes with a resorbable adhesion-prevention hydrophilic film	15cm round	Changed Product Name.
AS142	Parietex Composite 20FX	Dual sided polyester meshes with a resorbable adhesion-prevention hydrophilic film	20cm round	Changed Product Name, Suffix.
AS143	Parietex Composite 1510FX	Dual sided polyester meshes with a resorbable adhesion -prevention hydrophilic film	15x10cm square	Changed Product Name.
AS144	Parietex Composite 2015FX	Dual sided polyester meshes with a resorbable adhesion-prevention hydrophilic film	20x15cm square	Changed Product Name.
AS145	Parietex Composite 2520FX	Dual sided polyester meshes with a resorbable adhesion-prevention hydrophilic film	25x20cm Oval	Changed Product Name, Benefit.
AS146	Parietex Composite 3020FX	Dual sided polyester meshes with a resorbable adhesion-prevention hydrophilic film	30x20cm oval	Changed Product Name, Benefit.
AS147	Parietex Composite 3728FX	Dual sided polyester meshes with a resorbable adhesion-prevention hydrophilic film	37x28cm oval	Changed Product Name.
AS148	Parietex Composite 1510OSX	Dual sided polyester meshes with a resorbable adhesion-prevention hydrophilic film	15x10cm square	Changed Product Name, Suffix.
AS149	Parietex Composite 2015OSX	Dual sided polyester meshes with a resorbable adhesion-prevention hydrophilic film	20x15cm square	Changed Product Name, Suffix.
AS150	Parietex Composite 2520OSX	Dual sided polyester meshes with a resorbable adhesion-prevention hydrophilic film	25x20cm Square	Changed Product Name, Suffix, Benefit.

10 - Vascular

AS194	EverFlex Peripheral Stent	EverFlex is a self expanding Nitinol stent premounted on an OTW delivery system.	Diameter 5-8, Length 20-120mm	Changed Product Name, Description, Benefit.
AS195	EverFlex Peripheral Stent	EverFlex is a self expanding Nitinol stent premounted on an OTW delivery system.	Diameter 5-8mm, Length 150-200mm	Changed Product Name, Description, Benefit.

DENTSPLY IH Pty Ltd

07 - Plastic and Reconstructive

DH001	Astra Tech Implant System Cover Screws	Cover Screw	Diameter range 3.0 - 5.4	Changed Product Name, Size.
DH002	Astra Tech Implant System Fixtures Tx/EV	Titanium fixture with microthreaded cervical neck	Diameter 3.0 - 5.7mm, Length 6-17mm	Changed Product Name, Size.
DH003	Astra Tech Implant System Healing Abutments	Healing Abutments	Implant Diameter: Range 3.0 - 5.4mm Healing Abutment Diameter Range from 3.5 - 6.5	Changed Product Name, Description, Size, Benefit.
DH004	Astra Tech Implant System Abutments	Temporary Abutment	Diameter range: 3.3 - 7.0mm	Changed Product Name, Size, Benefit.

Device Technologies Australia Pty Ltd

05 - Urogenital

DE314	Malleable Penile Implant	Consists of a membrane, filler product and silicone tube	14-23cm	Changed Product Group, Product Sub Group, Benefit.
-------	--------------------------	--	---------	--

10 - Vascular

Billing Code	Product Name	Further Description	Size	Explanation of Change
DE294	Bead Block	Polyvinyl Alcohol hydrogel microspheres in pre-loaded syringe	2ml- (100 - 300, 300 - 500, 500 - 700, 700 - 900, 900 - 1200 microns	Changed Description, Product Sub Group.

Emergo Asia Pacific Pty Ltd

13 - Spinal

ER010	K2M Spinal Systems	Offset connectors, Open or Closed	Length: 10mm - 100mm Degree connector angle: -15 - +15	Changed Product Name, Description, Size, Product Sub Group, Benefit.
ER016	Pyrenees Cervical Plate System	Self-drilling, self-tapping and bone reduction screws	Diameter: 4.0mm - 4.5mm Length: 10mm-18mm	Changed Product Name, Description, Size, Product Sub Group, Benefit.
ER017	Mesa Spinal System / Polyaxial Pedicle Screw	Polyaxial Pedicle Screw, Titanium	(3.5 - 10.5)mm diam, lengths (25-110)mm	Changed Description, Size, Product Sub Group.
ER018	Mesa/ Denali / Everset-Rod	Straight and Contoured, CoCr, Ti Rods	Length: 30mm - 500mm Diameter: 3.5- 6.5mm	Changed Product Name, Description, Size, Product Sub Group, Benefit.
ER020	Aleutian PLIF	Posterior lumbar spacer, PEEK	(22-28)mm long x (8.5-10)mm wide x (4-17)mm high x (0-18) degree lordosis	Changed Product Name.
ER022	Aleutian TLIF	Transforaminal Posterior Interbody spacer, PEEK	(8.5-12)mm wide x (24-32)mm long x (4-17)mm height x (6-18) degree lordotic angle	Changed Size.
ER023	Cayman Thoracolumbar Plate System / Bone Screw	Self tapping screw, Ti	Length: 20mm to 60mm Diameter: 5mm and 7mm, titanium	Changed Description, Size, Product Sub Group, Suffix, Benefit.
ER024	Cayman Thoracolumbar Plate System / Plate	Thoracolumbar Plate, Titanium	21mm to 109mm	Changed Description, Size, Benefit.
ER030	Pyrenees Cervical Plate System	Cervical Plate	18mm to 54mm	Changed Product Name, Description, Benefit.
ER031	Pyrenees Cervical Plate System	Cervical Plate	57mm to 110mm	Changed Product Name, Description, Suffix, Benefit.
ER046	Chesapeake Spinal System	Thoracolumbar Cage Peek/Ti	Footprint: 24mm - 30mm x 30mm - 40mm Height: 11mm - 21mm	Changed Description, Size, Benefit.
ER051	Blue Ridge Hybrid Cervical Plate System - Plate	Low profile, anterior cervical plate. Locking, titanium	22- 53mm	Changed Description, Size.
ER052	Blue Ridge Hybrid Cervical Plate System - Plate	Low profile, anterior cervical plate. Locking, titanium.	56-77mm	Changed Description, Size.
ER137	Chesapeake Cervical	Cage with intergral fixation	12 x 17mm 13 x 18mm 15 x 18mm Height: 5mm - 10mm	Changed Product Name, Description, Size, Benefit.
ER139	Signus Pedicles Screw System - Rod	Titanium Rod- as part of the Signus Pedicle Screw System Construct	6.0mm x 30mm - 100mm in 5mm increments 6.0mm x 108mm - 204mm in 12 mm increments	Changed Product Name, Description, Size, Benefit.
ER140	Signus Pedical Screw System-Cross Link	Cross Link-as part of Signus Pedicle Screw System Construct	MP 0150-0038-38 mm; MP-0150-0042-42 mm;MP-0150-0050-50 mm	Changed Product Name, Description, Benefit.
ER141	Signus Pedicle Screw System-Set Screw	Set Screw - as part of Signus Pedicle Screw System Construct	N/A	Changed Product Name, Description, Benefit.
ER143	Signus Pedicle Screw System-Pedicle Screw Polyaxial	Signus Pedicle Screw	4.5 - 7.5mm x 30 - 70mm	Changed Product Name, Description, Benefit.

Endotherapeutics Pty Ltd

03 - General Miscellaneous

Billing Code	Product Name	Further Description	Size	Explanation of Change
ET052	Hepasphere	Expanding microspheres designed for chemic0-embolisation with chemotherapeutic agents such as Ethiodil, Cisplatin, Epirubicin, Mitomycin, etc.	30 – 200 micron, 25mg or 50mg of microspheres	Changed Size.
05 - Urogenital				
ET075	AMI ATOMS Infusion Port	Hydraulic Infusion port for use with AMI ATOMS System - seperate	22mm Diameter, 9.8mm High	Changed Product Sub Group.
Gambro Pty Ltd				
10 - Vascular				
GA001	GamCath Dolphin Protect HighFlow Haemodialysis Catheter Kit	Haemodialysis catheter with a modified anti-thrombogenic surface (polymer system of polydimethylsilxane blocks) and a non-release anti-microbial coating (Bismith copolymer film) on internal and external surfaces of catheter.	109585 - 13Fr x 15cm double lumen; 109584 - 13FRx 20cm double lumen, 109705 - 13Fr x 25cm double lumen; 109706 - 13Fr x 15cm curved double lumen; 109707 - 13Fr x 20cm curved double lumen.	Changed Product Sub Group, Benefit.
Global Orthopaedic Technology				
11 - Hip				
GO164	Global Cemented Femoral Stem	CoCr, Polished, Double Taper,	Sizes 000 - 4, with various offsets	Changed Description, Size, Benefit.
Health Care Surgical Pty Ltd				
13 - Spinal				
HC008	S14 Biospine Screw	Polyaxial Screw	3.5-7mm, 25-50mm	Changed Product Sub Group.
HC009	S14 Biospine Nut	Nut	One Size Only	Changed Product Sub Group.
Integra Neurosciences Pty Ltd				
06 - Specialist Orthopaedic				
IG074	Tac-Pin (Threaded)	Compression pin-titanium	1.7mm diam 15-25mm length	Changed Suffix.
IG103	Uni-Clip Compression Staple	Stainless Steel, Notched and Non-Notched	Width 11-30mm, Length 13-32mm	Changed Product Name.
Johnson & Johnson Medical Pty Ltd				
03 - General Miscellaneous				
JJ037	Ligaclip* Multiple Clip Applier	Metal/plastic applier preloaded with titanium	3-12 mm; 20 clips per applier	Changed Suffix.
JJ038	Ligaclip* Multiple Clip Applier	Metal/plastic applier preloaded with titanium	3-12 mm; 30 clips per applier	Changed Suffix.
JJ039	Ligaclip* Multiple Clip Applier	Metal/plastic applier preloaded with titanium clips; reloadable	5-6mm; 20 clips per applier	Changed Suffix.
JJ186	Ligaclip Endoscopic Multiclip Applier	Metal/plastic stapler with titanium clips	10-12 mm shaft diameter, medium to large clip	Changed Suffix.
JJ482	LIGAMAX 5mm Endoscopic Clip Applier	LIGAMAX 5mm Endoscopic Clip Applier	Medium / Large	Changed Suffix.
JJ564	Echelon Endocutter Reload	Echelon Endocutter Reload	60 and 45mm	Changed Suffix, Benefit.

Billing Code	Product Name	Further Description	Size	Explanation of Change
JJ083	Mitek GII Anchor Threader Tab	Titanium Suture Anchor	2.4 x 8.8mm	Changed Product Group, Product Sub Group, Benefit.
07 - Plastic and Reconstructive				
JJ687	PDS Plates	Absorbable synthetic (poly-p-dioxanone) plate/foil	0.25 x 30 x 40mm 0.5 x 30 x 40mm 0.25 x 40 x 50mm 0.5 x 40 x 50mm 0.15 x 30 x 40mm 0.15 x 40 x 50mm	Changed Size.
11 - Hip				
DP188	Self Centering Bipolar Head	Bipolar femoral head, CoCr with UHMWPE insert	39-65mm outer diameter	Changed Size, Benefit.
DY521	Pinnacle Acetabular Shell	Titanium, beaded (Porocoat), not HA, acetabular cups	38 - 80mm	Changed Suffix, Benefit.
Lifehealthcare Pty Ltd				
13 - Spinal				
LH484	DSS HP Spinal System - Pedicle Screw	Cannulated Pedicle Screw, Titanium	(5 - 10)mm diam x (30 - 110)mm length	Changed Description, Size, Product Sub Group, Benefit.
LH485	DSS Spinal System	Rod, Titanium alloy	5.5mm diameter rod Length: 20mm to 300mm	Changed Product Name, Description, Size, Product Sub Group.
LMT Surgical Pty Ltd				
06 - Specialist Orthopaedic				
LM189	Newclip Distal Humerus Plates - Periarticular 7-15 holes	Plates for the fixation of fractures of the elbow	7 - 15 holes	Changed Suffix, Benefit.
LM190	Newclip Disal Humerus Plates - Perarticular 16+ holes	Plates for the fixation of fractures of the elbow	≥ 16 holes	Changed Size, Suffix, Benefit.
MatOrtho Australia Pty Ltd				
12 - Knee				
MJ015	Saiph Knee System Patella Component	Polyethylene Patella Component	Diameter 23mm - 42mm	Changed Description, Size, Product Sub Group.

Matrix Medical Innovations

13 - Spinal

Billing Code	Product Name	Further Description	Size	Explanation of Change
BF002	A-Mesh Spinal Titanium Mesh Spacer	A-Mesh® Spinal Titanium Mesh is designed to restore biomechanical integrity throughout the thoracic and lumbar spine following vertebrectomy or corpectomy for patients with spine tumors or fractures.	Diameter: 10mm, Length: 20mm, 50mm 70mm Diameter: 12mm, Length: 20mm, 50mm, 70mm Diameter: 14mm, Length: 20mm, 50mm, 70mm Diameter: 16mm, Length: 20mm, 50mm, 70mm, 90mm Diameter: 20mm, Length: 20mm, 50mm, 70mm, 90mm Diameter: 25mm, Length: 20mm, 50mm, 70mm, 90mm Diameter: 30mm, Length: 20mm, 50mm, 70mm, 90mm Diameter: 35mm, Length: 20mm, 50mm, 70mm, 90mm	Changed Size, Product Sub Group.
BF003	A-Mesh Spinal Titanium Mesh Plate	A-Mesh® Spinal Titanium Mesh is designed to restore biomechanical integrity throughout the thoracic and lumbar spine following vertebrectomy or corpectomy for patients with spine tumors or fractures	Diameter: 10, 12, 14, 16, 20, 25, 30 or 35mm	Changed Size, Product Sub Group.

Medacta Australia Pty Ltd

11 - Hip

MU002	Medacta Femoral Stem Distal centraliser	PMMA	10mm to 18mm	Changed Product Name, Product Sub Group.
MU004	Quadra Hip Cemented Femoral Stem	High nitrogen stainless steel alloy, highly polished, double taper	Std 0 to 7. Lat 1 to 7 Std short neck 0 to 7. Lat short neck 1 to 7.	Changed Size.

12 - Knee

MU063	GMK cemented standard femur	Cemented standard femoral component	0 to 7, left to right	Changed Size.
MU064	GMK posterior stabilised cemented femur	Cemented posterior stabilised femoral component	0 to 7, left to right	Changed Size.
MU066	GMK Uncemented Standard Femur	Uncemented standard femoral component with titanium porous covered by an hydroxyapatite coating	0 to 7, left and right	Changed Size.
MU069	GMK Tibial Extension Stem	Tibial Baseplate extension stem	diameter 11mm, length 65mm & 30mm	Changed Size, Product Sub Group.
MU071	GMK Standard Fixed Tibial Insert	Fixed polyethylene insert	1 to 6, left to right, 10/11/12/13/14/17/20mm thickness	Changed Size, Product Sub Group.
MU078	GMK Uncemented Posterior stabilised femur	Uncemented posterior stabilised femoral component with titanium porous coating covered by an hydroxyapatite coating	0 to 7, left to right	Changed Size.

13 - Spinal

MU103	Mectalif Oblique	Oblique Transforaminal Interbody Fusion Device made with PEEK	Width: 12mm. Length 28, 30, 32,34, 36 and 40 mm. Height: from 7 to 15 mm	Changed Size.
-------	------------------	---	--	---------------

Med-Chem Surgical Pty Ltd

03 - General Miscellaneous

Billing Code	Product Name	Further Description	Size	Explanation of Change
ML004	Touchstone Linear Cutter Stapler 60mm	A device that incorporates a disposable staple cartridge that lays a double staggered row of staples on each side of a cutting knife. Used for extensive bowel, gastric, gynaecological and thoracic surgical stapling procedures.	60mm length in staple line with choice of 2.5mm, 3.8mm and 4.5mm titanium staples	Changed Product Group, Product Sub Group, Benefit.
ML005	Touchstone Linear Cutter Stapler 80mm	A device that incorporates a disposable staple cartridge that lays a double staggered row of staples on each side of a cutting knife. Used for extensive bowel, gastric, gynaecological and thoracic surgical stapling procedures.	80mm length in staple line with choice of 3.8mm and 4.5mm titanium staples	Changed Product Group, Product Sub Group, Benefit.
ML006	Touchstone Linear Cutter Stapler 100mm	A device that incorporates a disposable staple cartridge that lays a double staggered row of staples on each side of a cutting knife. Used for extensive bowel, gastric, gynaecological and thoracic surgical stapling procedures.	100mm length in staple line with choice of 3.8mm and 4.5mm titanium	Changed Product Group, Product Sub Group, Benefit.
ML011	Touchstone Linear Stapler	A device housing a staple cartridge that places a double staggered row of staples into appropriate target tissue.	30, 45, 60 and 90mm staple lines in 2.5, 3.5 or 4.8mm staples	Changed Product Group, Product Sub Group, Benefit.

Med-El Implant Systems Australasia Pty Ltd

02 - Ear, Nose & Throat

US008	Mi1000 CONCERTO/ Mi1000 Concerto PIN	Ultra small minimally invasive titanium cochlear implant with six atraumatic electrode options. Includes sequential and parallel stimulation, comprehensive diagnostic toolkit and safety features such as unique implant ID and output capacitors for each channel	Stimulator Housing: L 17.3 mm, W 25.4 mm, Thin 4.5 mm (Weight 7.6g) Electrode: Standard (26.4 mm), FLEXsoft (26.4 mm), Medium (20.9mm), FLEX24 (20.9mm), Compressed (12.1mm), FLEX28 (23.1mm), FORM24 (18.7mm), FORM19 (14.3mm)	Changed Size, Product Sub Group, Benefit.
-------	--------------------------------------	---	--	---

Medical & Optical Instruments Australia Pty Ltd

06 - Specialist Orthopaedic

MO209	Acumed Congruent Plate System	Threaded K-Wire - Titanium	WT-1606STT: Length 15cm x Diameter 0.62"; WT-0906STT: Length 15cm x Diameter 0.35"; WS-2408STT length 20.32cm x Diameter 0.24cm	Changed Suffix.
-------	-------------------------------	----------------------------	---	-----------------

Medigroup Australia

06 - Specialist Orthopaedic

MZ012	Tritium SCP (Sternal Cable Plate) Double Cable Plate (6 Holes, 2 Integrated Cables)	Periarticular Titanium Sternal Double Cable Plate, 6 Holes, 2 Integrated Cables, Locking Plate	One Size	Changed Product Group, Product Sub Group, Benefit.
MZ013	Tritium SCP (Sternal Cable Plate)	BOX Plate (4 Holes, 1 Integrated Cable)	One Size	Changed Product Group, Product Sub Group, Benefit.
MZ014	Tritium SCP (Sternal Cable Plate)	Periarticular Titanium Sternal X Plate, 8 holes, 1 Integrated Cable, Locking Screws	One Size	Changed Product Group, Product Sub Group, Benefit.
MZ015	Tritium SCP (Sternal Cable Plate), Rescue Screw	Cannulous Locking Rescue Screw for use with Pioneer Tritium SCP (Sternal Cable Plate), 3.0mm	Diameter: 3.0mm Lengths: 8mm, 10mm, 12mm, 14mm, 16mm, 18mm, 20mm	Changed Product Group, Product Sub Group, Suffix, Benefit.

Billing Code	Product Name	Further Description	Size	Explanation of Change
MZ016	Tritium SCP (Sternal Cable Plate)	V Shaped Titanium Sternal Plate, 4 Holes, Locking Screw/Plate, Complex Shape	one size	Changed Product Group, Product Sub Group, Suffix, Benefit.
MZ017	Tritium SCP (Sternao Cable Plate), Standard Screw	Cannulous Locking Screw for use with Pioneer Tritium SCP (Sternal Cable Plate), 2.7mm	"Diameter: 2.7mm Lengths: 8mm, 10mm, 12mm, 14mm, 16mm, 18mm, 20mm"	Changed Product Group, Product Sub Group, Suffix, Benefit.

Medtronic Australasia Pty Ltd

05 - Urogenital

MC186	Sacral Nerve Stimulation Accessories	Foramen Needle. (box of 6) Sterile individual units. Stainless steel.	One size only; 9-12.5cm	Changed Description, Benefit.
-------	--------------------------------------	---	-------------------------	-------------------------------

06 - Specialist Orthopaedic

MI102	Grafton Demineralized Bone Matrix	Grafton Demineralized Bone Matrix: Flex	>5cc to 10cc	Changed Size, Benefit.
-------	-----------------------------------	---	--------------	------------------------

10 - Vascular

MC809	Valiant Endovascular Stent Graft	Nitinol and polyester system	24 - 46 diameter, up to 179mm	Changed Product Name.
-------	----------------------------------	------------------------------	-------------------------------	-----------------------

13 - Spinal

MC668	CD HORIZON Spinal System - Lateral Connector	Lateral Connector	10mm - 60mm	Changed Product Name and Description
-------	--	-------------------	-------------	--------------------------------------

N Stenning & Co Pty Ltd

03 - General Miscellaneous

NG023	Hemoclip Plus	Ligation System Small and Medium	15 small preloaded clips and 20 medium preloaded clips	Changed Suffix.
NG043	Weck Hem-o-lok	Hem-o-lok Automatic Endo Applier	15 Clips per applier	Changed Suffix.

Nuvasive Australia and NZ Pty Ltd

13 - Spinal

NV011	CoRoent	PLIF cage	Width 8-12mm x Length 20-40mm x Height 6-14mm x Lordosis 0-15°	Changed Size.
NV012	CoRoent	TLIF cage	Width 8-12mm x Length 20-40mm x Height 6-14mm x Lordosis 0-15°	Changed Size.
NV079	X-CORE (End Cap)	End plate	Round 12-30mm x -8° to 16°; Rectangular 12-22mm x 15-60mm x -8° to 16°	Changed Size.

Oceania Orthopaedics

06 - Specialist Orthopaedic

OO123	MUTARS Distal Humerus	MUTARS Distal Humerus	50mm, 30mm	Changed Product Sub Group, Benefit.
OO124	MUTARS Humerus diaphyseal implant	MUTARS Humerus diaphyseal implant	8-9 mm diameter, 100mm length	Changed Product Sub Group, Benefit.
OO125	MUTARS Glenosphere	MUTARS glenosphere	40mm	Changed Product Sub Group, Benefit.
OO130	MUTARS humerus reducer	MUTARS humerus reducer	80mm	Changed Product Sub Group, Benefit.
OO131	MUTARS humerus screw	MUTARS humerus screw	15mm,35mm,55mm,75mm	Changed Product Sub Group, Benefit.

Billing Code	Product Name	Further Description	Size	Explanation of Change
OO134	MUTARS ulna anchorage	MUTARS ulna anchorage	100mm, left/right	Changed Product Group, Product Sub Group, Benefit.
11 - Hip				
OO071	Adler Ceramic Head >32	Biolux delta ceramic head	Short, Medium, Long; in 36mm and 48mm	Changed Benefit.
Ortho Solutions Pty Ltd				
06 - Specialist Orthopaedic				
OU003	K-WIRE DOUBLE TROCAR	K-WIRE DOUBLE TROCAR	1.1mm x 150mm 1.6mm x 125mm 2.0mm x 150mm 0.6-0.8DIA up to 150mm 0.9-1.4DIA up to 230mm 1.6-1.8DIA up to 400mm 2.0-2.3DIA up to 310mm	Changed Size, Product Group, Product Sub Group, Benefit.
OU019	Opening Wedge Locking plate	Opening Wedge Locking plate	universal locking plate 12 MM - 30mm/ Opening Wedge Locking plate 0MM-7MM Opening Wedge osteotomy plate OMM-7MM	Changed Product Name, Description, Size, Suffix.
OU024	Locking screw	FPS 3.5mm locking screw FPS GENII 3.5mm locking screw FPS 2.7mm locking screw FPS GENII 2.7mm locking screw	10-50MM(FPS 3.5MM locking) 8-30MM (FPS 2.7MM locking)	Changed Size, Suffix, Benefit.
OU027	Cortical Screw (Ti6Al4V)	Cortical Screw	5.0mm x 20mm up to 120mm	Changed Size.

Billing Code	Product Name	Further Description	Size	Explanation of Change
OU029	TWIST-OFF SCREW	11 mm TWIST-OFF SCREW2.5MM Cancellous thread 12 mm TWIST-OFF SCREW2.5MM Cancellous thread 13 mm TWIST-OFF SCREW2.5MM Cancellous thread 14 mm TWIST-OFF SCREW2.5MM Cancellous thread 15 mm TWIST-OFF SCREW2.5MM Cancellous thread 17 mm TWIST-OFF SCREW2.5MM Cancellous thread TWIST-OFF SCREWS10mm (1.5mm Shank) TWIST-OFF SCREWS11mm (1.5mm Shank) TWIST-OFF SCREWS12mm (1.5mm Shank) TWIST-OFF SCREWS13mm (1.5mm Shank) TWIST-OFF SCREWS14mm (1.5mm Shank) TWIST-OFF SCREWS15mm (1.5mm Shank) TWIST-OFF SCREWS16mm (1.5mm Shank) TWIST-OFF SCREWS17mm (1.5mm Shank) TWIST-OFF SCREWS18mm (1.5mm Shank) TWIST-OFF SCREWS10mm TWIST-OFF SCREWS11mm TWIST-OFF SCREWS12mm TWIST-OFF SCREWS13mm TWIST-OFF SCREWS14mm TWIST-OFF SCREWS15mm TWIST-OFF SCREWS16mm TWIST-OFF SCREWS17mm TWIST-OFF SCREWS18mm	10-18mm (1.5mm shank) 10-18mm, 11-17mm (cancellous thread)	Changed Product Name, Description, Size.
OU034	Cannulated Screw	Cannulated Screw	cannulated screw 7.0 length 45, thread length 32mm up to cannulated screw 7.0 length 130, thread length 32mm and cannulated screw 7.0 length 35, thread length 16mm up to cannulated screw 7.0 length 130, thread length 16mm 5.0mm x 30mm up to 100mm titanium cannulated cancellous lag screw 6.5mm x 20mm (up to 120mm) titanium cann.18mm thread 8.0mm x 20mm titanium cann (up to 120mm)18mm thread 8.0mm x 20mm titanium cann (up to 120mm)30mm thread 8.0mm x 45mm titanium cann (up to 120mm)45mm thread 6.5mm x 30mm (up to 120mm) titanium cann. 30mm thread 6.5mm x 45mm (up to 120mm) titanium cann .45mm thread	Changed Size.

Billing Code	Product Name	Further Description	Size	Explanation of Change
02 - Ear, Nose & Throat				
OI023	Ponto Sound Processor	Fully programmable head worn sound processor for bone conduction hearing systems	Ponto: 34 x 21 x 11mm Ponto Pro: 34 x 21 x 11mm Ponto Pro Power: 34 x 21 x 14mm	Changed Size, Benefit.
Pyramed Pty Limited				
03 - General Miscellaneous				
PY017	Niti-S Pyloric/Duodenal Stent	Niti-S Pyloric self-expanding stent, covered and uncovered, OTW or TTS	Diameter: 16 - 28mm Length: 40 - 160mm	Changed Product Name, Description, Size, Product Sub Group, Benefit.
PY023	Niti-S Colorectal Stent D-type	Niti-S D-Type Colorectal self-expanding metal stent made from Nitinol unique D mesh construction uncovered OTW or TTs. With string for ease of removal	Diameters: 18 - 30mm Lengths: 60 - 150mm	Changed Description, Size, Product Sub Group, Benefit.
10 - Vascular				
PY028	Sinus-XL Stent	Self-expanding Nitinol stent	14mm - 24mm, Length 30-100mm nominal; 41-100mm expanded.	Changed Size, Benefit.
PY036	sinus-Venous Stents	sinus-Venous Stent used for treating venous insufficiency, occlusion and stenosis	12-18mm Diameter, 60-149mm Length	Changed Size, Benefit.
PY037	sinus-Venous Stent	sinus-Venous stent used for treating venous insufficiency, occlusion and stenosis	18mm diameter ≥150mm Length	Changed Size, Benefit.
Signature Orthopaedics				
06 - Specialist Orthopaedic				
SF019	EZ Flip ACL/PCL Fixation system	Fixation for ACL/PCL fixation	15-60mm length	Changed Product Group, Product Sub Group, Benefit.
11 - Hip				
SF025	Unipolar Femoral head	Femoral head manufactured from Cobalt Chrome	40-62mm	Changed Size, Benefit.
SF029	Origin™ Stem	Cementless Stems are inteded for press-fit fixation and manufactured from titanium 6Al-4V and are fully HA coated	collarless: standard offset, 12/14, sizes 8-18 Extended offset 12/14, sizes 8-18, collared: standard offset 12/14, sizes 8-18	Changed Product Name.
SF037	Logical™ Constrained Acetabular Liner	highly cross linked and annealed constrained liner	28mm, 32mm 36mm Diameter Neutral, 10 degree and 20 degree size range 44mm to 72mm	Changed Product Name.
SF038	Logical™ Acetabular Shell	Titanium, plasma spray, HA with variable number of holes	42-72mm	Changed Product Name.

Billing Code	Product Name	Further Description	Size	Explanation of Change
SF039	Logical™ Acetabular Liner	HCLA (highly Cross-Linked and Annealed) Acetabular Insert	68-76mm/36 68-76mm/32 68-76mm/28 60-66mm/36 60-66mm/32 60-66mm/28 56-58mm/36 56-58mm/32 56-58mm/28 52-54/32 52-54mm/28 50mm/28 46-48mm/28 10 Degree 68-76mm/36 68-76mm/32 68-76mm/28 60-66mm/36 60-66mm/32 60-66mm/28 56-58mm/36 56-58	Changed Product Name.
SF041	Evolve™ Cemented Stem	Polished Stem	Sizes 0-4, various offsets	Changed Product Name, Description, Benefit.
SF042	TSI™ Modular Neck	Titanium and CoCr with lateral extension for stem connection	25mm - 35mm to 35mm - 50mm	Changed Product Name, Product Sub Group, Suffix, Benefit.
13 - Spinal				
SF010	Centaur Screw System	Set Screw	small, standard and pelvic	Changed Product Name, Size, Product Sub Group.
SF049	VerteLoc Spine System	Stackable Cage	Extra Small - Extra large	Changed Size, Product Sub Group.
Smith & Nephew Surgical Pty Ltd				
06 - Specialist Orthopaedic				
SN520	TriGen	Captured Screws Titanium	4.5 & 5.0mm diameters, 20-110mm lengths	Changed Product Group, Product Sub Group, Benefit.
SN713	Trigen	Stable-Lok Nut	One Size Only	Changed Product Group, Product Sub Group, Benefit.
SN731	Accord	Orthopaedic Cable System, Sm Cable Grip	75-255mm	Changed Product Group, Product Sub Group, Benefit.
SN735	Accord	Orthopaedic Cable System, Std Cable Grip	85-265mm	Changed Product Group, Product Sub Group, Benefit.
11 - Hip				
SN268	CPCS	Femoral Stem Polished Non Porous, Std and High Offset	1 - 5	Changed Suffix, Benefit.

Billing Code	Product Name	Further Description	Size	Explanation of Change
SN303	Synergy	Femoral Stem HA Coated beaded Titanium Alloy, Std and High offset	9 - 18	Changed Suffix, Benefit.

12 - Knee

SN823	Legion Knee System Femoral and Tibial Stems	Femoral and Tibial stems, Titanium, Cemented or press fit	120-280mm	Changed Size, Product Sub Group.
-------	---	---	-----------	----------------------------------

Smiths Medical Australasia Pty Ltd

03 - General Miscellaneous

SI008	Porth-A-Cath Power P.A.C Titanium Implantable Venous Access Device	Single Lumen Portal & Single Lumen Low Profile Portal	6 & 8 Fr, 2.6mm & 1.9mm (OD), 1.6mm & 1.0mm (ID), 76cm (Length)	Changed Product Name, Description, Size, Benefit.
SI017	Port-A-Cath II Power P.A.C Polysulfone/Titanium Implantable Venous Access Device	Single Lumen Portal, Single Lumen Low Profile Portal, Single Lumen Portal Preamsembled, Single Lumen Preamsembled, Single Lumen Low Profile Portal Preamsembled	6 & 8 Fr, 1.9mm & 2.6mm (OD), 1.0 & 1.6mm (ID), 76cm (Length)	Changed Product Name, Description, Size, Benefit.

Spectrum Surgical

01 - Ophthalmic

SO049	FCI Masterka	Self-retaining monocanalicular nasal intubation WITHOUT nasal retrieval	30mm to 40mm	Changed Suffix.
SO050	FCI Nunchaku	Self-retaining bicanalicular nasal intubation WITHOUT nasal retrieval	90mm to 105mm	Changed Suffix.

Stryker Australia Pty Ltd

06 - Specialist Orthopaedic

HW200	Howmedica Modular Resection System	Plug Screw Axis - Vitallium	One size only	Changed Product Group, Product Sub Group.
HW202	Howmedica Modular Resection System	Wedge - Vitallium	One size only	Changed Product Group, Product Sub Group.
HW213	Howmedica Modular Resection System	Humeral Bearing - Vitallium	One size only	Changed Product Group, Product Sub Group.
HW216	Howmedica Modular Resection System	Distal Humerus Cone - Vitallium	One size only	Changed Product Group, Product Sub Group, Benefit.
HW217	Howmedica Modular Resection System	Distal Humerus Flange - Vitallium	One size only	Changed Product Group, Product Sub Group.
HW218	Howmedica Modular Resection System	Humerus Connection Piece - Vitallium	One size only	Changed Product Group, Product Sub Group, Benefit.
HW219	Howmedica Modular Resection System	Humerus Connecting Screw - Vitallium	One size only	Changed Product Group, Product Sub Group.
HW220	Howmedica Modular Resection System	Humerus Hex Socket Bolt - Vitallium	One size only	Changed Product Group, Product Sub Group.
HW221	Howmedica Modular Resection System	Humerus Extension Piece - Vitallium	5, 15, 30, 45, 60, 75, 90, 105, 120, 135, 150, 165mm	Changed Product Group, Product Sub Group, Benefit.
HW222	Howmedica Modular Resection System	Humeral Anchorage Piece - Vitallium	9, 10, 11, 12mm	Changed Product Group, Product Sub Group, Benefit.
HW254	HMRS Oncology Humeral Head/Cap	Cobalt Chromium	40, 44mm, Cap	Changed Product Group, Product Sub Group.
HW255	Howmedica Modular Resection System	Oncology Humeral Body - Titanium	40 - 140mm in 20mm increments	Changed Product Group, Product Sub Group, Benefit.

Billing Code	Product Name	Further Description	Size	Explanation of Change
HW256	HMRS Oncology Humeral Stem	Cobalt Chromium	7x75mm, 7x115mm, 9x75mm, 9x115mm, 11x115mm, 25mmx75mm, 25mmx100mm, 50mmx75mm, 50mmx100mm, 75mmx100mm, 100mmx50mm	Changed Product Group, Product Sub Group, Benefit.
SK204	Stryker Trauma Locking Nail System	SCN	Nut for Condyle Screws 5mm	Changed Product Group, Product Sub Group, Benefit.
SK490	Gamma	U-Blade Lag Screw Set	Dia. 10.5mm, 70-130mm	Changed Product Name, Size, Suffix.
SK557	Stryker Plating System	Femur Anatomical Locking Plates	12-14 hole	Changed Suffix, Benefit.
SR086	Stryker Locking Plate System	Plates including Locking, Standard and Compression	≤ 6 holes	Changed Size, Suffix.
ST038	Stryker Plating System - Reduction Pin	4.5mm Diameter, Stainless Steel	One size only	Changed Product Group, Product Sub Group, Benefit.
ST890	Steinmann Pins	Stainless Steel	7,9"	Changed Suffix.

07 - Plastic and Reconstructive

HW497	Stryker Leibinger Plating System	Fracture or reconstruction plates	0.5 - 0.99mm thick, <4 holes	Changed Description.
-------	----------------------------------	-----------------------------------	------------------------------	----------------------

Surgical Specialties

03 - General Miscellaneous

SQ030	PainBuster	Kit includes catheter, introducer needle, flow restrictor, filter, bolus	270ml volume x 2 lines x 2 ml per hour; 270ml x 2ml, 5ml bolus	Changed Size, Product Group, Product Sub Group.
SQ031	PainBuster	Kit includes catheter, introducer needle, flow restrictor, filter	100ml volume x 2 ml per hour	Changed Product Group, Product Sub Group.
SQ032	PainBuster	Kit includes catheter, introducer needle, flow restrictor, filter	270ml volume x 2 ml per hour	Changed Product Group, Product Sub Group.
SQ033	PainBuster	Kit includes catheter, introducer needle, flow restrictor, filter	270ml volume x 5 ml per hour	Changed Product Group, Product Sub Group.
SQ034	Painbuster	Kit includes catheter, introducer needle, flow restrictor, filter	270ml x 4ml/hr, dual; 400ml x 4ml per hour, dual	Changed Product Group, Product Sub Group.
SQ035	Painbuster	Kit includes catheter, introducer needle, flow restrictor, filter, 2 - 14ml/hour	270ml - 400ml	Changed Size, Product Group, Product Sub Group, Benefit.

06 - Specialist Orthopaedic

SQ076	K wires	k wire threaded	1.6mm	Changed Suffix.
-------	---------	-----------------	-------	-----------------

Synthes Australia Pty Ltd

06 - Specialist Orthopaedic

SY111	AO/ASIF Plates	Specially manufactured plate	1.0mm - 6.5mm	Changed Product Group, Product Sub Group, Suffix, Benefit.
SY249	AO/ASIF K Wires, Pins	Hybrid Pins - Spade point wires/reduction wires	1.5, 3.2mm Diameter	Changed Suffix.

Terumo Corporation Australia

10 - Vascular

Billing Code	Product Name	Further Description	Size	Explanation of Change
TU002	Anaconda Endovascular Graft System	Bifurcated Aortic System, Ultra thin woven polyester, nitinol ring stents, tantalum markers	18 - 34mm	Changed Description.

Tornier Pty Ltd

06 - Specialist Orthopaedic

TO095	ArthroTunneler TunnelPro System	Lateral button, PEEK	10mm	Changed Product Sub Group, Benefit.
-------	---------------------------------	----------------------	------	-------------------------------------

W L Gore & Associates

10 - Vascular

GT008	Gore-Tex Stretch Vascular Graft - Removable Rings	Thin Walled Removable Ringed Stretch	Diameters: 5-8mm Lengths: \geq 50cm	Changed Product Name, Description, Size, Suffix, Benefit.
GT132	Gore-Tex Vascular Grafts	Vascular Grafts - Aorto - Pulmonary & Systemic Pulmonary Shunts (ePTFE) Stretch & Non Stretch Standard Wall & Thin Wall.	Diameter 3 - 12mm, Length 10cm	Changed Description, Size, Benefit.
GT136	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters 4 - 12mm, Length \geq 50cm	Changed Description, Size, Benefit.
GT138	Gore-Tex Vascular Grafts	Vascular Grafts - Aorto - Pulmonary & Systemic-Pulmonary Shunts (ePTFE) Stretch & Non Stretch Standard Wall & Thin Wall	Diameter 3 - 12mm, Length 10cm	Changed Description, Size, Benefit.
GT139	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Thin Wall Stretch (ePTFE)	Diameters: 3-10mm Length: 21-49cm	Changed Description, Size, Benefit.
GT143	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameter 4 - 12mm, Lengths \geq 50cm	Changed Description, Size.
GT145	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameter 4 - 12mm, Lengths \geq 50cm	Changed Description, Size, Benefit.
GT147	Gore-Tex Vascular Grafts	Stretch Vascular Grafts- Large Diameter	Diameter 12-24mm, Length 21-49cm	Changed Description, Size, Benefit.
GT148	Gore-Tex Vascular Grafts	Stretch Vascular Grafts-Large Diameter	Diameter 12 - 24mm, Length 21-49cm	Changed Description, Size, Benefit.
GT149	Gore-Tex Vascular Grafts	Vascular Grafts - Aorto - Pulmonary & Systemic-Pulmonary Shunts (ePTFE) Stretch & Non Stretch Standard Wall & Thin Wall	Diameter 4 - 10mm, Length 10cm	Changed Description, Benefit.
GT150	Gore-Tex Vascular Grafts	Thin Wall and Standard Wall (ePTFE)	Diameters: 5-12mm Lengths: 11-20cm	Changed Description, Size, Benefit.
GT151	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3 - 10mm Length: 21-49cm	Changed Description, Size, Benefit.
GT152	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3-10mm Lengths: 21-49cm	Changed Description, Size, Benefit.
GT157	Gore-Tex Vascular Graft	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameter 4 - 12mm, Lengths \geq 50cm	Changed Product Name, Description, Size, Benefit.
GT158	Gore-Tex Vascular Grafts	Vascular Grafts - Aorto-Pulmonary & Systemic-Pulmonary Shunts (ePTFE) Stretch & Non Stretch Standard Wall & Thin Wall.	Diameter 3 - 12mm, Length 10cm	Changed Description, Size, Benefit.
GT159	Gore-Tex Vascular Grafts	Thin Wall and Standard Wall (ePTFE)	Diameters: 5-12mm Lengths: 11-20cm	Changed Description, Size, Benefit.

Billing Code	Product Name	Further Description	Size	Explanation of Change
GT160	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3-10mm Lengths: 21-49cm	Changed Description, Size, Benefit.
GT161	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Thin Wall Stretch (ePTFE)	Diameters: 3-10mm Length: 21-49cm	Changed Description, Size, Benefit.
GT164	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3-12mm Lengths: ≥ 50cm	Changed Description, Size, Benefit.
GT179	Gore-Tex Vascular Graft removable Ringed	Thin Walled Removable Ringed Stretch	Diameters: 5 - 8mm Lengths: ≥ 50cm	Changed Product Name, Description, Size, Suffix, Benefit.
GT180	Gore-Tex Vascular Graft Removable Ringed	Thin Walled Removable Ringed Stretch	Diameter: 5 - 6mm Length: ≥ 50cm	Changed Product Name, Description, Size, Suffix, Benefit.
GT182	Gore-Tex Vascular Graft Removable Ringed	Thin Walled Removable Ringed Stretch	Diameters: 5-8mm Lengths: ≥ 50cm	Changed Product Name, Description, Size, Suffix, Benefit.
GT183	Gore-Tex Vascular Graft Removable Ringed	Thin Walled Removable Ringed Stretch	Diameters: 5-8mm Lengths: ≥ 50cm	Changed Product Name, Description, Size, Suffix, Benefit.
GT185	Gore-Tex Stretch Vascular Graft - Removable Rings	Thin Walled Removable Ringed Stretch	Diameters: 5-8mm Lengths: ≥ 50cm	Changed Product Name, Description, Size, Suffix, Benefit.
GT186	Gore-Tex Stretch Vascular Graft - Removable Rings	Thin Walled Removable Ringed Stretch	Diameters: 5-8mm Lengths: ≥ 50cm	Changed Product Name, Description, Size, Suffix, Benefit.
GT187	Gore-Tex Stretch Vascular Graft - Removable Rings	Thin Walled Removable Ringed Stretch	Diameters: 5 - 8mm Lengths: ≥ 50cm	Changed Product Name, Description, Size, Suffix, Benefit.
GT200	Gore-Tex Vascular Grafts	Thin Wall and Standard Wall (ePTFE)	Diameters: 5-12mm Lengths: 11-20cm	Changed Product Name, Description, Size, Benefit.
GT236	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3-12mm Lengths: ≥ 50cm	Changed Product Name, Description, Size, Benefit.
GT237	Gore-Tex Vascular Graft	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3-12mm Lengths: ≥ 50 cm	Changed Description, Size, Benefit.
GT238	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 4-12mm Lengths: ≥ 50cm	Changed Product Name, Description, Size, Benefit.
GT239	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 4-12mm Lengths: ≥ 50cm	Changed Product Name, Description, Size, Benefit.
GT240	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Thin Wall Stretch (ePTFE)	Diameters: 3-10mm Length: 21-49cm	Changed Product Name, Description, Size, Benefit.
GT241	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Thin Wall Stretch (ePTFE)	Diameters: 3-10mm Length: 21-49cm	Changed Product Name, Description, Size, Benefit.
GT242	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3-12mm Lengths: ≥ 50cm	Changed Product Name, Description, Size, Benefit.
GT243	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3-12mm Lengths: ≥ 50cm	Changed Product Name, Description, Size, Benefit.
GT244	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3-12mm Lengths: ≥ 50cm	Changed Product Name, Description, Size, Benefit.
GT245	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Tecnology (ePTFE)	Diameters: 4-12mm Lengths: ≥ 50cm	Changed Product Name, Description, Size, Benefit.
GT246	Gore-Tex Vascular Graft	Standard Wall, Thin Wall and Stretch tecnology (ePTFE)	Diameters: 4-12mm Lengths: ≥ 50cm	Changed Product Name, Description, Size, Benefit.

Billing Code	Product Name	Further Description	Size	Explanation of Change
GT247	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Tecnology (ePTFE)	Diameters: 3-12mm Lengths: ≥ 50cm	Changed Product Name, Description, Size, Benefit.
GT248	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3-12mm Lengths: ≥ 50cm	Changed Product Name, Description, Size, Benefit.
GT249	Gore-Tex Vascular GraftS	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters 4-12mm , Length ≥ 50cm	Changed Product Name, Description, Size, Benefit.
GT250	Gore-Tex Stretch Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3-12mm Lengths: ≥ 50cm	Changed Product Name, Description, Size, Benefit.
GT251	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters 3-12mm Lengths ≥ 50cm	Changed Product Name, Description, Size, Benefit.
GT253	Gore-Tex Stretch Vascular Graft - Removable Rings	Thin Walled Removable Ringed Stretch	Diameters: 5-8mm Lengths: ≥ 50cm	Changed Product Name, Description, Size, Product Sub Group, Suffix, Benefit.
GT263	GORE EXCLUDER AAA Endoprosthesis	AAA Stent Graft Nitinol & ePTFE Two piece system (1/2) Trunk-ipsilateral component	Diameters: 23, 26, 28.5, 35mm Lengths: 12, 14, 16, 18cm Diameters: 31mm Lengths: 13, 15, 17cm Diameters: 35mm Lengths: 14, 16, 18cm	Changed Size, Benefit.

Wright Medical Australia

06 - Specialist Orthopaedic

WR049	Charlotte MTP Fusion System	MTP plate, stainless steel	Left & Right small & standard, 6 holes	Changed Suffix.
WR050	Charlotte MTP Fusion System	MTP plate, stainless steel	Left & Right extended,9 holes	Changed Suffix.
WR057	Lapidus Plate	Titanium locking plate with unique stepped displacement in 1mm increments permits accurate plantarisation and lateralisation in midfoot fusions.	3.5mm; neutral, 1-6mm step	Changed Suffix.
WR062	Headless Compression screws	Compression screw cannulated, titanium, self tapping, self drilling.	2.5-3.2mm diameter x 10-32mm	Changed Suffix.
WR066	Arthrodesis Flat Plate - AFP	Flat plate intended for use in isolated tarsal fusions, titanium locking plate, 2mm thickness	12, 14 & 16mm length - 4 hole	Changed Suffix.
WR067	Displacement Plate - DPS	Unique steep plate design allows for controlled fixation of displacement calcaneal osteotomies. 3 step variations allows for accurate corrections. 3.5mm Titanium locking plate	6, 8 & 10mm step, 4 hole	Changed Suffix.
WR069	TOM Plate	Designed for base osteotomies and fusions of MT1 with correction achieved through one cut. It is a titanium locking plate, anatomically designed with a smaller radius to fit the contour of the first metatarsal and 5 step variation in 1mm increments for ac	- L & R: neutral, 1-5mm step, 4 hole	Changed Suffix.
WR231	Calcaneus Plate	Titanium locking plate, Tab & Perimeter	14 holes	Changed Suffix.
WR235	Ortholoc Fracture System - Plates	Straight, T, L Plates	3, 4, and 6 hole	Changed Suffix.
WR236	Ortholoc Fracture System - Plates	Straight, T, L Plates	Straight - 7 hole	Changed Suffix.

Billing Code	Product Name	Further Description	Size	Explanation of Change
12 - Knee				
WR195	Medial Pivot Knee System	Uncemented stems, femoral and tibial	11-22mm, 100-140mm lengths	Changed Size, Product Sub Group.
Zimmer Pty Ltd				
11 - Hip				
ZI384	Low Profile Cup - Cups cemented	UHMPE unmodified	22/36 to 32/64	Changed Suffix, Benefit.
Grand Total: 315 Records				