

Deleted Items for Prostheses List

August 2015

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Admedus (Australia) Pty Ltd				
03 - General Miscellaneous				
AH010	ambIT Mini Infusion Pump	Ambulatory fluid or medication infusion pump with preprogrammed infusion protocols to minimise setup time. The pump provides for patient initiated bolus doses, basal flow rates, automated bolus doses, or a combination of the three modes.	One size only	Deleted
AH011	ambIT Mini Infusion Pump Kit	Kit consists of the ambIT Mini Infusion Pump, ambIT single use cassette Luer lock, ambIT Medibag (420ml), patient carry bag.	One size only	Deleted
Allegra Orthopaedics Pty Ltd				
06 - Specialist Orthopaedic				
AE170	Blackstone - Posterior Cervical System	Crimp Two Pack - Titanium	One size only	Deleted
AE171	Blackstone - Posterior Cervical System	Double Loop Cable w/Four Crimps - Titanium	One size only	Deleted
AE172	Blackstone - Posterior Cervical System	Single Loop Cable w/Two Crimps - Titanium	One size only	Deleted
AE203	Sbi PIP Silicone Implant System	Silicone finger joint	Various	Transferred to SK588
AE204	Sbi Silicone MCP Implant System	Silicon finger joint	Various	Transferred to SK589
AE205	SCS Distal Radius Plate System	Left and Right, Tined	Small and Large 3 hole	Transferred to SK590
AE206	Diamond Plate/Carpal Button	Carpal Fusion Plate	Large, Small	Transferred to SK591
AE207	Total Wrist Implant System	Left and Right Radial Components	Small, Medium, Large	Transferred to SK592
AE208	Total Wrist Implant System	Carpal Screws	15, 18, 22, 26, 30mm	Transferred to SK593
AE209	Total Wrist Implant System	Carpal Ball	Small, Medium, Large	Transferred to SK594
AE210	Total Wrist Implant System	Carpal Component	Small, Medium, Large	Transferred to SK596
AE211	MCP Finger Prosthesis "Ariadna"	Distal part, Stainless Steel	1,2 or3	Transferred to SK595
AE212	PIP Finger Prosthesis	Proximal part PIP joint	0-5	Transferred to SK597
AE213	MCP Finger Prosthesis "Ariadna"	Proximal part, Stainless Steel	1,2,or 3	Transferred to SK598
AE214	Carpal Screw	Titanium	2.5mm diameter in sizes 12mm - 20mm length	Transferred to SK599
AE215	Elektra Stem	Cobalt Chromium/Hydroxyapatite coated	6-8mm	Transferred to SK600
AE216	Elektra Neck	Cobalt Chromium	Extra Short, Short, Medium, Long	Transferred to SK601
AE217	Trapezoid Metacarpal Prosthesis DLC	Cup, Polyethylene	One size only	Transferred to SK602
AE218	PIP Finger Prosthesis	Distal part PIP joint	0-5	Transferred to SK603
AE219	Elektra Cup	Cobalt Chromium and Hydroxyapatite coating	One size only	Transferred to SK604
AE220	Ulnar Head Implants	UlnarHead CoCr	1,2,3,4	Transferred to SK605

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
AE221	Ulnar Head Implants	Ulnar Stem CoCr	1,2,3,4	Transferred to SK606
AE222	Radial Head Implants	Radial Head	2,3,4,4N	Transferred to SK607
AE223	Radial Head Implants	Radial Stem	2,3,4,4N	Transferred to SK608
AE224	rHead Plating System	Comprehensive plating system: four plate designs; locking & non-locking screw options	Neck Plate: neck width - 15 or 18mm, plate width - 6mm, length - 23 or 29mm. Rim Plate: neck width 13.6 or 16.8mm, plate width 6mm, length 29.75 or 35.75mm. Bone Screws: diameter - 2.4 or 2.7mm; length - 8mm - 28mm.	Transferred to SK609
AE226	SR Hand Implant System	SR Hand MCP Distal or proximal, CoCr - Titanium Alloy, UHMWPE	XS/S/M/L/XL	Transferred to SK610
AE227	Metaflex	Low compression screw	Diameter: 1.2, 1.4, 1.6, 2.0 - 2.5mm, Length: 10mm - 30mm	Transferred to SK611
AE228	MiniFix	Finger Mini Fixator System	One size	Transferred to SK612
AE229	RadioFix	Radio Fixator System	One size	Transferred to SK613
AE230	M-Fix	Nitinol	10-19mm	Transferred to SK614
AE231	Poing Fix	Wrist Fixator System	One size	Transferred to SK616
AE232	Wrist Fixator PFII	Wrist Fixator System	One size	Transferred to SK615
AE233	MicroFix	Finger Mini Fixator System	one size	Transferred to SK617
AE234	Percufix	Titanium	Diameter: 2-2.5mm, Length 22-40mm	Transferred to SK618
AE235	Stability Sigmoid Notch Total DRUJ System / Sigmoid Notch Screw	The Sigmoid Notch Radial Screw is a low profile self tapping cortical screw made of implantable CoCr. It is designed to be placed bi cortical in the radius and is introduced into the Radial stem thru a hole. It is placed into the stem and tightened down	The Sigmoid Notch screw is available in 2mm increments from 18mm - 32mm and has a diameter of approx 4mm.	Transferred to SK619
AE236	AutoFIX	The SBi AutoFIX Twin Pitch Cannulated Compression Screw System implants are indicated in the treatment of fractures, nonunions, pseudarthrosis and degenerative changes, as well as corrective osteotomies geared towards a functionally stable osteosynthesis	2.0mm and 2.5mm Cannulated Compression Screw	Transferred to SK620
AE237	StaFIX	The StaFIX Staples are retained implants and removable used primarily for the following applications: Synthesis of fractures; Synthesis of osteotomies; Arthrodesis; Reattachment of ligaments of tendons. The aim of the StaFIX staple is to provide a effective fixation of the bone fragments during healing.	6x6, 6x12,8x8, 8x16, 10x10, 10x20, 12x24	Transferred to SK621
AE238	SBi K-Wire	K-Wire	1.6mm	Transferred to SK622
AE239	Stability Sigmoid Notch Total DRUJ system / Stability Sigmoid Notch Radial Stem and Insert. Total Wrist Implant System	Radial stem is made of Cobalt chromium with a CPTi plasma spray on the back for bone ongrowth. Radial Insert is made of UHMWP Polyethyelene	Small & Large	Transferred to SK623
AE240	STAR Ankle Prosthesis	Talar Component, cemented	xx-Small - x- large	Transferred to SK624

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
AE241	STAR Ankle Prosthesis	Tibial Component, cemented	xx-small - x-large	Transferred to SK625
AE242	STAR Ankle Prosthesis	UHMWPE Sliding Core	6- 14mm	Transferred to SK626
AE243	STAR Ankle Prosthesis	Talar Component, cementless	xx- small - x-large	Transferred to SK627
AE244	STAR Ankle Prosthesis	Tibial Component, cementless	xx-small - x-large	Transferred to SK628
AE245	STAR Ankle Prosthesis	Revision Tibial Component, Cemented	Extra small - Extra large	Transferred to SK629
AE246	SBi Locking Screws	Titanium Cortical Locking Self-tapping screws	2.7mm Cortical Locking, Self-tapping 10 - 30mm 3.5mm Cortical, Locking, Self tapping 8 -20mm	Transferred to SK630
AE247	Sbi Non-Locking Screws	Titanium Cortical Non-Locking Self tapping screws	2.7mm Cortical, Non Locking, Self-tapping 10 - 30mm 2.7mm Lag, Non Locking, self tapping 10 -30mm 3.5mm Cortical, Non Locking,Self tapping 8 - 20mm	Transferred to SK631

12 - Knee

AE137	HemiCAP Patello-Femoral Resurfacing System - Femoral Trochlear Component Articular	A distal femoral trochlear surface articular component comprised of cobalt-chromium alloy which mates to a fixation stud	20mm, 35mm	Deleted
-------	--	--	------------	---------

13 - Spinal

AE183	ICON Modular Spinal Fixation System	Screw	4.5mm - 8.5mm x 25-80mm	Deleted
AE184	ICON Modular Spinal Fixation System	Multi-axial body assembly	5.5mm	Deleted
AE185	ICON Modular Spinal Fixation System	Offset body assembly	8, 11, 14mm	Deleted
AE186	ICON Modular Spinal Fixation System	Set Screw	one size only	Deleted

Arthrocare Australasia Pty Ltd

06 - Specialist Orthopaedic

AF004	ArthroCare Anchor System	Anchor fixating soft tissue to bone	4.5,5.5mm & 6.5mm	Transferred to SL055
AF005	ArthroCare Anchor System	Anchor fixating soft tissue to bone	2.8 - 3.4mm	Transferred to SL056
AF033	Doubleplay Suture Implant	Doubleplay Implant (TCP/PLLA) - Tricalcium phosphate and poly-L-lactide	5.0mm and 6.5mm	Transferred to SL057
AF034	Titan Ti Suture Anchor System	Tendon to bone Anchor	5.5mm and 6.55mm x 16.5mm	Transferred to SL058
AF035	Spartan PEEK Suture Implant	Spartan PEEK Suture Implant	5.5mm, 6.5mm	Transferred to SL059
AF036	Speedfix PEEK Suture Implant	Soft tissue to bone suture anchor	3.4mm x 12.5mm	Transferred to SL060
AF037	Speedlock HIP Knotless Fixation Implant	PEEK knotless suture anchor implant for fixation of soft tissue to bone in the hip	3.4mm	Transferred to SL061
AF038	Magnum M Suture Implant	Anchor fixating soft tissue to bone	2.8mm	Transferred to SL062
AF039	Q-Fix All Suture Anchor	Soft suture anchor	1.8mm	Transferred to SL063
AF040	Q-Fix All Suture Anchor	Soft suture anchor	2.8mm	Transferred to SL064

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
B Braun Australia Pty Ltd				
12 - Knee				
BB197	Emotion Unicondylar Knee System Uni Femoral Component	Uni Femoral Component, cemented, CoCr, with PMMA	F1 - F8, Left and Right	Deleted
BB203	Emotion Unicondylar Knee System Uni Tibial Insert	Uni tibial insert, UHMWPE, fixed	F1 and F5, 7mm-11mm	Deleted
Bausch & Lomb (Australia) Pty Ltd				
01 - Ophthalmic				
BL027	Crystalens HD	Accommodating lens with > 3 Dioptres of accommodation with dual mechanism of action: (1) forward axial movement of lens and (2) accommodative arching of optic. Posterior chamber, polyspheric optics, 3-piece, plate haptic, foldable UV light filtering, bic	10.0 to 33.0 Dioptres in .05 Dioptre steps	Transferred to IL001
BL029	Crystalens AO	Accommodating lens designed to provide > 3 Diopters of accommodation with dual mechanism of action: (1) forward axial movement of lens and (2) accommodative arching of optic. Posterior chamber, aspheric, aberration free optics, 3-piece, plate haptic, fol	10.0 to 33.0 D in 0.50 Diopter steps. 10.0 - 16.5 Diopters (12mm length) and 17.0 - 33.0 Diopters (11.5mm length).	Transferred to IL002
BL031	TruLign Toric	The TruLign Toric IOL, Models BL1AT/BL2AT and BL1UT/BL2UT is an accommodating IOL incorporating a toroidal posterior surface. The foldable IOL has a square posterior edge with polyimide footplates and is available in multiple spherical and cylindrical powers.	Overall diameter is 11.5mm (BL1AT,BL1UT,AT50T) or 12.0mm (BL2AT/BL2UT) for the entire lens power range. Spherical equivalent powers range from +5.0 to +33.0 Diopters in 0.5 Diopter steps and cylinder powers of +1.25, +2.00 and +2.75 Diopters (at the IOL plane).	Deleted
CK Surgitech Pty Ltd				
05 - Urogenital				
AK006	Ureteric stents	Ureteric stents, hydrophilic coated, tapered ends both open, single loop, one end multi loop, both ends multi loop, with sutures, pusher and guide wire	3 french – 16 french, multiple lengths	Deleted
Cochlear Limited				
02 - Ear, Nose & Throat				
CO019	ESPrIt 3G Speech Processor - Replacement	Speech processor, Generation 3	Cable lengths: 6, 8, 10, 20, 28cm	Deleted
CO020	Nucleus Cochlear Implant Accessory Kit - ESPrIt 3G Speech Processor	Accessory set consists of accessory adapter cable, lapel microphone & lapel clip, battery cover set and accessory case	Lapel microphone comes in lengths of 40-150cm	Deleted
CO022	Nucleus Freedom Speech Processor - Initial	Speech processor (modular) and accessories	One size only	Deleted
CO023	Nucleus Freedom Speech Processor	Speech processor, and accessories	one size only	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
CO043	Nucleus Hybrid L 24 Implant	A Nucleus Freedom cochlear implant featuring a special 16mm, 22 contact point electrode array	One size	Deleted
CO044	Freedom Hybrid Sound Processor (Initial)	The modular sound processor of the Cochlear Hybrid system provides dual electrical and acoustic processing within a single device.	One size	Deleted
CO045	Freedom Hybrid Sound Processor (Replacement)	The modular sound processor of the Cochlear Hybrid system provides dual electronic and acoustic processing within a single device.	One size	Deleted

Cook Medical Australia Pty Ltd

03 - General Miscellaneous

WC213	Endoscopic Clipping Device	TriClip Endoscopic Clipping Device	7Fr - 3 Prong 12mm, 8Fr - 3 prong 12mm	Deleted
-------	----------------------------	------------------------------------	--	---------

05 - Urogenital

WC020	Towers Peripheral Ureteral Stent Set	Towers Peripheral Ureteral Stent Set	Multiple French Sizes Multi-length	Deleted
-------	--------------------------------------	--------------------------------------	------------------------------------	---------

10 - Vascular

WC047	Zenith Endovascular Graft	Leg Extensions	Diameter 18 through 24 Length 55	Deleted
-------	---------------------------	----------------	----------------------------------	---------

Corin Australia Pty Ltd

11 - Hip

CR016	Optimom Modular Head	Metal on metal, CoCr	>32mm	Deleted
CR047	Cormet Resurfacing Head Cemented	CoCr Resurfacing Head	Dia 40 -56mm	Deleted
CR048	Cormet Resurfacing Cup	Metal on Metal bearing surface, Titanium, Plasma spray with HA Coating (Bicoat)	Dia 40 -56mm	Deleted
CR087	Cormet Dysplasia Cup	Dysplasia cup with three-holed proximal flange, Metal on Metal bearing surface, Titanium, Plasma spray with HA Coating (Bicoat)	48, 52, 56, 60, 64mm	Deleted
CR090	Cormet Resurfacing Head Bi Coated	CoCr with titanium plasma spray and HA	40mm-56mm	Deleted
CR122	Cormet Resurfacing Head Fully Bi Coated	CoCr with Titanium plasma spray and HA	44 to 56mm	Deleted

Covidien Pty Ltd

03 - General Miscellaneous

AS138	Prevadh	Adhesion Prevention film	12x12cm, 17x12cm	Deleted
-------	---------	--------------------------	------------------	---------

Danex Medical Pty Ltd

06 - Specialist Orthopaedic

XD017	Quattro Link Knotless Anchor	Knotless Anchor manufactured from PEEK-OPTIMA polymer pre-assembled to stainless steel inserter. Provided as a single-use sterile device.	2.9mm,4.5mm and 5.5mm	Transferred to SQ106
-------	------------------------------	---	-----------------------	----------------------

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
XD018	Quattro X Suture Anchor	Suture Anchor with sutures, manufactured from PEEK-OPTIMA polymer pre assembled to stainless steel inserter. Provided as a single-use sterile device.	5.5mm and 6.5mm	Transferred to SQ107
XD021	Aperfix Femoral Fixation System	Aperfix Femoral Fixation System	9x24mm,10x24mm,9x29mm,10x29mm,11x29mm	Transferred to SQ109
XD022	Aperfix Tibial Fixation System	Aperfix Tibial Fixation System	9x24mm,10x24mm,9x29mm,10x29mm,11x29mm,8x30mm,9x30mm,10x30mm,11x30mm,7x20mm,7x25mm,8x20mm,8x25mm,8x30mm,9x20mm,9x25mm,9x30mm,10x25mm,10x30mm,11x30mm,12x30mm	Transferred to SQ108

DJO Australasia Pty Ltd

06 - Specialist Orthopaedic

DD053	Reverse Shoulder - Glenoid Baseplate & Head	Reverse Glenoid Component, Baseplate & Head	Baseplate - Small to Large, Head - 32mm to 40mm	Expanded into DD057, DD058
-------	---	---	---	----------------------------

Emergo Asia Pacific Pty Ltd

06 - Specialist Orthopaedic

ER066	DeRoyal Implants - Plate - Locking Complex	DeRoyal Implants - Plates and Screws - Stainless Steel 316L - manufactured in USA	Mini (screw size ≤2.7mm)(including blade) ≤ 6 holes LK,COM	Deleted
ER067	DeRoyal Implants - Plate-Complex-Locking	DeRoyal Implants - Plates and Screws - Stainless Steel 316L - Manufactured in USA	Small (screw size 2.71mm - 4.49mm)(including blade) ≤6 holes	Deleted
ER068	DeRoyal Implants - Plate - Complex Locking	DeRoyal Implants - Plates and Screws - Stainless Steel 316L - Manufactured in USA	Standard (screw size ≥4.5mm)(including blade) ≥7 to ≤15 holes	Deleted
ER069	DeRoyal Implants - Plate	DeRoyal Implants - Plates and Screws - Stainless Steel 316L - Manufacturing in USA	Standard (screw size ≥4.5mm)(including blade) ≥7 to ≤15 holes	Deleted
ER070	DeRoyal Implants - Plate - Locking	DeRoyal Implants - Plates and Screws - Stainless steel 316L - Manufactured in USA	Standard (screw size ≥4.5mm)(including blade) ≥7 to ≤15 holes	Deleted
ER071	DeRoyal Implants - Plate - Complex	DeRoyal - Plates and Screws - Stainless Steel 316L - Manufactured in USA	Standard (screw size ≥4.5mm)(including blade) ≥7 to ≤15holes	Deleted
ER072	DeRoyal Implants - Locking Complex Plate	DeRoyal Implants - Plates and Screws - Stainless Steel 316L - Manufactured in USA	Standard (screw size ≥ 4.5mm)(including blade) ≤6 holes	Deleted
ER073	DeRoyal Implants - complex Plate	DeRoyal Implants - Plates and Screws - Stainless Steel 316L - manufactured in USA	Standard (screw size ≥4.5mm)(including blade) ≤ 6 holes	Deleted
ER074	DeRoyal Implants - Locking Plate	DeRoyal Implants - Plates and Screws - Stainless Steel 316L - Manufactured in USA	Standard (screw size ≥4.5mm)(including blade) ≤ 6 holes	Deleted
ER075	DeRoyal Implants - Plate	DeRoyal Implants - Plates and Screws - Stainless Steel 316L - Manufactured in USA	Standard (screw size ≥ 4.5mm)(including blade) ≤ 6 holes	Deleted
ER076	DeRoyal Implants - Plate - Locking	DeRoyal Implants - Plates and Screws - Stainless Steel 316L - Manufactured in USA	Small (screw size 2.71mm - 4.49mm)(including blade) ≥ 16 holes	Deleted
ER077	DeRoyal Implants - Plate - Locking	DeRoyal Implants - Plates and Screws - Stainless Steel 316L - Manufactured	Mini (screw size ≤2.7mm)(including blade) ≥7 to ≤15 holes	Deleted
ER078	DeRoyal Implants - Plate	DeRoyal Implants - Plates and Screws - Stainless Steel 316L - Manufactured in USA	Small (screw size 2.71mm - 4.49mm)(including blade) ≤ 6 HOLES	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
ER079	DeRoyal Implants - Locking - Complex	DeRoyal Implants - Plates and Screws - Stainless Steel 316L - Manufactured in USA	Small (screw size 2.71mm - 4.49mm)(including blade) ≥ 7 to ≤ 15 holes	Deleted
ER080	DeRoyal Implants - Locking	DeRoyal Implants - Plates and Screws - Stainless Steel 316L - manufactured in USA	Small (screw size 2.71mm - 4.49mm) (including blade) < 6 holes	Deleted
ER081	DeRoyal Implants	DeRoyal Implants - Plate and screws - Stainless steel 316L - Manufactured in USA	Mini (screw size < 2.7 mm) (Including blade) > 7 to < 15 holes	Deleted
ER082	DeRoyal Implants - Plate-Complex	DeRoyal Implants - Plates and Scews - Stainless Steel 316L - Manufactured in USA	Small (scrwe size 2.71mm-4.49mm)(including blade) ≤ 6 holes	Deleted
ER083	DeRoyal Implants - Complex Plate	DeRoyal Implants - Plates and Screws - Stainless Steel 316L - Manufactured in USA	Small (screw size 2.71mm-4.49mm)(including blade) ≥ 7 to ≤ 15 holes	Deleted
ER084	DeRoyal Implants - Distual Radius Plate	DeRoyal Implants - Plates and Screws - Stainless Steel 316L - Manufactured in USA	Periarticular anatomic - Radius ≥ 7 to ≤ 15 holes LK	Deleted
ER085	DeRoyal Internal Fixation System - Cannulated Bone Screws	Cannulated Screws Stainless Steel 316L manufactured in USA	Standard size ≥ 4.5 mm	Deleted
ER086	DeRoyal Internal Fixation Systems - Locking Screws	Locking Screws, Stainless Steel 316L, manufactured in USA	Small (2.71-4.49mm)	Deleted
ER087	DeRoyal Internal Fixation Systems - Locking screws	Locking Screw, Stainless Steel 316L, manufactured in USA	Mini (2.01 - 2.7mm)	Deleted
ER088	DeRoyal Internal Fixation Systems - cannulated screws	Cannulated Screws, Stainless Steel 316L, manufactured in USA	Small (2.71 - 4.49mm)	Deleted
ER089	DeRoyal Internal Fixation Systems - screws	Screws, Stainless Steel 316L, Manufactured in USA	Mini (2.01 - 2.7mm)	Deleted
ER090	DeRoyal Internal Fixation Systems - screws	Screws, Stainless steel 316L, manufactured in the USA	Micro (≤ 2.0 mm)	Deleted
ER091	DeRoyal Implants	DeRoyal implants - Plates and Screws - Stainless Steel 316L - Manufactured in USA	Small (screw size 2.71mm - 4.49 mm) Including blade) > 16 holes	Deleted
ER092	DeRoyal Internal Fixation Systems - cannulated screws	DeRoyal Internal Fixation Systems - cannualted screws Stainless Steel 316L Manufactured in USA	Mini (2.01 - 2.7mm)	Deleted
ER093	DeRoyal Internal Fixation Systems - Washers	Washers, threaded and unthreaded, Stainless Steel 316L, manufactured in USA	3.0mm - 13.0mm	Deleted
ER094	DeRoyal Implants - Locking	DeRoyal Implants - Plates and Screws - Stainless Steel 3165L - Manufactured in USA	Small (screw size 2.71mm - 4.49mm)(including blade) > 7 to < 15 holes LK	Deleted
ER095	DeRoyal Implants - Plate	DeRoyal Implants - Plates and Screws - Stainless Steel 613L - Manufactured in USA	Small (screw size 2.71mm - 4.49mm)(including blade) ≥ 7 to ≤ 15 holes	Deleted
ER096	DeRoyal Implants-Internal Fixation - Screws	Stainless Steel 316L locking screws manufactured in USA	Standard size ≥ 4.5 mm	Deleted
ER097	DeRoyal Internal Fixation Systems - Bone Screws	Screws, Stainless Steel 316L, manufactured in	Standard size ≥ 4.5 mm	Deleted
ER098	DeRoyal Internal Fixation System - screws	Screws, Stainless Steel 316L, manufactured in	Small(2.71 - 4.49mm)	Deleted
ER099	DeRoyal Implants - Plate - Locking	DeRoyal Implants - Plates and Screw - Stainless Steel 316L - Mnaufactured in USA	Mini (screw size ≤ 2.7 mm)(including blade) ≤ 6 holes	Deleted
ER100	DeRoyal Internal Fixation Systems - Locking Screws	Locking Screws, Stainless Steel 316L, manufactured	Micro (≤ 2.0 mm)	Deleted
ER101	DeRoyal Implants - Plate-Locking	DeRoyal Implants - Plates and Screws - Stainless steel 316L- Manufactured in USA	standard (screw size ≥ 4 mm)(including blade) ≥ 16 holes	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
ER147	DeRoyal Internal Fixation Systems - Wires	Wires, threaded and unthreaded, Stainless Steel 316L, manufactured in USA	1.0mm - 2.8mm Threaded and Unthreaded	Deleted
13 - Spinal				
ER012	Denali Spinal System / Closed Hook	Thoracic and Lumbar Closed Hooks	Various blade and throat sizes	Deleted
ER026	Caspian OCT Spinal System - Mini Mesa Polyaxial Screw	cervico-thoracic posterior rigid fixation system	Diameter: 3.5mm and 4.0mm screws Length: 10mm - 20mm (2mm increments) 25mm - 50mm (5mm increments)	Deleted
ER028	Caspian OCT Spinal System - Hook	cervico-thoracic posterior rigid fixation system	3.5mm Posterior Cervical hook	Deleted

Endo Exo Pty Ltd

06 - Specialist Orthopaedic

XO091	Modular Stem Exo Fix w/distal plasma fixation c'less w/femoral head replacement	Modular Stem Exo Fix w/distal plasma fixation c'less w/femoral head replacement	27 items with sizes in 1 mm increments diameters 14mm-22mm with a stem lengths of 140mm,160mm & 180mm. Three distal flare sizes for enhanced bone seal.	Transferred to OY001
XO092	Dual Cone Extension Niobium aluminum oxide coated Abutment	Dual Cone Extension Niobium aluminum oxide coated Abutment	5 sizes	Transferred to OY004
XO093	Modular Cylinder Extension abutment full Niobium aluminium oxide coated	Modular Cylinder Extension abutment full Niobium aluminium oxide coated	10 sizes	Transferred to OY005
XO094	Femoral Stem straight Exo Fix anatomical anterior bow w/proximal THR option c'less	Femoral Stem straight Exo Fix anatomical anterior bow w/proximal THR option c'less	27 items with sizes ranging in stem length from 140 mm to 180mm	Transferred to OY002
XO095	Modular Femoral Stem Exo Fix Anatomic C'less	Modular Femoral Stem Exo Fix Anatomic C'less	9 items with sizes ranging in 9 anatomical configurations with a stem length of 180 mm	Transferred to OY003

Endotherapeutics Pty Ltd

03 - General Miscellaneous

ET058	Soft Basket Band	Adjustable Gastric Band Implant	115 MM CUFF	Deleted
-------	------------------	---------------------------------	-------------	---------

05 - Urogenital

ET011	Macroplastique	Sterile, textured, highly cross linked polydimethylsiloxane elastomer implants suspended in a bio-excretable carrier gel.	1.3 ml	Deleted
ET059	TOA/TVA SLING, TRANSVAGINAL TRANS-OBTURATOR APPROACH	SLING FOR THE TREATMENT OF FEMALE STRESS URINARY INCONTINENCE WITH INTRA AND POST-OPERATIV ADJUSTABILITY	ONE SIZE	Deleted

Global Orthopaedic Technology

12 - Knee

GO258	Apex Revision Knee Stems	Apex revision Knee Femoral and Tibial Stems	Straight stem 9mm-25mm x 75mm -150mm Offset 9mm-25mm x 75mm-150mm x 2mm-4mm angled stem 9mm	Expanded into GO283, GO284
-------	--------------------------	---	---	----------------------------

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Hawk Medical Pty Ltd				
06 - Specialist Orthopaedic				
HA019	Hawk Anterior Ankle Fusion Set	Anatomically contoured 6 hole plate and screw set for anterior fixation of the ankle joint.	77mm in length 22mm in width 23mm depth	Transferred to IT001
HA020	Hawk Anterior Ankle Fusion Set	4.5mm screw set with lengths ranging from 35mm to 110mm.	4.5mm x length (35mm to 110mm)	Transferred to IT007
HA021	Hawk Anterior Ankle Fusion Set	3.5mm diameter screw set lengths 35mm to	3.5mm x length 35mm to 110mm	Transferred to IT008
HA022	Hawk Anterior Ankle Fusion Set	6.5mm screw set with lengths ranging from 35mm to 110 mm.	6.5mm length 35mm to 110mm	Transferred to IT009
Heraeus Medical Australia Pty Ltd				
06 - Specialist Orthopaedic				
HK007	Palacos or Palamed Bone Cement with Gentamicin	Single Mix PMMA with Gentamicin	20 grams	Compressed into HK013
HK009	Palacos or Palamed Bone Cement with Gentamicin	Single Mix PMMA with Gentamicin	40g	Compressed into HK013
Imaxeon Pty Ltd				
08 - Cardiac				
IX001	Amazonia CroCo	Balloon expandable intracoronary cobalt chromium stent premounted onto a rapid exchange delivery catheter	Lengths: 8mm, 12mm, 16mm, 20mm, 24mm, 28mm, 32, 36, and 40mm. Diameters: 2.25mm, 2.5mm, 2.75mm, 3.0mm, 3.5mm, 4.0mm, 4.50 and 5.00 mm in all lengths	Deleted
IX002	Nile CroCo	Intracoronary stent pre-mounted on two rapid exchange delivery systems for bifurcation lesions treatment	Diameter : 2.50 - 3.50mm. MB and 2.00-3.00mm SB Lengths 18 mm and 24 mm	Deleted
IX003	Minvasys Nile Delta Coronary Stent System	Balloon expandable Amazonia intracoronary cobalt chromium stent premounted onto a rapid exchange delivery catheter with tapered balloon.	Nile Delta 2.50mm diameter x 8mm length; Nile Delta 3.00mm diameter x 8mm length	Deleted
Insight Surgical Pty Ltd				
01 - Ophthalmic				
IS011	Medicontur BiFlex 677MY Hydrophilic Acrylic Foldable Multifocal Lens with Blue light Filter	Posterior chamber IOL, 360° Special Square Edge, Aspheric – Coma optimized – Multifocal – Diffractive	Optic diameter: 6.0 mm ±0.10 mm, Overall diameter: 13.0 mm ±0.20 mm Powers available: ±0.0 - +30.0 D ±0.25 D increment: 0.5 D Add: ±3.5 D ±0.5 D	Expanded into IS019, IS020, IS021
IS012	Medicontur BiFlex 677TAY Hydrophilic Acrylic Foldable Toric Lens with Blue light Filter	Posterior chamber IOL, 360° Special Square Edge, Aspheric – Coma optimized – Toric	Optic diameter: 6.0 mm ±0.05 mm, Overall diameter: 13.0 mm ±0.10 mm Powers available: ±10.0 - +30.0 D ±0.25 D increment: 0.5 D ±31.0 - +35.0 D ±0.5 D increment: 1.0 D Cylinders available: ±1.5 D - +9.0 D increment: 0.75 D ±9.0 D - +10.0 D increment: 1.0 D	Expanded into IS022, IS023, IS024, IS025, IS026, IS027, IS028, IS029, IS030

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
IS013	Preloaded Monofocal Hydrophilic 677P without Blue light Filter for Medjet PL-MA 2.2 single use injection system	Posterior chamber IOL, 360° Special Square Edge, Aspheric – Coma optimized	Optic diameter: 6.0 mm ±0.10 mm, Overall diameter: 13.0 mm ±0.20 mm Powers available: -10.0 - +9.0 D ±0.25 D increment: 1.0 D +10.0 - +25.0 D ±0.25 D increment: 0.5 D +25.5 - +30.0 D ±0.5 D increment: 0.5 D +31.0 - +45.0 D ±0.5 D increment: 1.0 D	Expanded into IS031, IS032
IS014	BiFlex 877FABY Hydrophobic Acrylic Foldable Aspheric Monofocal Lens with Blue light Filter	Posterior Chamber IOL, special 360° sharp edge, Aspheric - "Aberration Balanced"	Optic diameter: 6.0 mm ±0.10 mm, Overall diameter: 13.0 mm ±0.20 mm Powers available: -0.0 ±9.0 D ±0.25 D increment: 1.0 D +10.0 ±25.0 D ±0.25 D increment: 0.5 D +25.5 ±30.0 D ±0.5 D increment: 0.5 D +31.0 ±35.0 D ±0.5 D increment: 1.0 D	Expanded into IS033, IS034
IS015	BiFlex 877FAB Hydrophobic Acrylic Foldable Aspheric Monofocal Lens without Blue light Filter	Posterior Chamber IOL, special 360° sharp edge, Aspheric - "Aberration Balanced"	Optic diameter: 6.0 mm ±0.10 mm, Overall diameter: 13.0 mm ±0.20 mm Powers available: -0.0 ±9.0 D ±0.25 D increment: 1.0 D +10.0 ±25.0 D ±0.25 D increment: 0.5 D +25.5 ±30.0 D ±0.5 D increment: 0.5 D +31.0 ±35.0 D ±0.5 D increment: 1.0 D	Expanded into IS035, IS036

Integra Neurosciences Pty Ltd

03 - General Miscellaneous

IG140	SprayShield Adhesion Barrier System	Polymer Kit with Air Assisted Sprayer, Single-use.	10ml	Deleted
-------	-------------------------------------	--	------	---------

Johnson & Johnson Medical Pty Ltd

03 - General Miscellaneous

MN159	PROLENE™ Soft Polypropylene Mesh 2.54 x 10cm	Nonabsorbable Synthetic Surgical Mesh	2.54cm x 10cm	Compressed into MN181
MN160	PROLENE™ Soft Polypropylene Mesh 5 x 10cm	Nonabsorbable Synthetic Surgical Mesh	5cm x 10cm	Compressed into MN181
MN161	PROLENE™ Soft Polypropylene Mesh 7.6 x 15cm	Nonabsorbable Synthetic Surgical Mesh	7.6 x 15cm	Compressed into MN181
MN163	PROLENE™ Soft Polypropylene Mesh 25 x 25cm	Nonabsorbable Synthetic Surgical Mesh	25cm x 25cm	Compressed into MN180
MN164	PROLENE™ Soft Polypropylene Mesh 35.6 x 30cm	Nonabsorbable Synthetic Surgical Mesh	35.6cm x 30cm	Compressed into MN180

Kalaparna Pty Ltd

13 - Spinal

KP001	EIT Cervical Cage	Cervical cage with medical grade biocompatible titanium	4, 5, 6, 7, 8mm Small 4, 5, 6, 7, 8mm Large	Transferred to EQ003
-------	-------------------	---	--	----------------------

KLS Martin Australia Pty Limited

07 - Plastic and Reconstructive

KT041	Martin Level One Fixation	Orthodontic Locking Screw	2mm	Compressed into KT064
-------	---------------------------	---------------------------	-----	-----------------------

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
KT042	Martin Level One Fixation	Screw Titanium	Diameter 1.25 to 1.74mm	Compressed into KT064
KT050	KLS Martin Neuro Fixation System	Ultra low profile neuro plates	0.3mm thick 2 holes	Deleted
KT051	KLS Martin Neuro Fixation System	Ultra low profile neuro plates	0.3mm thick 4-7 holes	Deleted
KT052	KLS Martin Neuro Fixation System	Ultra low profile neuro plates	0.3mm thick 8-15 holes	Deleted

Lifehealthcare Pty Ltd

06 - Specialist Orthopaedic

LH497	Jazz Posterior Fixation System - Open Braid	Polyester braid with buckle and stainless steel tip	4mm width	Compressed into LH535
LH498	Jazz Posterior Fixation System - Connector	Connector/Grip Titanium Alloy	5.5mm	Compressed into LH535

13 - Spinal

LH487	Slimfuse Cervical Plate System - Plate	Low profile, narrow, scalloped, anterior cervical titanium plate	Length: 10mm to 44mm	Transferred to RI020
LH488	Slimfuse Cervical Plate System - Bone Screw	Self-tapping and self-drilling screws screw options with expandable heads and expandable tips. The screw has a unique locking mechanism whereby the screw head expands locking into the plate	4.5mm and 5.0mm diameter	Transferred to RI019
LH489	NanOss Cervical Interbody	Cervical Cage with 6 degree of lordosis	Height 5mm, 6mm, 7mm, 9mm, 11mm Footprints: 14mm Wide & 12mm Depth, 17mm Wide & 14.5mm Depth	Transferred to RI021
LH491	Jazz Posterior Fixation System - Screw Connector	A locking screw that ensures a perfect two-in-one bond of the braid and connector.	10mm	Compressed into LH535
LH526	Klementine PL	Interbody fusion cage including fixation screws	4.5-7.5mm height	Expanded into LH536, LH537

Lima Orthopaedics Australia Pty Ltd

06 - Specialist Orthopaedic

LC047	Lima Humeral Nail	Stainless steel	Dia 7 - 8mm, length 200 - 300mm	Deleted
LC048	Randelli/SMR Total Shoulder	Randelli/SMR shoulder revision cemented stem	200, 240, 280mm	Deleted
LC066	TNP® Calcaneus Bone Plate Ti	TNP® Calcaneus Bone Plate Ti	Plate has holes to accommodate screw sizes from 2 to 6mm	Deleted
LC069	TNP® SRT Net Plate Ti	TNP® SRT Net Plate Ti	One size	Deleted
LC070	TNP® Net Plate Ti	TNP net plate Ti	13x23mm	Deleted
LC075	F.T.S. BIOCMPONENT Compression Screw and Washer	F.T.S. BIOCMPONENT Compression Screw and/or Washer	Screw Dia 4.5 / 6mm x L 30-120mm / Washer Dia 13-19mm	Deleted
LC088	Clavical Fracture Wire	Threaded Clavical Fracture Wire	Diameter 2 - 2.5 - 3 - 3.5 - 4 - 4.5 - 5mm x Length 280mm	Deleted
LC096	Uninail Intramedullary Nail	Uninail Intramedullary Nail	Distal Diameter 11mm Proximal Diameter 16.5mm x Length 180-205mm x 125-130 Degrees	Deleted
LC097	Osteosynthesis Bone Plate - Mini	Osteosynthesis Bone Plate - Mini < 6 hole	Length 12 - 57 mm x 2 - 6 hole	Deleted
LC098	Osteosynthesis Bone Plate - Small	Osteosynthesis Bone Plate - Small	Length 45 - 79mm x 3 - 6 hole	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
LC103	Supernail Intramedullary	Supernail Intramedullary	Diameter 9 - 14mm x Length 205mm x 125 or 130 Deg	Deleted
LC104	Supernail Intramedullary Nail - Long	Supernail Intramedullary Nail - Long	Distal Diameter 11mm x Proximal Diameter 16.5mm x Length 280 - 400mm x 125 or 130 Deg	Deleted
LC107	Supernail / Ininail Bone Plug - Blocking Screw	Supernail / Ininail Bone Plug - Blocking Screw	Standard / Long	Deleted
LC108	Osteosynthesis Bone Plate - Mini	Osteosynthesis Bone Plate - Mini > 7 - 15 hole	Length 21 - 11mm x 7 - 15 hole plate	Deleted
LC109	WG - Mica Forefoot Surgey - Bone Screw - Small	self-threading, double threaded cannulated 3mm screws	3mm Dia x 10-40mm Length	Deleted
LC110	MTP Calcaneal Plate	MTP Calcaneal Plpate 12 Hole	12 Hole - S/M/L - Left & Right	Deleted
LC113	MCD Locking Bone Screw - smal	MCD Locking Bone Screw Small	3.5/40 mm Dia x 08-60mm Length Parital or Full Thread	Deleted
LC145	MCD K-Wire Threaded	Threaded Stainless Steel (<2mm)	0.6 to 2.0mm Dia x 150 to 200mm Length	Deleted
LC146	MCD K Wire Non-Threaded	Non-Threaded Stainless Steel (>2mm)	2.8mm Dia x 200 to 450mm Length	Deleted
LC147	MCD K Wire Non-Threaded	Non-Threaded Stainless Steel K Wire (<2mm)	0.6 to 2.0mm Dia x 150 to 200mm Length	Deleted
LC148	MCD K Wire Threaded	Threaded Stainless Steel (>2mm)	208mm Dia x 200 to 450mm Length	Deleted

11 - Hip

LC001	Lima RPS Femoral System	Cemented tumor Stem	130, 165, 200mm	Deleted
LC002	Lima RPS Femoral System	Modular Spacer	60 - 120mm	Deleted
LC003	Lima Total Hip Replacement System	F2L Multineck Femoral Stem Uncemented, beaded, with HA	1 - 6	Deleted
LC004	Lima F2L modular neck	Titanium	Short & Long (Straight & Angled)	Deleted
LC007	Lima Total Hip Replacement System	Mueller Ceramic and UHMWPE Cup (Cemented)	44 - 62mm	Deleted
LC014	Sam-Fit modular neck	Modular neck	S1-S6, L1-L6	Deleted

Link Orthopaedics Australia

11 - Hip

LO009	LINK Endo - model Saddle Prosthesis	Saddle Component	One size only	Deleted
LO010	LINK Endo - Model Saddle Prosthesis	Saddle Base Component	Sizes 1-7	Deleted
LO011	LINK Endo - Model Saddle Prosthesis	Saddle Set Screw for Base Component	One size only	Deleted
LO012	LINK Endo - Model Saddle Prosthesis	Cobal Chrome, unpolished and long	170mm / Sizes 01-5	Deleted
LO107	Beta-Cone Cementless Hip Prosthesis	Titanium, grit blast, non HA	9 Stem sizes 1-9 plus additional 9 stems with XL neck length. Total 18 sizes	Deleted
LO150	BetaCup Cementless Acetabular Cup System	Acetabular Cup system comprising of 16 metal casings, TiCaP coating, 3 Ceramic or 4 UHMWPE Inserts, head diameters from Ø 26mm and Ø 36mm	Ø	Deleted

12 - Knee

LO058	LINK Lubinus Total Patella Glide Replacement (femoral trochlear component)	Femoral trochlear Component, cemented, CoCr	Small, medium, large, extra large	Deleted
-------	--	---	-----------------------------------	---------

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
LO153	LINK Gemini Femoral Component PS	Femoral component PS, cemented, CoCr, microporus	Extra small - Extra Large	Deleted
LO154	Link Gemini Femoral Component	Femoral component, cemented, CoCR, microporous	Extra small - Extra large	Deleted
LO168	LINK Gemini Femoral Component PS	Femoral component PS Uncemented, CoCr, microporus, HX Coating (TiCap)/Calcium phosphate	Extra Small - Extra Large	Deleted
LO169	Link Gemini Femoral Component	Femoral Component, uncemented, CoCr, microporous, HX coating (TiCap)/Calcium Phosphate.	Extra small - Extra large	Deleted
LO175	Link Gemini Tibial Baseplate	Tibial Baseplate, uncemented, Microporous, HX coating (hydroxy apatite)	Extra small - Extra large	Deleted
LO176	Link Gemini Tibial Baseplate	Tibial baseplate, cemented	Extra small - extra large	Deleted
LO177	Link Gemini Tibial Insert	Tibial Insert, UHMWPE, mobile/fixed insert	Extra small - Extra large	Deleted
LO178	Link Gemini Tibial Insert	Tibial Insert, UHMWPE, Fixed PS insert	Extra small - Extra large	Deleted

LMA PacMed Pty Ltd

02 - Ear, Nose & Throat

PM028	Partial Ossicle Replacement	a) TTP Tuebingen Type bell b) CliP Dresden Type c) Malleus d) Angular Plester e) Angular CliP f) TTP - Vario Bell TTP - Variac System, Partial g) CliP Partial FlexBAL h) Duesseldorf Type Partial	a) length - 1.75 to 3.5mm b) Length 1.75 to 3.5mm c) 1075 to 3.5mm d) length 2.25 or 3.25mm e) length 2.25 or 3.25mm f) one size g) lengths - 1.75 to 3.5mm h) lengths - 1.75 to 4.5mm	Transferred to TX046
PM032	Stapes	a) NiTiBOND b) Soft CliP c) K-Piston d) Angular Piston e) CliP Piston aWengen f) CliP Piston MVP g) Lenticle Cup	a) Diameter - 0.4 or 0.6mm in lengths - 3.5 to 5.5mm b) Diameter - 0.4 or 0.6mm in lengths 3.5 to 5.5mm c) Diameter - 0.4 or 0.6mm in lengths 3.5 to 10mm d) Diameter 0.4 or 0.6mm in lengths 4.25, 4.5, 4.75mm e) Diameter - 0.4mm or 0.6mm in lengths 3.5 to 5.5mm f) Diameter 0.4 or 0.6mm in lengths - 5 to 6.25mm g) lengths - 3 to 4.5mm	Transferred to TX045
PM033	Thyroplasty	Montgomery Thyroplasty Implant System	male - 8,9,10,11,12,13 female - 6,7,8,9,10	Transferred to TX051
PM057	Tracheal Speaking Valve	1. Passy -Muir - a) Purple b) Clear c) Aqua 2. Provox - a) Two b) Vega c) Vega Puncture Set	1. One size only 2. a) 4.5, 6, 8, 10, 12.5, 15mm b) 17, 20, 22.5Fr in 4, 6, 8, 10, 12.5, 15mm c) 17, 20, 22.5Fr in 8, 10, 12.5, 15mm	Transferred to TX049

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
PM065	Ventilation Tubes / Grommet	a) Tubingen Gold Type b) Tubingen Titanium Type c) T Tube d) Reuter Bobbin Type e) Paparella Type f) Collar Button Type g) Star Tube h) Bevel Buttton Tube i) Straight Tube j) Armstrong Type k) Shepard Type l) Donaldson Type m) Angular Type n) Myringotomy Tube with Trocar o) Ventilation Tubes with Eyelets p) Minimal Type	a) I.D. 1.25mm w/w, I.D.1.25mm wo/w, I.D. 1.5mm wo/w b) one size only c) L- 6, 7.5, 12 d) I.F.O.D 2.5mm, 2.7mm e) one size only f) one side only g) one size only h) one size only i) i.d.-0.9mm,1.1mm,1.15mm j) L-3.8mm, 3.7mm, 10mm k) L- 2.2mm w/t, 2.2mm wo/t,2.4mm w/t l) S- one size only, F one size only m) one size only n) Silver or Titanium o) one or two p) one size only	Transferred to TX048
PM102	Extra-tracheal Cannula	a) Montgomery Short-Term Cannula b) Montgomery Long-Term Cannula	a) 4, 6, 8, 10 b) 4, 6, 8, 10 for Stoma Sizes 17-25, 25-33, 33-41, 41-49, 49-57, 57-65mm	Transferred to TX052
PM104	Intra-tracheal Cannula	Montgomery Safe-T-Tubes Clear and Radiopaque except c) a) Paediatric b) Standard c) Hebelers d) Thoracic e) Extra-Long f) Tapered g) Montgomery Salivary Bypass Tube h) Har-el Pharyngeal Tube i) Montgomery Esophageal Tube j) Trachael Fenestrator k) Moore Trache	a) 6, 7, 8, 9 b) 10, 11, 12, 13, 14, 15, 16 c) 12, 15, 18 d) 10, 11, 12, 13, 14, 15, 16 e) 10, 11, 12, 13, 14, 15, 16 f) 8/10, 10/13 g) 8, 10, 12, 14, 16, 18, 20 h) one size only i) one size only j) size 6, 8 and 10 k) size 6 and 8	Transferred to TX053
PM107	Vocal Chord Medialisation Implant	Montgomery Laryngeal Keel	12, 14, 16 - Clear and Radiopaque	Transferred to TX050
PM119	Total Ossicle Replacement	a) TTP Tuebingen Type Aerial Type b) TTB-Vario Aerial c) TTP Variac System Total d) Malleus Notch Prosthesis e) Regensburg Type Titanium Prosthesis f) Malleus Replacement g) Regensburg Type Total h) Duesseldorf Type Total	a) Length - 3 to 7mm b) one size only d) Length - 3 to 7mm e) Length - 4 to 5mm f) one size only g) lengths - 4 to 5mm h) lengths - 3 to 7mm	Transferred to TX047

LMT Surgical Pty Ltd

06 - Specialist Orthopaedic

LM050	Biotech Easy Lock Osteosystem	Titanium and PEEK	2-10 holes straight	Transferred to WR278
LM051	Biotech Easy Lock System	Easy Lock Plating System	Various	Transferred to WR279
LM060	BioTech Xpode 4	PEEK curved and round plate	14mm-22mm	Transferred to WR289

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
LM067	Crossbone	Bone substitute	Wedges:6-15mm height Blocks: height 3 -10mm, Width 3-10mm, length10-20mm Granules: Granule size 0.5 - 3.5mm, Volume 0.4 - 5cc	Transferred to WR287
LM074	Elix (plate)	PEEK HTO plate	4 Hole, right and left plate.	Transferred to WR276
LM150	Fyxis plate	Foot plate	40-55mm	Transferred to WR277
LM151	Fyxis plate screw	Foot Plate Screw	9-55 mm	Transferred to WR280
LM152	Unima Screw	Foot Screw 7.2	7.2 x 50 - 120mm	Transferred to WR281
LM153	Unima Screw	Foot Screw 4.5	4.5 x 30 - 50mm	Transferred to WR282
LM154	EOS Footset-Antares	Footscrew	12-34mm	Transferred to WR283
LM155	EOS Footset - Entos	Footscrew	11-14mm	Transferred to WR284
LM156	EOS Footset-Pyxis	Footscrew	11-28mm	Transferred to WR285
LM157	EOS Footset - Varisation staple	Foot staple	8-10mm	Transferred to WR286
LM158	Pareous staple	Foot staple	1.5mm 6-14 and 2.5mm 14-30	Deleted
LM159	Eleos staple	Foot staple	4-34/38mm	Transferred to WR290
LM176	Cross Bone 5-10cc	Bone substitute	Blocks-Height:10mm, Width:14-20mm, Length:30-40mm (Volume: 5.6-6.0cc) Granules - Granule size 0.5-3.5mm; volume 10cc	Deleted
LM177	Cross Bone 10-20cc	Bone Substitute	Blocks - Height: 15mm, Width: 30mm Length:35mm (Volume:15.75cc) Granyles - Granule size 0.5-3.5mm; Volume 20cc	Deleted

Maquet Australia Pty Ltd

08 - Cardiac

MQ008	Cinatra Cobalt Chromium Coronary Stent System	The Cinatra Cobalt Chromium Coronary Stent System consists of a balloon expandable Cobalt Chromium stent premounted on a rapid exchange system	Diameter range: 2.5mm - 3.5mm. Length range: 8mm - 25mm	Deleted
-------	---	--	---	---------

10 - Vascular

MQ007	Advanta SST	Bifurcated PTFE Graft	12mm - 24mm X 6mm - 12mm Length 40cm	Deleted
-------	-------------	-----------------------	--------------------------------------	---------

Mayo Healthcare Pty Ltd

03 - General Miscellaneous

YO013	EndoMaxx Fully Covered Oesophageal Stent	Oesophageal stent, radiopaque, self expanding nitinol covered and premounted on delivery system	Diameter 19mm-23mm. Length 70mm-150mm.	Transferred to TX038
YO014	Alimaxx-B Uncovered Biliary Stent System	Biliary stent, radiopaque, self expanding nitinol and premounted on delivery system	Diameter 8mm-10mm. Length 40mm-80mm	Transferred to TX039

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
YO016	ALIMAXX-E Esophageal Stent System	Esophageal stent, radiopaque, self expanding nitinol covered stent, premounted on a delivery system	Diameter 18-22mm, Length 70-120mm	Transferred to TX041
YO017	AERO Tracheobronchial Stent System	Radiopaque self-expanding nitinol stent and delivery system	Diameter 10-20mm, length 20-80mm	Transferred to TX042
05 - Urogenital				
YO019	ReSolve (Nephrostomy) Locking Drainage Catheter	Nephrostomy Catheter	6.5F x 15cm, 7.5F x 15cm, 8.5F x 15cm, 10F x 15cm, 12F X 15cm, 14F x 15cm, 6.5F x 25cm, 7.5F x 25cm, 8.5F x 25cm, 10F x 25cm, 12F x 25cm, 14F x 25cm, 6.5F x 40cm, 7.5F x 40cm, 8.5F x 40cm, 10F x 40cm, 12F x 40cm, 14F x 40cm	Transferred to TX044
10 - Vascular				
YO001	Arrow Peripherally Inserted Central Catheterisation Sets	Range of Polyurethane single lumen peripherally inserted central catheters with or without stylet	3 Fr, range of lengths	Transferred to TX026
YO002	Arrow Peripherally Inserted Central Catheterisation Sets	Range of Polyurethane single lumen peripherally inserted central catheters with or without stylet	4 Fr, range of lengths	Transferred to TX027
YO003	Arrow Peripherally Inserted Central Catheterisation Sets	Range of Polyurethane double lumen peripherally inserted central catheters with or without stylet	4 and 5 Fr, range of lengths	Transferred to TX028
YO004	ARROWg+ard Blue Haemodialysis Catheters	Haemodialysis Catheters (of various lengths, sizes and lumen configurations) with antimicrobial impregnation (chlorhexidine and silver sulphadiazine) on the external surface of the polyurethane catheter material.	CS-22122 - 12Fr 16cm, Dual Lumen CS-22123 - 12Fr 16cm, Triple Lumen CS-25122 - 12Fr x 20cm, Dual Lumen CS-22142CF - 14Fr x 15cm, Dual Lumen, Curved, Firm CS-22142F - 14Fr x 15cm, Dual Lumen Firm CS-25122 - 12Fr x 20cm, Double Lumen CS-25123 - 12Fr x 20cm, Triple Lumen CS- 25142CF - 14Fr x 20cm, Double Lumen, Curve, Firm CS-25142F - 14Fr x 20cm, Double Lumen, Firm CS-26142F - 14Fr x 25cm, Double Lumen, Firm CU-22122 - 12Fr x 16cm, Double Lumen, Curved CU-23122 - 12Fr x 13cm, Double Lumen, Curved CU-25122 - 12Fr x 20cm, Double Lumen, Curved, Dual Lumen CS-22142CF - 14Fr x 15cm, Dual Lumen, Curved, Firm CS-22142F - 14Fr x 15cm, Dual Lumen Firm CS-25122 - 12Fr x 20cm	Transferred to TX029
YO005	ARROWg+ard Blue Single Lumen Central Venous Catheters	A polyurethane central venous catheter with Blue FlexTip (of various lengths, sizes and lumen configurations) with antimicrobial impregnation (chlorhexidine and silver sulphadiazine) on the external surface of the polyurethane catheter body.	CS-24301 - 16g x 20cm, Single Lumen, Adult CS-24306E-16g x 16cm, Single Lumen Adult CS-24701 - 14g x 20cm, Single Lumen Adult CS-24706E -14g x 16cm, Single Lumen, Adult	Transferred to TX030
YO006	ARROWg+ard Four & Five Lumen Central Venous Catheters	A polyurethane central catheter with Blue FlexTip (of various lengths, sizes and lumen configurations) with antimicrobial impregnation (chlorhexidine and silver sulphadiazine) on the external surface of the polyurethane catheter material	CS-22854E - 8.5 Fr x 16cm, Quad Lumen CS-25854E - 8.5Fr x 20cm, Quad Lumen CS-22855 - 8.5 x 16cm, Five Lumen CS-25855 - 8.5Fr x 20cm, Five Lumen	Transferred to TX031

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
YO007	ARROWg+ard Blue Double & Triple Lumen Central Venous Catheters	A polyurethane central venous catheter with Blue FlexTip (of various lengths, sizes and lumen configurations) with antimicrobial impregnation (chlorhexidine and silver sulphadiazine) on the external surface of the polyurethane catheter material	CS-24402 - 4Fr x 13cm, Dual Lumen CS-22502 - 5Fr x 5cm, Dual Lumen CS-25402 - 4Fr x 8cm, Dual Lumen CS-25502 - 5Fr x 12cm, Dual Lumen CS-22702E - 7Fr x 16cm, Double Lumen CS-26702 - 7Fr x 20cm, Double Lumen CS-27702E - 7Fr x 20cm, Double Lumen CS-25553 - 5.5Fr x 8cm, Triple Lumen CS-22703E - 7Fr x 16cm, Triple Lumen CS-26553 - 5.5Fr x 13cm, Triple Lumen CS-24703E - 7Fr x 30cm, Triple Lumen CS-25703E - 7Fr x 20cm, Triple Lumen	Transferred to TX032
YO008	ARROWg+ard Blue Plus QUAD Lumen Central Venous Catheters	Central Venous Catheters (of various lengths, sizes and lumen configurations with antimicrobial impregnation on: 1. The external indwelling surface of catheter material (chlorhexidine and silver sulphadiazine) 2. The entire internal fluid pathway including catheter, extension-lines and hubs (chlorhexidine acetate)	CS-42854E - 8.5Fr x 16cm, Quad Lumen CS-45854E - 8.5Fr x 20cm, Quad Lumen	Transferred to TX033
YO009	ARROWg+ard Blue Plus Double & Triple Lumen Central Venous Catheters	Double & Triple Lumen Central Venous Catheters (of various lengths sizes and lumen configurations) with antimicrobial impregnation on: 1. The external indwelling surface of catheter material (chlorhexidine and silver sulphadiazine) 2. The entire internal fluid pathway including catheter, extension-lines and hubs (chlorhexidine acetate)	CS-45802E - 8 Fr x 20cm, Dual Lumen CS-46702E - 7Fr x 20cm, Dual Lumen CS-47702E - 7Fr x 20cm, Dual Lumen CS-42703E - 7Fr x 16cm, Triple Lumen CS-45703E - 7Fr x 20cm, Triple Lumen	Transferred to TX034
YO010	Arrow multi lumen pressure injectable peripherally inserted central catheter (PICC) sets	Arrow multi lumen pressure injectable PICC (peripherally inserted central catheter) sets	4, 5, 6Fr multi lumen Pressure Injectable PICCs various Pressure Injection rates, various lengths. Double & triple Lumen configurations.	Transferred to TX035
YO011	Arrow single lumen pressure injectable peripherally inserted central catheter (PICC) sets	Single lumen pressure injectable peripherally inserted central catheter (PICC) sets	3, 4, Fr single lumen Pressure Injectable PICCs various Pressure Injection rates, various lengths.	Transferred to TX036
YO012	Arrow Cannon II Plus Chronic Haemodialysis Catheter Set	Dual Lumen, Retrograde Tunneled, Cuffed, Tip First, Chronic Haemodialysis Catheter Set	15Fg x 24 - 55cm	Transferred to TX037
YO015	Arrow Pressure Injectable Triple-Lumen PICC.	Pressure injectable triple lumen PICC (Peripherally Inserted Central Catheter) Set	6Fg x 50cm, triple lumen	Transferred to TX040
YO018	Pressure Injectable ARROWg+ard® Blue Plus Antimicrobial Multi-Lumen Central Venous Catheters	Pressure Injectable Multi Lumen Central Venous Catheters (of various lengths sizes and lumen configurations) with antimicrobial impregnation of the internal and external catheter with Chlorhexidine and Silver Sulphadiazine.	CS42703HP: 16cm x 7Fr Triple Lumen Catheter CS45703HP: 20cm x 7Fr Triple Lumen Catheter CS42854HP: 16cm x 8.5Fr Quad Lumen Catheter CS45854HP: 20cm x 8.5Fr Quad Lumen Catheter	Transferred to TX043

Medical Specialties Australia Pty Ltd

05 - Urogenital

MS055	TiLOOP Male	Tension-free mesh made out of titanized polypropylene for restoration of male urinary continence.	65 g/m2 (strong)	Deleted
MS060	TiLOOP Tape	Tension-free non-absorbable titanised tape	light / extralight	Deleted
MS061	TiLOOP Two Kit	Tension-free non-absorbable titanised polypropylene mesh for posterior pelvic floor repairs with instruments	light, extralight, small, medium	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
MS062	TiLOOP Four Kit	Tension-free non-absorbable titanised polypropylene mesh for anterior pelvic floor repairs with instruments	light, extralight, small, medium	Deleted
10 - Vascular				
MS063	Peripherally Inserted Central Catheter	Single Lumen Power Injectable PICC	3 - 5Fr; 55 - 65cm	Deleted
MS064	Peripherally Inserted Central Catheter	Multiple Lumen Power Injectable PICC	5 - 7Fr; 55 - 65cm	Deleted
Medtronic Australasia Pty Ltd				
02 - Ear, Nose & Throat				
MC265	Silicone Blocks	Netterville Phonoform Block - Right, Left, Wedge & Strip	Right - One size only, Left - One size only, Wedge - One size only & Strip - One size only	Transferred to IG143
04 - Neurosurgical				
MI047	Intrathecal catheter accessory	Synchromed connector (40 degree)	One size only	Deleted
13 - Spinal				
MC299	Centerpiece	TiMesh LP	Open Door (OD) Plate	Compressed into MI174
MC309	Centerpiece	TiMesh LP	French Door (FD) Plate	Compressed into MI174
MC343	Venture Self Drilling Screws	single or multi level plate construct, titanium alloy	4.0mm x 8mm - 21mm ; 4.5mm x 8mm -21mm variable Angled	Compressed into MI175
MC344	Venture Self Drilling Screws	single or multi level plate construct, titanium alloy	4.0mm x 8mm - 21mm, 4.5mm x 8mm - 21mm Fixed Angled	Compressed into MI175
MC347	Venture Self tapping Screws	Single or multi level plate construct, titanium alloy.	4.0mm x 8mm - 21mm; 4.5mm x 8mm - 21mm Variable Angled	Compressed into MI175
MC348	Venture Self tapping Screws	Single or multi level plate construct, titanium alloy.	4.0mm x 8mm - 21mm; 4.5mm x 8mm - 21mm Fixed Angled	Compressed into MI175
MC505	Orfil	L-Shaped Rods	5-510mm	Deleted
MC540	LIFT/ VERTE-SPAN	End plates (caps)	Angulation: -8 - 7 degrees; left and right	Deleted
MC617	Nucleus Replacement	Spinal Disc	Thickness 5-25mm, Diameter 10-50mm	Deleted
MC654	Engage	Breakoff Set Screw	one size only	Deleted
MC657	Pyramid	Pyramid Cover Plate and Set Screw	17mm - 35mm length in 2 mm increments	Deleted
MC661	Pyramid	Pyramid Plate	17mm - 35mm	Deleted
MC665	Engage	Connector	Small, Medium, Large	Deleted
MC677	SiLo	Hook	Right, left, front	Deleted
MC724	Colorado Spinal System	Closed Hooks	5.5mm-6.35mm	Deleted
MC860	Silo	Fixed Screw	4.5 - 8.5mm Diameter	Deleted
MC861	Silo	Mutliaxial Screw	4.5 - 8.5mm Diameter	Deleted
MC862	Silo	Sagittal Screw	4.5 - 8.5mm Diameter	Deleted
MC947	Centrepiece	TiMesh LP	Open Door Graft (GP) Plate	Compressed into MI174
MC948	Centrepiece	TiMesh LP	Trough Plate	Compressed into MI174

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
MII55	Divergence Anterior Cervical Fusion Mini-Plate System	Divergence Miniplate Screw - Dual thread self drilling/self tapping screw	3.5-4.0mm x 9-24mm	Expanded into MII76, MII77
MII63	Divergence Anterior Cervical Fusion Standalone System	Divergence anterior cervical fusion system Standalone screw	3.5mm-4.0mm x 9 -17mm	Expanded into MII78, MII79

N Stenning & Co Pty Ltd

03 - General Miscellaneous

NG006	Horizon Ligating Clips	Ligation Clips Titanium	Small (6 per cartridge)	Transferred to TX006
NG007	Horizon Ligating Clips	Ligation Clips Titanium	Small (24 per cartridge)	Transferred to TX007
NG008	Horizon Ligating Clips	Ligation Clips Titanium	Medium (6 per cartridge), Micro (6 per cartridge)	Transferred to TX008
NG009	Horizon Ligating Clips	Ligation Clips Titanium	Medium (24 per cartridge)	Transferred to TX009
NG010	Horizon Ligating Clips	Ligation Clips Titanium	Medium/Large (6 per cartridge)	Transferred to TX010
NG011	Horizon Ligating Clips	Ligation Clips Titanium	Medium/Large (24 per cartridge)	Transferred to TX011
NG012	Horizon Ligating Clips	Ligation Clips Titanium	Large (6 per cartridge)	Transferred to TX012
NG013	Horizon Ligating Clips	Ligation Clips Titanium	Large (24 per cartridge)	Transferred to TX013
NG014	Hemoclip	Titanium Clips	Small, Medium (25 per cartridge); Large (15 per cartridge)	Transferred to TX014
NG016	Hemoclip	Titanium Clips	Medium (10 per cartridge)	Transferred to TX015
NG017	Hemoclip	Titanium Clips	Small (10 per cartridge)	Transferred to TX016
NG018	Hemoclip	Titanium Clips	Med-large (10 per cartridge)	Transferred to TX017
NG019	Hemoclip	Titanium Clips	Large (10 per cartridge)	Transferred to TX018
NG020	EZLoad Ligating Clips	Titanium Clip	Small (25 per cartridge); Med-Large, Large (10 per cartridge)	Transferred to TX019
NG021	EZLoad Ligating Clips	Titanium Clip	Medium (25 per cartridge)	Transferred to TX020
NG022	EZLoad Ligating Clips	Titanium Clip	Small, Medium (10 per cartridge)	Transferred to TX021
NG023	Hemoclip Plus	Ligation System Small and Medium	15 small preloaded clips and 20 medium preloaded clips	Transferred to TX022
NG025	Hem-o-Lok Polymer Non-Absorbable Ligating Clip	Hem-o-lok Medium (M), Medium-Large (ML) and Large (L) Polymer Clips	Small, Medium, Medium-Large, Large (6 clips/cartridge)	Transferred to TX023
NG043	Weck Hem-o-lok	Hem-o-lok Automatic Endo Applier	15 Clips per applier	Transferred to TX024
NG044	Hem-o-lok Polymer Non-Absorbable Ligating Clip	Hem-o-lok Extra-large (XL) Polymer Clips	Extra-large (XL) (6 clips/cartridge)	Transferred to TX025

05 - Urogenital

NG028	DD Ureteric Tumor Stent Set	Open/Closed end with introducer and guide wire, Polyurethane	20 - 28cm	Transferred to TX003
NG030	Paediatric Ureteric Valve Stent Set	Open end with introducer and guidewire, Polyurethane	12 - 22cm	Transferred to TX004
NG046	Paediatric Ureteric Valve Stent Set	Fixed length wirthan stent	12 - 22cm	Transferred to TX005

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Ophthalmico Pty Ltd				
01 - Ophthalmic				
OQ001	Hydrus Microstent	Intracanalicular scaffold, made from a biocompatible alloy, for the treatment of primary open angle glaucoma	8 mm in length	Deleted
Orthotech Pty Ltd				
06 - Specialist Orthopaedic				
OH442	Hemi-Great Toe Implant	Great Toe implant, Cobalt Chromium	XS, S, M, L	Transferred to LM264
OH443	Reflexion 1st MPJ Implant System	Reflexion metatarsal stems, 3 part 1st MPJ reconstruction system, 2 part composition - titanium/cobalt chrome, 1 part composition - titanium/UHMWPE,	Small, medium, large	Transferred to LM265
OH444	Reflexion 1st MPJ Implant System	Reflexion metatarsal heads, 3 part 1st MPJ reconstruction system, 2 part composition - titanium/cobalt chrome, 1 part composition - titanium/UHMWPE,	Standard, long, extra-long	Transferred to LM266
OH445	Reflexion 1st MPJ Implant System	ReflexionPhalangeal Bases, 3 part 1st MPJ reconstruction system, 2 part composition - titanium/cobalt chrome, 1 part composition - titanium/UHMWPE,	Small, medium, large	Transferred to LM267
OH446	ExtremiFix Screws	Headless Cannulated Compression Screw	Diameter 3.0mm, 4.0mm. Length 10mm to 52mm; Diameter 2.71mm - 4.49mm.	Transferred to LM268
OH447	ExtremiFix Screws	Headless Cannulated Compression Screw	Diameter 2.0mm, 2.4mm. Length 10mm to 52mm; Diameter 2.01mm - 2.7mm	Transferred to LM269
OH448	Bio-Action Great Toe Implant	Bio-Action Phalangeal Implant, Titanium Alloy and UHMWPE.	Small neutral/ small modified/ large modified.	Transferred to LM270
OH449	Bio-Action Great Toe System	Bio-Action Metatarsal Implant Cobalt Chrome	Small neutral / small left/ small right/ large neutral	Transferred to LM271
OH450	OsteoMed FPS	Titanium locking footplates	3.5mm and 4mm	Transferred to LM272
OH451	OsteoMed FPS	Titanium Locking footplates	3.5mm and 4mm	Transferred to LM273
OH452	OsteoMed FPS	Bone screw - std	2/2.7mm x 8-22mm	Transferred to LM249
OH453	OsteoMed FPS	Bone Screws - Locking	2/2.7m x 8-22mm	Transferred to LM250
OH454	OsteoMed FPS	Bone screws	3.5/4mm x 10-60mm	Transferred to LM251
OH455	OsteoMed FPS	Bone screws	3.5/4mm x 10-60mm	Transferred to LM252
OH456	OsteoMed FPS	Titanium locking footplates	2mm and 2.7mm	Transferred to LM253
OH457	OsteoMed FPS	Titanium locking footplates	2mm and 2.7mm	Transferred to LM254
OH458	OsteoMed FPS	Screw Washers	2/2.7/3.5/4.0mm	Transferred to LM255
OH459	OsteoMed HPS	Bone Screws - threaded/lag	1.2/1.6/2.0mm x 4-36mm	Transferred to LM256
OH460	OsteoMed HPS	Bone screws - angled locking	1.6/2mm x 6-36mm	Transferred to LM257
OH461	OsteoMed HPS	Bone screws - cannulated headless	2.0mm x 10-36mm	Transferred to LM258

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
OH462	OsteoMed HPS	Bone screws - cannulated headless	2.4mm x 10-36mm	Transferred to LM259
OH463	OsteoMed HPS	Bone screws - angled locking	2.4mm x 6-36mm	Transferred to LM260
OH464	OsteoMed HPS	Bone screws - threaded/lag	2.4mm x 4-36mm	Transferred to LM261
OH465	Osteomed HPS	Low Profile hand plates	1.2/1.6/2.0/2.4mm 4-12 hole; straight, L, T	Transferred to LM262
OH466	OsteoMed HPS	Low Profile hand plates	1.2/1.6/2.0/2.4mm 4-12 hole; Complex	Transferred to LM263

Pyramed Pty Limited

05 - Urogenital

PY013	Optimed nephrostomy catheter set	Soft polyurethane drainage sets	7-14Fr., length 25cm - 30cm	Deleted
PY014	Optimed nephrostomy catheter	Soft polyurethane drainage catheter	7-14Fr., length 25cm - 30cm	Deleted

RQSolutions Medical Devices Distribution Support

06 - Specialist Orthopaedic

RQ008	Orthomed Absorbable Screwed Anchors - two sutures	Absorbable screwed anchors are made of a lactic-acid copolymer: poly (L,DL - lactide) anchor, with two non absorbable sutures of braided ultra-high molecular weight polyethylene (UHMWPE) with and without needles. This anchor is placed on a single use insertion device.	Two sizes: 5.5mm absorbable screwed anchor with 2 sutures #2 with needles 5.5mm absorbable screwed anchor with 2 sutures #2 without needles	Deleted
RQ009	Orthomed Metallic Suture Screwed Anchors	Metallic screwed anchors are made of a titanium, with one or two sutures of braided ultra-high molecular weight polyethylene (UHMWPE) with or without needles. This anchor is placed on a single use insertion device. The ORTHOMED single-use insertion device is composed of a stainless steel axis and a polymer handle.	A total of 1 size 3mm	Deleted
RQ010	Orthomed Metallic Suture Screwed Anchors	Metallic screwed anchors are made of a titanium, with one or two sutures of braided ultra-high molecular weight polyethylene (UHMWPE) with or without needles. This anchor is placed on a single use insertion device. The ORTHOMED single-use insertion device is composed of a stainless steel axis and a polymer handle.	A total of 1 size 2mm	Deleted
RQ012	Orthomed Osteotomy & Ligament Staples	Osteotomy Staple. Cast Chromium-cobalt non-absorbable. Stainless Steel non-absorbable.	10*8, 10*10	Deleted
RQ014	Orthomed Osteotomy & Ligament Staples	Ligament Staple. Cast Chromium-cobalt staples, non-absorbable.	6.6*20, 6.6*15	Deleted
RQ016	Orthomed Osteotomy & Ligament Staples	Ligament Staple. Cast Chromium-cobalt staples, non-absorbable.	10*25, 5*25	Deleted
RQ017	Orthomed Osteotomy & Ligament Staples	Ligament Staple. Cast Chromium-cobalt staples, non-absorbable	16*12.5	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
RQ046	Orthodynamics The Integral Leg Prosthesis - Modular Femoral Stem (as a component of The Integral Leg Prosthesis)	Orthodynamics The Integral Leg Prosthesis- Modular Femoral Stem	82 items with sizes ranging in stem length from 140mm to 180mm	Transferred to OY008
RQ047	Orthodynamics The Integral Leg Prostheses- Central Screw (as a component of the Orthodynamics The Integral Leg Prosthesis	Orthodynamics The Integral Leg Prosthesis- Central Screw	1 size	Transferred to OY007
RQ048	Orthodynamics The Integral Leg Prostheses-Dual Cone Extension (as a component of the Orthodynamics The Integral Leg Prosthesis	Orthodynamics The Integral Leg Prosthesis-Dual Cone Extension	6 sizes	Transferred to OY009
RQ049	Silicone cap (as a component of the Orthodynamics The Integral Leg Prosthesis	Orthodynamics The Integral Leg Prosthesis- Silicone Cap	1 size	Deleted
RQ050	Dual Cone Locking Extension (as a component of the Orthodynamics The Integral Leg Prosthesis	Orthodynamics The Integral Leg Prosthesis-Dual Cone Locking Extension	6 sizes	Transferred to OY006
RQ051	Taper Sleeve Connector (as a component of the Orthodynamics The Integral Leg Prosthesis)	Orthodynamics The Integral Leg Prosthesis -Taper Sleeve Connector	1 size only	Deleted
RQ052	Offset Antirrotational Locking Busing (as a component of the Orthodynamics The Integral Leg Prosthesis)	Orthodynamics The Integral Leg Prosthesis -Offset Antirrotational Locking Bushing	3 sizes	Deleted
RQ053	Orthodynamics The Integral Leg Prosthesis - Permanent Unidirectional Locking Fixture (as a component of tehOrthodynamics The Integral Leg Prosthesis	Orthodynamics The Integral Leg Prosthesis - Permanent Unidirectional Locking Fixture	1 size	Deleted
RQ062	Orthomed Osteotomy & Ligament Staples	Osteotomy Staple. Cast Chromium-cobalt non-absorbable. Stainless Steel non-absorbable. Non-sterile 57-73	20*25, 26*25, 36*25, 26*34, 34*34, 24*36, 24*40,24*44	Deleted
RQ063	Orthomed Osteotomy & Ligament Staple	Osteotomy Staple. Cast Chromium-cobalt staples, non-absorbable	20*25	Deleted
RQ064	Orthomed Osteotomy & Ligament Staple	Osteotomy Staple. Cast Chromium-cobalt non-absorbable.	26*25, 36*25, 26*34, 34*34, 24*36,24*40,24*44	Deleted
RQ065	Orthomed Osteotomy & Ligament Staples	Osteotomy Staple. Cast Chromium-cobalt non-absorbable. Stainless Steel non-absorbable. Non-sterile 57-75	16*25, 18*25, 20*25, 22*25, 26*25, 32*25, 36*25	Deleted
RQ066	Orthomed Osteotomy & Ligament Staple	Osteotomy Staple. Cast Chromium-cobalt non-absorbable.	16*25, 18*25, 20*25	Deleted
RQ067	Orthomed Osteotomy & Ligament Staple	Osteotomy Staple. Cast Chromium-cobalt non-absorbable.	22*25, 26*25, 32*25, 36*25	Deleted
RQ068	Orthomed Osteotomy & Ligament Staples	Ligament Staple. Cast Chromium-cobalt staples, non-absorbable	6*15, 6*20, 8*15, 8*20	Deleted
RQ069	Orthomed Osteotomy & Ligament Staples	Ligament Staple. Cast Chromium-cobalt staples, non-absorbable.	11*15, 11*20, 16*20, 16*15	Deleted
11 - Hip				
RQ018	2000 Plus Acetabular UHMWPE Liner	UHMWPE, titanium or CoCr locking lug, neutral & hooded	28-32mm inner diameter	Deleted
RQ020	Eska Ceramic Femoral Head	Ceramic, biolox forte	28-32mm	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
RQ023	Cranial Acetabular Reconstruction Shells	CoCr, Titanium, 3 dimensional, non HA, various locking & flanges from eccentric to small & large proximal flanges	52mm - 72mm Left and Right	Deleted
RQ024	Adapter Femoral Neck	CoCr, varying versions & offsets	One Size	Deleted
RQ025	BS Acetabular Shell with HA	CoCr, Titanium spray, 3 dimensional metal, variable screw holes, HA	46-68mm	Deleted
RQ026	BS Acetabular Shell non HA	CoCr, Titanium spray, 3 dimensional metal, variable screw holes, without HA	46-68mm	Deleted
RQ028	ESKA Metal Femoral Head	CoCr	28mm - 32mm	Deleted
RQ029	Silver Surf Large Metal Head	CoCr, metal on metal, dimpled, large	36mm - 48mm	Deleted
RQ030	BS Dysplasia Acetabular Shell	CoCr, Titanium spray, 3 dimensional metal, variable screw holes and proximal flange, without HA	46-66mm	Deleted
RQ031	BS Acetabular UHMWPE Liner	UHMWPE, for all head sizes	28mm-48mm inner diameter	Deleted
RQ032	2000 Plus Acetabular Metal Shell	CoCr, Titanium Spray, 3 Dimensional Metal, Variable Screw Holes, HA	44-68mm	Deleted
RQ033	PE Liner 2000 Plus S-Snap Lock	Constrained Acetabular Liner - UHMWPE, neutral	32mm inner diameter, 52-68mm outer diameter	Deleted
RQ034	MML Tumor Revision System	Screw for Trochanter Module	20 to 50mm in Length, in 10mm increments	Deleted
RQ035	MML Tumor Revision System	Trochanteric Module - Cemented Adapter Version, CoCr, Smooth	Left or Right with Taper Locking 12/14	Deleted
RQ036	MML Tumor Revision System	Locking Screw	One size	Deleted
RQ037	MML Tumor Revision System	Extension Module with Taper Locking 16/18	7 Sizes in 10mm increments; 30mm - 160mm Length	Deleted
RQ038	MML Tumor Revision System	Connection Module - Connects the Extension modules with the dual taper	Various	Deleted
RQ039	MML Tumor Revision System	Adapter Stem with Taper for Tibia and Femur - Cemented	10 to 16mm Diameters, each 120 & 160mm in Length	Deleted
RQ043	2000 Plus Acetabular Metal Shell	CoCr, Titanium Spray, 3 Dimensional Metal, Variable Screw Holes,	44-68mm	Deleted
RQ044	MML Tumor Revision System	Connection Module for Intramed, Prosthesis and Arthodesis-Connection	T10/12 - 16/18, IK16/18 - 16/18 with 70mm in Length	Deleted
RQ045	ESKA Bipolar Femoral Head	CoCr, UHMWPE with inner femoral head included	various diameters	Deleted
RQ073	GHE Hip Stem	anatomic shaped femoral stem for THR with a 3D-open structure for bony ingrowth	The GHE Hip stem is available for the left and right body size. For each body side the stem is available in 7 sizes (90mm - 150mm in 10mm steps)	Deleted
RQ074	GHE Hip Stem CaP-Coated	anatomic shaped femoral stem for THR with a 3D-open calcium phosphate coated structure for bony growth	the GHE Hip stem CaP-coated is available for the left and right body size. For each body side the stem is available in 7 sizes (90mm - 150mm in 10mm steps)	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
12 - Knee				
RQ022	RP (Rotating Platform) patella component	Patella, all polyethylene (UHMWPE), can be used either cemented or uncemented	small, medium, large	Deleted
RQ040	ESKA Tumor Revision System MML	Distal femoral implant	various sizes	Deleted
RQ041	ESKA Tumor Revision System MML	Distal femoral implant	various sizes	Deleted
RQ042	Tumor Revision System MML	Total femoral implant	various sizes	Deleted

Sherwood Davis & Geck

03 - General Miscellaneous

SG001	Gastrostomy Tube	EntriStar Single Pass PEG	16fg, 20fg	Transferred to AS210
-------	------------------	---------------------------	------------	----------------------

Signature Orthopaedics

06 - Specialist Orthopaedic

SF057	Bio-Composite Interference Screw	HA infused Ploymer Interference Screws	5-12mm	Expanded into SF096, SF097
-------	----------------------------------	--	--------	----------------------------

13 - Spinal

SF022	Australis Spine System	Thoracolumbar Cage	small to extra large	Expanded into SF085, SF086
-------	------------------------	--------------------	----------------------	----------------------------

Slater International Pty Ltd

06 - Specialist Orthopaedic

LA001	Hawk 6.5mm Cannulated Screw System	6.5mm Cannulated Screw	6.5mm in diameter 45 to 115mm in length	Transferred to IT010
LA002	Hawk 6.5mm Cannulated Screw System - Guide Pin	Threaded, Stainless steel	2.5mm in diameter and 200 in length	Transferred to IT004
LA003	Hawk 6.5mm Cannulated Screw System - Washer	Titanium Washer	Internal diameter 6.6mm and external diameter 14mm	Transferred to IT002
LA004	Hawk 4.0mm Cannulated Screw System	4.0mm Cannulated screw	4.0mm in diameter with lengths of 26mm to 70mm	Transferred to IT011
LA005	Hawk 4.0mm Cannulated Screw system - Guide Pin	Threaded, Stainless steel	1.5mm in diameter and length of 200mm	Transferred to IT005
LA006	Hawk 4.0mm Cannulated Screw System - Washer	Titanium washer	internal diameter of 4.13mm and external diameter of 10mm	Transferred to IT003
LA007	Hawk 2.0mm Twist off Screw	2.0mm Twist off Screw	2.0mm in diameter with lengths of 11mm to 20mm	Transferred to IT013
LA008	Hawk 3.0mm Cannulated Screw system	3.0mm cannulated screw	3.0mm in diameter with lengths of 14mm to 50mm	Transferred to IT012
LA009	Hawk 3.0mm Cannulated Screw System - guide pin	Threaded, stainless steel	1.0mm in diameter with a length of 200mm	Transferred to IT006

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Spinal Modulation				
04 - Neurosurgical				
OD015	Axiom Neurostimulator System - Implantable Neurostimulator	Spinal modulation implantable neurostimulator.	1 size; 31cc (1 presentation)	Transferred to SJ362
OD016	Axiom Neurostimulator System - 22cm Delivery Sheath Kit - small curve and big curve	22cm delivery sheath kit - small curve and big curve.	2 sizes (2 presentations) 1 x Big Curve -MN23950AU 1 x Small Curve - MN23850AU	Transferred to SJ354
OD017	Axiom Neurostimulator System - Programmer - Patient	Programmer - patient	1 size (1 presentation)	Transferred to SJ355
OD018	Axiom Neurostimulator System - Lead accessories kit	Lead accessories kit.	1 size (1 presentation)	Transferred to SJ356
OD019	Axiom Neurostimulator System - Connector Cable Kit	Connector cable kit.	1 size (1 presentation)	Transferred to SJ357
OD020	Axiom Neurostimulator System - Lead Extension Kit	Lead extension kit.	1 size (1 presentation)	Transferred to SJ358
OD021	Axiom Neurostimulator System - Implant Lead Kit	Implant lead kit and Implant lead kit, slim tip	Package containing either 50cm or 90cm lead	Transferred to SJ359
OD022	Axiom Neurostimulator System - Tunneling Tool	Tunneling tool.	30cm or 51cm	Transferred to SJ360
OD023	Axiom Neurostimulator System - Trial Lead Kit	The Leads are designed for percutaneous introduction into the body using special needle and a set of custom delivery tools provided in their respective kits. Each lead has 4 cylindrical electrodes spaced at equal intervals, intended to provide stimulation at the target dorsal root ganglion.	1 package containing the 50cm lead - MN20350-50AU 1 package containing the 90cm lead - MN20350-90AU	Deleted
OD024	Axiom Neurostimulator System - Curved Needle	A curved needle (one size 14G,4.5in), a single use accessory, providing access to the epidural space during the surgical procedure of inserting a Neurostimulation System.	One Size - (14G, 4.5in)	Transferred to SJ361

Tag Medical

03 - General Miscellaneous

TM044	TissuePatch3	Synthetic Self-Adhesive Surgical Sealant Film	50mm x 25mm	Deleted
TM045	TissuePatch3	Synthetic Self-Adhesive Surgical Sealant Film	50mm x 50mm	Deleted
TM046	TissuePatch3	Synthetic Self-Adhesive Surgical Sealant Film	50mm x 100mm	Deleted

04 - Neurosurgical

TM052	Obex Neurofilm	Synthetic Self-Adhesive Barrier and Sealant for Cerebrospinal Fluid Leaks	50mm x 100mm	Deleted
TM053	Obex Neurofilm	Synthetic Self-Adhesive Barrier and Sealant for Cerebrospinal Fluid Leaks	50mm X 50mm	Deleted
TM054	Obex Neurofilm	Synthetic Self-Adhesive Barrier and Sealant for Cerebrospinal Fluid Leaks	50mm x 25mm	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
TM055	Obex Neurofilm	Synthetic Self-Adhesive Barrier and Sealant for cerebrospinal fluid leaks	100 x 100mm	Deleted
Tornier Pty Ltd				
12 - Knee				
TO007	HLS Uni Femoral Component	Femoral Component - Cemented, CoCr	1 - 4 CoCr	Deleted
TO017	HLS Evolution Uni Tibial insert	Uni Tibial Insert, Cemented, alloy, modular, CoCr	1 - 6 UHMWPE, CoCr	Deleted
TO018	HLS Noetos Femoral Component	Femoral Component, uncemented, HA coated, CoCr, posterior stabilised using midline condyle	1 - 6 CoCr	Deleted
TO033	HLS Noetos Tibial Baseplate, mobile	Tibial Baseplate/Tray, Cemented, Mobile Bearing, CoCr	Size 1 to 6	Deleted
TO035	HLS Noetos Tibial insert, mobile	Tibial Insert, Mobile, UHMWPE, Posterior Stabilised	1 to 6, 9, 11 & 13mm	Deleted
W L Gore & Associates				
04 - Neurosurgical				
GT054	Preclude Spinal Membrane	ePTFE	0.7mm Thickness 6 x 6cm	Deleted
GT055	Preclude Spinal Membrane	ePTFE	0.7mm Thickness 6cm x 12cm	Deleted
GT056	Preclude Dura Substitute	ePTFE	0.3mm Thickness 2 x 10cm	Deleted
GT057	Preclude Dura Substitute	ePTFE	0.3mm Thickness 5 x 6 cm	Deleted
GT058	Preclude Dura Substitute	ePTFE	0.3mm thickness 6 x 10cm	Deleted
GT059	Preclude Dura Substitute	ePTFE	0.3mm thickness 10 x 12cm	Deleted
GT232	Gore Preclude® Vessel Guard	Gore Preclude® Vessel Guard is an ePTFE Membrane with a tight microstructure providing a vessel friendly interface while preventing penetration of fibroblasts. It is indicated as a cover for vessels following anterior vertebral surgery to reduce the risk of potential vessel damage during a revision surgery by providing a	6cm x 10cm	Deleted
GT233	Gore Preclude® Vessel Guard	Gore Preclude® Vessel Guard is an ePTFE Membrane with a tight microstructure providing a vessel friendly interface while preventing penetration of fibroblasts. It is indicated as a cover for vessels following anterior vertebral surgery to reduce the risk of potential vessel damage during a revision surgery by providing a plane of dissection.	5cm x 6cm	Deleted
10 - Vascular				
GT006	Gore-Tex Stretch Bifurcated Graft	Stretch Bifurcated Graft with Thin Walled Limbs (ePTFE)	12x6mm to 24x12mm 40-50cm long	Deleted
GT175	Gore-tex Vascular Grafts	Ringed Grafts Removable Standard Wall Tapered (ePTFE)	4-7 mm x 70cm - Rings 30cm Length	Deleted
GT193	Gore-Tex Vascular Grafts	Standard Wall Grafts (ePTFE)	6-10mm Diameter x 40cm Length	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
GT195	Gore-Tex Vascular Graft	Standard wall grafts (ePTFE)	Diameter 6mm x 20cm length	Deleted
GT218	Gortex Propaten Vascular Graft	Stretch Thin Wall Graft (ePTFE)	6mm diameter 30cm Removable Ring - 70cm length	Deleted
GT235	Gore-Tex Propaten Vascular Graft	Stretch (ePTFE), Heparin Bonded, Graft	8mm diameter, 40cm length	Deleted

Zimmer Pty Ltd

06 - Specialist Orthopaedic

ZI441	Select Shoulder	Humeral Head Eccentric - CoCr alloy	44/19 to 56/32	Deleted
ZI444	BiPolar Head	Humeral Head used with Select Shoulder Humeral Stem - CoCr alloy/ PE	26/42 to 26/60	Deleted
ZI758	Zimmer Periarticular Plates	3.5mm Periarticular Plates - Radius	2 - 6 holes Left & Right	Deleted
ZI759	Zimmer Periarticular Plates	3.5mm Periarticular Plates - Radius	2 - 6 holes Left & Right	Deleted
ZI806	ZPS-Zimmer Plate and Screw System	4.5mm Dual Compression Plate	2-6 holes	Deleted
ZI840	Zimmer Periarticular Locking Plates	2.4mm Periarticular Locking Plates - Radius	2 - 6 holes ledft & Right	Deleted
ZI841	Zimmer Periarticular	2.4mm periarticular Locking Plates - Radius	7 - 15 holes Left and Right	Deleted
ZI859	Zimmer Periarticualr Locking System	1.8mm Periaticular Locking Pegs	18-30mm	Deleted

11 - Hip

ZI006	Mayo Hip	Titanium, mesh (fibre metal), non HA	Small, medium, large and extra large.	Deleted
ZI014	Zimmer Epoch Hip Systems Femoral Stem	Cobalt Chrome, Core, PAEK outer matrix, Titanium mesh with HA	14 - 18 mm	Deleted
ZI020	Zimmer VerSys	Proximal Centraliser - PMMA	11 - 17	Deleted
ZI041	Trilogy Acetabular Cup	Titanium mesh (fibre metal) with HA for ceramic insert	38 - 80	Deleted
ZI346	Ceramic Femoral head for hip prosthesis	Femoral Head - Biolox Ceramic	28 to 32mm	Deleted
ZI355	Cerasul - Ceramic	Ceramic Femoral Head	28mm	Deleted
ZI554	M/L Taper Hip Stem with Kinectiv Technology	Titanium, plasma, non HA	size 5, 6, 7.5, 9, 10, 11, 12.5, 13.5, 15,16.25,17.5	Deleted
ZI724	MOST Tissue Attachment Washer - Long	MOST Tissue Attachment Washer - Long	9mm	Deleted
ZI726	MOST Tissue Attachment Bold - Short	MOST Tissue Attachment Bold - Short	13.5mm	Deleted
ZI727	MOST Tissue Attachment Washer - Short	MOST Tissue Attachment Washer - Short	5mm	Deleted
ZI728	MOST Proximal Femur with Tissue Attachment	MOST Proximal Femur with Tissue Attachment	80mm in length	Deleted
ZI729	MOST Basic Proximal Femur	MOST Basic Proximal Femur	80mm in length	Deleted
ZI733	MOST Tissue Attachment Bolt - Long	MOST Tissue Attachment Bolt - Long	20mm	Deleted

12 - Knee

ZI086	Stemmed Tibial Tray: Porous	Ti	A - K	Deleted
ZI106	Miller Galante Unicompartmental Femoral Compoment	Femoral Component, Co Cr, Cemented for fixed insert	Small to extra large	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
ZI120	NexGen Tibial Baseplate	Pegged tibial baseplate, uncemented, titanium fibre metal mesh for fixed insert	1 - 10	Deleted
ZI121	NexGen Tibial Baseplate	Pegged tibial baseplate, uncemented, titanium fibre metal mesh, with HA/TCP for fixed insert	1 - 10	Deleted
ZI123	NexGen Tibial Baseplate	Stemmed tibial baseplate, uncemented, titanium fibre metal mesh for fixed insert	1 - 10	Deleted
ZI124	NexGen Tibial Baseplate	Stemmed tibial baseplate, uncemented, titanium fibre metal mesh, with HA/TCP for fixed insert	1 - 10	Deleted
ZI136	NexGen Tibial Insert	Tibial Insert, fixed, posterior stabilised, UHMWPE	9 - 23mm	Deleted
ZI141	NexGen Tibial Augment	Tibial Augment, Full Wedge, Titanium	1 - 10	Deleted
ZI142	NexGen Knee Tibial Augments	One Third Wedge - Ti	1 - 10	Deleted
ZI416	Natural Knee Tibial Baseplate CSTi	Tibial Baseplate, uncemented, with fixed long stems and capacity to attach augments, Cancellous structure Titanium ingrowth surface for fixed inserts	0 to 5	Deleted
ZI422	Natural Knee	Femoral Spacer Lug - Ti alloy	4 to 12mm	Deleted
ZI430	Natural Knee	Unicompartmental -Tibia Baseplate - Ti alloy	Por 1 to Por 6	Deleted
ZI515	NexGen Prolong Tibial Insert	Tibial Insert, Highly Crosslinked - UHMWPE (prolong), mobile bearing	Sizes A - G 9mm to 20mm	Deleted
ZI608	Natural Knee II Modular Cemented Tibial Baseplate	Modular Cemented Baseplate	Sizes 00, 0, 1,2,3,4, 5 - Left and Right	Deleted

Grand Total: 477 Records