

New Products for Prostheses List

August 2015

Billing Code	Product Name	Further Description	Size	Change
AA-Med Pty Ltd				
07 - Plastic and Reconstructive				
ZZ001	OBL PorousiTi® Patient Specific Implant - Cranium	Patient specific implant for the cranium constructed of PourousTi®	The implant is custom made so the size is variable	New Listing
ZZ002	OBL PorousiTi® Cranial Patient Specific Implant – Two piece	Patient specific two piece implant for the cranium constructed of PourousTi®	The implant is custom made so the size is variable	New Listing
ZZ003	OBL PorousiTi® Patient Specific Implant – Orbital Floor	Patient specific implant for the orbital floor constructed of PourousTi®	The model is custom made so size will vary	New Listing
ZZ004	Surgical Guide for OBL PSI System - Cranium	Patient specific surgical guide for cranial implant	The device is custom made so sizes will vary	New Listing
ZZ005	Surgical Guide for OBL PorousiTi® PSI System – Mandible & Maxilla	Patient specific surgical guide for mandible and maxilla	The model is custom made so size will vary	New Listing
ZZ006	Surgical Guide for OBL PorousiTi® PSI System – Orbital Floor	Patient specific surgical guide for orbital floor implant	The model is custom made so size will vary	New Listing
ZZ007	HND Screws for OBL PSI System	Osteosynthesis screws for cranio-maxillo-facial patient specific implants	Width – 1.5mm-3mm Length 3.5mm-18mm	New Listing
ZZ008	Anatomical Model for OBL PSI System	3D anatomical biomodel	The model is custom made so size will vary	New Listing
ZZ009	Custom made plates (including Megaplates)	Patient specific plates for the mandible and maxilla	The model is custom made so size will vary	New Listing
ZZ010	Custom made plates (including Megaplates) – Surgical Guides	Surgical Guides for patient specific plates for the mandible and maxilla	The model is custom made so size will vary	New Listing
ZZ011	SynpliciTi System - Plates	Patient specific plates for the mandible, maxilla and TMJ	The model is custom made so size will vary	New Listing
ZZ012	SynpliciTi System – Surgical Guides	Patient specific surgical guides for the mandible, maxilla and TMJ	The model is custom made so size will vary	New Listing
ZZ013	SynpliciTi System – Surgical Guides	Surgical Guide for the zygoma	The model is custom made so size will vary	New Listing

Billing Code	Product Name	Further Description	Size	Change
Admedus (Australia) Pty Ltd				
03 - General Miscellaneous				
AH014	DOSI-PAIN Kit	The DOSI-PAIN® Kit is a complete pain kit for the administration of analgesics required for post operative pain relief. The The DOSI-PAIN® Kit contains the DosiFuser elastomeric pump (already registered on the prosthesis listing), a wound catheter and a BD Plastipack syringe. The The DOSI-PAIN® Kit is designed to provide drug infusion at a constant flow without impeding patient mobility. It is indicated for Chemotherapy, antiviral treatments, administration of antibiotics, pain treatments, Aids treatments and immunosuppressants; continuous ambulatory infusion of anaesthetics, anti-emetic drugs, heparin, etc.; continuous ambulatory arterial or intravenous infusion of antibiotics, cytostatic drugs, etc.The DOSI-PAIN® Kit offers a wide range of flow rates.	65ml - 140mm x 45mm x 40mm; 100ml - 140mm x 52mm x 50mm; 150ml - 140mm x 55mm x 55mm; 250ml - 140mm x 60mm x 60mm	New Listing
Advanced Biomedical Pty Ltd				
03 - General Miscellaneous				
AB082	PerClot Standard	PerClot Polysaccharide Hemostatic System	5 gram	New Listing
Alcon Laboratories (Aust.) Pty Ltd				
01 - Ophthalmic				
AL038	Acrysof Aspheric UV-absorbing IOL	Foldable Acrylic Single-piece Lens with UV Absorbing and Aspheric Correction	+ 6.0 D to +30.0 D	New Listing
AL039	AcrySof IQ Aspheric IOL with UltraSert pre-loaded delivery system	Pre-loaded foldable Acrylic Single-piece Lens with Blue light protection and Aspheric correction (SN60WF)	+6.0D to +30.0D	New Listing
AL040	AcrySof IQ PanOptix Presbyopia Correcting IOL	Trifocal posterior chamber, UV absorbing, foldable, acrylic, aspheric, single piece lens with apodised diffractive trifocal optic and blue light protection. The apodised diffractive trifocal optic (anterior) provides two diffractive focal points (+3.25D near focus and 2.17D intermediate focus).	+13.0 to +30.0D in 0.5 Diopter increments and +31.0 to +34.0D in 1.0 Diopter increments	New Listing
Allegra Orthopaedics Pty Ltd				
06 - Specialist Orthopaedic				
AE252	CarboFix Piccolo Proximal Humerus Plate Systems – Plate component	CFR-PEEK proximal humerus plate	100mm, 120mm, 154mm, 190mm, 262mm	New Listing
AE253	CarboFix Piccolo Distal Fibula Plate System – Plate component	CFR-PEEK distal fibula plate	Left 72mm, 83mm, 96mm, 112mm, 153mm, 182mm Right 72mm, 83mm, 96mm, 112mm, 153mm, 182mm	New Listing

Billing Code	Product Name	Further Description	Size	Change
AE254	CarboFix Piccolo Distal Radius Plate System – Plate component	CFR-PEEK distal volar radius plate	Right 52mm, 60mm, 90mm Left 52mm, 60mm, 90mm Narrow Right 50mm, 58mm Narrow Left 50mm, 58mm	New Listing
AE255	CarboFix Piccolo Plate Systems – Pegs	Titanium alloy smooth locking pegs for fixation of CarboFix plate head.	2.0mm x 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm	New Listing
AE256	CarboFix Piccolo Plate Systems – Locking Screws: Mini	Titanium alloy screws (locking) for fixation of CarboFix plate shaft and head.	Locking Proximal Screw 2.5mm x 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm□ Locking Screw 2.7mm x 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm	New Listing
AE257	CarboFix Piccolo Plate Systems – Non-Locking Screws: Mini	Titanium alloy screws (non-locking) for fixation of CarboFix plate shaft and head.	Non-Locking Proximal Screw 2.5mm x 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm□ Non-Locking Screw 2.7mm x 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm	New Listing
AE258	CarboFix Piccolo Plate Systems – Locking Screws: Small	Titanium alloy screws (locking) for fixation of CarboFix plate shaft and head.	Locking Proximal Screw 4.0mm x 25.0mm, 30.0mm, 32.5mm, 35.0mm, 37.5mm, 40.0mm, 42.5mm, 45.0mm, 47.5mm, 50.0mm, 55.0mm, 60.0mm Locking Distal Screw 3.5mm x 10mm, 12mm, 14mm, 16mm, 18mm, 22.5mm, 25.0mm, 27.5mm, 30.0mm, 32.5mm, 35.0mm, 40.0mm, 45.0mm Locking Screw 3.5mm x 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm	New Listing
AE259	CarboFix Piccolo Plate Systems – Non-Locking Screws: Small	Titanium alloy screws (non-locking) for fixation of CarboFix plate shaft and head.	Non-Locking Distal Screw 3.5mm x 10mm, 12mm, 14mm, 16mm, 18mm, 22.5mm, 25.0mm, 27.5mm, 30.0mm, 32.5mm, 35.0mm, 40.0mm, 45.0mm Non-Locking Screw 3.5mm x 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 30mm, 35mm, 40mm, 45mm, 50mm, 55mm	New Listing

Australian Pacific Medical Pty Ltd

13 - Spinal

PB014	ATP Cage	Lateral Interbody Spacer	22 mm width x (40-60)mm length x (8-16)mm height, (8 & 15) degree lordotic angle	New Listing
PB015	Anterior Cervical Plate System	Anterior cervical plate. Various size plates, Titanium	20-55mm	New Listing
PB016	Anterior Cervical Plate System	Anterior cervical plate. Various size plates, Titanium	>55mm	New Listing

Billing Code	Product Name	Further Description	Size	Change
B Braun Australia Pty Ltd				
03 - General Miscellaneous				
BB349	Easyump	Disposable Elastomeric infusion pump system	LT: Filling Volume: 60ml - 400ml, Flow Rate: 0.5ml/h - 10ml/h ST: Filling Volume: 50ml - 500ml, Flow Rate: 50ml/h - 500ml/h	New Listing
12 - Knee				
BB348	e.motion Total Knee System FP/UC Femoral Component cemented	e.motion mobile bearing FP/UC Femoral Component cemented	1-8, Left and right	New Listing
Bard Australia Pty Ltd				
03 - General Miscellaneous				
BA260	Arista AH	Arista Absorbable Haemostatic Particles	1g	New Listing
BA261	Arista AH	Arista Absorbable Haemostatic Particles	3g	New Listing
BA262	Arista AH	Arista Absorbable Haemostatic Particles	5g	New Listing
Bausch & Lomb (Australia) Pty Ltd				
01 - Ophthalmic				
BL037	MicroPure 123	Preloaded, posterior chamber, UV absorbing, foldable, aspheric, acrylic, single piece hydrophobic glistening-free Intra Ocular Lens.	Overall diameter of 10D to 24.5D: 11.00mm 25D to 30D: 10.75mm Optic diameter of 10D to 24.5D: 6.00mm 25D to 30 D: 5.75mm Power from 10D to 30D with 0.5 diopter increments.	New Listing
Baxter Healthcare Pty Ltd				
03 - General Miscellaneous				
BX337	Ostene 3.5g Bone Haemostasis material	OSTENE is a water soluble polymer which provides immediate bone haemostasis, ie a bone haemostasis material, in surgical procedures	3.5g	New Listing
Boston Scientific Australia Pty Ltd				
04 - Neurosurgical				
BS293	B26 Pocket Adaptor	Pocket Adaptor for Deep Brain Stimulation IPG	15cm	New Listing

Billing Code	Product Name	Further Description	Size	Change
08 - Cardiac				
BS292	ACUITY X4	Left ventricular family of quad leads with four pacing and sensing electrodes. Three lead configurations offered to assist in LV lead placement and avoid phrenic nerve stimulation and high thresholds.	86cm, 95cm	New Listing
Cochlear Limited				
02 - Ear, Nose & Throat				
CO075	Cochlear Baha 5 Sound Processor	The Cochlear Baha 5 Sound Processor (26,mm x 19mm x12mm) is a wireless-enabled smartphone compatible fully programmable head-word digital sound processor for the Baha Implantable Bone Conduction Hearing System	One size (26mm x 19 mm x 12 mm)	New Listing
ConMed Linvatec Australia Pty Ltd				
03 - General Miscellaneous				
LV140	Touchstone Endoscopic Linear Cutter	The Endoscopic Linear Cutter is supplied sterile with a single-patient use cartridge with 6 staggered rows of totanium staples. The sizes are 60mm, 160mm and 260mm which are designed for different surgical procedures.	60mm, 160mm, 260mm	New Listing
LV141	Touchstone Endoscopic Linear Cutter Reload	The Endoscopic Linear Cutter is supplied sterile with a single-patient use cartridge with 6 staggered rows of titanium staples. The sizes are 60mm, 160mm and 260mm which are designed for different surgical procedures.	45mm, 60mm	New Listing
06 - Specialist Orthopaedic				
LV142	Knee Preservation System - GraftMax	Adjustable loop button for soft tissue fixation	KS-ALB and KS BTB (LxWxH): 14mm x 4.5mm x 2mm KS-BCA (Cradle) (LxWxH): 21mm x 6mm x 2.8mm	New Listing
Cook Medical Australia Pty Ltd				
03 - General Miscellaneous				
WC331	Zilver 635 Biliary Stent	The Zilver 635 Biliary Stent is a self-expandable stent made of nitinol.	Length: 4-8cm, Diameter: 6-14mm, Delivery system: 40cm	New Listing
Covidien Pty Ltd				
03 - General Miscellaneous				
AS209	Endo GIA Reinforced Reload with Tri-Staple Technology	The Endo GIA Reinforced Reload with Tri-Staple Technology is an endoscopic stapler reload pre-attached with a non-woven absorbable polyglycolic acid staple line reinforcement mesh. This reinforced reload places a triple-staggered row of titanium staples and two layers of absorbable reinforcement material on either side of the cut line.	45mm and 60mm	New Listing

Billing Code	Product Name	Further Description	Size	Change
AS210	Kangaroo Single Pass PEG	Single Pass PEG	16fg, 20fg	Transferred from SG001.

Culpan Medical Pty

03 - General Miscellaneous

CB016	Skater All-Purpose Drainage Catheter	All-purpose drainage catheters for abscesses and fluid collections	6-16Fr	New Listing
CB017	Skater Biliary Drainage Catheter	Used for biliary drainage applications	8-12 Fr	New Listing

05 - Urogenital

CB018	Skater Nephrostomy Drainage Catheter	A drainage catheter intended for use for Nephrostomy applications either by direct stick or modified seldinger technique.	6 - 14 Fr	New Listing
-------	--------------------------------------	---	-----------	-------------

Danex Medical Pty Ltd

06 - Specialist Orthopaedic

XD028	Re-Line Fixation System – Compression Screw	Re-Line Fixation System – Compression Screw	2.7mm x 10mm, 2.7mm x 12mm, 2.7mm x 14mm, 2.7mm x 16mm, 2.7mm x 18mm, 2.7mm x 20mm, 2.7mm x 22mm	New Listing
XD029	MSP Fixation System – Compression Plate	MSP Fixation System – Compression Plate	Right – 36.5mm Left – 36.5mm	New Listing
XD030	MSP Fixation System – Cortical Screw	MSP Fixation System – Cortical Screw	2.4mm x 8mm, 2.4mm x 10mm, 2.4mm x 12mm, 2.4mm x 14mm, 2.4mm x 16mm, 2.4mm x 18mm,	New Listing
XD031	MSP Fixation System – Locking Screw	MSP Fixation System – Locking Screw	2.4mm x 8mm, 2.4mm x 10mm, 2.4mm x 12mm, 2.4mm x 14mm, 2.4mm x 16mm, 2.4mm x 18mm	New Listing

Designs for Vision Pty Ltd

01 - Ophthalmic

DV264	Hoya Vivinex iSert Preloaded IOL (Model XY1)	Intra Ocular Lens	Power +6 dioptres - +30 dioptres	New Listing
-------	--	-------------------	----------------------------------	-------------

Device Technologies Australia Pty Ltd

06 - Specialist Orthopaedic

DE469	Ankle Fusion Plating System	Fusion Plate for Ankle Joint Arthritis	Anterior, Posterior, Lateral	New Listing
-------	-----------------------------	--	------------------------------	-------------

DJO Australasia Pty Ltd

06 - Specialist Orthopaedic

DD057	Reverse Shoulder - Glenoid Baseplate	Reverse Glenoid Component, Baseplate	Small to Large	Expanded from DD053
DD058	Reverse Shoulder – Glensphere Head	Glensphere	32mm to 40mm	Expanded from DD053

Billing Code	Product Name	Further Description	Size	Change
EIT Emerging Implant Technologies Pty Ltd				
13 - Spinal				
EQ001	EIT TLIF Cage	Titanium Lumbar Cage	Length: 28, 32mm Width: 10, 12mm Height: 7, 9, 11, 13, 15mm Lordosis Angle: 0, 8 degrees	New Listing
EQ002	EIT PLIF Cage	Lumbar Cage with Titanium	Length: 22, 26, 30mm Width: 9, 11mm Height: 7, 9, 11, 13, 15mm Lordosis Angle: 4, 8 degrees	New Listing
EQ003	EIT Cervical Cage	Cervical cage with medical grade biocompatible titanium	4, 5, 6, 7, 8mm Small 4, 5, 6, 7, 8mm Large	Transferred from KP001

Emergo Asia Pacific Pty Ltd

09 - Cardiothoracic

ER267	HeartMate II Left Ventricular Assist System - System Controller	System controller	One size only	New Listing
ER268	HeartMate II Left Ventricular Assist System - Battery Set	Rechargeable HeartMate II-specific batteries	One size only, set of 4	New Listing
ER269	HeartMate II Left Ventricular Assist System - Stabilization Belt	Fabric belt for Stabilizing percutaneous lead	Small / medium; set of 2 large; set of 2	New Listing
ER270	HeartMate II Left Ventricular Assist System - Modular Belt	Modular belt to hold System Controller and Batteries	Small / Medium Large	New Listing
ER271	HeartMate II Left Ventricular Assist System - Shower Bag	Shower Bag	One size only; set of 2	New Listing

10 - Vascular

ER266	Veniti VICI Venous Stent System	VICI Venous Stent System	dia (12-16 mm) x length (60-120 mm)	New Listing
-------	---------------------------------	--------------------------	-------------------------------------	-------------

13 - Spinal

ER221	SIGNUS Diplomat Pedicle Screw System-Polyaxial Screw-Shank	SIGNUS Diplomat Pedicle Screw System-Polyaxial Screw-Shank	dia (5.5-9.5 mm) xlength (30-100 mm)	New Listing
ER222	SIGNUS Diplomat Pedicle Screw System - Monoaxial	SIGNUS Diplomat Pedicle Screw System - Monoaxial	dia (5.5-9.5 mm) xlength (30-70 mm)	New Listing
ER223	SIGNUS Diplomat Pedicle Screw System - Screw Head (Tulip)	SIGNUS Diplomat Pedicle Screw System - Screw Head (Tulip)	dia 12.5 mm x height 14.9/32.2 mm	New Listing
ER224	SIGNUS Diplomat Pedicle Screw System - Set Screw	SIGNUS Diplomat Pedicle Screw System - Set Screw	dia 9.7mm x height 4.2mm or N/A	New Listing
ER225	SIGNUS Diplomat Pedicle Screw System - Rod-Straight or Curved	SIGNUS Diplomat Pedicle Screw System - Rod-Straight or Curved	dia 5.5 mm x length (30-125 mm)	New Listing

Billing Code	Product Name	Further Description	Size	Change
ER226	SIGNUS Diplomat Pedicle Screw System - Offset Connector	SIGNUS Diplomat Pedicle Screw System - Offset Connector	dia 5.5 mm x length (15-30 mm)	New Listing
ER227	SIGNUS Diplomat Pedicle Screw System - Parallel Connector	SIGNUS Diplomat Pedicle Screw System - Parallel Connector	5.5 mm x (4.5-6.0 mm)	New Listing
ER228	SIGNUS Diplomat Pedicle Screw System?Sleeve	SIGNUS Diplomat Pedicle Screw System?Sleeve	dia 5.5 mm	New Listing
ER229	SIGNUS Noval Interbody Fusion Cage	SIGNUS Noval Interbody Fusion Cage	height (8-18 mm) x width (40-48 mm)x lordosis (5-15 degrees)	New Listing
ER230	Spineway Mont Blanc Pedicle Screw System-Pedicle Screw, Polyaxial	Spineway Mont Blanc Pedicle Screw System-Pedicle Screw, Polyaxial	dia (4-8 mm) x length (25-110 mm)	New Listing
ER231	Spineway Mont Blanc Pedicle Screw System-Pedicle Screw, Monoaxial	Spineway Mont Blanc Pedicle Screw System-Pedicle Screw, Monoaxial	dia (4-7 mm) x length (25-55 mm)	New Listing
ER232	Spineway Mont Blanc Pedicle Screw System-Locking Screw	Spineway Mont Blanc Pedicle Screw System-Locking Screw	Height 3.7 mm	New Listing
ER233	Spineway Mont Blanc Pedicle Screw System-Rod	Spineway Mont Blanc Pedicle Screw System-Rod	dia (4.5-5.5 mm) x length (40-500 mm)	New Listing
ER234	Spineway Mont Blanc Pedicle Screw System-Hook	Spineway Mont Blanc Pedicle Screw System-Hook	dia (14-22 mm)x length (10.2-27.15 mm)x (height (14.4 to 29.7mm)	New Listing
ER235	Spineway Mont Blanc Pedicle Screw System-Connector (in line)	Spineway Mont Blanc Pedicle Screw System-Connector (in line; domino or axial)	15mm x(15-16 mm); dia (7.5-8.5mm) x length (30-80 mm)	New Listing
ER236	Spineway Mont Blanc Pedicle Screw System-Connector (transverse rod to rod, adjustable)	Spineway Mont Blanc Pedicle Screw System-Connector (transverse rod to rod, adjustable)	15-20mm; 20-25mm; 20-30mm;25-30mm; 30-40 mm; 40-50mm; 40-55 mm; 55-70 mm; 70-85 mm;	New Listing
ER237	Spineway Mont Blanc Pedicle Screw System-Connector lateral (offset)	Spineway Mont Blanc Pedicle Screw System-Connector lateral (offset)	dia 5.5 mm x length (30-80) mm	New Listing
ER238	Spineway Mont Blanc Pedicle Screw System-Rod (dual diameter)	Spineway Mont Blanc Pedicle Screw System-Rod (dual diameter)	dia (4-5.5 mm) x length (150-550 mm)	New Listing
ER239	Spineway Mont Blanc Pedicle Screw System-Rod Monoaxial (closed)	Spineway Mont Blanc Pedicle Screw System-Rod Monoaxial (closed)	dia (3.5-4.0 mm) x length (25-35 mm)	New Listing
ER240	Pyrenees Cervical Plate System-MonoPlate, Long	Pyrenees Cervical Plate System-MonoPlate, Long	Length 56-78 mm	New Listing
ER241	Pyrenees Cervical Plate System-Monoplate, Short	Pyrenees MonoPlate, Short	18-55mm length	New Listing
ER242	Cascadia Interbody Spacer	Cascadia interbody spacer, porous Ti	8.5 -10mm wide	New Listing
ER243	MESA Rail	CoCr and Ti shaped beam rail rods	Diameter: 4.5-5.5mm Length: 375-500mm	New Listing
ER244	Spineway Twin Peaks TLIF Fusion Cage	Twin Peaks TLIF Fusion Cage	height (7-15 mm) x length (25-35 mm) x lordosis (4-9 degrees)	New Listing
ER245	Spineway Twin Peaks PLIF Fusion Cage	Twin Peaks PLIF Fusion Cage-oblique	height (7-14 mm) x length (28-32 mm)	New Listing

Billing Code	Product Name	Further Description	Size	Change
ER246	Spineway Twin Peaks PLIF Fusion Cage-Paired	Twin Peaks PLIF Fusion Cage-Paired, (standard or bullet shaped)	height (9-14 mm) x length (20-25 mm) x lordosis (0-8 degrees)	New Listing
ER247	Amendia Savannah-T Pedicle Screw System-Pedicle Screw, Monoaxial, Cannulated	Savannah-T Pedicle Screw System-Pedicle Screw, Monoaxial, Cannulated	dia (6.5-8.5mm) x length (30-65mm)	New Listing
ER248	Amendia Savannah-T Pedicle Screw System-Polyaxial Pedicle Screw	Savannah-T Pedicle Screw System-Polyaxial Pedicle Screw-Low, Medium, Hip Top with standard and Grip Quick Threads	dia (5.5-7.5 mm) x length (30-65 mm)	New Listing
ER249	Amendia Savannah-T Pedicle Screw System-Polyaxial Pedicle Screw-Cannulated	Pedicle Screw System-Polyaxial Pedicle Screw-Cannulated, Low, Mid, High Top standard and Grip Quick Threads	dia (5.5-7.5 mm) x length (30-65 mm)	New Listing
ER250	Amendia Savannah T Pedicle Screw System-Pedicle Screw, Monoaxial	Pedicle Screw System-Pedicle Screw, Monoaxial	dia (5.5-7.5 mm) x length (40-65 mm)	New Listing
ER251	Amendia Savannah-T Pedicle Screw System-Rods	Pedicle Screw System-Rods, Straight and curved	dia 5.5 mm x length (30-500 mm)	New Listing
ER252	Amendia Savannah T Pedicle Screw System-Set Screws	Pedicle Screw System-Set Screws	one size	New Listing
ER253	Amendia Savannah-T Pedicle Screw System-Connector (offset)	Savannah-T Pedicle Screw System-Connector (offset)	44 x 6 x 16.7mm	New Listing
ER254	Amendia Savannah-T Pedicle Screw System-Connector Transverse (rod to rod), adjustable	Pedicle Screw System-Connector Transverse (rod to rod)	65-70 mm;70-75 mm; 75-80 mm	New Listing
ER255	Amendia Zeus Fusion Cages-TLIF	Zeus Fusion Cages-TLIF, PEEK (straight-versatile/curved/bullet nosed)	width (9-13 mm) x length (20-36 mm) x height (7-16 mm)	New Listing
ER256	Amendia Zeus Fusion Cages-ALIF	Amendia Zeus Fusion Cages-ALIF, PEEK	width (34-42 mm) x length (24-27 mm) x height (8-22 mm) x lordosis (0-13 degrees)	New Listing
ER257	Amendia Zeus Fusion Cages-PLIF	Amendia Zeus Fusion Cages-PLIF (paired), PEEK	width (9-13 mm) x length (22-30 mm) x height (7-18 mm) x lordosis (0-8 degrees)	New Listing
ER258	Amendia Zeus Fusion Cages-Lateral (LLIF)	Zeus Fusion Cages-Lateral (LLIF)-straight/lordotic/oblique	width (9-25 mm) x length (24-60 mm) x height (8-18 mm) x lordosis (0-28 degrees)	New Listing
ER259	Amendia Zeus Fusion Cages-Cervical	Zeus Fusion Cages-Cervical	width 14 mm x height (5-12 mmm) X lordosis (0-5 degrees)	New Listing
ER260	Amendia Phenix Fusion Cages-Cervical	Amendia Phenix Fusion Cages-Cervical (straight and lordotic), PEEK	width (12-17 mm) x length (12-14 mm) x height (5-36 mm) x lordosis (0-10 degrees)	New Listing
ER261	Amendia Spartan Transfacet Pedicle Screw System-Monoaxial Screw, Cannulated	Amendia Spartan Transfacet Pedicle Screw System-Monoaxial Screw, Cannulated	dia 4.3mm x length (20-35mm); dia 5.0 mm x length (20-55mm)	New Listing
ER262	Amendia Samson Corpectomy Vertebral Body Replacement System	Amendia Samson Corpectomy Vertebral Body Replacement System	dia 13.5x height (14-48 mm)	New Listing
ER263	Amendia Diamond Anterior Cervical Plate System- Plate	Amendia Diamond Anterior Cervical Plate System- Plate	22-54 mm	New Listing
ER264	Amendia Diamond Anterior Cervical Plate System- Plate (large, greater than 55mm)	Diamond Anterior Cervical Plate System- Plate (large, greater than 55mm)	56-92 mm	New Listing

Billing Code	Product Name	Further Description	Size	Change
ER265	Amendia Diamond Anterior Cervical Plate System- Screws	Diamond Anterior Cervical Plate System- Screws (hex drive fixed or variable with Grip Quick™ Threads	dia 4.0/4.3 mm x length (12-20 mm)	New Listing

Endotherapeutics Pty Ltd

03 - General Miscellaneous

ET077	ELLA BD Stent	The ELLA BD Stent is a self-expanding biodegradable stent made of polydiacaxanone designed to slowly degrade when in contact with living tissue. Full degradation of stent occurs within 11-12 weeks of implantation. It is designed for dilation and treatment of benign oesophageal lesions.	Stent body diameters=20mm-25mm; Stent flares diameters=25mm-31mm; Stent nominal length=60/80/100/135mm	New Listing
-------	---------------	--	--	-------------

05 - Urogenital

ET078	RocaJJ Silicone Stent	A 100% silicone Ureteral Double J Stent, Radiopaque, which provides an excellent patient tolerance and a high encrustation resistance.	Fr 4.8 - 8, Lengths from 24cm to 30cm.	New Listing
-------	-----------------------	--	--	-------------

Evolution Surgical

13 - Spinal

EV003	Katana Connector	The Katana Pedicle Screw System is intended to provide immobilization and stabilisation of spinal segments in skeletally mature patients, as an adjunct to fusion in the thoracic, lumbar and sacral spine.	Small Medium Large	New Listing
EV004	Katana Monoaxial Screw	The Katana Pedicle Screw System is intended to provide immobilization and stabilisation of spinal segments in skeletally mature patients, as an adjunct to fusion in the thoracic, lumbar and sacral spine.	4.5-5.5mm diameter, 30-50mm length	New Listing
EV005	Katana Setscrew	The Katana Pedicle Screw System is intended to provide immobilization and stabilisation of spinal segments in skeletally mature patients, as an adjunct to fusion in the thoracic, lumbar and sacral spine.	standard	New Listing
EV006	Katana Polyaxial Screw	The Katana Pedicle Screw System is intended to provide immobilization and stabilisation of spinal segments in skeletally mature patients, as an adjunct to fusion in the thoracic, lumbar and sacral spine.	4.5 – 8.5mm diameter, 30-100mm length	New Listing
EV007	Katana Rod	The Katana Pedicle Screw System is intended to provide immobilization and stabilisation of spinal segments in skeletally mature patients, as an adjunct to fusion in the thoracic, lumbar and sacral spine.	Pre-Lordised Rods in lengths 25 - 160mm Straight titanium rods in lengths 200 - 500mm Straight CrCo rods in lengths 200 - 500mm	New Listing
EV008	Evolution ACDF Plate Bone Screw	Bone screw	4.0mm diameter 10-20mm, 4.5mm diameter 10-20mm	New Listing
EV009	Evolution ACDF Plate	Anterior Cervical Plate	1 level Plate (20mm-32mm), 2 level plate (34mm – 50mm)	New Listing

Billing Code	Product Name	Further Description	Size	Change
EV010	Evolution ACDF Cage	Interbody Fusion Cages are used to restore disc height and support loading during intervertebral body fusion. Interbody Fusion Cages are used to restore disc height and support loading during intervertebral body fusion.	small, large – flat	New Listing
EV011	Evolution ACDF Cage Bone Screw	Bone screw for fusion cages	4.0 diameter, 12-16mm; 4.5 diameter, 12-16mm	New Listing
EV012	Evolution ACDF Contoured Cage	Interbody Fusion Cages are used to restore disc height and support loading during intervertebral body fusion. Interbody Fusion Cages are used to restore disc height and support loading during intervertebral body fusion.	small, large - contoured	New Listing
EV013	Evolution ACDF Standalone Cage	Interbody Fusion Cages are used to restore disc height and support loading during intervertebral body fusion.	Standard – 6 and 9 degrees, height 5-10mm	New Listing
EV014	Evolution ALIF Cage	ThoracoLumbar ALIF Cage	Small (34x25mm) 8 - 18 degrees, 10 - 18mm Medium (38x29mm) 8 - 18 degrees, 10 - 18mm Medium Long (38x34mm) 8 - 18 degrees, 10 - 18mm Large (42x30mm) 8 - 18 degrees, 10 - 18mm X Large (42x34mm) 8 - 18 degrees, 10 - 22mm XX Large (42x38mm) 13 degrees, 12 - 18mm	New Listing
EV015	Evolution ALIF Cage Screw	ThoracoLumbar Cage Bone Screw	5.5mm Diameter, 20-35mm; 6.5mm Diameter, 20-35mm	New Listing
EV016	Evolution TM2 Cage	Thoraco Lumbar ALIF cage	standard	New Listing
EV017	Shuriken Cage	Interbody Fusion Cages are used to restore disc height and support loading during intervertebral body fusion.	7-13mm height; 30-35mm length; 6-18 degrees lordosis	New Listing

Extend Medical

06 - Specialist Orthopaedic

EF007	Arix Cortical Bone Screws	Cortical Bone Screw	2.8mm – 3.5mm diameter	New Listing
EF008	Arix Foot Locking Plate System	Variable Locking Plate	≤ 6 holes	New Listing
EF009	Arix Foot Locking Plate System	Variable Locking Plate	7-15 holes	New Listing
EF010	Arix Locking Screws	VAL Locking Bone Screw	2.8mm – 3.5mm diameter	New Listing
EF011	Merete Cannulated Headless Compression Screws (HCS)	Self-tapping Compression Screw	3.0mm – 4.49mm diameter	New Listing
EF012	Merete TwistCut Snap-Off Screw	Self-tapping Snap-Off Screw	2.0mm diameter	New Listing
EF013	Merete MetaTak Staple	Osteotomy Staple	8-10mm width	New Listing
EF014	Arix Hand System	Self-tapping Locking Bone Screws	2.0mm – 2.3mm diameter	New Listing
EF015	Arix Hand System	H2 Bone Screw	2.0mm – 2.5mm diameter	New Listing

Billing Code	Product Name	Further Description	Size	Change
EF016	H1 Bone Screw	Self-tapping Compression Screw	1.2mm – 1.8mm diameter	New Listing
EF017	Arix Cannulated Headless Screws	Self-tapping Compression Screw	2.3mm diameter	New Listing
EF018	Arix Cannulated Headless Screws	Self-tapping Compression Screw	3.0mm – 4.5mm diameter	New Listing

Global Orthopaedic Technology

11 - Hip

GO282	Novae STICK Dual Mobility Cup	A cemented metal acetabular dual mobility cup designed to be used with a polyethylene liner	43-69mm diameter in 2mm increments	New Listing
-------	-------------------------------	---	------------------------------------	-------------

12 - Knee

GO283	Apex Revision Knee Stems	Apex Revision Knee Femoral and Tibial Stems	Modular Stem - 9-25mm x 75-150mm Offset - 9-25mm x 75-15mm x 2-4mm Angled Stem - 9-25mm x 75x150mm Modular Tibial Keels 1-16	Changed Product Group, Product Sub Group, Benefit.
GO284	Apex Revision Knee Modular Tibia Cup	Modular Tibia Cup	Only One size	Expanded from GO258

13 - Spinal

GO278	Coral Spinal System-Cannulated Polyaxial Pedicle Screw	Cannulated Polyaxial Pedicle Screw	4.00mm - 9.5mm x 20-95mm	New Listing
GO279	Coral Spinal System-Pedicle & Lamina Hooks	Pedicle & Lamina Hooks	Small, Medium & Large	New Listing
GO280	Coral Spinal System-Solid Monoaxial Pedicle Screw	Solid Monoaxial Pedicle Screw	4.00mm - 9.5mm x 20-95mm	New Listing
GO281	Coral Spinal System-Solid Polyaxial Pedicle Screw	Solid Polyaxial Pedicle Screw	4.00mm - 9.5mm x 20-95mm	New Listing

Globus Medical Australia

13 - Spinal

LB108	SILC™ Clamp	Inline connector	4.5 -6.35mm	New Listing
LB109	SILC™ PET Band	PET Band	4 -6mm	New Listing
LB110	ASSURE® Anterior Cervical Plate System – Plate	Titanium Alloy Anterior Cervical Plate	1.8 mm depth, 16mm width, 14- 54mm length	New Listing
LB111	ASSURE® Anterior Plate System – Plate	Titanium Alloy Anterior Cervical Plate	1.8 mm depth, 16mm width, 57-100mm length	New Listing
LB112	ASSURE® Anterior Plate System – Screws	Standard - Self-drilling or Self Tapping Rigid – Self Drilling or Self Tapping	Diameter - 4.0 -4.5mm Length – 10-20mm	New Listing
LB113	SP-Fix™ Spinous Process Fixation	Posterior non-pedicle supplemental fixation device	35-55mm	New Listing

Billing Code	Product Name	Further Description	Size	Change
LB114	Unify Dynamic Anterior Cervical Plate System – Plate	Titanium Alloy Dynamic Anterior Cervical Plate	Depth - 2.8mm Width – 16.6mm Length – 10- 55 mm	New Listing
LB115	Unify Dynamic Anterior Cervical Plate System – Plate	Titanium Alloy Dynamic Anterior Cervical Plate	Depth - 2.8mm Width – 16.6mm Length – 58 -70 mm	New Listing
LB116	Unify Dynamic Anterior Cervical Plate System – Screws	Variable and fixed angle expanding titanium alloy screws	Diameter – 4.2mm and 4.6mm Length – 10mm – 20mm	New Listing

Heraeus Medical Australia Pty Ltd

06 - Specialist Orthopaedic

HK012	PALACOS® fast R+G	Fast setting, high viscosity, radiopaque bone cement with gentamicin	40g	New Listing
HK013	Palacos or Palmed Bone Cement with Gentamicin	Single mix PMMA with Gentamicin	20,40 gms	Compressed from HK007, HK009

iNova Pharmaceuticals Australia Pty Ltd

01 - Ophthalmic

IL001	Crystalens HD	Accommodating lens with > 3 Dioptres of accommodation with dual mechanism of action: (1) forward axial movement of lens and (2) accommodative arching of optic. Posterior chamber, polyspheric optics, 3-piece, plate haptic, foldable UV light filtering, bic	10.0 to 33.0 Dioptres in .05 Dioptre steps	Transferred from BL027
IL002	Crystalens AO	Accommodating lens designed to provide > 3 Diopters of accommodation with dual mechanism of action: (1) forward axial movement of lens and (2) accommodative arching of optic. Posterior chamber, aspheric, aberration free optics, 3-piece, plate haptic, fol	10.0 to 33.0 D in 0.50 Diopter steps. 10.0 - 16.5 Diopters (12mm length) and 17.0 - 33.0 Diopters (11.5mm length).	Transferred from BL029
IL003	Preloaded Capsular Tension Ring	Capsular tension ring preloaded (acrylic)	13/11mm	Duplicated from IS001.

Billing Code	Product Name	Further Description	Size	Change
Insight Surgical Pty Ltd				
01 - Ophthalmic				
IS018	Jetring	Preloaded PMMA (polymethyl methacrylate) capsular tension ring.	<p>JETRING 11ACB Right Overall diameter: 13.0 mm ±0.20 mm Compressed diameter: 11.0 mm ±0.20 mm Haptic: 6.0 mm ±0.02 mm Haptic design: straight, open modified C-loop</p> <p>JETRING 12ACB Right Overall diameter: 14.5 mm ±0.20 mm Compressed diameter: 12.0 mm ±0.20 mm Haptic: 6.0 mm ±0.02 mm Haptic design: straight, open modified C-loop</p>	New Listing
IS019	Medicontur BiFlex 677MY Hydrophilic Acrylic Foldable Multifocal Lens with Blue light Filter	Posterior chamber IOL, 360° Special Square Edge, Aspheric – Coma optimized	<p>Optic diameter: 6.0 mm ±0.10 mm, Overall diameter: 13.0 mm ±0.20 mm Powers available: -10.0 - +9.0 D ±0.25 D increment: 1.0 D +10.0 - +25.0 D ±0.25 D increment: 0.5 D +25.5 - +30.0 D ±0.5 D increment: 0.5 D +31.0- +45.0 D ±0. D increment: 1.0 D</p>	Expanded from IS011
IS020	Medicontur BiFlex Preloaded 677PMY Hydrophilic Acrylic Foldable Multifocal Lens with Blue light Filter	Posterior chamber IOL, 360° Special Square Edge, Aspheric – Coma optimized	<p>Optic diameter: 6.0 mm ±0.10 mm, Overall diameter: 13.0 mm ±0.20 mm Powers available: -10.0 - +9.0 D ±0.25 D increment: 1.0 D +10.0 - +25.0 D ±0.25 D increment: 0.5 D +25.5 - +30.0 D ±0.5 D increment: 0.5 D +31.0- +45.0 D ±0. D increment: 1.0 D</p>	Expanded from IS011
IS021	Medicontur QFlex 640PMY Hydrophilic Acrylic Foldable Multifocal Lens with Blue light Filter	Posterior chamber IOL, 360° Special Square Edge, Aspheric – Coma optimized	<p>Optic diameter: 6.0 mm ±0.10 mm, Overall diameter: 13.0 mm ±0.20 mm Powers available: -10.0 - +9.0 D ±0.25 D increment: 1.0 D +10.0 - +25.0 D ±0.25 D increment: 0.5 D +25.5 - +30.0 D ±0.5 D increment: 0.5 D +31.0- +45.0 D ±0. D increment: 1.0 D</p>	Expanded from IS011
IS022	Medicontur BiFlex 677TAY Hydrophilic Acrylic Foldable Toric Lens with Blue light Filter	Posterior chamber IOL, 360° Special Square Edge, Aspheric – Coma optimized – Toric	<p>Optic diameter: 6.0 mm ±0.05 mm, Overall diameter: 13.0 mm ±0.10 mm Powers available: -10.0 - +30.0 D ±0.25 D increment: 0.5 D +31.0 - +35.0 D ±0.5 D increment: 1.0 D Cylinders available: +1.5 D - +7.0 D increment: 0.75 D</p>	Expanded from IS012

Billing Code	Product Name	Further Description	Size	Change
IS023	Medicontur BiFlex 677TAY Hydrophilic Acrylic Foldable Toric Lens with Blue light Filter	Posterior chamber IOL, 360° Special Square Edge, Aspheric – Coma optimized – Toric	Optic diameter: 6.0 mm ±0.05 mm, Overall diameter: 13.0 mm ±0.10 mm Powers available: -10.0 - +30.0 D ±0.25 D increment: 0.5 D +31.0 - +35.0 D ±0.5 D increment: 1.0 D Cylinders available: +7.0 D - +9.0 D increment: 0.75 D +9.0 D - +10.0 D increment: 1.0 D	Expanded from IS012
IS024	Medicontur BiFlex 677TA Hydrophilic Acrylic Foldable Toric Lens without Blue light Filter	Posterior chamber IOL, 360° Special Square Edge, Aspheric – Coma optimized – Toric	Optic diameter: 6.0 mm ±0.05 mm, Overall diameter: 13.0 mm ±0.10 mm Powers available: -10.0 - +30.0 D ±0.25 D increment: 0.5 D +31.0 - +35.0 D ±0.5 D increment: 1.0 D Cylinders available: +1.5 D - +7.0 D increment: 0.75 D	Expanded from IS012
IS025	Medicontur BiFlex 677TA Hydrophilic Acrylic Foldable Toric Lens without Blue light Filter	Posterior chamber IOL, 360° Special Square Edge, Aspheric – Coma optimized – Toric	Optic diameter: 6.0 mm ±0.05 mm, Overall diameter: 13.0 mm ±0.10 mm Powers available: -10.0 - +30.0 D ±0.25 D increment: 0.5 D +31.0 - +35.0 D ±0.5 D increment: 1.0 D Cylinders available: +7.0 D - +9.0 D increment: 0.75 D +9.0 D - +10.0 D increment: 1.0 D	Expanded from IS012
IS026	Medicontur BiFlex 677PT Hydrophilic Acrylic Foldable Toric Lens without Blue light Filter, Preloaded	Posterior chamber IOL, 360° Special Square Edge, Aspheric – Coma optimized – Toric	Optic diameter: 6.0 mm ±0.05 mm, Overall diameter: 13.0 mm ±0.10 mm Powers available: -10.0 - +30.0 D ±0.25 D increment: 0.5 D +31.0 - +35.0 D ±0.5 D increment: 1.0 D Cylinders available: +1.5 D - +7.0 D increment: 0.75 D	Expanded from IS012
IS027	Medicontur BiFlex 677PT Hydrophilic Acrylic Foldable Toric Lens without Blue light Filter, Preloaded	Posterior chamber IOL, 360° Special Square Edge, Aspheric – Coma optimized – Toric	Optic diameter: 6.0 mm ±0.05 mm, Overall diameter: 13.0 mm ±0.10 mm Powers available: -10.0 - +30.0 D ±0.25 D increment: 0.5 D +31.0 - +35.0 D ±0.5 D increment: 1.0 D Cylinders available: +7.0 D - +9.0 D increment: 0.75 D +9.0 D - +10.0 D increment: 1.0 D	Expanded from IS012
IS028	Medicontur BiFlex 677PTY Hydrophilic Acrylic Foldable Toric Lens with Blue light Filter	Posterior chamber IOL, 360° Special Square Edge, Aspheric – Coma optimized – Toric	Optic diameter: 6.0 mm ±0.05 mm, Overall diameter: 13.0 mm ±0.10 mm Powers available: -10.0 - +30.0 D ±0.25 D increment: 0.5 D +31.0 - +35.0 D ±0.5 D increment: 1.0 D Cylinders available: +1.5 D - +7.0 D increment: 0.75 D	Expanded from IS012

Billing Code	Product Name	Further Description	Size	Change
IS029	Medicontur BiFlex 677PTY Hydrophilic Acrylic Foldable Toric Lens with Blue light Filter	Posterior chamber IOL, 360° Special Square Edge, Aspheric – Coma optimized – Toric	Optic diameter: 6.0 mm ±0.05 mm, Overall diameter: 13.0 mm ±0.10 mm Powers available: -10.0 - +30.0 D ±0.25 D increment: 0.5 D +31.0 - +35.0 D ±0.5 D increment: 1.0 D Cylinders available: +7.0 D - +9.0 D increment: 0.75 D +9.0 D - +10.0 D increment: 1.0 D	Expanded from IS012
IS030	Medicontur BiFlex 677TBY Hydrophilic Acrylic Foldable Toric Lens with Blue light Filter	Posterior chamber IOL, 360° Special Square Edge, Aspheric – Coma optimized – Toric	Optic diameter: 6.0 mm ±0.10 mm, Overall diameter: 13.0 mm ±0.20 mm Powers available: +5.0 - +9.0 D ±0.25 D increment: 1.0 D +10.0 - +25.0 D ±0.25 D increment: 0.5 D +25.5 - +30.0 D ±0.5 D increment: 0.5 D Cylinders available: +10.0 D - +24.0 D ±0.5 D increment: 1.0 D	Expanded from IS012
IS031	Medicontur Preloaded Monofocal Hydrophilic 677P without Blue light Filter for Medjet PL-MA 2.2 single use injection system	Posterior chamber IOL, 360° Special Square Edge, Aspheric – Coma optimized	Optic diameter: 6.0 mm ±0.10 mm, Overall diameter: 13.0 mm ±0.20 mm Powers available: -10.0 - +9.0 D ±0.25 D increment: 1.0 D +10.0 - +25.0 D ±0.25 D increment: 0.5 D +25.5 - +30.0 D ±0.5 D increment: 0.5 D +31.0 - +45.0 D ±0.5 D increment: 1.0 D	Expanded from IS013
IS032	Medicontur Preloaded Monofocal Hydrophilic 640P without Blue light Filter for Medjet PL-MA 2.2 single use injection system	Posterior chamber IOL, 360° Special Square Edge, Aspheric – Coma optimized	Optic diameter: 6.0 mm ±0.10 mm, Overall diameter: 13.0 mm ±0.20 mm Powers available: -10.0 - +9.0 D ±0.25 D increment: 1.0 D +10.0 - +25.0 D ±0.25 D increment: 0.5 D +25.5 - +30.0 D ±0.5 D increment: 0.5 D +31.0 - +45.0 D ±0.5 D increment: 1.0 D	Expanded from IS013
IS033	BiFlex 877FABY Hydrophobic Acrylic Foldable Aspheric Monofocal Lens with Blue light Filter	Posterior Chamber IOL, special 360° sharp edge, Aspheric - Aberration Balanced	Optic diameter: 6.0 mm ±0.10 mm, Overall diameter: 13.0 mm ±0.20 mm Powers available: -0.0 - +9.0 D ±0.25 D increment: 1.0 D +10.0 - +25.0 D ±0.25 D increment: 0.5 D +25.5 - +30.0 D ±0.5 D increment: 0.5 D +31.0 - +35.0 D ±0.5 D increment: 1	Expanded from IS014
IS034	BiFlex Preloaded 877PAY Hydrophobic Acrylic Foldable Aspheric Monofocal Lens with Blue light Filter	Posterior Chamber IOL, special 360° sharp edge, Aspheric - Aberration Balanced	Optic diameter: 6.0 mm ±0.10 mm, Overall diameter: 13.0 mm ±0.20 mm Powers available: -0.0 - +9.0 D ±0.25 D increment: 1.0 D +10.0 - +25.0 D ±0.25 D increment: 0.5 D +25.5 - +30.0 D ±0.5 D increment: 0.5 D +31.0 - +35.0 D ±0.5 D increment: 1	Expanded from IS014

Billing Code	Product Name	Further Description	Size	Change
IS035	BiFlex 877FAB Hydrophobic Acrylic Foldable Aspheric Monofocal Lens without Blue light Filter	Posterior Chamber IOL, special 360° sharp edge, Aspheric - Aberration Balanced	Optic diameter: 6.0 mm ±0.10 mm, Overall diameter: 13.0 mm ±0.20 mm Powers available: -0.0±9.0 D±0.25 D increment: 1.0 D +10.0±25.0 D±0.25 D increment: 0.5 D +25.5±30.0 D±0.5 D increment: 0.5 D +31.0±35.0 D±0.5 D increment: 1.0 D	Expanded from IS015
IS036	BiFlex 877PA Preloaded Hydrophobic Acrylic Foldable Aspheric Monofocal Lens without Blue Light Filter	Posterior Chamber IOL, special 360° sharp edge, Aspheric Aberration Balanced	Optic diameter: 6.0 mm ±0.10 mm, Overall diameter: 13.0 mm ±0.20 mm Powers available: -0.0±9.0 D±0.25 D increment: 1.0 D +10.0±25.0 D±0.25 D increment: 0.5 D +25.5±30.0 D±0.5 D increment: 0.5 D +31.0±35.0 D±0.5 D increment: 1.0 D	Expanded from IS015

Integra Neurosciences Pty Ltd

02 - Ear, Nose & Throat

IG143	Silicone Blocks	Netterville Phonoform Block - Right, Left, Wedge & Strip	Right - One size only, Left - One size only, Wedge - One size only & Strip - One size only	Transferred from MC265
-------	-----------------	--	--	------------------------

Integrant Pty Ltd

06 - Specialist Orthopaedic

IT001	Hawk Anterior Ankle Fusion Set	Anatomically contoured 6 hole plate and screw set for anterior fixation of the ankle joint.	77mm in length 22mm in width 23mm depth	Transferred from HA019
IT002	Hawk 6.5mm Cannulated Screw System - Washer	Titanium Washer	Internal diameter 6.6mm and external diameter 14mm	Transferred from LA003
IT003	Hawk 4.0mm Cannulated Screw System - Washer	Titanium washer	internal diameter of 4.13mm and external diameter of 10mm	Transferred from LA006
IT004	Hawk 6.5mm Cannulated Screw System - Guide Pin	Threaded, Stainless steel	2.5mm in diameter and 200 in length	Transferred from LA002
IT005	Hawk 4.0mm Cannulated Screw system - Guide Pin	Threaded, Stainless steel	1.5mm in diameter and length of 200mm	Transferred from LA005
IT006	Hawk 3.0mm Cannulated Screw System - guide pin	Threaded, stainless steel	1.0mm in diameter with a length of 200mm	Transferred from LA009
IT007	Hawk Anterior Ankle Fusion Set	4.5mm screw set with lengths ranging from 35mm to 110mm.	4.5mm x length (35mm to 110mm)	Transferred from HA020
IT008	Hawk Anterior Ankle Fusion Set	3.5mm diameter screw set lengths 35mm to 110mm	3.5mm x length 35mm to 110mm	Transferred from HA021
IT009	Hawk Anterior Ankle Fusion Set	6.5mm screw set with lengths ranging from 35mm to 110 mm.	6.5mm length 35mm to 110mm	Transferred from HA022
IT010	Hawk 6.5mm Cannulated Screw System	6.5mm Cannulated Screw	6.5mm in diameter 45 to 115mm in length	Transferred from LA001
IT011	Hawk 4.0mm Cannulated Screw System	4.0mm Cannulated screw	4.0mm in diameter with lengths of 26mm to 70mm	Transferred from LA004

Billing Code	Product Name	Further Description	Size	Change
IT012	Hawk 3.0mm Cannulated Screw system	3.0mm cannulated screw	3.0mm in diameter with lengths of 14mm to 50mm	Transferred from LA008
IT013	Hawk 2.0mm Twist off Screw	2.0mm Twist off Screw	2.0mm in diameter with lengths of 11mm to 20mm	Transferred from LA007

Johnson & Johnson Medical Pty Ltd

03 - General Miscellaneous

MN180	PROLENE™ Soft Polypropylene Mesh	Non-absorbable Synthetic Surgical Mesh	>600cm2	Compressed from MN163, MN164
MN181	PROLENE™ Soft Polypropylene Mesh	Nonabsorbable Synthetic Surigcal Mesh	>200cm2	Compressed from MN159, MN160, MN161

10 - Vascular

MN178	InCraft AAA Stent-Graft System - Aortic Bifurcate	Bifurcated main body	22-34mm diameter, 86-94mm length	New Listing
MN179	InCraft AAA Stent-Graft System - Iliac Limb/Extension	Contralateral/Ipsilateral Iliac limbs and extensions	10-24mm diameter, 80-140mm length	New Listing

Johnson & Johnson Medical Pty Ltd t/a DePuy Synthes

13 - Spinal

SY801	SynFix Spinal System	Evolution, Interbody Fusion Spacer	10.5mm - 19mm, small - large	New Listing
-------	----------------------	------------------------------------	------------------------------	-------------

Kevin Grundy (IBD) Pty Ltd

01 - Ophthalmic

KG015	Rayner C-flex Advance Aspheric IOL	Mini incision pre-loaded aspheric IOL	Power range +8.0 - +34.0 dioptres in 0.5 increments	Duplicated from DV263
-------	------------------------------------	---------------------------------------	---	-----------------------

KLS Martin Australia Pty Limited

07 - Plastic and Reconstructive

KT064	Martin Level 1 Fixation	Orthodontic Screw	1.5 - 2.0mm	Compressed from KT041, KT042
-------	-------------------------	-------------------	-------------	------------------------------

Lifehealthcare Pty Ltd

03 - General Miscellaneous

LH534	Oxiplex/AP Absorbable Adhesion Barrier Gel	Combination of Polyethylene Oxide (PEO) and Sodium Carboxymethylcellulose stabilised with Calcium and made isotonic with Sodium Chloride. Kit contains 2 x 20ml Sterile syringes , 1 x Applicator	2 x 20ml Sterile Syringes, 1 x Applicator	New Listing
-------	--	---	---	-------------

06 - Specialist Orthopaedic

LH533	High V+ Cement with Delivery Kit	PMMA Cement including Delivery Kit	20gm	New Listing
-------	----------------------------------	------------------------------------	------	-------------

Billing Code	Product Name	Further Description	Size	Change
13 - Spinal				
LH529	ALIF Spine Truss System	Cage	8-20mm height	New Listing
LH530	Cervical Spine Truss System	Cage	5-16mm Height	New Listing
LH531	M6L Artificial Lumbar Disc	Intervertebral Artificial Disc – Lumbar	(Medium, Large, Xlarge) footprint, 3 - 16 degrees lordosis	New Listing
LH532	MAGEC Spinal Bracing and Distraction System	Magnetically controlled growing rods	Actual length: 70-90mm	New Listing
LH535	Jazz Posterior Fixation System	System of Polyester Braid, connector and locking screw	4mm braid, 5.5mm connector	Compressed from LH491, LH497, LH498
LH536	Klementine PL	Interbody fusion cage	4.5 - 8.5mm height	Expanded from LH526
LH537	Klementine PL	Fixation Screw, Self Tapping	(3.5 - 3.7)mm dia x 13-17mm length	Expanded from LH526

LMT Surgical Pty Ltd

06 - Specialist Orthopaedic

LM234	MBCP Bone graft substitute wedge	Pre formed bone substitute	Angles 6 - 16 degrees	New Listing
LM235	HA/TCP Granules	HA/TCP Bone graft substitute Granules	2.5cc, 5cc	New Listing
LM236	HA/TCP Granules	HA/TCP Bone graft substitute Granules	10cc	New Listing
LM237	HA/TCP Granules	HA/TCP Bone graft substitute Granules	15cc, 20cc	New Listing
LM238	HA/TCP Granules	HA/TCP Bone graft substitute Granules	25cc, 30cc	New Listing
LM239	Exabone HA/TCP Wedges, Blocks, Discs	HA/TCP Bone Substitute	Wedges: 15-35mm width x 20-15mm length x 6-14mm height 1 X 4-10mm height 2 Blocks: 4-20mm length x 10-30mm width x 10-45mm height Discs: 5-20mm diameter x 5-20mm height	New Listing
LM240	Exabone Paste	Preloaded Paste in Syringe	0.5cc, 1cc, 2cc, 2.5cc, 5cc	New Listing
LM241	Exabone Paste	Preloaded Paste in Syringe	10cc	New Listing
LM242	Exabone Paste	Preloaded Paste in Syringe	15cc	New Listing
LM243	HK2	Finger Mini Fixator System	1.2mm, 1.5mm, 1.8mm	New Listing
LM244	Ligamentotaxor	Finger Mini Fixator System	1 size only	New Listing
LM245	Universal Tendon Spacer	Tendon Spacer	1 size only	New Listing

Billing Code	Product Name	Further Description	Size	Change
LM246	Duafit	Interphalangeal implant	11 - 20 mm implant length, zero, 100 or 170 degrees of plantarflexion	New Listing
LM247	OS2®-C Compression Staple	Compression Staples	11, 13 & 15mm	New Listing
LM248	OS2®-V Varisation Staple	Varisation Staple	8 & 10mm, 260 & 900	New Listing
LM249	OsteoMed FPS	Bone screw - std	2/2.7mm x 8-22mm	Transferred from OH452
LM250	OsteoMed FPS	Bone Screws - Locking	2/2.7m x 8-22mm	Transferred from OH453
LM251	OsteoMed FPS	Bone screws	3.5/4mm x 10-60mm	Transferred from OH454
LM252	OsteoMed FPS	Bone screws	3.5/4mm x 10-60mm	Transferred from OH455
LM253	OsteoMed FPS	Titanium locking footplates	2mm and 2.7mm	Transferred from OH456
LM254	OsteoMed FPS	Titanium locking footplates	2mm and 2.7mm	Transferred from OH457
LM255	OsteoMed FPS	Screw Washers	2/2.7/3.5/4.0mm	Transferred from OH458
LM256	OsteoMed HPS	Bone Screws - threaded/lag	1.2/1.6/2.0mm x 4-36mm	Transferred from OH459
LM257	OsteoMed HPS	Bone screws - angled locking	1.6/2mm x 6-36mm	Transferred from OH460
LM258	OsteoMed HPS	Bone screws - cannulated headless	2.0mm x 10-36mm	Transferred from OH461
LM259	OsteoMed HPS	Bone screws - cannulated headless	2.4mm x 10-36mm	Transferred from OH462
LM260	OsteoMed HPS	Bone screws - angled locking	2.4mm x 6-36mm	Transferred from OH463
LM261	OsteoMed HPS	Bone screws - threaded/lag	2.4mm x 4-36mm	Transferred from OH464
LM262	Osteomed HPS	Low Profile hand plates	1.2/1.6/2.0/2.4mm 4-12 hole; straight, L, T	Transferred from OH465
LM263	OsteoMed HPS	Low Profile hand plates	1.2/1.6/2.0/2.4mm 4-12 hole; Complex	Transferred from OH466
LM264	Hemi-Great Toe Implant	Great Toe implant, Cobalt Chromium	XS, S, M, L	Transferred from OH442
LM265	Reflexion 1st MPJ Implant System	Reflexion metatarsal stems, 3 part 1st MPJ reconstruction system, 2 part composition - titanium/cobalt chrome, 1 part composition - titanium/UHMWPE,	Small, medium, large	Transferred from OH443
LM266	Reflexion 1st MPJ Implant System	Reflexion metatarsal heads, 3 part 1st MPJ reconstruction system, 2 part composition - titanium/cobalt chrome, 1 part composition - titanium/UHMWPE,	Standard, long, extra-long	Transferred from OH444
LM267	Reflexion 1st MPJ Implant System	ReflexionPhalangeal Bases, 3 part 1st MPJ reconstruction system, 2 part composition - titanium/cobalt chrome, 1 part composition - titanium/UHMWPE,	Small, medium, large	Transferred from OH445

Billing Code	Product Name	Further Description	Size	Change
LM268	ExtremiFix Screws	Headless Cannulated Compression Screw	Diameter 3.0mm, 4.0mm. Length 10mm to 52mm; Diameter 2.71mm - 4.49mm.	Transferred from OH446
LM269	ExtremiFix Screws	Headless Cannulated Compression Screw	Diameter 2.0mm, 2.4mm. Length 10mm to 52mm; Diameter 2.01mm - 2.7mm	Transferred from OH447
LM270	Bio-Action Great Toe Implant	Bio-Action Phalangeal Implant, Titanium Alloy and UHMWPE.	Small neutral/ small modified/ large modified.	Transferred from OH448
LM271	Bio-Action Great Toe System	Bio-Action Metatarsal Implant Cobalt Chrome	Small neutral / small left/ small right/ large neutral	Transferred from OH449
LM272	OsteoMed FPS	Titanium locking footplates	3.5mm and 4mm	Transferred from OH450
LM273	OsteoMed FPS	Titanium Locking footplates	3.5mm and 4mm	Transferred from OH451

Lumos Medical Pty Ltd

01 - Ophthalmic

LN001	Inside CTR	Preloaded PMMA capsular tension ring	Type 14 (12.3mm open, 10.0mm compressed), Type 14C (13.0mm open, 11.0mm compressed), Type 14A (14.5mm open, 12.0mm compressed), Type 13 (12.3mm open, 10.0mm compressed), Type 13A (13.0mm open, 11.0mm compressed), Type 13B (14.5mm open, 12.0mm compressed), Type 19D (11.6 mm open, 10.0/9.5/9.0/8.5mm compressed), Type 10C (12.1mm open, 11.0mm compressed)	New Listing
-------	------------	--------------------------------------	--	-------------

Medacta Australia Pty Ltd

11 - Hip

MU140	Mpact Acetabular Shells	Cementless titanium acetabular shell, variable holes	44 to 66	New Listing
MU141	Mpact Revision Acetabular Shells	Cementless titanium acetabular shell, variable holes	44 to 76	New Listing
MU142	MiniMax Femoral Stem	Titanium, Ti Plasma coated with HA	0-8, left & right	New Listing
MU143	APRICOT full PE HC Cemented Cup	Flat Edge full High-Cross PE cemented Cup	022, 028, 032, 036	New Listing
MU144	APRICOT full PE Cemented Cup	Flat edge full PE cemented cup	002, 028, 032	New Listing

Medartis

06 - Specialist Orthopaedic

EO093	APTUS SpeedTip CCS	APTUS SpeedTip CCS 5.0/7.0	5.0mm diameter and 7.0mm diameter. Short and long thread	New Listing
-------	--------------------	----------------------------	--	-------------

Billing Code	Product Name	Further Description	Size	Change
--------------	--------------	---------------------	------	--------

Medical & Optical Instruments Australia Pty Ltd

06 - Specialist Orthopaedic

MO431	ACUMED Small Bone External Fixation System	Designed for Metacarpal and Phalangeal bones	mini	New Listing
-------	--	--	------	-------------

Medtronic Australasia Pty Ltd

04 - Neurosurgical

MI165	ARES Antibiotic-Impregnated Catheter	ARES antibiotic-impregnated ventricular catheter	23cm	New Listing
MI166	ARES antibiotic -impregnated catheter	ARES antibiotic-impregnated peritoneal catheter	120cm	New Listing
MI167	ARES antibiotic-impregnated catheter kit	ARES antibiotic catheter kit includes ventricular and peritoneal catheter	23 - 120cm	New Listing

05 - Urogenital

MI169	Interstim Trial Lead and Screener Kit	Trial lead and screener cables kit	One size only	New Listing
-------	---------------------------------------	------------------------------------	---------------	-------------

10 - Vascular

MI173	Endurant IIs AAA Stent Graft	Endurant IIs Endoluminal Stent Graft System - Bifurcated Graft (body + single limb configuration), shorter ipsilateral leg	Proximal diameters: 23 to 36 mm; Distal diameters: 14 mm; Covered length: 103 mm	New Listing
-------	------------------------------	--	--	-------------

13 - Spinal

MI168	CD HORIZON SOLERA Spinal System	Apex and Tapered Rods	4.75mm to 6.3mm diameter	New Listing
MI170	Divergence-L Anterior/Oblique Lumbar Fusion System	Self-drilling and Self-tapping Screws	20-40 mm	New Listing
MI171	Divergence-L Anterior/Oblique Lumbar Fusion System	Lumbar Plates	10-20mm	New Listing
MI172	Divergence-L Anterior/Oblique Lumbar Fusion System	Interbody cage	10-20mm	New Listing
MI174	Centerpiece	TiMesh LP	Various	Compressed from MC299, MC309, MC947, MC948
MI175	Venture Screws	Self drilling and self tapping screws (fixed and variable angle)	4.0mm x 8mm - 21mm; 4.5mm x 8mm - 21mm	Compressed from MC343, MC344, MC347, MC348
MI176	Divergence Anterior Cervical Fusion Mini-Plate System	Divergence Miniplate Screw - Dual thread self drilling/self tapping screw	4.0mm x 9-24mm	Expanded from MI155
MI177	Divergence Anterior Cervical Fusion Mini-Plate System	Divergence Miniplate Screw - Dual thread self drilling/self tapping screw	3.5mm x 9-24mm	Expanded from MI155
MI178	Divergence Anterior Cervical Fusion Standalone System	Divergence anterior cervical fusion system Standalone screw	4.0mm x 9 -17mm	Expanded from MI163

Billing Code	Product Name	Further Description	Size	Change
MI179	Divergence Anterior Cervical Fusion Standalone System	Divergence anterior cervical fusion system Standalone screw	3.5mm x 9 -17mm	Expanded from MI163

Morton Surgical Pty Ltd ta Matrix Surgical Company

03 - General Miscellaneous

MG045	Everest Ligating Clip	Titanium clip	Small, Medium, Medium-Large, Large (6 per cartridge)	New Listing
MG046	Everest Ligating Clip	Titanium clip	Small, Medium (24 per cartridge)	New Listing

N Stenning & Co Pty Ltd

04 - Neurosurgical

NG071	Copernic RC	Venous remodelling balloon	Diameter: 8.0 - 10mm Balloon Length: 80mm Catheter Length: 160mm	New Listing
NG072	Fargo	Guiding Catheters	Outer Ø Proximal : 4.2F - 6.0F Outer Ø Distal : 3.9F - 6.0F Inner Ø: 1.02mm (.040") - 1.78mm (.070") Total Length: 95cm - 135cm Distal tip Length: 2.5cm -15cm	New Listing

09 - Cardiothoracic

NG070	Atriclep LAA Exclusion System	The Atriclep is a Titanium / Nitinol clip enclosed in knitted Dacron graft material set on a deployment device which enables precise delivery of the clip to the Left Atrial Appendage base. The parallel closure of the Nitinol / Titanium bars (clip) allows for an atraumatic placement with consistent tissue compression corresponding to the anatomical anatomy of the LAA.	35mm/40mm/45mm/50mm	New Listing
-------	-------------------------------	---	---------------------	-------------

National Surgical Pty Ltd

13 - Spinal

NK034	Certex Spinal Implant System Screw	Screws	Diameter 3.5mm - 4.5mm Length 10mm – 42mm	New Listing
NK035	Certex Spinal Implant System Cap	Cap	One Size Only	New Listing
NK036	Certex Spinal Implant System Hooks	Hook	4.5-6mm	New Listing
NK037	Certex Spinal Implant System Rod	Rod	3.5mm x 30-500mm	New Listing
NK038	Certex Spinal Implant System Transitional Rod	Transitional Rod	3.5mm - 5.5mm x100mm - 500mm	New Listing
NK039	Certex Spinal Implant System Connector	Connector	3.5mm x 22-26mm	New Listing

Billing Code	Product Name	Further Description	Size	Change
NK040	Cortex Spinal Implant System Connector Adjustable	Connector Adjustable	3.5mm x 28-33mm to 42-58mm	New Listing
NK041	PLAK RSF	Titanium Cervical Plate	17mm & 19mm	New Listing
NK042	Cervical Screw	Cervical Screw	14-18mm	New Listing

Oceania Orthopaedics

11 - Hip

OO163	Agilis Tipor	AGILIS Ti-POR is an uncemented monoblock hemispherical acetabulum cup designed to articulate with ceramic heads of large diameter.	42 – 66 mm diameter	New Listing
-------	--------------	--	---------------------	-------------

Orthotech Pty Ltd

06 - Specialist Orthopaedic

OH503	G-21 Radiopaque Bone cement for Vertebral Consolidation + V-Kit 06	Radiopaque Bone Cement for Vertebroplasty – high and low viscosity	10-20g	New Listing
OH504	G21 Bone Cement with Antibiotic+ HiVac7 delivery system	Bone cement with antibiotic – low & std viscosity	20-60g	New Listing
OH505	G21 Bone Cement + HiVac7 delivery system	Bone cement – low & std viscosity	20-60g	New Listing
OH513	RECOS Ulna Shortening and Radius Reconstruction System	Ulna Shortening / Radius Reconstruction plates	80/90mm x 10mm short / long, 70mm x 21-24mm	New Listing
OH514	KLS Martin Hand fracture system - multidirectional locking screw	Multidirectional locking screw	1.2 – 2.0mm	New Listing
OH515	KLS Martin Hand fracture system - multidirectional screw	Multidirectional screw	2.3mm	New Listing
OH516	KLS Martin Hand fracture system - periarticular plate	Various size and shaped hand plates	08-12mm depth x 10.5-45mm length	New Listing
OH517	KLS Martin Hand fracture system, standard screw	Bone screw	1.2 – 2.0mm	New Listing
OH518	KLS Martin Hand fracture system - standard screw	Standard screw	2.3mm	New Listing
OH519	KLS Martin Hand fracture system - washer	Washer	4.5 – 5mm	New Listing

11 - Hip

OH512	Furlong Hemi range, cement plug	Cement Plug	10-20mm	New Listing
-------	---------------------------------	-------------	---------	-------------

13 - Spinal

OH506	PACH plate, screw	Titanium coated anterior interbody fusion device for the lumbar spine	26-50mm	New Listing
OH507	Golden Gate C Plate / Gate	C Plate / Gate	45 - 130mm	New Listing

Billing Code	Product Name	Further Description	Size	Change
OH508	Golden Gate Hex Nut	Hex Nut	One Size	New Listing
OH509	Golden Gate Inlay	Inlay	One Size	New Listing
OH510	Golden Gate Polyaxial Screw	Polyaxial Screw	25 - 55	New Listing
OH511	Golden Gate Standard Screw	Standard Screw	20 - 50mm	New Listing

Osseointegration Holdings Pty Ltd

06 - Specialist Orthopaedic

OY001	Modular Stem Exo Fix w/distal plasma fixation c'less w/femoral head replacement	Modular Stem Exo Fix w/distal plasma fixation c'less w/femoral head replacement	27 items with sizes in 1 mm increments diameters 14mm-22mm with a stem lengths of 140mm,160mm & 180mm. Three distal flare sizes for enhanced bone seal.	Transferred from XO091
OY002	Femoral Stem straight Exo Fix anatomical anterior bow w/proximal THR option c'less	Femoral Stem straight Exo Fix anatomical anterior bow w/proximal THR option c'less	27 items with sizes ranging in stem length from 140 mm to 180mm	Transferred from XO094
OY003	Modular Femoral Stem Exo Fix Anatomic C'less	Modular Femoral Stem Exo Fix Anatomic C'less	9 items with sizes ranging in 9 anatomical configurations with a stem length of 180 mm	Transferred from XO095
OY004	Dual Cone Extension Niobium aluminum oxide coated Abutment	Dual Cone Extension Niobium aluminum oxide coated Abutment	5 sizes	Transferred from XO092
OY005	Modular Cylinder Extension abutment full Niobium aluminium oxide coated	Modular Cylinder Extension abutment full Niobium aluminium oxide coated	10 sizes	Transferred from XO093
OY006	Dual Cone Locking Extension (as a component of the Orthodynamics The Integral Leg Prosthesis	Orthodynamics The Integral Leg Prosthesis-Dual Cone Locking Extension	6 sizes	Transferred from RQ050
OY007	Orthodynamics The Integral Leg Prostheses-Central Screw (as a component of the Orthodynamics The Integral Leg Prosthesis	Orthodynamics The Integral Leg Prosthesis-Central Screw	1 size	Transferred from RQ047
OY008	Orthodynamics The Integral Leg Prosthesis - Modular Femoral Stem (as a component of The Integral Leg Prosthesis)	Orthodynamics The Integral Leg Prosthesis-Modular Femoral Stem	82 items with sizes ranging in stem length from 140mm to 180mm	Transferred from RQ046
OY009	Orthodynamics The Integral Leg Prostheses-Dual Cone Extension (as a component of the Orthodynamics The Integral Leg Prosthesis	Orthodynamics The Integral Leg Prosthesis-Dual Cone Extension	6 sizes	Transferred from RQ048

Pyramed Pty Limited

03 - General Miscellaneous

PY040	Niti-S Nagi Pancreatic Pseudocyst Drainage Stent	Fully Covered, self-expanding metal pancreatic pseudocyst intra-luminal drainage stent	Diameter: 10,12,14,16mm Length: 1,2,3cm	New Listing
-------	--	--	--	-------------

Billing Code	Product Name	Further Description	Size	Change
Reid Healthcare				
03 - General Miscellaneous				
RH021	Cor-Knot Mini Device Kit	The Cor-Knot Mini Device Kit contains two Cor-Knot Mini Devices which deliver and crimp a titanium fastener around a suture placed using routine suture placement techniques, trimming any excess suture tails.	2 x Cor-Knot Mini Sterile Devices (14cm length shaft) in each kit	New Listing
09 - Cardiothoracic				
RH016	Park Modified Pectus Bar	Park Modified Pectus bar available in titanium alloy and stainless steel	6" - 152mm, 7" - 178mm, 8" - 203mm, 9" - 228mm, 10" - 254mm, 11" - 279mm, 12" - 305mm, 13" - 330mm, 14" - 356mm, 15" = 381mm, 16" - 406mm, 17" - 432mm	New Listing
RH017	Park Pectus Hinge Plate Stabiliser	Stabilisation of Pectus Bar - optional use in asymmetric or adult pectus excavatum to prevent bar displacement stripping of intercostal muscles	65mm	New Listing
RH018	Park Bridge Stabiliser	Stabilisation of Pectus Bar - optional use for multiple bar placement	3 sizes: 6 hole - 60mm, 8 hole 80mm, 10 hole - 100mm	New Listing
RH019	Park Claw Fixator, Clip and Nut Stabiliser	Stabilisation of Pectus Bar	Park Claw Fixator - Small (20mm x 12mm), Medium (23mm x 15mm), Large (25mm x 18mm), Extra Large (30mm x 18mm). Fixator Clip - 15mm. Nut - 7mm.	New Listing
10 - Vascular				
RH020	E-xl Aortic Stent	The E-xl Aortic Stent is a self-expandable, nickeltitanium-alloy stent especially designed for the endoluminal treatment of lesions in the descending aorta, particularly aortic coarctation and dissections, and for the treatment of vena cava syndrome.	Total Length: 70, 130mm Flare Length: 20, 35mm Diameter: 36 Flare Diameter: 40 Design: single- or double-flared	New Listing
RH022	E-xl Aortic Stent	The E-xl Aortic Stent is a self-expandable, nickeltitanium-alloy stent especially designed for the endoluminal treatment of lesions in the descending aorta, particularly aortic coarctation and dissections, and for the treatment of vena cava syndrome.	Total Length: 70, 100mm Flare Length: 20, 30mm Diameter: 14, 16, 18, 20, 24 Flare Diameter: 18, 20, 22, 24, 28 Design: single- or double-flared	New Listing
RH023	E-xl Aortic Stent	The E-xl Aortic Stent is a self-expandable, nickeltitanium-alloy stent especially designed for the endoluminal treatment of lesions in the descending aorta, particularly aortic coarctation and dissections, and for the treatment of vena cava syndrome.	Total Length: 70, 130mm Flare Length: 20, 30, 35mm Diameter: 28, 32 Flare Diameter: 32, 36 Design: single- or double-flared	New Listing

Billing Code	Product Name	Further Description	Size	Change
--------------	--------------	---------------------	------	--------

REM Systems

03 - General Miscellaneous

RE003	Bodyguard Pump infusion sets	Single use sterile disposable infusion set for use with Bodyguard Infusion Pump	230 cm length	New Listing
-------	------------------------------	---	---------------	-------------

RQSolutions Medical Devices Distribution Support

01 - Ophthalmic

RQ075	iStent Inject System	The iStent Inject is a pre-loaded injection system which delivers two stents across the trabecular meshwork to provide a pathway for aqueous humor to flow from the anterior chamber. It is indicated for use in conjunction with cataract surgery for the reduction of IOP in subjects with mild to moderate open angle glaucoma currently treated with ocular hypotensive medication.	One size	New Listing
-------	----------------------	---	----------	-------------

RTI Surgical Australia Pty Ltd

13 - Spinal

RI001	Bullet-Tip Interbody Fusion Device	TLIF interbody fusion implant; PEEK with tantalum markers	(8- 13)mm width X (22-32)mm long X (8-17)mm height; 0-6 degrees Lordosis	New Listing
RI002	C-Plus Cervical Interbody Fusion Device	Cervical interbody fusion implant (anterior); PEEK with titanium alloy or tantalum markers	(12-17)mm width X (10-15)mm deep X (5-11)mm height; 0-6 degrees Lordosis	New Listing
RI003	CrossFuse II Interbody Fusion Device	Interbody fusion implant for Lateral Approach (LLIF); PEEK with tantalum markers	(14- 22)mm width X (35-70)mm long X (7-17)mm height; Lordosis 0-18 degrees; Coronal taper: 0-6 degrees	New Listing
RI004	Rotate Interbody Fusion Device	Posterior interbody fusion implant; PEEK with tantalum markers; Paired	(7- 13)mm width X (20-25)mm long X (11-17)mm height	New Listing
RI005	T-Plus Interbody Fusion Device	TLIF interbody fusion implant; PEEK with tantalum markers	(10)mm width X (27-36)mm long X (7-15)mm height; 0-6 degrees Lordosis	New Listing
RI006	PAC Anterior Cervical Plate System- Plates (10-55mm)	Single and multi level anterior cervical plates, 10-55mm, titanium alloy and Nitinol	One level plates: 10-26mm in 2mm increments Two level plates: 29-44mm in 3mm increments Three level plates: 43-55 in 3mm increments	New Listing
RI007	PAC Anterior Cervical Plate System- Plates (58-84mm)	Multi level anterior cervical plates, 58-84mm, titanium alloy and Nitinol	Three level plates: 58, 62, 66 mm 4 level plates: 60-84 in 4mm increments	New Listing
RI008	PAC Anterior Cervical Plate System- Screws	Self-tapping screws, self-drilling screws; fixed and variable angle; Titanium Alloy	4mm diameter by 10 - 20mm in 2mm increments; 4.5mm diameter by 12 - 16mm in 2mm increments	New Listing

Billing Code	Product Name	Further Description	Size	Change
RI009	Streamline MIS- Percutaneous Cannulated Polyaxial Screw	Cannulated Polyaxial Percutaneous Pedicle Screws in various diameters and lengths (Titanium Alloy)	4.5 x 20mm to 45mm in 5mm increments; 5.5 x 30mm to 60mm in 5mm increments; 6.5 x 30mm to 100mm in 5mm increments; 7.5 x 30mm to 100mm in 5mm increments; 8.5 x 30mm to 100mm in 5mm increments; 9.5 x 40 to 60mm in 5mm increments and 9.5 x 70mm to 100mm in 10mm increments;	New Listing
RI010	Streamline MIS- Rods	Titanium Alloy straight and pre-bent Rods	Titanium 5.5mm pre-bent rod lengths range from 35-80mm in 5mm increments and 90-200 in 10mm increments; straight rod lengths range from 35-80mm in 5mm increments and 90-200 250mm in 10mm increments, 300 & 350mm.	New Listing
RI011	Streamline TL/Streamline MIS - Set Screw	Set Screw for Locking Streamline TL polyaxial and fixed pedicle screws, offset connectors and parallel connectors and Streamline MIS Cannulated Polyaxial Screws	one size	New Listing
RI012	Streamline TL- Fixed Crosslink	Fixed Transverse connector (Titanium Alloy)	Lengths ranging from 16mm-40mm in 3mm increments	New Listing
RI013	Streamline TL- Fixed Pedicle Screws	Fixed Pedicle Screws in various diameters and lengths (Titanium Alloy)	4.5mm diameter x 20mm to 45mm in 5mm increments; 5.5,6.5 & 7.5mm diameters x 30mm to 60mm in 5mm increments	New Listing
RI014	Streamline TL - Offset Connectors	Lateral Offset Connectors in lengths of 15-30mm (Titanium Alloy).	15,20 & 30 mm lengths available. Connects to a 5.5mm diameter rod	New Listing
RI015	Streamline TL- Parallel Connectors	Parallel Connectors for rods of 5.5mm diameter (Titanium Alloy)	One size of open parallel connector; one size of closed parallel connector	New Listing
RI016	Streamline TL- Polyaxial Pedicle Screws	Polyaxial Pedicle Screws and Reduction Screws in various diameters and lengths (Titanium Alloy)	4.5 x 20mm to 45mm in 5mm increments; 5.5 x 20mm to 60mm in 5mm increments; 6.5 x 20mm to 100mm in 5mm increments; 7.5 x 30mm to 100mm in 5mm increments; 8.5 x 35mm to 100mm in 5mm increments; 9.5 x 35 to 60mm in 5mm increments and 9.5 x 70mm to 100mm in 10mm increments; 10.5 & 11.5 x 35mm to 55mm in 5mm increments. Reduction: 5.5 & 6.5 & 7.5 x 30mm to 60mm in 5mm increments	New Listing
RI017	Streamline TL/Quantum- Rods	Titanium Alloy and Cobalt Chrome (CoCr) Spinal Rods	Titanium 5.5mm pre-bent rod lengths range from 35-150mm in 5mm increments; Titanium 5.5mm straight rod lengths of 35mm, 40-110mm in 10mm increments, and with hex end in lengths of 120mm, 150mm, 200mm, 400mm and 600mm. CoCr 5.5mm straight rod with hex end in lengths of 200mm, 400mm, and 600mm.	New Listing
RI018	Streamline TL- Variable Crosslink	Transverse rod to rod connector, Adjustable (Titanium Alloy)	Small, medium, and large sizes, with lengths ranging from 37mm-85mm.	New Listing

Billing Code	Product Name	Further Description	Size	Change
RI019	Slimfuse Cervical Plate System - Bone Screw	Self-tapping and self-drilling screws screw options with expandable heads and expandable tips. The screw has a unique locking mechanism whereby the screw head expands locking into the plate	4.5mm and 5.0mm diameter	Transferred from LH488
RI020	Slimfuse Cervical Plate System - Plate	Low profile, narrow, scalloped, anterior cervical titanium plate	Length: 10mm to 44mm	Transferred from LH487
RI021	NanOss Cervical Interbody	Cervical Cage with 6 degree of lordosis	Height 5mm, 6mm, 7mm, 9mm, 11mm Footprints: 14mm Wide & 12mm Depth, 17mm Wide & 14.5mm Depth	Transferred from LH489

Signature Orthopaedics

06 - Specialist Orthopaedic

SF082	Bone cement with vacuum mixing system	Bone cement with vacuum mixing system	40 to 100gm	New Listing
SF083	Signature FAA Plate	Titanium Plate with or without wedge with 4 and non locking holes. Left and right side specific.	Various length plates from 18-24mm with and without wedges (2-7mm), plates with valgus angle built in range.	New Listing
SF084	Signature FAA Screw	Titanium Locking Screw.	2.7mm diameter from 8-30mm in length.	New Listing
SF087	DTS - DOUBLE THREADED CANNULATED SCREW	DTS - DOUBLE THREADED - SELF TAPPING OR SELF DRILLING CANNULATED SCREW	Diameter 4.5 and 6.5mm x Length 30 to 100mm	Duplicated from LC068
SF088	HVS BONE SCREW	Self drilling, self threading double threaded cannulated screw	Length 10-34mm	Duplicated from LC062
SF089	Hot Memory Staple 4 leg - Medium	Hot Memory Staple 4 leg - Medium	Width 11-20 mm	Duplicated from LC064
SF090	R2 Subtalar Implant	R2 Subtalar Implant	Size 7/13mm to 12/18mm	Duplicated from LC126
SF091	Self Breaking Screw - Micro	Self Breaking Screw - Micro	Dia 2.0 mm x Length 7-24 mm	Duplicated from LC077
SF092	Twinlock Screw - Standard	Twinlock Screw - Standard	5.2/5.5mm to 6.0/7.0mm Dia x 25 to 120 mm Length	Duplicated from LC125
SF093	TwinLock Screw - Small	TwinLock Screw - Small	3.5/3.6mm to 4.0/4.1mm Dia x 16 to 34 mm length	Duplicated from LC124
SF094	Versa Screw	Self Drilling self tapping Cannulated Compression Screw	6.5 to 8mm Dia x 40 to 120mm length	Duplicated from LC122
SF095	Versa Screw Washer	Versa Screw Washer	One Size	Duplicated from LC121
SF096	Bio-Composite Interference Screw	HA infused Polymer Interference Screws	5-12mm	Expanded from SF057
SF097	Bi-On™ Inteference Screw	HA infused Polymer Interference Screws	5-12mm	Expanded from SF057

13 - Spinal

SF085	Australis Spine System	Thoracolumbar Cage	Small to extra large	Expanded from SF022
-------	------------------------	--------------------	----------------------	---------------------

Billing Code	Product Name	Further Description	Size	Change
--------------	--------------	---------------------	------	--------

SF086	Australis Spine System	Thoracolumbar Cage PC	Small to extra large	Expanded from SF022
-------	------------------------	-----------------------	----------------------	---------------------

Signature Spine and Joint Pty Ltd

03 - General Miscellaneous

SV053	Starsil Haemostat	Plant based haemostatic powder	1g	New Listing
SV054	Starsil Haemostat	Plant based haemostatic powder	2g	New Listing
SV055	Starsil Haemostat	Plant based haemostatic powder	5g	New Listing

06 - Specialist Orthopaedic

SV051	GelOST™	Gel based Synthetic bone substitute	1cc, 2.5cc, 5cc	New Listing
SV052	GelOST™	Gel based Synthetic bone substitute	10cc	New Listing

Slater International Pty Ltd

13 - Spinal

LA010	Fuse It	Titanium alloy fusion cage - to use in situations such as anterior cervical fusion surgery	6mm x 1cm, 8mm x 1cm, 10mm x 1cm, 12mm x 1cm, 6mm x 1cm, 8mm x 2cm, 10mm x 2cm, 12mm x 2cm	New Listing
-------	---------	--	--	-------------

Smith & Nephew Surgical Pty Ltd

06 - Specialist Orthopaedic

SL049	STRUCSURE CP	Calcium Phosphate Bone Graft Substitute	5cc	New Listing
SL050	STRUCSURE CP	Calcium Phosphate Bone Graft Substitute	>5cc - 10cc	New Listing
SL051	STRUCSURE CP	Calcium Phosphate Bone Graft	10cc - 20cc	New Listing
SL052	HAT-TRICK	PIP Fusion System	Straight & Angled	New Listing
SL053	N8TIVE	Femoral Implant	Spacer length: 23mm Spacer saddle length: 19mm Base width: 6mm x 6mm	New Listing
SL054	N8TIVE	PEEK Tibial Implant	Sheath lengths: 33mm (with 29mm Screw); 40mm (with 36mm Screw) Screw diameter: 6-8mm, tapered Optional cortical button thickness: 1.8mm	New Listing
SL055	ArthroCare Anchor System	Anchor fixating soft tissue to bone	4.5, 5.5mm & 6.5mm	Transferred from AF004
SL056	ArthroCare Anchor System	Anchor fixating soft tissue to bone	2.8 - 3.4mm	Transferred from AF005

Billing Code	Product Name	Further Description	Size	Change
SL057	Doubleplay Suture Implant	Doubleplay Implant (TCP/PLLA) - Tricalcium phosphate and poly-L-lactide	5.0mm and 6.5mm	Transferred from AF033
SL058	Titan Ti Suture Anchor System	Tendon to bone Anchor	5.5mm and 6.55mm x 16.5mm	Transferred from AF034
SL059	Spartan PEEK Suture Implant	Spartan PEEK Suture Implant	5.5mm, 6.5mm	Transferred from AF035
SL060	Speedfix PEEK Suture Implant	Soft tissue to bone suture anchor	3.4mm x 12.5mm	Transferred from AF036
SL061	Speedlock HIP Knotless Fixation Implant	PEEK knotless suture anchor implant for fixation of soft tissue to bone in the hip	3.4mm	Transferred from AF037
SL062	Magnum M Suture Implant	Anchor fixing soft tissue to bone	2.8mm	Transferred from AF038
SL063	Q-Fix All Suture Anchor	Soft suture anchor	1.8mm	Transferred from AF039
SL064	Q-Fix All Suture Anchor	Soft suture anchor	2.8mm	Transferred from AF040

St Jude Medical Australia Pty Ltd

04 - Neurosurgical

SJ351	Brio LE Charging System 6722	Charging system for Brio Deep Brain Stimulation Device	One size only	New Listing
SJ352	Eon Charging System 3726	Eon Charging System	One size	New Listing
SJ354	Axiom Neurostimulator System - 22cm Delivery Sheath Kit - small curve and big curve	22cm delivery sheath kit - small curve and big curve.	2 sizes (2 presentations) 1 x Big Curve -MN23950AU 1 x Small Curve - MN23850AU	Transferred from OD016
SJ355	Axiom Neurostimulator System - Programmer - Patient	Programmer - patient	1 size (1 presentation)	Transferred from OD017
SJ356	Axiom Neurostimulator System - Lead accessories kit	Lead accessories kit.	1 size (1 presentation)	Transferred from OD018
SJ357	Axiom Neurostimulator System - Connector Cable Kit	Connector cable kit.	1 size (1 presentation)	Transferred from OD019
SJ358	Axiom Neurostimulator System - Lead Extension Kit	Lead extension kit.	1 size (1 presentation)	Transferred from OD020
SJ359	Axiom Neurostimulator System - Implant Lead Kit	Implant lead kit and Implant lead kit, slim tip	Package containing either 50cm or 90cm lead	Transferred from OD021
SJ360	Axiom Neurostimulator System - Tunneling Tool	Tunneling tool.	30cm or 51cm	Transferred from OD022
SJ361	Axiom Neurostimulator System - Curved Needle	A curved needle (one size 14G, 4.5in), a single use accessory, providing access to the epidural space during the surgical procedure of inserting a Neurostimulation System.	One Size - (14G, 4.5in)	Transferred from OD024
SJ362	Axiom Neurostimulator System - Implantable Neurostimulator	Spinal modulation implantable neurostimulator.	1 size; 31cc (1 presentation)	Transferred from OD015

Billing Code	Product Name	Further Description	Size	Change
08 - Cardiac				
SJ353	Quadra Allure MP RF PM 3262	Quadra Allure MP RF Biventricular Pacemaker	27g, 15cc	New Listing
Stryker Australia Pty Ltd				
04 - Neurosurgical				
HW558	TransForm Occlusion Balloon Catheters	The TransForm Occlusion Balloon Catheter consists of a single lumen catheter shaft with a balloon attached at the distal end. The balloon is available in a compliant version and a super compliant version. Radiopaque markers are located at the proximal and distal ends of the balloon to facilitate fluoroscopic visualization. The balloon catheter is recommended for use with a Stryker Neurovascular 0.014 (0.36 mm) guidewire to seal the distal segment of the catheter lumen allowing inflation of the balloon. The guidewire can be moved distally or proximally once beyond the distal tip (seal portion) of the catheter and still maintain a positive seal for inflating the balloon. The distal outer segment of the catheter shaft is coated with a hydrophilic material that reduces friction during manipulation in the vessel. A luer fitting hub at the proximal end of the catheter is used for the attachment of accessories.	Effective Length: 150 cm Balloon Outer Diameter: 3 mm - 7 mm Balloon Nominal Length: 5 mm - 30 mm Maximum Catheter Shaft Outer Diameter: 2.8 F	New Listing
06 - Specialist Orthopaedic				
HW549	Bioabsorbable (PLLA) Wedge Interference Screws	Bioabsorbable (PLLA) ACL Wedge Interference Screw	9, 10, 11, 12 x35mm; 7, 8, 9, 10 x 28mm; 7,8,9 x 23mm	New Listing
HW550	Biosteon (HA/PLLA) Cross-Pin	Biosteon ACL Cross Pin Bioabsorbable (HA/PLLA)	Titanium - 8 x40mm; 8x50mm; 8x60mm PLLA ? 6x40mm; 6x50mm	New Listing
HW551	VariAx Elbow Plating System	Periarticular anatomic humerus	<=/= 6 holes	New Listing
HW552	PEEK Intraline Suture Anchor	PEEK Intraline Suture Anchor	5.5mm, 6.5mm	New Listing
HW553	PEEK Zip Anchor	PEEK Zip Anchor	5.5mm, 6.5mm	New Listing
HW554	ReelX STT Anchor	ReelX STT Knotless Anchor (PEEK)	5.5mm, 4.5mm	New Listing
HW555	TwinLoop FLEX Anchor	TwinLoop FLEX Anchor	3.5mm	New Listing
HW556	Titanium Intraline Anchor	Titanium Intraline Anchor	5.5mm, 6.5mm	New Listing
HW557	Stryker Memometal Varisation Staple	Varisation Staple Stainless Steel	26-90Deg x 8-10mm	New Listing
SK588	Sbi PIP Silicone Implant System	Silicone finger joint	Various	Transferred from AE203
SK589	Sbi Silicone MCP Implant System	Silicon finger joint	Various	Transferred from AE204
SK590	SCS Distal Radius Plate System	Left and Right, Tined	Small and Large 3 hole	Transferred from AE205

Billing Code	Product Name	Further Description	Size	Change
SK591	Diamond Plate/Carpal Button	Carpal Fusion Plate	Large, Small	Transferred from AE206
SK592	Total Wrist Implant System	Left and Right Radial Components	Small, Medium, Large	Transferred from AE207
SK593	Total Wrist Implant System	Carpal Screws	15, 18, 22, 26, 30mm	Transferred from AE208
SK594	Total Wrist Implant System	Carpal Ball	Small, Medium, Large	Transferred from AE209
SK595	MCP Finger Prosthesis "Ariadna"	Distal part, Stainless Steel	1,2 or3	Transferred from AE211
SK596	Total Wrist Implant System	Carpal Component	Small, Medium, Large	Transferred from AE210
SK597	PIP Finger Prosthesis	Proximal part PIP joint	0-5	Transferred from AE212
SK598	MCP Finger Prosthesis "Ariadna"	Proximal part, Stainless Steel	1,2,or 3	Transferred from AE213
SK599	Carpal Screw	Titanium	2.5mm diameter in sizes 12mm - 20mm length	Transferred from AE214
SK600	Elektra Stem	Cobalt Chromium/Hydroxyapatite coated	6-8mm	Transferred from AE215
SK601	Elektra Neck	Cobalt Chromium	Extra Short, Short, Medium, Long	Transferred from AE216
SK602	Trapezio Metacarpal Prosthesis DLC	Cup, Polyethylene	One size only	Transferred from AE217
SK603	PIP Finger Prosthesis	Distal part PIP joint	0-5	Transferred from AE218
SK604	Elektra Cup	Cobalt Chromium and Hydroxyapatite coating	One size only	Transferred from AE219
SK605	Ulnar Head Implants	UlnarHead CoCr	1,2,3,4	Transferred from AE220
SK606	Ulnar Head Implants	Ulnar Stem CoCr	1,2,3,4	Transferred from AE221
SK607	Radial Head Implants	Radial Head	2,3,4,4N	Transferred from AE222
SK608	Radial Head Implants	Radial Stem	2,3,4,4N	Transferred from AE223
SK609	rHead Plating System	Comprehensive plating system: four plate designs; locking & non-locking screw options	Neck Plate: neck width - 15 or 18mm, plate width - 6mm, length - 23 or 29mm. Rim Plate: neck width 13.6 or 16.8mm, plate width 6mm, length 29.75 or 35.75mm. Bone Screws: diameter - 2.4 or 2.7mm; length - 8mm - 28mm.	Transferred from AE224
SK610	SR Hand Implant System	SR Hand MCP Distal or proximal, CoCr - Titanium Alloy, UHMWPE	XS/S/M/L/XL	Transferred from AE226
SK611	Metaflex	Low compression screw	Diameter: 1.2, 1.4, 1.6, 2.0 - 2.5mm, Length: 10mm - 30mm	Transferred from AE227
SK612	MiniFix	Finger Mini Fixator System	One size	Transferred from AE228
SK613	RadioFix	Radio Fixator System	One size	Transferred from AE229

Billing Code	Product Name	Further Description	Size	Change
SK614	M-Fix	Nitinol	10-19mm	Transferred from AE230
SK615	Wrist Fixator PFII	Wrist Fixator System	One size	Transferred from AE232
SK616	Poing Fix	Wrist Fixator System	One size	Transferred from AE231
SK617	MicroFix	Finger Mini Fixator System	one size	Transferred from AE233
SK618	Percufix	Titanium	Diameter: 2-2.5mm, Length 22-40mm	Transferred from AE234
SK619	Stability Sigmoid Notch Total DRUJ System / Sigmoid Notch Screw	The Sigmoid Notch Radial Screw is a low profile self tapping cortical screw made of implantable CoCr. It is designed to be placed bi cortical in the radius and is introduced into the Radial stem thru a hole. It is placed into the stem and tightened down	The Sigmoid Notch screw is available in 2mm increments from 18mm - 32mm and has a diameter of approx 4mm.	Transferred from AE235
SK620	AutoFIX	The SBi AutoFIX Twin Pitch Cannulated Compression Screw System implants are indicated in the treatment of fractures, nonunions, pseudarthrosis and degenerative changes, as well as corrective osteotomies geared towards a functionally stable osteosynthesis	2.0mm and 2.5mm Cannulated Compression Screw	Transferred from AE236
SK621	StaFIX	The StaFIX Staples are retained implants and removable used primarily for the following applications: Synthesis of fractures; Synthesis of osteotomies; Arthrodesis; Reattachment of ligaments or tendons. The aim of the StaFIX staple is to provide a effective fixation of the bone fragments during healing.	6x6, 6x12,8x8, 8x16, 10x10, 10x20, 12x24	Transferred from AE237
SK622	SBi K-Wire	K-Wire	1.6mm	Transferred from AE238
SK623	Stability Sigmoid Notch Total DRUJ system / Stability Sigmoid Notch Radial Stem and Insert. Total Wrist Implant System	Radial stem is made of Cobalt chromium with a CPTi plasma spray on the back for bone ongrowth. Radial Insert is made of UHMWP Polyethylenene	Small & Large	Transferred from AE239
SK624	STAR Ankle Prosthesis	Talar Component, cemented	xx-Small - x- large	Transferred from AE240
SK625	STAR Ankle Prosthesis	Tibial Component, cemented	xx-small - x-large	Transferred from AE241
SK626	STAR Ankle Prosthesis	UHMWPE Sliding Core	6- 14mm	Transferred from AE242
SK627	STAR Ankle Prosthesis	Talar Component, cementless	xx- small - x-large	Transferred from AE243
SK628	STAR Ankle Prosthesis	Tibial Component, cementless	xx-small - x-large	Transferred from AE244
SK629	STAR Ankle Prosthesis	Revision Tibial Component, Cemented	Extra small - Extra large	Transferred from AE245
SK630	SBi Locking Screws	Titanium Cortical Locking Self-tapping screws	2.7mm Cortical Locking, Self-tapping 10 - 30mm 3.5mm Cortical, Locking, Self tapping 8 -20mm	Transferred from AE246

Billing Code	Product Name	Further Description	Size	Change
SK631	Sbi Non-Locking Screws	Titanium Cortical Non-Locking Self tapping screws	2.7mm Cortical, Non Locking, Self-tapping 10 -30mm 2.7mm Lag, Non Locking, self tapping 10 -30mm 3.5mm Cortical, Non Locking,Self tapping 8 -20mm	Transferred from AE247

Surgical Specialties

06 - Specialist Orthopaedic

SQ104	ACL Reconstruction System - ArmorLink	Fixation for ACL Reconstruction – Tibial Fixation	6-10mm	New Listing
SQ105	ACL Reconstruction System - ShieldLoc	Fixation for ACL Reconstruction – Femoral Fixation	6-10mm	New Listing
SQ106	Quattro Link Knotless Anchor	Knotless Anchor manufactured from PEEK-OPTIMA polymer pre-assembled to stainless steel inserter. Provided as a single-use sterile device.	2.9mm,4.5mm and 5.5mm	Transferred from XD017
SQ107	Quattro X Suture Anchor	Suture Anchor with sutures, manufactured from PEEK-OPTIMA polymer pre assembled to stainless steel inserter. Provided as a single-use sterile device.	5.5mm and 6.5mm	Transferred from XD018
SQ108	Aperfix Tibial Fixation System	Aperfix Tibial Fixation System	9x24mm,10x24mm,9x29mm,10x29mm,11x29mm,8x30mm,9x30mm,10x30mm,11x30mm,7x20mm,7x25mm,8x20mm,8x25mm,8x30mm,9x20mm,9x25mm,9x30mm,10x25mm,10x30mm,11x30mm,12x30mm	Transferred from XD022
SQ109	Aperfix Femoral Fixation System	Aperfix Femoral Fixation System	9x24mm,10x24mm,9x29mm,10x29mm,11x29mm	Transferred from XD021

13 - Spinal

SQ096	RESPONSE Spine System – Cross Connector	Cross Connector	XS - XL	New Listing
SQ097	RESPONSE Spine System – Hook	Pedicle, Laminar, Thoracic	Open - Closed Narrow- Wide Left – Right Offset 5-11mm	New Listing
SQ098	RESPONSE Spine System – Inline Connector	Inline Connector	14-36mm	New Listing
SQ099	RESPONSE Spine System – Offset Connector	Closed Lateral	20-60mm	New Listing
SQ100	RESPONSE Spine System – Polyaxial Screw	Pedicle Polyaxial Screw	4-7mm diameter, 20mm-80mm	New Listing
SQ101	RESPONSE Spine System – Rod	CoCr, Ti	500mm-600mm Length	New Listing
SQ102	RESPONSE Spine System – Set Screw	Set Screw	Small, Large	New Listing
SQ103	RESPONSE Spine System – Uniaxial Screw	Pedicle Uniaxial Screw	4-7mm diameter, 20mm-50mm	New Listing

Billing Code	Product Name	Further Description	Size	Change
Teleflex Medical Australia				
02 - Ear, Nose & Throat				
TX001	MatriX	Stapes Prosthesis	Diameters: 4mm, 5mm, 6mm Lengths: 3.50mm, 3.75mm, 4.00mm, 4.25mm, 4.50mm, 4.75mm, 5.00mm, 5.25mm, 5.50mm.	New Listing
TX002	NitiFlex	Stapes Prosthesis	Diameters: 4mm, 6mm Lengths: 3.50mm, 3.75mm, 4.00mm, 4.25mm, 4.50mm, 4.75mm, 5.00mm, 5.50mm.	New Listing
TX045	Stapes	a) NiTiBOND b) Soft CliP c) K-Piston d) Angular Piston e) CliP Piston aWengen f) CliP Piston MVP g) Lenticle Cup	a) Diameter - 0.4 or 0.6mm in lengths - 3.5 to 5.5mm b) Diameter - 0.4 or 0.6mm in lengths 3.5 to 5.5mm c) Diameter - 0.4 or 0.6mm in lengths 3.5 to 10mm d) Diameter 0.4 or 0.6mm in lengths 4.25, 4.5, 4.75mm e) Diameter - 0.4mm or 0.6mm in lengths 3.5 to 5.5mm f) Diameter 0.4 or 0.6mm in lengths - 5 to 6.25mm g) lengths - 3 to 4.5mm	Transferred from PM032
TX046	Partial Ossicle Replacement	a) TTP Tuebingen Type bell b) CliP Dresden Type c) Malleus d) Angular Plester e) Angular CliP f) TTP - Vario Bell TTP - Variac System, Partial g) CliP Partial FlexBAL h) Duesseldorf Type Partial	a) length - 1.75 to 3.5mm b) Length 1.75 to 3.5mm c) 1075 to 3.5mm d) length 2.25 or 3.25mm e) length 2.25 or 3.25mm f) one size g) lengths - 1.75 to 3.5mm h) lengths - 1.75 to 4.5mm	Transferred from PM028
TX047	Total Ossicle Replacement	a) TTP Tuebingen Type Aerial Type b) TTB-Vario Aerial c) TTP Variac System Total d) Malleus Notch Prosthesis e) Regensburg Type Titanium Prosthesis f) Malleus Replacement g) Regensburg Type Total h) Duesseldorf Type Total	a) Length - 3 to 7mm b) one size only d) Length - 3 to 7mm e) Length - 4 to 5mm f) one size only g) lengths - 4 to 5mm h) lengths - 3 to 7mm	Transferred from PM119

Billing Code	Product Name	Further Description	Size	Change
TX048	Ventilation Tubes / Grommet	a) Tubingen Gold Type b) Tubingen Titanium Type c) T Tube d) Reuter Bobbin Type e) Paparella Type f) Collar Button Type g) Star Tube h) Bevel Buttton Tube i) Straight Tube j) Armstrong Type k) Shepard Type l) Donaldson Type m) Angular Type n) Myringotomy Tube with Trocar o) Ventilation Tubes with Eyelets p) Minimal Type	a) I.D. 1.25mm w/w, I.D.1.25mm wo/w, I.D. 1.5mm wo/w b) one size only c) L- 6, 7.5, 12 d) I.F.O.D 2.5mm, 2.7mm e) one size only f) one side only g) one size only h) one size only i) i.d.-0.9mm,1.1mm,1.15mm j) L-3.8mm, 3.7mm, 10mm k) L- 2.2mm w/t, 2.2mm wo/t,2.4mm w/t l) S- one size only, F one size only m) one size only n) Silver or Titanium o) one or two p) one size only	Transferred from PM065
TX049	Tracheal Speaking Valve	1. Passy -Muir - a) Purple b) Clear c) Aqua 2. Provox - a) Two b) Vega c) Vega Puncture Set	1. One size only 2. a) 4.5, 6, 8, 10, 12.5, 15mm b) 17, 20, 22.5Fr in 4, 6, 8, 10, 12.5, 15mm c) 17, 20, 22.5Fr in 8, 10, 12.5, 15mm	Transferred from PM057
TX050	Vocal Chord Medialisation Implant	Montgomery Laryngeal Keel	12, 14, 16 - Clear and Radiopaque	Transferred from PM107
TX051	Thyroplasty	Montgomery Thyroplasty Implant System	male - 8,9,10,11,12,13 female - 6,7,8,9,10	Transferred from PM033
TX052	Extra-tracheal Cannula	a) Montgomery Short-Term Cannula b) Montgomery Long-Term Cannula	a) 4, 6, 8, 10 b) 4, 6, 8, 10 for Stoma Sizes 17-25, 25-33, 33-41, 41-49, 49-57, 57-65mm	Transferred from PM102
TX053	Intra-tracheal Cannula	Montgomery Safe-T-Tubes Clear and Radiopaque except c) a) Paediatric b) Standard c) Hebeler d) Thoracic e) Extra-Long f) Tapered g) Montgomery Salivary Bypass Tube h) Har-el Pharyngeal Tube i) Montgomery Esophageal Tube j) Trachael Fenestrator k) Moore Trache	a) 6, 7, 8, 9 b) 10, 11, 12, 13, 14, 15, 16 c) 12, 15, 18 d) 10, 11, 12, 13, 14, 15, 16 e) 10, 11, 12, 13, 14, 15, 16 f) 8/10, 10/13 g) 8, 10, 12, 14, 16, 18, 20 h) one size only i) one size only j) size 6, 8 and 10 k) size 6 and 8	Transferred from PM104

03 - General Miscellaneous

TX006	Horizon Ligating Clips	Ligation Clips Titanium	Small (6 per cartridge)	Transferred from NG006
TX007	Horizon Ligating Clips	Ligation Clips Titanium	Small (24 per cartridge)	Transferred from NG007
TX008	Horizon Ligating Clips	Ligation Clips Titanium	Medium (6 per cartridge), Micro (6 per cartridge)	Transferred from NG008
TX009	Horizon Ligating Clips	Ligation Clips Titanium	Medium (24 per cartridge)	Transferred from NG009

Billing Code	Product Name	Further Description	Size	Change
TX010	Horizon Ligating Clips	Ligation Clips Titanium	Medium/Large (6 per cartridge)	Transferred from NG010
TX011	Horizon Ligating Clips	Ligation Clips Titanium	Medium/Large (24 per cartridge)	Transferred from NG011
TX012	Horizon Ligating Clips	Ligation Clips Titanium	Large (6 per cartridge)	Transferred from NG012
TX013	Horizon Ligating Clips	Ligation Clips Titanium	Large (24 per cartridge)	Transferred from NG013
TX014	Hemoclip	Titanium Clips	Small, Medium (25 per cartridge); Large (15 per cartridge)	Transferred from NG014
TX015	Hemoclip	Titanium Clips	Medium (10 per cartridge)	Transferred from NG016
TX016	Hemoclip	Titanium Clips	Small (10 per cartridge)	Transferred from NG017
TX017	Hemoclip	Titanium Clips	Med-large (10 per cartridge)	Transferred from NG018
TX018	Hemoclip	Titanium Clips	Large (10 per cartridge)	Transferred from NG019
TX019	EZLoad Ligating Clips	Titanium Clip	Small (25 per cartridge); Med-Large, Large (10 per cartridge)	Transferred from NG020
TX020	EZLoad Ligating Clips	Titanium Clip	Medium (25 per cartridge)	Transferred from NG021
TX021	EZLoad Ligating Clips	Titanium Clip	Small, Medium (10 per cartridge)	Transferred from NG022
TX022	Hemoclip Plus	Ligation System Small and Medium	15 small preloaded clips and 20 medium preloaded clips	Transferred from NG023
TX023	Hem-o-Lok Polymer Non-Absorbable Ligating Clip	Hem-o-lok Medium (M), Medium-Large (ML) and Large (L) Polymer Clips	Small, Medium, Medium-Large, Large (6 clips/cartridge)	Transferred from NG025
TX024	Weck Hem-o-lok	Hem-o-lok Automatic Endo Applier	15 Clips per applier	Transferred from NG043
TX025	Hem-o-lok Polymer Non-Absorbable Ligating Clip	Hem-o-lok Extra-large (XL) Polymer Clips	Extra-large (XL) (6 clips/cartridge)	Transferred from NG044
TX038	EndoMaxx Fully Covered Oesophageal Stent	Oesophageal stent, radiopaque, self expanding nitinol covered and premounted on delivery system	Diameter 19mm-23mm. Length 70mm-150mm.	Transferred from YO013
TX039	Alimaxx-B Uncovered Biliary Stent System	Biliary stent, radiopaque, self expanding nitinol and premounted on delivery system	Diameter 8mm-10mm. Length 40mm-80mm	Transferred from YO014
TX041	ALIMAXX-E Esophageal Stent System	Esophageal stent, radiopaque, self expanding nitinol covered stent, premounted on a delivery system	Diameter 18-22mm, Length 70-120mm	Transferred from YO016
TX042	AERO Tracheobronchial Stent System	Radiopaque self-expanding nitinol stent and delivery system	Diameter 10-20mm, length 20-80mm	Transferred from YO017
05 - Urogenital				
TX003	DD Ureteric Tumor Stent Set	Open/Closed end with introducer and guide wire, Polyurethane	20 - 28cm	Transferred from NG028
TX004	Paediatric Ureteric Valve Stent Set	Open end with introducer and guidewire, Polyurethane	12 - 22cm	Transferred from NG030

Billing Code	Product Name	Further Description	Size	Change
TX005	Paediatric Ureteric Valve Stent Set	Fixed length wirthan stent	12 - 22cm	Transferred from NG046
TX044	ReSolve (Nephrostomy) Locking Drainage Catheter	Nephrostomy Catheter	6.5F x 15cm, 7.5F x 15cm, 8.5F x 15cm, 10F x 15cm, 12F x 15cm, 14F x 15cm, 6.5F x 25cm, 7.5F x 25cm, 8.5F x 25cm, 10F x 25cm, 12F x 25cm, 14F x 25cm, 6.5F x 40cm, 7.5F x 40cm, 8.5F x 40cm, 10F x 40cm, 12F x 40cm, 14F x 40cm	Transferred from YO019
10 - Vascular				
TX026	Arrow Peripherally Inserted Central Catheterisation Sets	Range of Polyurethane single lumen peripherally inserted central catheters with or without stylet	3 Fr, range of lengths	Transferred from YO001
TX027	Arrow Peripherally Inserted Central Catheterisation Sets	Range of Polyurethane single lumen peripherally inserted central catheters with or without stylet	4 Fr, range of lengths	Transferred from YO002
TX028	Arrow Peripherally Inserted Central Catheterisation Sets	Range of Polyurethane double lumen peripherally inserted central catheters with or without stylet	4 and 5 Fr, range of lengths	Transferred from YO003
TX029	ARROWg+ard Blue Haemodialysis Catheters	Haemodialysis Catheters (of various lengths, sizes and lumen configurations) with antimicrobial impregnation (chlorhexidine and silver sulphadiazine) on the external surface of the polyurethane catheter material.	CS-22122 - 12Fr 16cm, Dual Lumen CS-22123 - 12Fr 16cm, Triple Lumen CS-25122 - 12Fr x 20cm, Dual Lumen CS-22142CF - 14Fr x 15cm, Dual Lumen, Curved, Firm CS-22142F - 14Fr x 15cm, Dual Lumen Firm CS-25122 - 12Fr x 20cm, Double Lumen CS-25123 - 12Fr x 20cm, Triple Lumen CS- 25142CF - 14Fr x 20cm, Double Lumen, Curve, Firm CS-25142F - 14Fr x 20cm, Double Lumen, Firm CS-26142F - 14Fr x 25cm, Double Lumen, Firm CU-22122 - 12Fr x 16cm, Double Lumen, Curved CU-23122 - 12Fr x 13cm, Double Lumen, Curved CU-25122 - 12Fr x 20cm, Double Lumen, Curved, Dual Lumen CS-22142CF - 14Fr x 15cm, Dual Lumen, Curved, Firm CS-22142F - 14Fr x 15cm, Dual Lumen Firm CS-25122 - 12Fr x 20cm	Transferred from YO004
TX030	ARROWg+ard Blue Single Lumen Central Venous Catheters	A polyurethane central venous catheter with Blue FlexTip (of various lengths, sizes and lumen configurations) with antimicrobial impregnation (chlorhexidine and silver sulphadiazine) on the external surface of the polyurethane catheter body.	CS-24301 - 16g x 20cm, Single Lumen, Adult CS-24306E-16g x 16cm, Single Lumen Adult CS-24701 - 14g x 20cm, Single Lumen Adult CS-24706E -14g x 16cm, Single Lumen, Adult	Transferred from YO005
TX031	ARROWg+ard Four & Five Lumen Central Venous Catheters	A polyurethane central catheter with Blue FlexTip (of various lengths, sizes and lumen configurations) with antimicrobial impregnation (chlorhexidine and silver sulphadiazine) on the external surface of the polyurethane catheter material	CS-22854E - 8.5 Fr x 16cm, Quad Lumen CS-25854E - 8.5Fr x 20cm, Quad Lumen CS-22855 - 8.5 x 16cm, Five Lumen CS-25855 - 8.5Fr x 20cm, Five Lumen	Transferred from YO006

Billing Code	Product Name	Further Description	Size	Change
TX032	ARROWg+ard Blue Double & Triple Lumen Central Venous Catheters	A polyurethane central venous catheter with Blue FlexTip (of various lengths, sizes and lumen configurations) with antimicrobial impregnation (chlorhexidine and silver sulphadiazine) on the external surface of the polyurethane catheter material	CS-24402 - 4Fr x 13cm, Dual Lumen CS-22502 -5Fr x 5cm, Dual Lumen CS-25402 - 4Fr x 8cm, Dual Lumen CS-25502 - 5Fr x 12cm, Dual Lumen CS-22702E - 7Fr x 16cm, Double Lumen CS-26702 - 7Fr x 20cm, Double Lumen CS-27702E - 7Fr x 20cm, Double Lumen CS-25553 - 5.5Fr x 8cm, Triple Lumen CS-22703E - 7Fr x 16cm, Triple Lumen CS-26553 -5.5Fr x 13cm, Triple Lumen CS-24703E - 7Fr x 30cm, Triple Lumen CS-25703E - 7Fr x 20cm, Triple Lumen	Transferred from YO007
TX033	ARROWg+ard Blue Plus QUAD Lumen Central Venous Catheters	Central Venous Catheters (of various lengths, sizes and lumen configurations with antimicrobial impregnation on: 1. The external indwelling surface of catheter material (chlorhexidine and silver sulphadiazine) 2. The entire internal fluid pathway including catheter, extension-lines and hubs (chlorhexidine acetate)	CS-42854E - 8.5Fr x 16cm, Quad Lumen CS-45854E - 8.5Fr x 20cm, Quad Lumen	Transferred from YO008
TX034	ARROWg+ard Blue Plus Double & Triple Lumen Central Venous Catheters	Double & Triple Lumen Central Venous Catheters (of various lengths sizes and lumen configurations) with antimicrobial impregnation on: 1. The external indwelling surface of catheter material (chlorhexidine and silver sulphadiazine) 2. The entire internal fluid pathway including catheter, extension-lines and hubs (chlorhexidine acetate)	CS-45802E - 8 Fr x 20cm, Dual Lumen CS-46702E - 7Fr x 20cm, Dual Lumen CS-47702E - 7Fr x 20cm, Dual Lumen CS-42703E - 7Fr x 16cm, Triple Lumen CS-45703E - 7Fr x 20cm, Triple Lumen	Transferred from YO009
TX035	Arrow multi lumen pressure injectable peripherally inserted central catheter (PICC) sets	Arrow multi lumen pressure injectable PICC (peripherally inserted central catheter) sets	4, 5, 6Fr multi lumen Pressure Injectable PICCs various Pressure Injection rates, various lengths. Double & triple Lumen configurations.	Transferred from YO010
TX036	Arrow single lumen pressure injectable peripherally inserted central catheter (PICC) sets	Single lumen pressure injectable peripherally inserted central catheter (PICC) sets	3, 4, Fr single lumen Pressure Injectable PICCs various Pressure Injection rates, various lengths.	Transferred from YO011
TX037	Arrow Cannon II Plus Chronic Haemodialysis Catheter Set	Dual Lumen, Retrograde Tunneled, Cuffed, Tip First, Chronic Haemodialysis Catheter Set	15Fg x 24 - 55cm	Transferred from YO012
TX040	Arrow Pressure Injectable Triple-Lumen PICC.	Pressure injectable triple lumen PICC (Peripherally Inserted Central Catheter) Set	6Fg x 50cm, triple lumen	Transferred from YO015
TX043	Pressure Injectable ARROWg+ard® Blue Plus Antimicrobial Multi-Lumen Central Venous Catheters	Pressure Injectable Multi Lumen Central Venous Catheters (of various lengths sizes and lumen configurations) with antimicrobial impregnation of the internal and external catheter with Chlorhexidine and Silver Sulphadiazine.	CS42703HP: 16cm x 7Fr Triple Lumen Catheter CS45703HP: 20cm x 7Fr Triple Lumen Catheter CS42854HP: 16cm x 8.5Fr Quad Lumen Catheter CS45854HP: 20cm x 8.5Fr Quad Lumen Catheter	Transferred from YO018

Tornier Pty Ltd

06 - Specialist Orthopaedic

TO159	MaxLock Extreme System – Edgelock II STP Plate	Calcaneal displacement osteotomies locking plate, Titanium.	≤ 6 holes	New Listing
TO160	Latitude Total Elbow Prosthesis – Ulnar Bushing	Ultra-high molecular weight polyethylene ulnar bushing	Small, Medium, Large – Right and Left	New Listing

Billing Code	Product Name	Further Description	Size	Change
--------------	--------------	---------------------	------	--------

TO161	Latitude Elbow Prosthesis – Humeral Screw	Humeral Screw for revision surgery	Small, Medium and Large	New Listing
-------	---	------------------------------------	-------------------------	-------------

12 - Knee

TO158	HLS KneeTec Extension Stem	Extension Stem for use with HLS KneeTec Tibial Tray	10mm, 14mm	New Listing
-------	----------------------------	---	------------	-------------

uHealth Australia Pty Limited

06 - Specialist Orthopaedic

UH001	BST-CarGel	BST-CarGel is a chitosan-based liquid bioscaffold that is mixed with fresh autologous whole blood prior to implantation in a debrided cartilage lesion that has been surgically prepared with Bone Marrow Stimulation (Microfracture).	One Size Only.	New Listing
-------	------------	--	----------------	-------------

Wright Medical Australia

06 - Specialist Orthopaedic

WR272	INBONE® Total Ankle System: Poly Insert	Poly Insert, Standard or Plus	Sizes 1-6, 6-20mm thick	New Listing
WR273	INBONE® II Total Ankle System: Talar Component	Modular Talar Dome and Talar Stem	Sizes 1-6	New Listing
WR274	INBONE® II Total Ankle System: Tibial Component	Modular Tibial Tray, Tibial Base Stem, Tibial Top Stem	Sizes 2-5	New Listing
WR275	INBONE® II Total Ankle System: Tibial Stem Extender	Modular Tibial Segment – Mid Stem	12mm, 14mm, 16mm, 18mm	New Listing
WR276	Elix (plate)	PEEK HTO plate	4 Hole, right and left plate.	Transferred from LM074
WR277	Fyxis plate	Foot plate	40-55mm	Transferred from LM150
WR278	Biotech Easy Lock Osteosystem	Titanium and PEEK	2-10 holes straight	Transferred from LM050
WR279	Biotech Easy Lock System	Easy Lock Plating System	Various	Transferred from LM051
WR280	Fyxis plate screw	Foot Plate Screw	9-55 mm	Transferred from LM151
WR281	Unima Screw	Foot Screw 7.2	7.2 x 50 - 120mm	Transferred from LM152
WR282	Unima Screw	Foot Screw 4.5	4.5 x 30 - 50mm	Transferred from LM153
WR283	EOS Footset-Antares	Footscrew	12-34mm	Transferred from LM154
WR284	EOS Footset - Entos	Footscrew	11-14mm	Transferred from LM155
WR285	EOS Footset-Pyxis	Footscrew	11-28mm	Transferred from LM156
WR286	EOS Footset - Varisation staple	Foot staple	8-10mm	Transferred from LM157

Billing Code	Product Name	Further Description	Size	Change
WR287	Crossbone	Bone substitute	Wedges:6-15mm height Blocks: height 3 -10mm, Width 3-10mm, length10-20mm Granules: Granule size 0.5 - 3.5mm, Volume 0.4 -5cc	Transferred from LM067
WR288	TriMed Compression Screws	Compression Screws	4.5-7.5mm	Duplicated from LM134.
WR289	BioTech Xpode 4	PEEK curved and round plate	14mm-22mm	Transferred from LM060
WR290	Eleos staple	Foot staple	4-34/38mm	Transferred from LM159

11 - Hip

WR271	Bone Screw	Cancellous Bone Screw Titanium	6.5mm x 1.5 – 6 cm in 0.5cm increments	New Listing
-------	------------	--------------------------------	--	-------------

Zimmer Pty Ltd

13 - Spinal

ZI904	Virage Occipital Screws	Occipital Screws	4.5mm x 6-16mm, 5.25mm x 6-16mm	New Listing
ZI905	Virage Pedicle Polyaxial Screws	Pedicle polyaxial screws	3.5mm-5.0mm x 10-45mm	New Listing
ZI906	Virage Closure Top	Closure Top and dome nut	One Size	New Listing
ZI907	Virage Lateral Offset Connector	Offset Connector	10mm and 25mm	New Listing
ZI908	Virage Rod to Rod Transverse Connector	Rod to Rod Transverse Connector	XS, S, M, L, XL	New Listing
ZI909	Virage Head to Head Transverse Connector	Transverse Connector Adjustable	XS, S, M, L, XL	New Listing
ZI910	Virage Closed Rod Connector	Closed Rod Connector	3.5 to 5.5mm	New Listing
ZI911	Virage Cable Connector	Cable Connector	One Size	New Listing
ZI912	Virage Hooks	Virage Hooks	6mm and 8mm	New Listing
ZI913	Virage Occipital Plates	Modular adjustable occipital plates	small, medium, large	New Listing
ZI914	Virage Rods	Virage Rods	3.5mm x 25-400mm	New Listing
ZI915	Virage Occipital Rod	Occipital Hinged Rod	One size	New Listing
ZI916	Virage Rods	Virage Dual Diameter Rods	3.5/5.5mm x 450mm	New Listing

Grand Total: 554 Records