

Changed Items for Prostheses List

Billing Code	Product Name	Further Description	Size	Explanation of Change
Advanced Biomedical Pty Ltd				
General Miscellaneous				
AB081	PerClot Standard & XL - 3 grams	PerClot Polysaccharide Hemostatic System	3 grams	Changed Benefit.
Alcon Laboratories (Aust.) Pty Ltd				
Ophthalmic				
AL032	AcrySof IQ Toric IOL	Posterior chamber, UV absorbing, foldable, acrylic, toric, single piece lens with blue light protection and aspheric correction	+6 to +30 D spherical, +31.0 to +34.0 (1.0 D increments); 1.00 to 6.00 D cylinder.	Changed Size, Suffix.
Allergan Australia Pty Limited				
Plastic and Reconstructive				
AW004	Natrelle\u00AE 510 TruForm\u2122 Dual Gel Breast Prosthesis	Anatomical textured implant with dual gel for projection of nipple/areola complex, concave base and tapered edges for minimisation of edge/thoracic wall palpability.	LX sizes from 130-575 grams, MX sizes from 145-600 grams, FX sizes from 165-630 grams	Changed Product Name.
AW007	Natrelle\u00AE 410 BioDIMENSIONAL\u2122	TruForm\u2122 2 Soft-Touch\u2122 Gel and TruForm\u2122 3 Cohesive Gel Textured Mammary Implants. Full, moderate or low height; Extra full,full, moderate or low projection	125 - 775 grams	Changed Product Name, Description.
Audmet Australia Pty Ltd trading as Oticon Medical				
Ear, Nose & Throat				
OI029	Ponto Plus Sound Processor	A wireless enabled - fully programmable head worn sound processor for bone conduction hearing systems with full smart phone capabilities	Ponto Plus: 34 x 21 x 11mm Ponto Plus Power: 34 x 21 x 14mm	Changed Description, Suffix, Benefit.
Austofix				
Specialist Orthopaedic				
AX022	Austofix Femoral and Tibial Nailing System	Universal Tibial Nail (UTN) 4.0/4.8, stainless steel or titanium	Diameter 8 \u2013 11mm, Lengths 260mm \u2013 420mm	Changed Product Name, Description, Size.
AX023	Austofix Femoral and Tibial Nailing System	4.0/4.8 Screws, Locking, stainless steel or	Diameter 4.0-4.8mm, Lengths 20-90mm	Changed Product Name, Description, Size.
AX025	Austofix Femoral and Tibial Nailing System	6.2/6.5 Hip Screw, stainless steel or titanium	Diameter 6.2-6.5mm, Lengths 70-120mm	Changed Product Name, Description, Size.
AX026	Austofix Femoral and Tibial Nailing System	H2 Hip Nail 4.8/6.5, stainless steel or titanium	Dia 11mm, Lengths 170mm \u2013 240mm	Changed Product Name, Description, Size.
AX029	Austofix Femoral and Tibial Nailing System	M8 End Cap, Intramedullary Nails, stainless steel or titanium	1mm-20mm	Changed Product Name, Description, Size.
AX040	VRP Distal Radius Fixation System	Volar Distal Radius Plate	Standard, 3, 4, 7 and 12 hole, left and right Wide, narrow, long, short, universal	Changed Product Name, Description, Size.

Billing Code	Product Name	Further Description	Size	Explanation of Change
AX043	VRP Distal Radius Fixation System	VRP Distal Radius Fixation System, Variable Angle, Threaded, non-threaded, partially threaded locking, non-locking screw, peg, titanium	Standard, 3, 4, 7 and 12 hole, left and right Wide, narrow, long, short, universal	Changed Product Name, Description, Size.
B Braun Australia Pty Ltd				
Spinal				
BB252	Aesculap Interbody Cage	Interbody Cage	All sizes	Changed Product Name, Description.
Bard Australia Pty Ltd				
Urogenital				
BA044	Ureteral Stent	Hydrophilic coated ureteral stent	Fr 4.7 \u2013 8.0, Length 22-32cm	Changed Description, Size.
Biotronik Australia Pty Ltd				
Cardiac				
BT166	Protego SD	Dual-shock coil ICD lead with active fixation helix and DF4 connector	Length: 61cm, 65cm, 75cm; 16mm, 18mm electrode spacing	Changed Size.
Boston Scientific Australia Pty Ltd				
Neurosurgical				
BS120	Klik Anchor Kit	2 x Klik or Klik X Anchors	One Size Only	Changed Description, Benefit.
Urogenital				
BS092	Contour Ureteral Stent, Contour SureDrive Ureteral Stent	Ureteral stent with attached suture	Diameters up to 14Fr & lengths up to 40cm	Changed Product Name.
BS094	Contour VL; Stretch VL Flexima; Contour VL SureDrive	Ureteral stent with attached suture	Diameters up to 14Fr & lengths up to 40cm	Changed Product Name.
BXTAccelyon Australia Pty Limited				
General Miscellaneous				
BZ002	A-Seed AgX100 I-125 Seeds Preloaded A-Strand	BXTAccelyon AgX100 I-125 Seeds pre-loaded. The billing code is to be applied only if more than 100 seeds are used per patient. Benefit is per seed.	One representation in a delivery magazine with a loading of up to 20 seeds One representation in a delivery magazine with a loading of up to 15 seeds One representation in a delivery magazine with a loading of up to 10 seeds	Changed Description.
Covidien Pty Ltd				
General Miscellaneous				
AS182	Permacol\u201322 Biological Implant	Flat sheet of acellular porcine three-dimensional, crosslinked, dermal collagen.	3 x 3cm, 5 x 5cm, 2 x 20cm, 5 x 10cm, 4 x 18cm, 10 x 10cm, 10 x 15cm, 6 x 3cm, 10 x 15cm	Changed Size.
AS183	Permacol\u201322 Biological Implant	Flat sheet of acellular porcine three-dimensional, crosslinked, dermal collagen.	15 x 20cm	Changed Size.

Billing Code	Product Name	Further Description	Size	Explanation of Change
AS184	Permacol\u2122 Biological Implant	Flat sheet of acellular porcine three-dimensional, crosslinked, dermal collagen.	18 x 28cm and 20 x 30cm	Changed Size.
Vascular				
AS191	Onyx System	DSMO Liquid Embolic Material	500 Formulation	Changed Product Sub Group, Suffix.
Device Technologies Australia Pty Ltd				
Ophthalmic				
DE390	Oculentis LENTIS Tplus LU-313T	Patient Specific: Foldable one-piece monofocal toric acrylic IOL	Optic Size 6.0mm, overall length 11.0mm. Sph +/- 10.0D to +35.0D (in 0.01D increments) Cyl +0.25 to +6.99D cyl (in 0.01D increments)	Changed Size.
DE391	Oculentis LENTIS Tplus LU-313T	Patient Specific: Foldable one-piece monofocal toric acrylic IOL	Optic Size: 6.0mm, overall length 11.00mm. Sph +/-10.0D to +35.0D (in 0.01D increments) Cyl +6.99D to +12.0D cyl (in 0.01D increments)	Changed Size.
DE393	Oculentis LENTIS T plus LU-313-TY	Patient Specific: Foldable one-piece monofocal toric acrylic IOL. Violet Light Filter.	Optic Size: 6.0mm, overall length 11.00mm. - 10.0D to +35.0D (0.01D increments) Available diopters: Cyl +7.00D to +12.0D inclusive in 0.01D increments.	Changed Size.
Specialist Orthopaedic				
DE412	Low Profile Locking Screws	Locking screws for Arthrex Fracture Plate Fixation	2.01mm to 2.7mm	Changed Size.
Emergo Asia Pacific Pty Ltd				
General Miscellaneous				
ER197	Anastoclips	Vessel Closure System (VCS) (8 and 15 cm shaft)	Small, Medium, Large, Extra Large	Changed Description, Product Sub Group.
Spinal				
ER016	Pyrenees Cervical Plate System - Screw	Self-drilling, self-tapping and bone reduction screws	(3.5 - 4.7)mm diam x (10-20)mm length	Changed Size.
ER017	Mesa Spinal System / Polyaxial Pedicle Screw	Polyaxial Pedicle Screw, Titanium	(3.5 - 12.5)mm diam, lengths (20-110)mm	Changed Size.
ER223	SIGNUS Diplomat Pedicle Screw System - Screw Head (Tulip)	SIGNUS Diplomat Pedicle Screw System - Screw Head (Tulip)	dia 12.5 mm x height 14.9-150 mm	Changed Size.
ER225	SIGNUS Diplomat Pedicle Screw System - Rod-Straight or Curved	SIGNUS Diplomat Pedicle Screw System - Rod-Straight or Curved	dia 5.5 mm x length (30-150 mm)	Changed Size.
ER238	Spineway Mont Blanc Pedicle Screw System-Rod (tapered)	Spineway Mont Blanc Pedicle Screw System-Rod (tapered)	dia 5.5 mm x length (50-550 mm)	Changed Product Name, Description, Size.
ER239	Spineway Mont Blanc Pedicle Screw System-Pedicle Screw, Monoaxial (closed)	Spineway Mont Blanc Pedicle Screw System-Pedicle Screw, Monoaxial (closed)	dia (3.5-4.0 mm) x length (20-35 mm)	Changed Product Name, Description, Size.
ER246	Spineway Twin Peaks PLIF Fusion Cage-Paired	Twin Peaks PLIF Fusion Cage-Paired, (standard or bullet shaped)	height (7-14 mm) x length (20-25 mm) x lordosis (0-8 degrees)	Changed Product Name, Description, Size.

Evolution Surgical

Spinal

Billing Code	Product Name	Further Description	Size	Explanation of Change
EV007	Katana Rod	The Katana Pedicle Screw System is intended to provide immobilization and stabilisation of spinal segments in skeletally mature patients, as an adjunct to fusion in the thoracic, lumbar and sacral spine.	Titanium or CrCo, 25 \u2013 160mm length	Changed Size.

Globus Medical Australia

Spinal

LB004	TransContinental Spacer	PEEK Interbody cages	X-small, small, medium, large, x-large 0 deg, 6 deg and 10 degree 7 - 17mm Height	Changed Size.
LB065	COALITION Spacer	ACDF Spacer	12mm x 14mm, 14mm x 16mm and 15mm x 18mm ,5mm - 12mm height	Changed Size.
LB098	FORTIFY R Corpectomy Spacer Endplate	Expandable corpectomy spacer endplate	14-30mm X 14-25mm	Changed Size.
LB106	InterContinental Plate	Lateral Plate	20mm x 8mm - 21mm.	Changed Size.

Health Care Surgical Pty Ltd

Spinal

HC017	KM Nut	Nut	Various sizes	Changed Size.
-------	--------	-----	---------------	---------------

Integra Neurosciences Pty Ltd

Specialist Orthopaedic

IG078	Hintegra Total Ankle Prosthesis - Talar component with Pegs	Talar implant for primary surgery	Right and left, sizes 0 to 6	Changed Benefit.
-------	---	-----------------------------------	------------------------------	------------------

Johnson & Johnson Medical Pty Ltd t/a DePuy Synthes

Hip

DY134	Summit Femoral Stem	Titanium, beaded proximally with HA, duofix distal grit blast	Size 1-10	Changed Suffix, Benefit.
JJ813	Summit Femoral Hip	Titanium, beaded proximally, distal grit blast	0-12	Changed Suffix, Benefit.

Specialist Orthopaedic

JJ912	Intrafix Interference System	Non absorbable screw/sheath	6 to 12mm diameter	Changed Size.
SY650	AO/ASIF Cortex Screws	Locking head screws	1.3-2.0mm	Changed Size.
SY822	AO/ASIF Plates	VA Locking Plates	7-12 holes	Changed Description.

Lima Orthopaedics Australia Pty Ltd

Specialist Orthopaedic

LC177	SMR Reverse Liner (Cup) CoCrMo	Reverse Liner Standard & Excentric CoCrMo	Dia 40 - 44mm x Short to Long	Changed Suffix, Benefit.
-------	--------------------------------	---	-------------------------------	--------------------------

Link Orthopaedics Australia

Hip

Billing Code	Product Name	Further Description	Size	Explanation of Change
LO022	Link Prosthesis Femoral Head	Prosthesis Head "B" CoCrMo	Short/medium-short/medium/Long/X-long 22mm - 32mm and 36mm Neck Length -3.5 to +10.5	Changed Size.
LO036	LINK Vario bipolar Cup	Shell with unmodified polyethylene plus locking ring	Inner diameter: 28 - 32mm Outer diameter: 44 - 65mm	Changed Description, Size.

LMT Surgical Pty Ltd

Specialist Orthopaedic

LM001	TriMed Wrist Fixation System	Washer	One size	Changed Size.
LM246	Duafit	Interphalangeal implant	11 - 20 mm implant length, zero, 10.0 or 17.0 degrees of plantarflexion	Changed Size.

Mathys Orthopaedics Pty Ltd

Hip

MA502	RM Pressfit Acetabular Cup	Acetabular component - Bonded Shell / Liner - polyethylene modified. Ti coated monoblock, bearing surface is Vit E stabilised highly cross linked polyethylene	28, 32, 36mm (Articulation); 44 to 70mm (Cup size)	Changed Benefit.
-------	----------------------------	--	--	------------------

Matrix Medical Innovations

Spinal

BF016	Redmond Cage System - Locking screw, expandable	Expandable titanium screw	Diameter: 4.0mm; Length: 12, 14, 16, 18mm Diameter: 5.5mm; Length: 15, 20, 25, 30, 35mm	Changed Product Name, Size.
-------	---	---------------------------	--	-----------------------------

MD Solutions Australasia Pty Ltd

General Miscellaneous

MB017	SpaceOAR System	The SpaceOAR System consists of components for preparation of a synthetic, absorbable hydrogel spacer and a delivery mechanism packaged in a single kit. The hydrogel spacer creates a temporary space between the prostate and rectum during radiation therapy.	10CC	Changed Product Sub Group.
-------	-----------------	--	------	----------------------------

Medacta Australia Pty Ltd

Knee

MU094	GMK Revision tibial wedge	Cemented tibial baseplate augmentation	Size 0 to 6, each one available in 5 thicknesses: 5, 10, 15, 20 mm	Changed Size, Product Sub Group.
-------	---------------------------	--	--	----------------------------------

Medtronic Australasia Pty Ltd

Spinal

MC537	Danek Unit Rod System	Scoliosis Rods	5.5mm to 6.35mm	Changed Size.
MI036	CD HORIZON Fenestrated Screw	Fenestrated multi-axial screw	Diameter:4.5 - 10.5mm, Length: 30 - 80mm	Changed Size, Product Sub Group.
MI153	ZEVO Anterior Cervical Plate System	Dual thread, self-drilling/self-tapping screw	Diameter: 3.5mm - 4.5mm; Length 10mm - 24mm	Changed Size.

Billing Code	Product Name	Further Description	Size	Explanation of Change
Vascular				
MI185	MVP Microvascular Plug System	MVP Microvascular Plug can be delivered through a microcatheter to enable rapid occlusion.	Unconstrained device diameter (mm): 5.3, 6.5, 9.2, & 13.0	Changed Description, Size, Suffix, Benefit.
Nuvasive Australia and NZ Pty Ltd				
Spinal				
NV011	CoRoent	PLIF cage - PEEK or Titanium	Width 8-12mm x Length 20-40mm x Height 6-14mm x Lordosis 0-15\u00B0	Changed Description.
NV013	CoRoent	XLIF cage \u2013 PEEK or Titanium	Width 16mm-26mm x Length 25-60mm x Height 4-20mm x Lordosis 0-35 degrees	Changed Description.
NV115	Reline (Polyaxial Screw)	Polyaxial Screw	4.0-12.5mm diameter, 25-120mm length	Changed Suffix, Benefit.
NV117	Reline (Reduction Screw)	Reduction Screw	4.0-12.5mm in diameter; 25-120mm in length	Changed Suffix, Benefit.
Orthofix Australia Pty Limited				
Spinal				
OF010	Firebird Cannulated Modular Screws	Modulated cannulated pedicle screws (screw only) in various lengths and diameters	4.5, 5.5, 6.5, 7.5, 8.5, 9.5, 10.5mm diameters; 25mm-100mm in 5mm increments	Changed Product Name, Description, Size, Product Sub Group.
OF016	Spinal Fixation System	Set Screw Spinal System	One size only	Changed Product Sub Group.
OF023	Firebird modular pedicle screws	Modular pedicle screws (screw only) in various lengths and diameters, titanium	4.5, 5.5, 6.5, 7.5, 8.5, 9.5, 10.5mm; 25-100mm lengths in 5mm increments	Changed Description, Size, Product Group, Product Sub Group, Suffix, Benefit.
OF025	Spinal Fixation System	Multi Axial Cross Connector Assembly \u2013 Titanium/Lateral Offset	30mm-75mm in 5mm increments	Changed Description, Size.
OF034	Firebird Phoenix Rods	Titanium Rods, straight and lordotic with hex end. CoCr 450mm	35-600mm	Changed Size, Product Sub Group.
Orthotech Pty Ltd				
Specialist Orthopaedic				
OH468	IXOS Radius Plating System	Locking Screw	2.5-3mm x 8-30mm	Changed Size.
OH469	IXOS Radius Plating System	Std Screw	2.5-3mm x 8-30mm	Changed Size.
OH470	IXOS Radius Plating System	Titanium Radial Plates	23-27mm x 43-71mm - >7 to <15 Holes	Changed Description, Size, Product Sub Group, Benefit.
OH471	IXOS Radius Plating System	Titanium Radial Plates	23mm - 32mm x 60mm - 95mm	Changed Description, Size, Product Sub Group, Benefit.
Spinal				
OH303	ADD / ADDplus	Addplus is an anterior distraction device and is also used for vertebral column replacement which can be used for the anterior cervical column and for the cervico-thoracic transition. The ADD/ADDplus effects the reconstruction, support and stabilization	12mm, 14mm, 16mm Diameters. 10 - 65mm Heights. 0 - 18 degrees.	Changed Description, Size, Product Sub Group, Suffix, Benefit.
OH409	Ulrich Spine System Cannulated Polyaxial screws	Polyaxial Screws	3.5-10mm x 10-140mm	Changed Description, Size, Product Sub Group.

Billing Code	Product Name	Further Description	Size	Explanation of Change
OH412	Ulrich Spine System Cross Link	Cross Link	35-107 (XXS-XL)	Changed Size.
OH413	Ulrich Spine System Rods	Rods	30-500mm	Changed Size, Product Sub Group.
OH499	PACH Plate	Titanium	28-40	Changed Size.

Osseointegration Holdings Pty Ltd

Specialist Orthopaedic

OY001	Intramedullary Femoral Stem Type B	Modular Stem w/proximal fixation/THR option	14mm-22mm, 1mm increments	Changed Product Name, Description, Size.
OY002	Intramedullary Femoral Stem Type C	Modular anatomic stem w/screw options	Left & Right 17mm - 24mm	Changed Product Name, Description, Size.
OY003	Intramedullary Femoral Stem Type A	Modular Intramedullary stem	14mm - 21mm, 1mm increments	Changed Product Name, Description, Size.

Penumbra Neuro Australia Pty Ltd

Vascular

PN016	Penumbra POD Occlusion Device	The Peripheral Occlusion Device (POD) is comprised of a platinum embolisation coil attached to a composite pusher with a radiopaque positioning marker. The coil is transferred onto the microcatheter and the coil should be advanced under fluoroscopic guidance. The detachment handle is attached and advanced over the proximal end of the delivery pusher and then the coil is detached by using the retraction button on the handle into the preferred site.	30cm Length 3.25-4mm diameter, 30cm Length 4-5mm diameter, 50 cm Length 5-6mm diameter, 60 cm Length 6-8 mm diameter	Changed Product Group, Product Sub Group, Suffix, Benefit.
-------	-------------------------------	---	--	--

RQSolutions Medical Devices Distribution Support

General Miscellaneous

RQ076	Theragenics C20 IsoLoader Magazines in TPSII Individual - 20 seeds per magazine - sterile	The C20 IsoLoader cartridge is a shielded cartridge holding up to 20 I125 seeds, supplied in accordance with the surgeon's requirements. Benefit is per seed.	1 representation in a delivery magazine with a loading of up to 20 seeds	Changed Description.
-------	---	---	--	----------------------

Scient'x Australia

Spinal

SX095	Arsenal Set Screw	Set screws for polyaxial screw, rod, bridge and connectors	Diameter x Length: 5.6mm x 4.6mm; 6.32mm x 9.6mm; 6.32mm x 10.2mm; 7.5mm x 10.2mm; 9.3mm x 4.05mm.	Changed Size.
-------	-------------------	--	--	---------------

Signature Orthopaedics

Specialist Orthopaedic

SF060	Osteoflo G	Biphasic Calcium Phosphate	1cc,2cc, 5cc Granules	Changed Size.
SF083	Islay Universal Locking Plate	Titanium Plate with or without wedge with 4 and non locking holes. Left and right side specific.	Various length plates from 18-24mm with and without wedges (2-7mm), plates with valgus angle built in range.	Changed Product Name.

Billing Code	Product Name	Further Description	Size	Explanation of Change
SF116	Speyside Superscrew - Standard	Cannulated Cortical / Cancellous Lag Screw Partial or Full Thread	Dia. 4.5 / 5.0 / 6.5 / 7.2 mm x 25-140mm Length	Changed Product Name.
SF117	Speyside TWIST-OFF SCREW	11 mm TWIST-OFF SCREW2.5MM Cancellous thread 12 mm TWIST-OFF SCREW2.5MM Cancellous thread 13 mm TWIST-OFF SCREW2.5MM Cancellous thread 14 mm TWIST-OFF SCREW2.5MM Cancellous thread 15 mm TWIST-OFF SCREW2.5MM Cancellous thread 17 mm TWIST-OFF SCREW2.5MM Cancellous thread TWIST-OFF SCREWS10mm (1.5mm Shank) TWIST-OFF SCREWS11mm (1.5mm Shank) TWIST-OFF SCREWS12mm (1.5mm Shank) TWIST-OFF SCREWS13mm (1.5mm Shank) TWIST-OFF SCREWS14mm (1.5mm Shank) TWIST-OFF SCREWS15mm (1.5mm Shank) TWIST-OFF SCREWS16mm (1.5mm Shank) TWIST-OFF SCREWS17mm (1.5mm Shank) TWIST-OFF SCREWS18mm (1.5mm Shank) TWIST-OFF SCREWS10, 11, 12, 13, 14, 15, 16, 17, 18mm	10-18mm (1.5mm shank) 10-18mm, 11-17mm (cancellous thread)	Changed Product Name, Description.
SF118	Islay MTP Plate	Islay MTP Plate	2.7mm Univeral locking plate 18mm (2.7ULP), up to 24mm Open wedge locking plate 4mm (OW) up to 7mm Open wedge locking plate 0mm Open wedge osteotomy plate 4mm to 7.00mm	Changed Product Name, Description, Suffix.
SF119	Islay Arthrodesis Wedge Plate	Islay Arthrodesis Wedge Plate	Arthrodesis Wedge Plate 0mm-8mm(AWP), - 30mm (3.5mm universal locking plate 12mm - 30mm (3.5ULP))	Changed Product Name, Description.
SF120	Islay Locking screw	FPS 3.5mm locking screw FPS GENII 3.5mm locking screw FPS 2.7mm locking screw FPS GENII 2.7mm locking screw	10-50MM(FPS 3.5MM locking) 8-30MM (FPS 2.7MM locking)	Changed Product Name.
SF121	Islay Calaneal Locking Plate	Islay Calaneal Locking Plate 3.5	Islay Calaneal Locking Plate 3.5, large Islay Calaneal Locking Plate 3.5, medium Islay Calaneal Locking Plate 3.5, small	Changed Product Name, Description, Size.
SF122	2.5 mm Speyside B Screw	Speyside B Screw	2.5mm length 10 up to 2.5mm length 26mm	Changed Product Name, Description, Suffix.
SF123	Islay Opening Wedge Locking plate	Islay Opening Wedge Locking plate	universal locking plate 12 MM - 30mm/ Opening Wedge Locking plate 0MM-7MM Opening Wedge osteotomy plate OMM-7MM	Changed Product Name, Description.
SF124	Islay non-LOCKING SCREW	2.7mm non locking screw GENII 2.7mm non-locking screw 3.5mm non-locking screw GENII 3.5mm non-locking screw	8-30mm (FPS 2.7mm non locking) 10-50mm (FPS 3.5mm non-locking)	Changed Product Name, Description, Suffix, Benefit.

Billing Code	Product Name	Further Description	Size	Explanation of Change
SF125	Speyside STAPLE	STAPLE 90\00B0 10MM, STAPLE 26\00B0 10MM, STAPLE 90\00B0 8MM, STAPLE 26\00B0 8MM	STAPLE 90\00B0 10MM WIDE, STAPLE 26\00B0 10MM WIDE, STAPLE 90\00B0 8MM WIDE, STAPLE 26\00B0 8MM WIDE	Changed Product Name, Description, Size.
SF126	Islay Recon Plate	Islay Recon Plate	Recon Plate, 6 Hole (RRP) Recon Plate, 8 Hole (RRP) Recon Plate, 14 Hole (RRP)	Changed Product Name, Description, Size.

Smith & Nephew Pty Ltd

Knee

SN318	Genesis II	Lugs	Various sizes	Changed Product Name, Description, Size, Product Sub Group.
-------	------------	------	---------------	---

Specialist Orthopaedic

SN498	Intramedullary Nailing System	Nail Cap	0 - 30 mm	Changed Size.
SN520	TriGen	Captured Screws Titanium	4.0mm, 4.5 & 5.0mm diameters, 10-130mm lengths	Changed Size.
SN521	TriGen	Femoral Nail	8-18mm D \u2265 220mm length	Changed Product Name, Description, Size.

Stryker Australia Pty Ltd

Knee

SK587	Restoris MCK Knee - Tibial Onlay Insert	Tibial Onlay Insert	Tibial Onlay Insert come in sizes 1 to 8, each size with 8, 9, 10 and 12mm thickness options	Changed Size, Product Sub Group.
-------	---	---------------------	--	----------------------------------

Specialist Orthopaedic

SK243	Gamma LN	Lag Screw - Titanium	10.5mmx70mm - 10.5mmx130mm	Changed Suffix, Benefit.
-------	----------	----------------------	----------------------------	--------------------------

Surgical Specialties

Specialist Orthopaedic

SQ111	Iso-Elastic SuperCable Trochanteric Grips and Cable-Plates System	Cable Plates Titanium	6 Hole 185mm	Changed Suffix, Benefit.
SQ112	Iso-Elastic SuperCable Trochanteric Grips and Cable-Plates System	Cable Plates Titanium	8 Hole 240mm 10 Hole 290mm	Changed Product Name, Size, Suffix, Benefit.

Spinal

SQ099	RESPONSE Spine System \u2013 Offset Connector	Closed, Open Lateral	20-80mm	Changed Description, Size.
SQ100	RESPONSE Spine System \u2013 Polyaxial Screw	Pedicle Polyaxial Screw	4-9mm diameter, 20mm-110mm	Changed Size.
SQ103	RESPONSE Spine System \u2013 Uniaxial Screw	Pedicle Uniaxial Screw	4-7mm diameter, 20mm-100mm	Changed Size.

Tornier Pty Ltd

Specialist Orthopaedic

Billing Code	Product Name	Further Description	Size	Explanation of Change
TO067	Aequalis Reversed Shoulder, Glenoid Sphere	Glenoid Sphere, standard, eccentric, wear compensation or lateralised	Diameter 33, 36, 39 and 42mm Centre, or Eccentricity +2mm, or Wear Compensations 10deg, or Lateralised +6mm / +8mm	Changed Description, Size.

WILLIAM A. COOK AUSTRALIA PTY. LTD.

General Miscellaneous

WC177	Biodesign Tissue Graft	Surgical Mesh composed of Sub-Intestinal Submucosa (SIS)	Length - 10cm, Width - 7cm; Length - 7cm, Width - 4cm; Length - 3cm, Width - 2cm.	Changed Product Name, Size.
-------	------------------------	--	---	-----------------------------

Vascular

WC039	Cook Embolization Coil	Hilal Platinum	Diameters: .018, Extended Lengths: .5cm to 6cm, Coil Diameters: Straight to 10mm	Changed Suffix.
-------	------------------------	----------------	---	-----------------

Wright Medical Australia

Specialist Orthopaedic

WR264	MICA Compression Screw	Compression Screw for Minimally Invasive Surgery	Sizes: 3mm - 4.0mm diameter, 32mm, 34mm, 36mm, 38mm, 40mm, 44mm, 48mm, 52mm, 56mm, 60mm length	Changed Size.
-------	------------------------	--	--	---------------

Zimmer Biomet Pty Ltd

Hip

BI074	Biomet Taperloc Hip System	Titanium unpolished	4mm- 25mm diameter	Changed Size.
BI075	Biomet Taperloc Hip System	titanium, plasma, HA	4mm - 25mm	Changed Size.
BI111	Mallory Head Hip System	Acetabular shell, Titanium Alloy, plasma, non HA	40-80mm	Changed Suffix, Benefit.
ZI613	ZMR Modular Revision Hip System - Stem	Titanium, grit blast, non HA	115 to 185mm	Changed Size.

Knee

BI900	Vanguard Tibial Baseplate	Tibial Baseplate, uncemented, Titanium plasma sprayed surface (Porous plasma spray PPS) with HA for mobile insert	59-91mm	Changed Product Name, Description, Size.
-------	---------------------------	---	---------	--

Specialist Orthopaedic

BH190	Headless Compression Screws	Headless Compression Screws	3mm-4mm	Changed Product Name, Description, Size, Suffix.
BH193	Twistoff Screw	TwistOff Screw Titanium	8-15mm Long	Changed Size.
BH241	Headless Compression Screws	Headless Compression Screws	2.0 - 2.5mm	Changed Product Name, Description, Size, Suffix.
BH253	Distal Radius Plating System	DVR titanium radius plates	7 to 15 holes	Changed Product Name.
BH291	Distal Radius Plating System	Radial and Ulna Plates	\u22646 holes	Changed Product Name, Description, Size.
BH360	JuggerKnot/JuggerLoc Soft Anchor	Suture Anchor, Polyester, PE	1.0mm, 1.4mm,1.45mm, 1.5mm, 2.1mm, 2.3mm	Changed Product Name, Size.
BH361	JuggerKnot/JuggerLoc Soft Anchor	Suture Anchor, Polyester, PE	2.9mm	Changed Product Name.
BI929	RibFix/Sternalock	Screws Ti	2.4-2.7mm x 7-20mm	Changed Product Name, Size.

Billing Code	Product Name	Further Description	Size	Explanation of Change
--------------	--------------	---------------------	------	-----------------------

B1930	Sternalock	\u2264 6 holes, various shapes	\u2264 6 holes	Changed Description, Size, Suffix.
-------	------------	--------------------------------	----------------	------------------------------------

Grand Total: 126 Records