

Deleted Items for Prostheses List

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
AA-Med Pty Ltd				
Plastic and Reconstructive				
ZZ014	Kelyniam Customized Cranial Implant	PEEK-OPTIMA Customised Cranial Implant	The implant is custom made so the size will be variable	Deleted
ZZ015	Kelyniam Customized Orbital Floor Implant	PEEK-OPTIMA Customised Orbital Floor Implant	The implant is custom made so the size will be variable	Deleted
ZZ016	Kelyniam Customized Orbital Rim Implant	PEEK-OPTIMA Customised Orbital Rim Implant	The implant is custom made so the size will be variable	Deleted
ZZ017	Anatomical Biomodel for Kelyniam Customized Implant System	Patient Specific Anatomical Biomodel	Custom	Deleted
ZZ018	Plates for Kelyniam Customized Implant System	Anodized Titanium Plate	0.4 mm Thick, 9-15mm Length	Deleted
ZZ019	Plates for Kelyniam Customized Implant System	Anodized Titanium Plate	0.4 mm Thick, 9-18mm Length	Deleted
ZZ020	Plates for Kelyniam Customized Implant System	Anodized Titanium Plate	0.6 mm Thick, 9-15mm Length	Deleted
ZZ021	Plates for Kelyniam Customized Implant System	Anodized Titanium Plate	0.6 mm Thick, 11-19mm Length	Deleted
ZZ022	Plates for Kelyniam Customized Implant System	PEEK Shunt Plate	1mm Thick, 13-18mm Length	Deleted
ZZ023	Burr Hole Covers for Kelyniam Customized Implant System	PEEK and Anodized Titanium Burr Hole Covers	13mm - 22mm Diameter	Deleted
ZZ024	Screws for Kelyniam Customized Implant System	Self-drilling Titanium Screws	1.5mm diameter, 3mm-6mm length	Deleted
Abbott Australasia Pty Ltd				
Cardiac				
AY045	Absorb Bioresorbable Vascular Scaffold System	Drug eluting coronary artery stent	2.5 mm x (8, 12, 18, 23, 28) mm 3.0 mm x (8, 12, 18, 23, 28) mm 3.5 mm x (12, 18, 23, 28) m	Deleted
Alcon Laboratories (Aust.) Pty Ltd				
Ophthalmic				
AL023	Alcon AcrySof Toric PC IOL Models	Posterior chamber, UV absorbing, foldable, acrylic, toric, single piece lens with blue light protection	+6 to +34 D spherical; 1.50 to 6.00 D cylinder	Deleted
AL024	AcrySert model SN60WS	Foldable Acrylic Single-piece Lens with Blue light protection and aspheric correction, in cartridge.	+6 to +30 D	Deleted
AL028	AcrySof IQ ReSTOR SN6AD3	Posterior Chamber, UV absorbing, foldable, acrylic, single piece lens with apodised diffractive optic and blue light protection	+6 D to + 34 D	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Allegra Orthopaedics Pty Ltd				
Specialist Orthopaedic				
AE036	Opening Wedge Tibial Osteotomy Plate	Titanium	6mm - 20mm	Deleted
AE126	Carpal Fusion Compression Plate	316L Stainless Steel Compression Plate, 2 hole and 3 hole	2 Hole; and 3 Hole Plates	Deleted
AE252	CarboFix Piccolo Proximal Humerus Plate Systems \u2013 Plate component	CFR-PEEK proximal humerus plate	100mm, 120mm, 154mm, 190mm, 262mm	Transferred to JD006
AE253	CarboFix Piccolo Distal Fibula Plate System \u2013 Plate component	CFR-PEEK distal fibula plate	Left 72mm, 83mm, 96mm, 112mm, 153mm, 182mm Right 72mm, 83mm, 96mm, 112mm, 153mm, 182mm	Transferred to JD004
AE254	CarboFix Piccolo Distal Radius Plate System \u2013 Plate component	CFR-PEEK distal volar radius plate	Right 52mm, 60mm, 90mm Left 52mm, 60mm, 90mm Narrow Right 50mm, 58mm Narrow Left 50mm, 58mm	Transferred to JD005
AE256	CarboFix Piccolo Plate Systems \u2013 Locking Screws: Mini	Titanium alloy screws (locking) for fixation of CarboFix plate shaft and head.	Locking Proximal Screw 2.5mm x 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm Locking Screw 2.7mm x 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm	Transferred to JD007
AE257	CarboFix Piccolo Plate Systems \u2013 Non-Locking Screws: Mini	Titanium alloy screws (non-locking) for fixation of CarboFix plate shaft and head.	Non-Locking Proximal Screw 2.5mm x 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm Non-Locking Screw 2.7mm x 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm	Transferred to JD002
AE258	CarboFix Piccolo Plate Systems \u2013 Locking Screws: Small	Titanium alloy screws (locking) for fixation of CarboFix plate shaft and head.	Locking Proximal Screw 4.0mm x 25.0mm, 30.0mm, 32.5mm, 35.0mm, 37.5mm, 40.0mm, 42.5mm, 45.0mm, 47.5mm, 50.0mm, 55.0mm, 60.0mm Locking Distal Screw 3.5mm x 10mm, 12mm, 14mm, 16mm, 18mm, 22.5mm, 25.0mm, 27.5mm, 30.0mm, 32.5mm, 35.0mm, 40.0mm, 45.0mm Locking Screw 3.5mm x 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm	Transferred to JD001
AE259	CarboFix Piccolo Plate Systems \u2013 Non-Locking Screws: Small	Titanium alloy screws (non-locking) for fixation of CarboFix plate shaft and head.	Non-Locking Distal Screw 3.5mm x 10mm, 12mm, 14mm, 16mm, 18mm, 22.5mm, 25.0mm, 27.5mm, 30.0mm, 32.5mm, 35.0mm, 40.0mm, 45.0mm Non-Locking Screw 3.5mm x 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 30mm, 35mm, 40mm, 45mm, 50mm, 55mm	Transferred to JD003

B Braun Australia Pty Ltd

General Miscellaneous

BB344	DS Titanium Ligation Clips	Double shank titanium clip	Medium, Medium large (6 clips per cartridge)	Deleted
-------	----------------------------	----------------------------	--	---------

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
BB345	DS Titanium Ligation Clips	Double shank titanium clip	Medium large with latch (6 clips per cartridge)	Deleted
Spinal				
BB135	Aesculap Cervical System	Titanium, rigid	Medium 34 - 64mm length	Compressed into BB374
BB153	Aesculap Cervical System	Titanium, rigid	Small 20 - 32mm Length	Compressed into BB374
BB219	S4 Spinal System	S4 Straight Rod - Titanium	30 - 60mm	Compressed into BB372
BB220	S4 Spinal System	S4 Straight Rod - Titanium	70mm - 180mm	Compressed into BB372
BB221	S4 Spinal System	S4 Straight Rod - Titanium	200mm - 500mm	Compressed into BB372
BB222	S4 Spinal System	S4 Pre-bent Rod - Titanium	35mm - 55mm	Compressed into BB371
BB223	S4 Spinal System	S4 Pre-bent Rod - Titanium	60 - 240mm	Compressed into BB371
BB226	S4 Spinal System	Monoaxial Screw - titanium various sizes	Diameter 4.5mm & 5mm - all lengths 25 - 60mm	Compressed into BB373
BB227	S4 Spinal System	Monoaxial Screw - titanium various sizes	Diameter 6.0mm, 7.0mm & 8.0mm - all lengths 25 - 60mm	Compressed into BB373

Biotronik Australia Pty Ltd

Cardiac

BT095	Corox OTW BP; Corox OTW-S BP;	Bipolar, steroid eluting coronary sinus pacing lead with fractal coating	Lengths: 77, 87 cm	Deleted
BT097	Dextrus (marketed by Boston Scientific)	Bipolar, silicone, active fixation, steroid eluting, pacing lead	Lengths: 45, 53 and 60 cm, Diameter: 7Fr	Deleted
BT120	Linix SMART SD	Dual-shock coil ICD lead with active fixation helix and hydrophilic coating on lead body.	Lengths: 60, 65, 75 cm, Diameter: 7.8Fr	Deleted
BT121	Corox OTW-L BP	Corox OTW-L BP is a bipolar coronary sinus lead, intended for permanent implantation in the venous system and left ventricular pacing with appropriate single or multi chamber cardiac pacemakers or ICDs as part of cardiac resynchronisation therapy (CRT). The lead body is insulated with silicone and coated with polyurethane.	Length: 75, 85cm; Diameter: 5.4F	Deleted
BT125	Linix SMART SD X	LinixSmart S DX pentapolar, single-coil ICD lead with floating atrial dipole. Permanent, transvenous implantation in the right ventricle.	Length: 65cm. Distance of dipole from tip: Linix Smart SD X 65/15: 15 (cm), Linix Smart SD X 65/17: 17 (CM)	Deleted
BT148	Linix Smart S	Single shock coil ICD lead with active fixation, fractal coating and steroid elution. Coated in SilGlide silicone based coating for improved gliding	Lengths; 60, 65, 75 cm	Deleted
BT166	Protego SD	Dual-shock coil ICD lead with active fixation helix and DF4 connector	Length: 61cm, 65cm, 75cm; 16mm, 18mm electrode spacing	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
--------------	--------------	---------------------	------	-------------------------

BKLT Advisory Pty Ltd

Specialist Orthopaedic

BK001	Ideal Med Ring Fixator	Non-invasive components of an external fixation system (Ilizarov) used to stabilize fractured bones and to assist in the promotion and treatment of bone healing or bone deformity. The system can be used for dynamic compression and bone lengthening.	Half Ring 80mm - 240mm SS, Ti, Composite 5/8 Ring 80mm - 200mm, SS, Ti, Composite Foot Ring 80mm - 180mm, Short and Long, Composite, AL Threaded Rod 40mm - 400mm, Slotted and Partial Slotted, SS, Ti Telescopic Rod 100mm - 400mm, SS, Ti Graduated Telescopic Rods 60mm - 250mm, AL, Ti Post Female 2 Hole - 4 Hole, SS, Ti Post Male 2 Hole - 4 Hole, SS, Ti Hinges Various, Male Female Standard and Low Profile, SS, Ti Short Con. Plate 2 Hole - 10 Hole SS, Ti Long Con. Plate 155mm - 335mm, SS, Ti, Composite Connection Plate Theaded End 5 Hole (135mm) - 11 Hole (255mm) Ti Connection Plate Theaded End 5 Hole (135mm) - 11 Hole (255mm) Twisted Plate 2 Hole, 3 Hole, 4 Hole, SS, Ti Curved Plate 3 Hole Bushing Threaded Socket 20mm - 60mm SS, Ti Connection Bolt 10mm - 30mm, SS, Ti M6 Nut (10mm ex dia) Nuts Various, SS, Ti Washers Various Wire Fixation Bolt - Various Single Pin Fixation Bolt Multiple Pin Fixation Clamp Wire Fixation Buckle Composite Wire Fix Buckle Pin Block 1 Hole - 5 Hole Block for Half Pin to be used with Sleeves Titanium 1 Hole - 5 Hole Pin Sleeve for Block 4mm, 5mm, 6mm Universal Joint Rotational & Translational Device Oblique Support Connection	Deleted
-------	------------------------	--	---	---------

Boston Scientific Australia Pty Ltd

Cardiac

BS151	Altrua 60 DR	Dual chamber rate responsive pacemaker	10cc - 15cc	Deleted
BS205	INCEPTA DF-4 CRT-D	High energy CRT-D with DF-4 RV connector and IS-1 LV connector	32cc, 9.9mm. 72g	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
BS206	INCEPTA DR ICD	High energy dual chamber ICD with DF-1 RV connector	31.5cc, 9.9mm, 72g	Deleted
BS208	INCEPTA VR ICD	High energy single chamber ICD with DF-1 RV connector	31.5cc, 9.9mm, 72g	Deleted
BS209	INCEPTA CRT-D	High energy CRT-D with DF-1 RV connector & IS-1 (N163) or LV-1 (N165) LV connector	32.5cc, 9.9mm, 72g	Deleted

Urogenital

AM003	Urolume Plus TM Endo Urethral prostheses	Endourethral wall stent for urethral strictures, DESD and BPH	Range: 1.5 - 4.0cm	Deleted
AM015	AMS Testicular Prostheses	Solid silicone elastomer with suture hole	Small, Medium, Large	Deleted
AM017	InVance Male Sling System	Kit includes inserter with shaft, 6 bone screws with suture and silicone-coated sling surgical mesh	One Size	Deleted
BS127	Polyform Synthetic Mesh	Synthetic Polypropylene mesh	Width Up to 15cm & lengths up to 20cm	Deleted
BS131	Pinnacle PFR Kit	Synthetic Polypropylene mesh assembly and fixation device	One configuration	Deleted
BS155	Uphold Vaginal Support System	Synthetic polypropylene mesh assembly and fixation device	One configuration	Deleted
BS156	Pinnacle PFR Kit Posterior	Synthetic polypropylene mesh assembly and fixation device	One configuration	Deleted
BS157	Pinnacle Duet PFR Kit	Synthetic polypropylene mesh assemblies and fixation device	Two configurations	Deleted
BS193	PFR Kit - Pinnacle\u2122 LITE Anterior/Apical	Synthetic polypropylene mesh assemblies and fixation device	One configuration	Deleted

BXTAccelyon Australia Pty Limited

General Miscellaneous

BZ001	Prescription Loaded A-Strand with A-Seed AgX100 I-125 Seeds	The BXTAccelyon Prescription Preloaded A-Strand consists of I-125 seeds and spacers custom loaded into brachytherapy needles.	One representation with a loading of up to 100 seeds	Deleted
BZ002	A-Seed AgX100 I-125 Seeds Preloaded A-Strand	BXTAccelyon AgX100 I-125 Seeds pre-loaded. The billing code is to be applied only if more than 100 seeds are used per patient. Benefit is per seed.	One representation with a loading of more than 100 seeds. The seed includes a silver rod with 1 125 contained in a sealed titanium capsule of 4.5 mm length and 0.8 mm in diameter	Deleted

ConMed Linvatec Australia Pty Ltd

General Miscellaneous

LV135	Touchstone Circular Stapler	A surgical implanting device for placing a specific size of double staggered row of titanium staples in a circular fashion in the large bowel, small bowel or oesophagus to maintain function of the digestive tract. A suitable size is used to match the lumen size of the patient's digestive tract	External dimension - 21mm, 25mm, 29mm or 33mm	Deleted
-------	-----------------------------	--	---	---------

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
LV136	Touchstone Prolapse Haemorrhoid Stapler	A surgical implanting device for placing a specific size of double staggered row of titanium staples in a circular fashion in the Anal and/or Rectal region for the circumferential excision of the prolapsed distal rectal muscosa, as described by Dr. Longo, Italy.	33mm and 36mm	Deleted

Corin Australia Pty Ltd

Hip

CR123	METS Smooth Trochanter	Titanium, uncoated	small and standard	Transferred to HW600
CR124	METS Spiked Trochanter	Titanium, HA coated	Small and Standard	Transferred to HW601
CR125	METS Trochanter plate	Titanium with plasma spray of titanium and HA	One size	Transferred to HW602
CR126	METS Trochanter Screw	Titanium	Short, Medium, Long	Transferred to HW603
CR128	METS Total Femoral Link Component	Curved titanium link shaft	165mm, 225mm	Transferred to HW604
CR129	METS Principal Shaft	Titanium shaft	45mm-150mm	Transferred to HW605
CR139	METS stippled Integral Shaft and Stem	Titanium, HA coated, shaft and stem with round or oval collar	L=15,30mm; D=27,30mm (round); D=30x38,36x44mm (oval)	Transferred to HW610

Knee

CR133	METS Tibial Fixed Hinge	CoCr-Molybdenum	Stem lengths 140mm and 180mm	Transferred to HW606
CR134	METS Tibial Plateau Plate	CoCr	Small and standard in 4 thicknesses	Transferred to HW607
CR137	METS Proximal Tibia Fixed Hinge	CoCr-Molybdenum proximal tibial component including bumper	Small and standard	Transferred to HW608
CR138	METS Proximal Tibia Fixed Hinge Coated	CoCr-Molybdenum with HA coated patella tendon reattachment mechanism and bumper	Small and standard	Transferred to HW609
CR140	METS Stippled Collar	Titanium, HA coated, round or oval	4 sizes round, 4 sizes oval	Transferred to HW611
CR142	METS Stem	Titanium, curved and straight	6 diameters, 10-15mm	Transferred to HW612
CR145	METS Tibial Stem	Titanium	5 diameters 9-13mm	Transferred to HW613
CR146	METS Tibial Collar Coated	Titanium collar with HA coating	5 diameters 20-32mm	Transferred to HW614
CR150	METS Tibial Shaft	Titanium shaft	45-115mm	Transferred to HW615
CR151	METS Proximal Tibia Rotating Hinge	Titanium with UHMWPE bearing	Small and standard	Transferred to HW616
CR152	METS Tibial Component Rotating Hinge	CoCr-Molybdenum with UHMWPE bumper pad	Small and standard	Transferred to HW617
CR153	METS Femoral Plateau Plate	Titanium	Small & Standard, 4 thicknesses	Transferred to HW618
CR184	METS Tibial Rotating Hinge Polyethylene	UHMWPE tibial bearing component	N/A	Transferred to HW629
CR197	METS Proximal Tibia Rotating Hinge Coated	Titanium with UHMWPE bearing and HA coated patella tendon reattachment mechanism	Small and Std	Transferred to HW630
CR200	METS Femoral Knee	CoCr-molybdenum hinged femoral component includes axle, bushes and circlip	Small left; small right; standard left; standard right	Transferred to HW599

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Specialist Orthopaedic				
CR167	METS Humeral Component for use with Hemi Head	Titanium humeral component	Small and standard	Transferred to HW619
CR168	METS Humeral Head Fixation Screw	Titanium screw which fixes the humeral component and the humeral head together	Small and standard	Transferred to HW620
CR169	METS Humeral Component with Liner and re-attachment	Titanium component with HA coated rails for tissue reattachment, HYMWPE liner with encased metal ring for use with constrained glenoid	Mono-size, left and right	Transferred to HW621
CR170	METS Humeral Collar Round Coated	Titanium collar with HAP coated stipples	20mm, 22mm, 24mm	Transferred to HW622
CR171	METS Humeal Stem	Straight titanium stems, 7-11mm diameters	Diameters 7-11mm, Lengths 70-90mm	Transferred to HW623
CR172	METS Humeral Shaft	Titanium shafts in 15mm increments, reconstructs the humeral shaft where there is diseased or deficient bone	Lengths 38-143mm	Transferred to HW624
CR173	METS Humeral Integral Shaft & Stem Coated	Titanium, combined shaft, stem & collar with HA coated stipples	20mm shaft plateau with 8mm diameter stem, 24mm shaft plateau with 10mm diameter stem 7945	Transferred to HW625
CR175	METS Humeral Component with Liner	Titanium component, UHMWPE liner with encased metal ring for use with constrained glenoid	Mono-size, left and right	Transferred to HW626
CR176	METS Humeral Component with Reattachment for use with Hemi Head	Titanium humeral component with HA coated rails for tissue reattachment	Small and standard	Transferred to HW627
CR177	METS Bayley Walker Glenoid Component	Titanium HAP coated tapered screw with 22.2mm CoCr-Molybdenum head, for Glenoid fixation	Extra small, small and standard	Transferred to HW628

Danex Medical Pty Ltd

Specialist Orthopaedic

XD015	Nextra hammertoe Correction Prosthesis	Interdigital Fusion Implant	3.5mm MPI / 3.2mm PI 4.5mm MPI / 3.2mm PI 5.5mm MPI / 3.2mm PI 4.5mm MPI / 4.5mm PI 5.5mm MPI / 4.5mm PI	Transferred to ZI980
XD028	Re-Line Fixation System \u2013 Compression Screw	Re-Line Fixation System \u2013 Compression Screw	2.7mm x 10mm, 2.7mm x 12mm, 2.7mm x 14mm, 2.7mm x 16mm, 2.7mm x 18mm, 2.7mm x 20mm, 2.7mm x 22mm	Transferred to ZI981
XD029	MSP Fixation System \u2013 Compression Plate	MSP Fixation System \u2013 Compression Plate	Right \u2013 36.5mm Left \u2013 36.5mm	Transferred to ZI982
XD030	MSP Fixation System \u2013 Cortical Screw	MSP Fixation System \u2013 Cortical Screw	2.4mm x 8mm, 2.4mm x 10mm, 2.4mm x 12mm, 2.4mm x 14mm, 2.4mm x 16mm, 2.4mm x 18mm,	Transferred to ZI984
XD031	MSP Fixation System \u2013 Locking Screw	MSP Fixation System \u2013 Locking Screw	2.4mm x 8mm, 2.4mm x 10mm, 2.4mm x 12mm, 2.4mm x 14mm, 2.4mm x 16mm, 2.4mm x 18mm	Transferred to ZI985
XD032	Re-Line Fixation System - Compression Plate	Re-Line Fixation System - Compression Plate	15mm x 6mm, 20mm x 6mm, 25mm x 8mm	Transferred to ZI983

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Device Technologies Australia Pty Ltd				
General Miscellaneous				
DE405	Bonastent Oesophageal Shim Anti-Reflux Valve Stent	Self-expanding metal oesophageal shim stents with anti-reflux valve	22mm diameter and length varies from 90mm to 150mm	Deleted
DE406	Bonastent Oesophageal Stent	Self-expanding metal oesophageal stent	18mm-22mm diameter and length varies from 80mm to 160mm	Deleted
DE409	Bonastent Colo-Rectal Stent	Self-expanding covered metal colo-rectal stents	22mm-24mm diameter and length varies from 60mm to 160mm	Deleted
DE410	Bonastent Colo-Rectal Stent	Self-expanding metal colo-rectal stents	22mm-26mm diameter and length varies from 30mm to 160mm	Deleted
Urogenital				
DE313	Inflatable Periurethral Constrictor	Consists of a membrane, filler product and silicone tube	One size only	Deleted
DE314	Malleable Penile Implant	Consists of a membrane, filler product and silicone tube	14-23cm	Deleted
DE324	Testicular Implant	Silicone with holes for fixation 3230	5-38cc	Deleted
Edwards Lifesciences Pty Ltd				
Cardiothoracic				
EL030	CE Supra Annular Aortic Valve Model 2650 Carpentier-Edwards S.A.V Bioprosthesis Model 6650 Mitral Valve	Carpentier-Edwards SAV Bioprosthesis. Composition: Porcine Valve; Elgiloy Alloy; Silicone Rubber, Polytetrafluoroethylene	19mm-33mm	Deleted
Emergo Asia Pacific Pty Ltd				
Cardiac				
ER376	Avantgarde Chrono Carbostent	The Avantgarde Chrono Carbostent device consists of a coronary stent firmly held on the distal end of a semi compliant balloon catheter. The coronary stent is a flexible implantable device that can be expanded using a PTCA catheter. The stent is made of cobalt chromium alloy coated with Carbofilm. Two radio-opaque platinum markers are located at either end of the stent.	Lengths: from 7mm to 31 mm; Sizes: from 2.25mm to 4.5mm	Deleted
Specialist Orthopaedic				
ER346	Cartiva Synthetic Cartilage Implant	Polymer	Diameter: 6mm, 8mm, 10mm	Deleted
Vascular				
ER191	Ovation Prime Abdominal Stent Graft System	Bifurcated Aortic System, PTFE graft, nitinol stent and markers	20, 23 26, 29 and 34 mm	Transferred to ZZ043
ER192	Ovation Prime Abdominal Stent Graft System - "Iliac Limb"	Ovation Prime Abdominal Stent Graft System - "Iliac Limb"	Diameter: 10mm, 12mm, 14mm, 16mm, 18mm, 22mm Length: 80-140mm	Transferred to ZZ042

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
ER193	Ovation Prime Abdominal Stent Graft System - "Iliac Extension"	Ovation Prime Abdominal Stent Graft System - "Iliac Extension"	Diameter: 10mm, 12mm, 14mm, 16mm, 18mm, 22mm Length: 45mm	Transferred to ZZ041
ER194	Ovation Prime Abdominal Stent Graft System - Fill Polymer Kit	Ovation Prime Abdominal Stent Graft System - Fill Polymer Kit	N/A	Transferred to ZZ040

Endocorp Pty Ltd

Ear, Nose & Throat

EC018	Exmoor Plastics Ear Vent Drains - Reuter Bobbin	Without hole, teflon	1.14 mm lumen dia x 2.54 mm inner flange dia x 2.54 mm outer flange dia x 0.76 inter flange. 1.52mm total length	Transferred to CK005
EC019	Exmoor Plastics Ear Vent Drains - Collar Button	Teflon	1.14 mm lumen dia x 2.24 mm inner flange dia x 2.24 mm outer flange dia x 1.27 inter flange. 1.78 mm total length	Transferred to CK006
EC020	Exmoor Plastics Ear Vent Drains - Collar Button	Teflon	1.14 mm lumen dia x 3.0 mm inner flange dia x 3.0 mm outer flange dia x 1.27 inter flange. 1.78 mm total length	Transferred to CK007
EC021	Exmoor Plastics Ear Vent Drains - Collar Button	Teflon	1.4 mm lumen dia x 2.55 mm inner flange dia x 2.55 mm outer flange dia x 0.85 inter flange. 1.35 mm total length	Transferred to CK008
EC022	Exmoor Plastics Ear Vent Drains - Collar Button	Teflon	1.75 mm lumen dia x 2.85 mm inner flange dia x 2.85 mm outer flange dia x 0.95 inter flange. 1.46 mm total length	Transferred to CK009
EC024	Exmoor Plastics Ear Vent Drains - Shepards Drain	Teflon Shepards Drain	1.14 mm lumen dia x 2.36 mm inner flange dia x 2.36 mm outer flange dia x 1.42 inter flange. 2.41 mm total length	Transferred to CK010
EC026	Exmoor Plastics Ear Vent Drains - Teflon Shepards Drain with wire grasping feature	Teflon Shepards Drain with wire	0.97 mm lumen dia x 2.08 mm inner flange dia x 2.08 mm outer flange dia x 1.42 inter flange. 2.41 mm total length	Transferred to CK011
EC031	Exmoor Plastics Ear Vent Drains - Donaldson Grommet	With tab, silicone rubber	1.1 mm lumen dia x 2.25 mm inner flange dia x 2.25 mm outer flange dia x 0.76 inter flange. 2.25 mm total length	Transferred to CK012

Endotec Australia Pty Ltd

Knee

EA006	Buechel-Pappas Ultracoat Total Knee Replacement System (Primary and Revision)	Ceramic Coated, Titanium Femoral and Tibial components with mobile Polyethylene inserts, all polyethylene patella ceramic coated, titanium backed polyethylene mobile patella	BP TKR Ultracoat Primary Femoral sizes 1-6(inc) Left & Right	Deleted
EA008	Buechel-Pappas Ultracoat Total Knee Replacement System Tibial Baseplate	Tibial Baseplate, uncemented, beaded, Titanium, TiNi Insert and bone ingrowth surface treated, for a mobile insert	1-6(inc)	Deleted
EA010	Buechel-Pappas Ultracoat Total Knee Replacement System Tibial Insert	Tibial Insert, UHMWPE, mobile bearing	1-6(inc)	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
EA011	Buechel-Pappas Ultracoat Total Knee Replacement System Patellar Component	Patellar component, metal backed, uncemented, beaded, Titanium, TiNi surface treatment for bone and mobile patella poly	1-6(inc)	Deleted
EA012	Buechel-Pappas Ultracoat Total Knee Replacement System Patellar Component	All poly patella, cemented, 3 pegs	1-6(inc)	Deleted
EA013	Buechel-Pappas Ultracoat Total Knee Replacement System Femoral Component	Femoral Component, Titanium, uncemented, beaded, TiNi articular and bone surface treatment	1-6(inc) Left & Right	Deleted
EA015	Buechel-Pappas Ultracoat Total Knee Replacement System Tibial Baseplate	Tibial Baseplate, uncemented, beaded, Titanium, TiNi Insert and bone ingrowth surface treated, for a mobile insert	1-6(inc)	Deleted
EA023	Buechel-Pappas Ultracoat Total Knee Replacement System Femoral and Tibial Stems	Femoral and Tibial stems, titanium, TiNi surface treatment, uncemented	BP TKR Revision stems 9mm -20mm (inc)	Deleted
EA024	Buechel-Pappas Ultracoat Total Knee Replacement System Rebar Screws	Screws used for augmentation of bone defects and reinforcement of PMMA, TiNi surface treatment	BP Rebar screws 15mm-50mm (inc)	Deleted

Endotherapeutics Pty Ltd

General Miscellaneous

ET052	Hepasphere	Expanding microspheres designed for chemico-embolisation with chemotherapeutic agents such as Ethiodil, Cisplatin, Epirubicin, Mitomycin, etc.	30 \u2013 200 micron, 25mg or 50mg of microspheres	Transferred to OW001
-------	------------	--	--	----------------------

Vascular

ET007	Embospheres	-	1ml per implant	Transferred to OW002
ET008	Embospheres	-	.5ml per implant	Transferred to OW003

Fresenius Kabi Australia Pty Ltd

General Miscellaneous

FK001	Accufuser Continuous	Continuous flow rate ambulatory and disposable silicone balloon infusion pump	Volume 60ml, 100ml, 300ml, 600ml	Deleted
FK002	Accufuser Selectus, Accufuser Varicon	Ambulatory and disposable silicone balloon infusion pump	Volume 60ml, 100ml, 300ml, 600ml	Deleted
FK003	Accufuser Plus, Accufuser EasyBolus, Accufuser Omnibus	Ambulatory and disposable silicone balloon infusion pump with bolus function	Volume 60ml, 100ml, 300ml, 600ml	Deleted

Geistlich Pharma Australia Pty Ltd

Plastic and Reconstructive

GI013	Bio-Gide Perio	Bio-Gide & Bio-Gide Perio are collagen membranes containing porcine collagen in a bilayer structure. They are used for guided bone regeneration and periodontal tissue regeneration in oral and maxillofacial surgery.	Bio-Gide perio - 16mm x 22mm	Expanded into GI019, GI020
-------	----------------	--	------------------------------	----------------------------

Specialist Orthopaedic

GI001	Bio-Oss Bone Natural Bone Mineral	Derived from bovine bone	0.25g, 0.5cc volume	Deleted
-------	-----------------------------------	--------------------------	---------------------	---------

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
GI002	Bio-Oss Bone Natural Bone Mineral	Derived from bovine bone	0.5g, 1cc volume	Deleted
Johnson & Johnson Medical Pty Ltd				
General Miscellaneous				
DY539	EES Linear Cutter	Single Use Loading Units	55mm	Compressed into MN220
DY540	EES Linear Cutter	Single Use Loading Units	75mm	Compressed into MN220
DY541	EES Linear Cutter	Single use, reloadable stapler	Length 55mm	Compressed into MN214
DY542	EES Linear Cutter	Single Use, reloadable stapler	Length 75 mm	Compressed into MN214
JJ041	Proximate* Intraluminal Stapler	Metal/plastic circular straight stapler preloaded with titanium staples	21 - 33 mm	Compressed into MN216
JJ042	Proximate* Intraluminal Stapler	Metal/plastic circular curved stapler preloaded with titanium staples	21 - 33mm	Compressed into MN216
JJ043	Proximate* Linear Cutter with Staples	Metal/Plastic linear cutter preloaded with titanium staples	50 - 60mm	Compressed into MN217
JJ044	Proximate* Linear Cutter with Staples	Metal/Plastic linear cutter preloaded with titanium staples	75 - 80mm	Compressed into MN217
JJ045	Proximate* Linear Cutter with Staples	Metal/Plastic linear cutter preloaded with titanium staples	100mm	Compressed into MN217
JJ046	Proximate* Linear Cutter Staple Reload Unit	Plastic linear cutter reload cartridge containing titanium staples	50 - 60mm	Compressed into MN213
JJ047	Proximate* Linear Cutter Staple Reload Unit	Plastic linear cutter reload cartridge containing titanium staples	75 - 80mm	Compressed into MN213
JJ048	Proximate* Linear Cutter Staple Reload Unit	Plastic linear cutter reload cartridge containing titanium staples	100mm	Compressed into MN213
JJ049	Proximate* Linear Stapler	Metal/Plastic linear stapler preloaded with titanium staples	30mm	Compressed into MN217
JJ051	Proximate* Linear Stapler	Metal/Plastic linear stapler preloaded with titanium staples, automatic closure	55 - 60mm	Compressed into MN217
JJ052	Proximate* Linear Stapler	Metal/Plastic linear stapler preloaded with titanium staples	90mm	Compressed into MN217
JJ053	Proximate* Linear Stapler Reload Unit	Plastic linear stapler reload cartridge containing titanium staples	30mm	Compressed into MN213
JJ054	Proximate* Linear Stapler Reload Unit	Plastic linear stapler reload cartridge containing titanium staples	55 - 60mm	Compressed into MN213
JJ055	Proximate* Linear Stapler Reload Unit	Plastic linear stapler reload cartridge containing titanium staples	90mm	Compressed into MN213
JJ190	Endopath ETS Linear Cutter reload	Titanium staple cartridge	45mm	Compressed into MN218
JJ192	Endopath ETS Linear Cutter reload	Titanium staple cartridge	35mm	Compressed into MN218
JJ564	Echelon Endocutter Reload	Echelon Endocutter Reload	60 and 45mm	Compressed into MN219

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
JJ700	Ethicon Intercoat or Oxiplex/AP Absorbable Adhesion Barrier Gel	Combination of Polyethylene Oxide (PEO) and Sodium Carboxymethylcellulose stabilised with Calcium and made isotonic with Sodium Chloride. Kit contains 2 x 20ml Sterile Syringes, 1 x Applicator	2 x 20ml Sterile Syringes, 1x Applicator	Deleted
JJ910	Evicel 4cm Control Tip	Evicel 4cm Control Tip	4cm	Deleted
JJ962	EVICEL Airless Spray Device	Airless Spray Device	One size only	Deleted
MN134	Powered ECHELON FLEX\u2122 ENDOPATH Endocutter	Powered, articulating, endoscopic linear cutter	45 or 60 mm lengths	Compressed into MN215
MN151	Evicel\u00AE	Haemostatic matrix composed of human fibrinogen and thrombin	4mL kit	Deleted
MN152	Evicel\u00AE	Haemostatic matrix composed of human fibrinogen and thrombin	10mL kit	Deleted
MN190	ENDOPATH ECHELON Vascular Staple Reload	ENDOPATH ECHELON Vascular Staple Reload	35mm	Compressed into MN219
MN191	ENDOPATH ECHELON Powered Vascular Stapler	Powered, articulating, endoscopic, vascular linear cutter	35mm	Compressed into MN215
Hip				
JJ701	Gyros Hip System	Dual mobility acetabular cup, stainless steel, grit blasted with HA and flanges for screw fixation	44-68mm	Deleted
JJ702	Gyros Hip System	Dual mobility acetabular cup, stainless steel, grit blasted with HA	44-68mm	Deleted
JJ703	Gyros Hip System	Dual mobility constrained liners, unmodified UHMWPE for Gyros Cup.	44-68mm	Deleted
JJ704	Gyros Hip System	Stainless steel screws for Gyros acetabular cup with flanges	20 - 65mm	Deleted
Knee				
DY371	LCS Complete System femoral component	Femoral Component, cemented, CoCr, posterior stabilised	Sizes small to large+	Deleted
Spinal				
DP049	VSP System (Titanium)	Washers - Standard / Tapered	3 & 5mm	Deleted
DP072	Isola System (Titanium)	Modular Cross Connector J-Hooks	4.7-6.35mm	Deleted
DP073	Isola System (Titanium)	Modular Cross Connector Plates	0 - 70mm	Deleted
DP075	Isola System (Stainless Steel)	Modular Cross Connector Plates	0 - 70mm	Deleted
DP076	Isola System (Stainless Steel)	Modular Cross Connector J-Hooks	1/4 & 3/16"	Deleted
DP299	Moss Miami (Stainless Steel)	Hooks - Pedicle	One size only	Deleted
DP300	Moss Miami (Stainless Steel)	Hooks - Lamina as Wide or Narrow or Angled or Reduced Distance Supra-lamina or Offset or Extended Body	Various Sizes	Deleted
DP301	Moss Miami (Stainless Steel)	Transverse Connector - Complete	One size only	Deleted
DP315	Moss Miami (Stainless Steel)	Pre-Cut Rod	5mm x 30 - 600mm	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
DP329	Moss Miami (Stainless Steel)	Hooks - Translation (Pedicle/Reduced Distance/Narrow/Wide Blade)	One size only	Deleted
DP430	Moss Miami (Stainless Steel)	Washers - slotted, angled	Slotted/Angled or 3-5mm	Deleted
DP450	Kaneda SR (Smooth Rod) Anterior (TI)	Plates	Small/Large - Caudal or Rostral	Deleted
DP451	Kaneda SR (Smooth Rod) Anterior (TI)	Transverse Coupler	1/4" x 13 - 16mm	Deleted
DP452	Kaneda SR (Smooth Rod) Anterior (TI)	Pre Cut Rod	1/4" x 45 - 150mm	Deleted
DP453	Isola Paediatric System (Stainless Steel)	Threadless TRC - Closed or Open Body without or with Rod	3/16"	Deleted
DP454	Isola System (Titanium)	Slotted Connectors Standard or Extended or Offset or Angled or Open or Twister	1/4" & 3/16"	Deleted
DP461	Isola System (Titanium)	Spinal Rod	1/4" & 3/16" x 18" & 24"	Deleted
DP464	Isola System (Titanium)	Closed Hooks	1/4" x 3/16" x 5-11mm	Deleted
DP465	Isola System (Titanium)	Open Hook and / or Cap	1/4" & 3/16" x 3.5-11mm	Deleted
DP469	Isola System (Stainless Steel)	Slotted Connectors - Standard or Extended or Offset or Angled or Open or Twister	1/4" & 3/16"	Deleted
DP470	Isola System (Stainless Steel)	Transverse Rod Connector or Dual Rod Connector	1/4" & 3/16"	Deleted
DP471	Isola System (Stainless Steel)	Closed Hooks	1/4" & 3/16" x 3.5-11mm	Deleted
DP472	Isola System (Stainless Steel)	Open Hook Cap or Open	1/4" & 3/16" x 5-11mm	Deleted
DP476	Isola System (Stainless Steel)	Eye Rod	1/4" & 3/16" x 18" - 24"	Deleted
DP477	Isola System (Stainless Steel)	Spinal Rod Standard	1/4" & 3/16" x 18" & 24"	Deleted
DP485	Isola System (Stainless Steel)	Dual Diameter Rod	3/16" to 1/4" x 18 - 24"	Deleted
DP487	Isola Paediatric System (Stainless Steel)	Side Tightening Hook - Opened/Closed	3/16" x 3.5mm - 11mm	Deleted
DP488	Isola Paediatric System (Stainless Steel)	Pre-Bent Rod	3/16"	Deleted
DP494	Isola Paediatric System (Stainless Steel)	Wedding Band	3/16"	Deleted
DP495	Isola Paediatric System (Stainless Steel)	Growth/Tandem Connector	3/16"	Deleted
DP499	Isola System (Titanium)	Transverse Connector or Dual Rod Connector	1/4" & 3/16"	Deleted
DP505	Anterior Isola System (SS)	Rod with Hex End	1/4" x 18"	Deleted
DP580	Kaneda Anterior Scoliosis System S/S	Radiused Caps for Open Screws	3/16"	Deleted
DP581	Kaneda Anterior Scoliosis System S/S	Staple Single or Double Hole	Small - Large	Deleted
DP828	Profile Anterior Thoracolumbar Plate System	Plates - Thoracolumbar	50 - 120mm	Deleted
DP829	Profile Anterior Thoracolumbar Plate System	Plates - High Thoracic	40 - 110mm	Deleted
DP830	Profile Anterior Thoracolumbar Plate System	Cancellous Screw	6mm x 20 - 60mm	Deleted
DP831	Profile Anterior Thoracolumbar Plate System	Cancellous Bolt	7mm x 25 - 60mm	Deleted
DP833	Profile Anterior Thoracolumbar Plate System	Graft Screw	15 - 30mm	Deleted
DP842	Moss Miami (Stainless Steel)	Sacral Extender	5mm x 5 - 20mm length	Deleted
DP845	Moss Miami 4mm Anterior System (SS)	Hooks	4mm	Deleted
DP846	Moss Miami 4mm Anterior System (SS)	Rods	4.0mm x 30 - 48cm	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
DY094	Isola Paediatric System	Stainless Steel, Slotted Connector Downsized	3/16"	Deleted
DY100	Isola System (Stainless Steel)	Threadless TRC - Closed or Open Body with or without Rod	1/4" & 3/16"	Deleted
DY105	Isola System (Titanium)	Eye Rod	1/4" x 18"	Deleted
DY127	VSP System (Stainless Steel)	Washers - Standard / Tapered	3 & 5mm	Deleted
DY170	Monarch Spinal System	Bolts - Pedicle & Reduction	4.75 - 8.5 mm x 30 - 55mm	Deleted
DY171	Monarch Spinal System	Pedicle Screws - Polyaxial	4.75 - 8.5 mm x 25 - 80mm	Deleted
DY174	Monarch Spinal System	Bone Plate	1\00BD to 1\00BD or 2 - 3 or 3\00BD	Deleted
DY176	Monarch Spinal System	Washer	One size only	Deleted
DY178	Monarch Spinal System	Hooks - Closed (Narrow Tapered / wide Blade)	5 - 11 mm	Deleted
DY185	Monarch Spinal System	Plate J-Hooks	3.5 - 11 mm	Deleted
DY186	Monarch Spinal System	Band Clamp Connector	6.35 & 5.5mm	Deleted
DY299	Slim-loc Anterior Cervical Plate System	Plates - three level	56-78mm	Deleted
DY300	Slim-loc Anterior Cervical Plate System	Screws self tapping	4.5 x 12 - 26mm	Deleted
DY301	Slim-loc Anterior Cervical Plate System	Screws - Large Diameter	4.8 x 12-16mm	Deleted
DY302	Slim-loc Anterior Cervical Plate System	Screws - Self Drilling	4.5 x 12-18mm	Deleted
DY304	Monarch Spinal System	Hooks - Open (Pedicle/Narrow Tapered/Wide Blade)	5-11mm	Deleted
DY306	Isola System (Titanium)	Threadless TRC - open body with or without rod	1/4" & 3/16"	Deleted
DY309	Frontier Anterior Scoliosis System (Titanium)	Bone Screws	5.5 x 25-40mm, 6.5 x 25-60mm, 7.5 x 35-60mm	Deleted
DY310	Frontier Anterior Scoliosis System (Titanium)	Spinal Rod	4.75 x 200-450mm	Deleted
DY311	Frontier Anterior Scoliosis System (Titanium)	Twist on Internal Cap	One size only	Deleted
DY313	Monarch Spinal System	Rods - Pre Cut/Lordosed	6.35 & 5.5mm x 45 - 95mm	Deleted
DY318	Isola System (Stainless Steel)	Pre-Cut Rod	3/16" x 35 - 90mm	Deleted
DY356	In Motion Lumbar Artificial Disc	End Plates Parallel & Oblique	Small, medium, large	Deleted
DY359	In Motion Lumbar Artificial Disc	Sliding Core	7.5mm, 8.5mm, 9.5mm, 10.5mm	Deleted
DY401	Monarch Monoaxial Pedicle Screw	Monarch Monoaxial Pedicle Screw	4.75mm - 8.5mm x 25 to 80mm length	Deleted
DY422	Saber Cage	PLIF Cage	Parallel/Wedge	Deleted
DY452	Swift Spine System	Titanium Anterior Cervical Plate System - 3.8mm Self-Drilling/Tapping Screw	10 - 18mm	Deleted
DY453	Swift/Eagle Anterior Cervical System	Titanium Self Drilling/Self Tapping Screw	4.2mm x 10-18mm	Deleted
DY454	Swift Spine System	Titanium Anterior Cervical Plate System - 3.8mm Bicortical Screw	10 - 28mm	Deleted
DY455	Swift Spine System	Titanium Anterior Cervical Plate System - Graft Screw	10mm	Deleted
DY519	Isola System (Stainless Steel)	Offset Connector	1/4" & 3/16"	Deleted
DY522	Slim-loc Anterior Cervical Plate System	Plates - various levels	22-55mm	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
DY523	Swift Spine System	Titanium Anterior Cervical Plate System - Various size plates	15 - 55mm	Deleted
DY525	Swift Spine System	Titanium Anterior Cervical Plate System - Corpectomy Plate	46-55mm	Deleted
DY529	Swift Spine System	Titanium Anterior Cervical Plate System - Corpectomy Plate	56 - 115mm	Deleted
DY543	VSP System (Stainless Steel)	VSP Bone Plate	1/2 to five slot, single, double or triple	Deleted
DY544	Monarch Spinal System	Slotted Connectors (Straight/Extended/Offset/Twister/Mini Offset)	One size only	Deleted
DY568	Monarch Spinal System	Domed Nuts	One size only	Deleted
DY569	Monarch Spinal System	Typhoon Cap and Domed Nuts	One size only	Deleted
JJ515	Skyline Cervical Plate System	Skyline anterior cervical screw. Titanium	Bi-cortical 10-18mm	Deleted
JJ527	Eagle/Eagle Plus Anterior Cervical Plate	Anterior Cervical Plate	56-100mm	Deleted
JJ528	Eagle/Eagle Plus Anterior Cervical Plate	Cervical Screw Titanium	3.8mm x 10-20mm	Deleted
JJ529	Eagle/Eagle Plus Anterior Cervical Plate	Cervical Screw Titanium	3.8mm x 10-26mm	Deleted
JJ530	Eagle/Eagle Plus Anterior Cervical Plate	Cervical Screw Titanium	4.3mm x 10-20mm	Deleted
JJ531	Eagle/Eagle Plus Anterior Cervical Plate	Cervical Screw Titanium	Self drilling 4.3mm 10 - 18mm	Deleted
JJ699	Iriom ramp	Carbon fibre fusion ramp	5 degrees and 7.5 degree lordosis, 9-17 mm anterior heights	Deleted
JJ758	Anterior Isola System	Washer	One Size only	Deleted
JJ759	Anterior Isola System	Single hole staple	16 - 22mm	Deleted
JJ764	Moss Miami (Stainless Steel)	Swedge Rod	One Size	Deleted
JJ765	Moss Miami (Stainless Steel)	Slotted Hook	One Size	Deleted
JJ768	Frontier Anterior Scoliosis System	Washer	One size only	Deleted
JJ769	Frontier Anterior Scoliosis System	Staple	Single and dual hole	Deleted
JJ772	Anterior Isola System	Open Monoaxial Screw	20-60mm	Deleted
JJ773	Anterior Isola System	Closed Monoaxial Screw	20-80mm	Deleted
JJ793	Eagle/Eagle Plus Anterior Cervical Plate	Anterior Cervical Plate	12-55mm	Deleted
JJ911	VSP System	Polyaxial screw	4.75 - 8.5mm	Deleted
JJ914	Profile Anterior Thoracolumbar Plate System	Locking inner screw and outer nut	One size only	Deleted
JJ918	Isola Spinal System	Wedding band and domino connector	1/4" & 3/16"	Deleted
JJ919	VSP Spinal System	Sacral Connector - Left & Right Offset	One size	Deleted
JJ921	Isola Spinal System	Jaw Clamp	1/4" & 3/16"	Deleted
JJ935	Kaneda Spine system	Monoaxial Screw	25 to 60mm	Deleted
JJ938	Isola System	Monoaxial Screw	4.75 - 7.0mm	Deleted
JJ939	Kaneda Spine System	Closed Monoaxial Screw	25 to 60mm	Deleted
MN043	VSP System (Titanium)	VSP Bone Plate	1/2 to five slot, single, double or triple	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
MN155	Discover Artificial Disc Replacement	Artificial Cervical Disc	Small to large including extra wide	Deleted
Urogenital				
JJ789	GYNECARE GYNEMESH	Pelvic floor reconstructive material, lightweight mesh	25 x 25 cm	Deleted
JJ790	GYNECARE GYNEMESH PS	Pelvic floor reconstructive material, lightweight mesh	10 x 15 cm	Deleted
KCI Medical Australia Pty Ltd				
General Miscellaneous				
KC001	Strattice Reconstructive Tissue matrix	Strattice Reconstructive Tissue matrix is a biologic, surgical implant made from porcine dermis. It is intended for use as a soft tissue patch to reinforce soft tissue where weakness exists and for the surgical repair of damaged or ruptured soft tissue membranes. Indications for use include breast reconstruction and repair of hernias.	0 - 50cm2	Transferred to AW020
KC002	Strattice Reconstructive Tissue matrix	Strattice reconstructive Tissue Matrix is a biologic, surgical implant made from porcine dermis. It is intended for use as a soft tissue patch to reinforce soft tissue where weakness exists and for the surgical repair of damaged or ruptured soft tissue membranes. Indications for use include breast reconstruction and repair of hernias.	51 - 150cm2	Transferred to AW021
KC003	Strattice Reconstructive Tissue Matrix	Strattice reconstructive Tissue Matrix is a biologic, surgical implant made from porcine dermis. It is intended for use as a soft tissue patch to reinforce soft tissue where weakness exists and for the surgical repair of damaged or ruptured soft tissue membranes. Indications for use include breast reconstruction and repair of hernias.	151 - 250cm2	Transferred to AW022
KC004	Strattice Reconstructive Tissue matrix	Strattice reconstructive Tissue Matrix is a biologic, surgical implant made from porcine dermis. It is intended for use as a soft tissue patch to reinforce soft tissue where weakness exists and for the surgical repair of damaged or ruptured soft tissue membranes. Indications for use include breast reconstruction and repair of hernias.	251 - 400cm2	Transferred to AW023
KC005	Strattice Reconstructive Tissue Matrix	Strattice reconstructive Tissue Matrix is a biologic, surgical implant made from porcine dermis. It is intended for use as a soft tissue patch to reinforce soft tissue where weakness exists and for the surgical repair of damaged or ruptured soft tissue membranes. Indications for use include breast reconstruction and repair of hernias.	401 - 600cm2	Transferred to AW024

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
KC006	Strattice Reconstructive Tissue Matrix	Strattice reconstructive Tissue Matrix is a biologic, surgical implant made from porcine dermis. It is intended for use as a soft tissue patch to reinforce soft tissue where weakness exists and for the surgical repair of of damaged or ruptured soft tissue membranes. Indications for use include breast reconstruction and repair of hernias.	601 - 800 cm2	Transferred to AW025
KC007	Strattice Reconstructive Tissue Matrix	Strattice reconstructive Tissue Matrix is a biologic, surgical implant made from porcine dermis. It is intended for use as a soft tissue patch to reinforce soft tissue where weakness exists and for the surgical repair of of damaged or ruptured soft tissue membranes. Indications for use include breast reconstruction and repair of hernias.	+ 800cm2	Transferred to AW026

Lifehealthcare Pty Ltd

Neurosurgical

LH524	Adherus Spinal Sealant	Hydrogel sealant with minimally invasive applicator	1.5 mL	Deleted
-------	------------------------	---	--------	---------

Plastic and Reconstructive

LH538	Cranial Loop (Std/L)	Cranial bone fixation system made of PEEK OPTIMA	Diameter: 12, 16. Thickness: 0.9mm - 1.0mm	Deleted
LH539	Cranial Loop (XL) Burr Hole	Cranial bone fixation system made of PEEK OPTIMA	Diameter: 22mm ; Thickness: 0.9mm - 1.0mm thick	Deleted

Spinal

LH496	Jazz Posterior Fixation System - Multipurpose Connector	Polyester braid, connector and set screw	5.5mm diameter	Transferred to DE574
LH535	Jazz Posterior Fixation System	System of Polyester Braid, connector and locking screw	4mm braid, 3.5-6mm connector	Transferred to DE573

LMT Surgical Pty Ltd

Ear, Nose & Throat

LM330	NitiFlex	Stapes Prosthesis	Diameters: 4mm, 6mm Lengths: 3.50mm, 3.75mm, 4.00mm, 4.25mm, 4.50mm, 4.75mm, 5.00mm, 5.50mm.	Compressed into LM338
LM331	MatriX	Stapes Prosthesis	Diameters: 4mm, 5mm, 6mm Lengths: 3.50mm, 3.75mm, 4.00mm, 4.25mm, 4.50mm, 4.75mm, 5.00mm, 5.25mm, 5.50mm.	Compressed into LM338

Specialist Orthopaedic

LM064	TriMed Ulnar Osteotomy System	Ulna Osteotomy Plate	7 Holes	Compressed into LM337
LM101	Instratek Sub-Talar Lok	Arthroereisis Implant System	7-11mm	Deleted
LM183	Trimed Radiocarpal Fusion Plate	Radiocarpal fusion plate	Short bend, standard bend, straight	Compressed into LM337

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
LM292	Forearm Locking Plates \u2265 7 to \u2264 15 holes	Forearm Locking Plates	8, 10, 12 & 15 hole	Compressed into LM337

Medical Vision Australia Cardiology Thoracic Pty Ltd

Cardiac

MY004	CP Stent	CP Stent Uncovered	16, 22, 28, 24, 39 & 45mm length	Transferred to LH579
MY005	CP Stent	CP Stent Covered	16, 22, 28, 24, 39 & 45mm length	Transferred to LH580
MY006	CP Stent	CP Stent Uncovered, mounted on BIB balloon	16, 22, 28, 24, 39 & 45mm length	Transferred to LH581
MY007	CP Stent	CP Stent Covered, mounted on BIB balloon	16, 22, 28, 24, 39 & 45mm length	Transferred to LH582

Medtronic Australasia Pty Ltd

Cardiac

MI158	Evera MRI XT DR ICD/ Evera MRI S DR ICD	Dual chamber implantable cardioverter defibrillator with SureScan MRI Technology	34cm3 78g	Expanded into MI251, MI252
MI160	Evera MRI XT VR ICD/ Evera MRI S VR ICD	Single chamber implantable cardioverter defibrillators with SureScan MRI Technology	33cm3 77g	Expanded into MI257, MI258
MI202	VISIA AF XT/ S MRI ICD	Single Chamber, MRI compatible, Implantable Cardioverter Defibrillator with AF detection and diagnosis, PhysioCurve Design, Optimised Battery Chemistry, Smart Shock Technology 2.0, Optivol 2.0 Fluid Status Monitoring, Complete Capture Management. DF4	33cm\u00B3 77g	Expanded into MI253, MI254
MI203	VISIA AF XT/S ICDs/ VISIA AF MRI XT/S SureScan ICDs	Digital single chamber implantable cardioverter defibrillator. PhysioCurve\u2122 Design, SmartShock\u2122 Technology, OptiVol\u2122 2.0 Fluid Status Monitoring, Complete Capture Management\u2122 Diagnostic (RVCM), AF Diagnostics including SureScan/ MRI models	33cm\u00B3 77g	Expanded into MI255, MI256

Spinal

MC295	Vertex Spinal System	Pre - curved rod	150 - 300 mm length	Compressed into MI248
MC307	Vertex Spinal System	Occipital Buttons	Nut 12mm Diameter	Deleted
MC375	Colorado Spinal System	Open Hooks	5.5mm - 6.35mm	Deleted
MC376	Colorado Spinal System	Colorado 2 Connector	For 5mm rod and 5.5mm rod	Deleted
MC377	Colorado Spinal System	Colorado 2 Clamp	.	Deleted
MC382	Colorado Spinal System	Colorado 2 Rod	5.0mm and 5.5mm, length range 50 - 600mm	Deleted
MC384	Colorado 2	Pedicle Screw	Diameter 4.5 - 8.5mm Length 30 - 80mm	Deleted
MC397	TSRH Spinal Implant System	3D - Hook, Offset, left, right, laminar, pedicle, Stainless steel, Titanium	Large - small	Deleted
MC403	Colorado Spinal System	Colorado 2 Plate	Range length 20 - 60mm	Deleted
MC408	CD Horizon	Crosslink, Plate, Multi-span late, Offset plate, Transverse links	60 - 200mm	Expanded into MI249, MI250

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
MC431	Colorado Spinal System	Staple	One size only	Deleted
MC432	Colorado Spinal System	Sacral Plate	Left/right	Deleted
MC433	Colorado Spinal System	Ilio-Sacral Plate	Left/right	Deleted
MC434	Colorado Spinal System	Connector for Sacral & Ilio-Sacral Plate	One size only	Deleted
MC435	Colorado Spinal System	Break off Nut	One size only	Deleted
MC483	Axis Cervical Plating System	Screw: Cortical	26 - 54mm	Deleted
MC497	Tenor	Rod (5.5mm) - Titanium	40 - 240mm	Deleted
MC502	CD Horizon	Multi-axial screw (Titanium)	20 - 80mm	Deleted
MC511	Premier Anterior Cervical Plate System	Screws	10 20mm	Deleted
MC544	Vertex Spinal System	Rod	80 - 240mm	Compressed into MI248
MC579	CD Horizon	Spondylolisthesis Screw	Diameter: 4.5 - 7.5, Length: 25mm - 50mm	Deleted
MC634	CD HORIZON Spinal System - X10 CROSSLINK	CROSSLINK Plate	Multi-Span Plate: 25-90 mm	Compressed into MI247
MC708	CD HORIZON Spinal System - X10 CROSSLINK	X10 CROSSLINK Plate	Fixed Plate: 16mm - 40mm	Compressed into MI247
MC865	Premier Anterior Cervical Plate	Anterior Cervical Plate	23mm - 55mm	Deleted
MC866	Premier Anterior Cervical Plate	Anterior Cervical Plate	57.5mm - 90mm	Deleted
MC986	Vertex Spinal System	Posted Screws	Diameter 3.5 - 4.5mm Length 10 - 52mm	Deleted
MC999	Atlantis Anterior Cervical Plate System - Plate	Translational Anterior Cervical Plate	19mm - 55mm	Deleted
MI056	Atlantis Anterior Cervical Plate System - Plate	Translational Anterior Cervical Plate	57.5mm - 85mm	Deleted

MobiLIFE Pty Ltd

General Miscellaneous

LF001	mobiFUSER	Disposable sterile non electronic elastomeric infusion device. Variable flow rates available. For continuous fluid/medication delivery	Maximum Capacity 275ml	Transferred to TY001
-------	-----------	--	------------------------	----------------------

N Stenning & Co Pty Ltd

General Miscellaneous

NG059	Frankenman Circular Stapler	Curved intraluminal stapler preloaded with titanium staples.	21mm; 25mm; 28mm; 32mm	Transferred to ME217
NG060	Frankenman Haemorrhoidal (CPH) Stapler	Circular stapler for rectal prolapse and haemorrhoids preloaded with titanium staples	Outside diameter: 32.5mm; 34.5mm	Transferred to ME218
NG061	Frankenman Linear Cutter Stapler	Single use, reloadable, linear cutter stapler containing titanium staples	61mm; 81mm; 100mm	Transferred to ME219
NG062	Frankenman Linear Stapler Reloads	Linear stapler single use reload with titanium staples	32mm; 46mm; 60mm; 90mm	Transferred to ME220
NG063	Frankenman Linear Stapler	Linear stapler preloaded with titanium staples	32mm; 46mm; 60mm; 90mm	Transferred to ME221
NG064	Frankenman Linear Cutter Reloads	Single use, linear cutter reload cartridge containing titanium staples	61mm; 81mm; 100mm	Transferred to ME222

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
NG065	TRU-CLOSE THORACIC VENT	Device for the treatment of spontaneous, traumatic or iatrogenic simple pneumothorax. Allowing for ambulation during resolution and the aspiration of small amount of fluids	Catheter outer diameter = 11 French, catheter length = 10cm Catheter outer diameter = 11 French, catheter length = 13cm Catheter outer diameter = 13 French, catheter length = 10cm Catheter outer diameter = 13 French, catheter length = 13cm	Transferred to ME207
NG073	Redax Unico Percutaneous Drainage Kit	Percutaneous Drainage Kit	9-12 CH	Transferred to ME208
Neurosurgical				
NG053	Leo+	Leo+ Stent	D 2.0mm L 12mm, 18mm, 25mm. D 2.5mm L 12mm, 18mm, 25mm, 30mm, 35mm. D 3.0mm L 12mm, 18mm, 25mm, 35mm D 3.5mm L 12mm, 18mm, 25mm, 30mm, 35mm, 50mm. D 4.5mm L 15mm, 20mm, 25mm, 30mm, 40mm, 50mm, 75mm. D 5.5mm L 25mm, 30mm, 35mm, 50mm, 60mm, 75mm.	Transferred to ME209
NG056	SONIC Microcatheter	Micro catheter DMSO compatible	Dia: 1.2fr or 1.5fr Length: 165cm or 190cm	Transferred to ME210
NG057	Balt Remodelling Balloon	Remodelling Balloon Kit, includes a 200cm tapered Hybrid Guidewire.	SCOPERNIC10: 10mm balloon length, max fill volume 0.30ml; SCOPERNIC15: 15mm balloon length, max fill volume 0.35ml; SCOPERNIC20: 20mm balloon length, max fill volume 0.40ml; SCOPERNIC30: 30mm balloon length, max fill volume 0.50ml; SECLIPSE7: Balloon length 7mm, balloon dia 4 to 6mm, max fill vol 0.20ml; SECLIPSE9: Balloon length 9mm, balloon dia 4 to 6mm, max fill vol 0.25ml; SECLIPSE12: Balloon length 12mm, balloon dia 4 to 6mm, max fill vol 0.30ml; SECLIPSE15: Balloon length 15mm, balloon dia 4 to 6mm, max fill vol 0.40ml; SECLIPSE20 Balloon length 20mm, balloon dia 4 to 6mm, max fill vol 0.50ml. Packaging includes one HYBRID1214D guidewire, 200cm long, with Proximal Stainless Steel and distal nitinol.	Transferred to ME211
NG066	VASCO+	A progressive step braided micro-catheter with radio-opaque markers on the distal tip used to assist in the treatment of aneurysms and other neurological disorders.	Distal outer Diameter: 1.5 - 5F Proximal Outer Diameter: 2.4F - 5F Length: 135 - 155mm	Transferred to ME212
NG071	Copernic RC	Venous remodelling balloon	Diameter: 8.0 - 10mm Balloon Length: 80mm Catheter Length: 160mm	Transferred to ME215

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
NG072	Fargo	Guiding Catheters	Outer \u00D8 Proximal . 4.2F - 6.0F Outer \u00D8 Distal : 3.9F - 6.0F Inner \u00D8: 1.02mm (.040") - 1.78mm (.070") Total Length: 95cm - 135cm Distall tip Length: 2.5cm -15cm	Transferred to ME213
NG074	Double Lumen Occlusion Balloon	Double lumen occlusion balloon	DIAMETER: 6mm; LENGTHS: 7mm - 30mm	Transferred to ME214

Urogenital

NG058	NEPHRO-CATH Nephrostomy Drainage Catheter	Nephrostomy Drainage Catheter	Diameters: 8fr to 14fr sizes; Lengths 27cm through to 29cm	Transferred to ME216
-------	---	-------------------------------	--	----------------------

Newclip Technics Australia Pty Ltd

Specialist Orthopaedic

TN004	Activ Ankle Diaphyseal Fibula Plate	Activ Ankle Diaphyseal Fibula Plate	One size only	Deleted
TN005	Alians Ulna Plate	Fixation plates for ulnar shortening	Sizes 1 - 4	Deleted
TN009	Newclip Distal Humerus Plates 7 - 15 holes	Plates for the fixation of fractures of the elbow	7 - 15 holes	Deleted
TN011	Newclip Olecranon Plates \u22646 holes	Plates for the fixation of fractures of the elbow	\u22646 holes	Deleted
TN014	Newclip Distal Humerus Plates 16+ hole	Plates for the fixation of fractures of the elbow	16+ holes	Deleted

Oceania Orthopaedics

Hip

OO067	Adler Ceramic Head <32	Ceramic Femoral Heads for Adler Stems. Biolox Forte and Delta. 28,32mmOD	Short, Medium, Long in 28 and 32mm	Transferred to TZ002
OO071	Adler Ceramic Head >32	Biolux delta ceramic head	Short, Medium, Long; in 36mm and 48mm	Transferred to TZ003
OO072	Modula SC Neck	The complete series of Modula SC necks, all patented, consists of 15 sizes.	OX, OY, OZ, OA, OB, OC, 9X, 9Y, 9Z, 9A, 9B, 9C, 9AA, 9BB, 9CC	Transferred to TZ004
OO073	Fixa Ti-Por Cup	Porous Matrix Titanium, Screw Holes with Plugs, Hemispherical Acetabular Cup	44-66mm	Transferred to TZ005
OO074	Adler Bone Screw	Bone Screw for Acetabular Cup	6.5 and 8.5mm Diameter. 15-65mm Length.	Transferred to TZ006
OO077	Adler PE Acetabular Liners	XLPE Liners - for Fixa Cups	Neutral, 15 degree, in 22,28,32,36mm ID	Transferred to TZ007
OO078	Adler Ceramic Acetabular Liners	Ceramic Liners - for Fixa Cups	Delta, 28,32,36 & 40 mm ID	Transferred to TZ008
OO175	S.F Modula Neck	S.F Modula Neck. Titanium for use with Adler Modular Hip Stems	OX, OY, OZ, OA, OB, OC, 9X, 9Y, 9Z, 9A, 9B, 9C, 9AA, 9BB, 9CC	Transferred to TZ014
OO176	Corae	Uncemented Femoral Hip Stem with HA Coating	9 to 18 with Standard and Offset stems	Transferred to TZ015

Knee

OO005	ACS Knee System - ACS tibial component cementless	Tibial base plate, porous coated, for use with mobile bearing insert, TiN coated	2-7	Compressed into OO178
OO006	ACS Knee System - ACS tibial component cemented	Tibial base plate, cemented, for use with mobile bearing insert, TiN coated	2-7	Compressed into OO179
OO008	Implant ACS Knee System - cemented tibial component	Tibial base plate, cemented, for use with mobile bearing insert, TiN coated	Sizes 2-7	Compressed into OO179

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
OO009	ACS Knee System - porous coated tibial component	Tibial base plate, porous coated, for use with mobile bearing insert, TiN coated	Sizes 2-7	Compressed into OO178
OO143	Genus Knee System - Genus PE Tibial Insert	Genus PE Insert	1-7 in thickness; 10mm, 12mm, 14mm, 17mm, 20mm, 24mm	Transferred to TZ001
OO150	Genus Knee System - Genus Cemented Femoral Component	Femoral Component for Total Knee Arthroplasty	1-7 right, 1-7 left	Transferred to TZ009
OO151	Genus Knee System - Genus Cementless Tibial Tray + HA	Mobile Bearing Cementless Tibial Tray with HA coating	1-7	Transferred to TZ010
OO152	Genus Knee System - Genus Cemented Tibial Tray	Cemented Mobile Bearing Tibial Tray	1-7	Transferred to TZ011
OO153	Genus Knee System - Genus Cementless Femoral Component + HA	Cementless Femoral Component with HA coating	1-7 right, 1-7 left	Transferred to TZ012
OO154	Genus Knee System - Genus PE Patella	Polyethylene Patella	20, 23, 26, 30, 33, 36mm	Transferred to TZ013

Orthofix Australia Pty Limited

Spinal

OF010	Firebird Cannulated Modular Screws	Modulated cannulated pedicle screws (screw only) in various lengths and diameters	4.5, 5.5, 6.5, 7.5, 8.5, 9.5, 10.5mm diameters; 25mm-100mm in 5mm increments	Compressed into OF076
OF021	Pillar SA	The Pillar SA PEEK Spacer system is comprised of a variety of implants manufactured from PEEK-OPTIMA LT as described by ASTM F-2026, with tantalum markers as described by ASTM F-560. The implants are available in multiple footprint sizes a variety of heights and two angles of lordosis: 7 and 12. The implant incorporates integrated anterior screw holes to allow for medial placement of screws as well as a titanium plate for securing the screws in one place. The superior and inferior of the implant have a pattern of ripples that provide increased stability and help movement of the device.	37W, 40W, 43W, cover plates	Compressed into OF075
OF023	Firebird modular pedicle screws	Modular pedicle screws (screw only) in various lengths and diameters, titanium	4.5, 5.5, 6.5, 7.5, 8.5, 9.5, 10.5mm; 25-100mm lengths in 5mm increments	Compressed into OF076
OF044	Pillar SA	The Pillar SA PEEK Spacer system is comprised of a variety of implants manufactured from PEEK-OPTIMA LT as described by ASTM F-2026, with tantalum markers as described by ASTM F-560. The implants are available in multiple footprint sizes a variety of heights and two angles of lordosis: 7 and 12. The implant incorporates integrated anterior screw holes to allow for medial placement of screws as well as a titanium plate for securing the screws in one place. The superior and inferior of the implant have a pattern of ripples that provide increased stability and help movement of the device.	37Wx28Dx7\u00BA 12.5, 14, 16, 18mmH37Wx28Dx12\u00BA 12.5, 14, 16, 18mmH40Wx28Dx7\u00BA 12.5, 14, 16, 18mmH40Wx28Dx12\u00BA 12.5, 14, 16, 18mmH43Wx28Dx7\u00BA 12.5, 14, 16, 18mmH43Wx28Dx12\u00BA 12.5, 14, 16, 18mmH37Wx32Dx7\u00BA 12.5, 14, 16, 18mmH37Wx32Dx12\u00BA 12.5, 14, 16, 18mmH40W	Compressed into OF075

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Orthotech Pty Ltd				
Knee				
OH424	Trekking Knee System, Tibial Insert	Tibial Insert	1 - 5 (+0/+13)	Expanded into OH548, OH549
OH427	Trekking Knee System - Femoral Component	Femoral component cemented	1 - 5	Expanded into OH552, OH553
OH428	Trekking Knee System - Femoral Component	Femoral component uncemented	1 - 5	Expanded into OH550, OH551
Specialist Orthopaedic				
OH474	DynafitSystem	Compression Screws	3.2 x 12-40mm	Expanded into OH546, OH547
OH482	DynafitSystem	Twist off screws	11 - 14mm	Expanded into OH544, OH545
OH529	G21 Bone Cement with Antibiotic + Delivery System	Bone Cement with Antibiotic \u2013 low & std viscosity	20-60g	Deleted
OH530	G21 Bone Cement with Antibiotic	Bone Cement with Antibiotic	20-60g	Deleted
Spinal				
OH052	Interpore Bone Plate System	TPS Bone Plate	20 - 56cm	Deleted
OH054	Interpore Bone Plate System	TPS Locked Nut	3mm	Deleted
OH490	Endoskeleton TA	Titanium coated anterior interbody fusion device for the lumbar spine	32-40 x 21-27mm	Deleted
OH491	Endoskeleton TAS, bone screw	Titanium coated anterior interbody fusion device for the lumbar spine	5.5 \u2013 6.5 x 25-30mm	Deleted
OH492	Endoskeleton TAS	Titanium coated lumbar cage with integrated fixation	32-40 x 21-27 mm	Deleted
OH493	Endoskeleton TC	Titanium coated anterior interbody fusion device for the lumbar spine	12-16 x 14-18mm	Deleted
OH494	Endoskeleton TT / TO	Titanium coated posterior interbody fusion cage	Titanium coated posterior interbody fusion cage	Deleted
OH522	Endoskeleton TL	Lateral Vertebral Body Spacer. Titanium with Surface Treated Technology	Length: 45-60mm	Deleted
OH524	Endoskeleton TCS	Titanium Stand Alone ADCF Cage	5-12mm Heights	Deleted
PurePlay Orthopaedics				
Spinal				
PJ006	Malibu Spinal System Monoaxial Screw	Monoaxial Bone Screw	4.5mm x 25mm - 9.5mm x 80mm	Transferred to TV015
PJ007	Zuma-C Locking Cover	Screw Locking Cover	6-12mm	Transferred to TV010
PJ008	Zuma implant with integral plate	PEEK Interbody cage with integral plate	26mm x 24mm, 32mm x 25mm Height 10mm - 18mm	Transferred to TV002
PJ009	Zuma-C Bone Screw	Variable angle bone screw	4.0-4.5mm x 10-18mm	Transferred to TV001
PJ010	Zuma Spinal System Locking Cover	Locking Cover	10mm - 20mm	Transferred to TV005

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
PJ011	Malibu Spinal System Polyaxial Reduction Screw	Malibu Spinal System Polyaxial or Uni Planar Reduction Screw	4.5mm x 25mm - 40mm in 5mm increments 5.5mm x 25mm - 50mm in 5mm increments 6.5mm x 35mm - 55mm in 5mm increments 7.5mm x 35mm - 55mm in 5mm increments	Transferred to TV011
PJ012	Malibu Spinal System ESS CoNiCr Rods	Rod CoNiCr Precontored	5.5mm x 100mm - 600mm	Transferred to TV006
PJ013	Malibu Spinal System In-line Connector	In-line Connector	5.5mm and 6.35mm	Transferred to TV009
PJ014	Malibu Spinal System Rods	Rod	5.5mm x 30mm - 600mm 6.35mm x 100mm	Transferred to TV008
PJ015	Malibu Spinal System Locking Cap	Locking cap with integral set screw	5.5mm and 6.35mm	Transferred to TV012
PJ016	Zuma bone screw	Bone screw	5.5mm - 6.0mm x 20mm - 30mm	Transferred to TV016
PJ017	Malibu Spinal System Polyaxial Screw	Polyaxial screw	4.5mm x 20mm - 8.5mm x 110mm in 5mm increments	Transferred to TV014
PJ018	Malibu Spinal System CrossBar	CrossBar	5.5mm and 6.35mm diameter rods 23mm - 75mm length options	Transferred to TV013
PJ019	Malibu Spinal System Lateral Connector	Lateral Connector	30mm - 60mm	Transferred to TV007
PJ020	Malibu Spinal System Hooks	Hook	5.5mm x 5.5mm - 9.0mm x 9.5mm	Transferred to TV004
PJ021	Zuma-C Implant	Integrated low-profile titanium anterior fixation plate with PEEK Optima Interbody spacer	13x12x16mm - 17x13x12mm	Transferred to TV003

Pyramed Pty Limited

General Miscellaneous

PY020	Niti-S Biliary Covered Stent	Niti-S Biliary self expanding nitinol Stent fully covered with a silicone membrane, PTFE, polyurethane layer to prevent tumor ingrowth. Has nylon drawstring for removal. Stent delivery system is designed for use TTS for endoscopic or percutaneous procedures	Diameter: 4mm-28mm Length: 10-120mm	Compressed into PY049
PY025	Niti-S Tracheal Stent	Tracheal Nitinol Self Expanding Metal Stent, ePTFE covered with retrieval suture	16mm to 20mm diameter x 3cm to 10cm length	Compressed into PY048
PY026	Niti-S Bronchial Stent	Bronchial Nitinol Self Expanding Metal Stent, Expanded Poly Tetra Fluoro Ethylene (ePTFE) covered, with retrieval suture	10mm to 14mm diameter x 3cm to 6cm length	Compressed into PY048
PY027	Niti-S Biliary Covered and Partially Covered Stents	The Niti-S Biliary Stent (fully and partially covered) is comprised of 1 Nitinol S0-type stents with a layer of polytetraethylene (PTFE) between that fully envelopes the proximal and distal ends of the stent, resulting in an integrated structure designed to prevent tissue invasion.	6mm to 12mm diameter x 4cm to 12cm length	Compressed into PY049

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
--------------	--------------	---------------------	------	-------------------------

Safelens Pty Ltd

Ophthalmic

TJ001	Tecsoft Flex	Single piece square edged foldable intraocular lens for implantation into the capsular bag.	Diopter power range: +5.0 D to +32.0D (0.5 D increments from +10.0 D to +30.0 D, 1.0 D increments outside this range). For powers +5.0 D to +17.5D - Optic size: 6.0mm. Overall Length 13.5mm. For powers +18.0 D to +25.5D - Optic size: 5.9mm. Overall Length 13.0mm. For powers +26.0 D to +32.0 D - Optic size: 5.8mm. Overall Length 12.5mm.	Deleted
-------	--------------	---	--	---------

Signature Spine and Joint Pty Ltd

Spinal

SV001	Romeo Set Screws	Titanium alloy	One size	Deleted
SV002	Tryptik Anterior Cervical Plate (>55mm)	Tryptik Anterior Cervical Plate is designed to have a low profile with screw holes that allow for up to 20 degree angulations. The plate is made of Titanium	The product is available in 5 lengths, 60, 65, 70, 80 and 90mm	Deleted
SV003	Romeo Polyaxial Pedicle and Reduction Screws	Available in standard and reduction screw variants. Titanium alloy	Standard - 5mm diameter: 30, 35, 40, 45mm length. 6 and 7mm diameter: 30, 35, 40, 45 and 50mm length. Reduction - 6mm diameter: 35, 40 and 45mm.	Deleted
SV004	Romeo Pedicle System Hooks	Titanium alloy	One size	Deleted
SV005	Juliet TLIF Cage	PEEK cage with built in anatomical angulations	4 thicknesses - 8, 10, 12 and 14mm	Deleted
SV006	Tryptik Anterior Cervical Plate bone screw	Tryptik Anterior Cervical Plate bone screws are designed to have a low profile and lock into the plate on insertion to prevent back out. The screw is made o Titanium	The produc is available in 2 diameters, namely 3.8 and 4.5mm. The 3.8mm screw is available in 4 lengths: 12, 14, 16 and 18mm while the 4.5mm screw is available in 3 lengths, 14, 16 and 18mm	Deleted
SV007	Tryptik Anterior Cervical Plate	Tryptik Anterior Cervical Plate is designed to have low profile with screw holes that allow for up to 20 degree angulations. The plate is made of Titanium	The product is available in 8 lengths, 20, 25, 30, 35, 40, 45, 50, 55mm	Deleted
SV008	Romeo Pedicle System Transverse Rod	Titanium alloy rods for connection between hooks (TR) in transverse connector assemblies.	5.4mm diameter. 4 lengths.	Deleted
SV009	Romeo Pedicle System Rod	Supplied non-sterile. Pre-bend for lengths up to 80mm. Titanium alloy.	5.4mm diameter: 30, 40, 50, 60, 70, 80, 90, 100, 110, 120, 140, 160, 180, 200, 220, 240 and 350mm lengths	Deleted
SV010	Juliet Anterior Lumbar Cage	PEEK cage with built in anatomical shape. The cage has built in stabilising Titanium spike to stabilise the implant in the disc space.	All 26 mm length. 10, 12, 14 and 16mm height. 5 or 10 degree slope.	Deleted
SV011	Romeo Monoaxial Pedicle Screws	Titanium alloy	5mm diameter: 30, 35, 40 and 45mm lengths. 6mm and 7mm diameter: 30, 35, 40, 45 and 50mm lengths	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
SV012	Juliet Posterior Lumbar Interbody Cage	PEEK cage built in anatomical slope.	All 22mm length. 8, 10, 12 and 14mm heights. 0 or 5 degrees anatomical slope.	Deleted
SV013	Tryptik Anterior Cervical Cage	Tryptik Anterior Cervical Cages are manufactured from PEEK and are anatomically shaped to fit between vertebral bodies. The cages have large graft windows for graft to increase the rate of fusion. The cage also features 4 stabilising spikes that provide s	The product is available in 2 sizes, the 12mm cage is available in 3 thicknesses, while the 14mm cage is available in 4 thicknesses 5, 6, 7, and 8mm	Deleted
SV042	Scarlet AC-T Cervical Cage	Cervical Cage	Height 5mm to 10mm, Small and Large	Deleted
SV043	Scarlet Bone Screws	Cancellous bone screws	Diameters 3mm and 3.5mm, lengths of 12mm to 18mm	Deleted
SV044	Romeo 2 PAD System	Interspinous fusion device	8mm to 18mm	Deleted
SV061	Cross Connector	Multiaxial cross connectors	33 - 80 mm	Deleted

Smith & Nephew Pty Ltd

Hip

SM012	SL & SLR Plus Femoral Stem	Titanium, grit blast, non HA,	Sizes 01-12 for SL & 1-6 for SLR	Deleted
SM014	SLR Plus Long Femoral Stem	Titanium, grit blast, non HA, long stem	Sizes 7-12	Deleted
SM015	SLR Plus Long Femoral Stem	Titanium, Plasma spray, proximal HA coating, long stem	7-11, various offsets	Deleted
SM016	Modular Plus Femoral System Proximal Femoral Body	Titanium, grit blasted, with stem locking bolt	sizes AS/AL/BS/BL/CS/AX less than 75mm, various offsets	Deleted
SM017	Modular 'PLUS Femoral Stem	Titanium, grit blast, straight & curved, long	1 to 12 (all over 200mm)	Deleted
SM025	EP Fit Acetabular Shell	Titanium, plasma spray, non HA, with variable number of holes for UHMWPE, ceramic & metal inserts	40 - 68mm Dia	Deleted
SM026	EP Fit & MPF UHMWPE Insert	UHMWPE	40 - 68mm Dia	Deleted
SM027	EP Fit & MPF Ceramic Insert	Ceramic, BioloX Forte	For 42 -76mm shells, all head sizes	Deleted
SM126	SL Plus MIA Femoral Stem	Titanium, grit Blasted, double tapered	01-12 various offsets	Deleted
SM134	POLAR Dual Mobility Constrained Liner	UHMWPE	FOR '22.2-28MM Head sizes and 43-72MM diameter shells	Deleted
SM171	MIS Stem	Short, tapered, uncemented "press fit" femoral stem with modular neck functionality	Size 1-9 (73mm -101mm)	Deleted
SN270	Echelon	Femoral Stem Porous Co Cr, Std and High Offset	9 - 19	Deleted
SN277	Endoprosthesis	CoCr	38 - 54mm	Deleted
SN285	Reflection	Acetabular Cup, Beaded Titanium Alloy	42 - 80mm	Expanded into SL084, SL085
SN288	Reflection	Acetabular Cup Unmodified UHMWPE	22 - 36mm, 42 - 76mm	Deleted
SN290	Reflection	Acetabular Shell Ceramic, Porous Titanium Alloy	46-66mm OD	Deleted
SN297	Reflection	Acetabular Liner Ceramic, AIO3 bioloX forte	28 - 36mm, 46 - 66mm OD	Deleted
SN299	Femoral Head	Ceramic, AIO3	<=32mm	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
SN305	Synergy	Femoral stem Beaded Titanium Alloy, Std and High Offset	9-20	Deleted
SN306	Synergy	Femoral stem: HA coated Titanium Alloy, Std and High Offset	9-20	Deleted
SN741	Birmingham Modular Femoral Head	Cobalt Chrome	38 - 58mm	Deleted
SN744	Birmingham Hip Resurfacing Dysplasia Cup	Cobal Chrome, beaded, HA with screw fixation	Dysplasia Cups: 46 - 66 mm cups	Deleted
SN749	Emperion Revision Hip	Polished non HA	Short & Long	Deleted
SN811	Reflection	Head Ceramic, AlO3, BioloX Forte	>32mm	Deleted
SN813	Femoral Head	Stainless steel	>32mm,+0-+16mm	Deleted
SN817	Emperion Revision Hip	Polished modular stem with option of calcar	+10, +20mm	Deleted
SN818	Emperion Revision Hip	Long Stem polished Modular Titanium Calcar Build-up,	+10, +20mm	Deleted
SN819	Emperion Revision Hip	Proximal Modular Cone Standard, beaded HA coated	0, 1, 2, 3, 4, standard and long	Deleted
SN820	Emperion Revision Hip	Proximal Modular Cone Long	0, 1, 2, 3, 4	Deleted
SN825	Birmingham Mid Head Resection Stem	Titanium, Beaded and HA	1-19	Deleted
SN842	Platform Hip Stem	Titanium grit blasted stem	0-12	Deleted
SN845	Reflection	CoCr Acetabular Insert	52 - 60mm	Deleted
SN850	Birmingham Hip	Modular Resurfacing Head Sleeve	-8mm to +16mm	Deleted
SN894	Anthology HAC	Femoral Stem - Titanium grit blasted HA coated	01-18 90mm-122mm	Deleted
SN897	MDF Revision System	Femoral stem - Titanium grit blasted for use with modular femoral neck - choices anteverted, retroverted, standard & multiple height. Allows fixation of proximal sleeve in various shapes (suffix-N,SV & MOD3)	10-25 - 200mm - 360mm	Deleted
SN898	MDF Revision System	Modular Neck - CoCr highly polished trapezoidal for MDF stem/MIS stem multiple options of version height and neck length	24mm - 36.5mm	Deleted
SN899	MDF Revision System	Femoral Stem - Titanium grit blasted for use with moduylar femoral neck choices anteverted, retroverted, standard and multiple height. Allows fixation of proximal sleeve in various shapes (suffix - N, SV & MOD3)	10-25 - 150mm - 190 mm	Deleted
Knee				
SL004	VKS (Vario) Knee System Tibial Insert	Tibial insert, UHMWPE, Fixed	SZ 1-12	Deleted
SM030	TC (Tri Compartment) PLUS Knee System Tibial Baseplate	Tibial Baseplate, CoCr, Cemented for mobile insert, polished insert surface	2 to 12	Deleted
SM031	TC (Tri Compartment) PLUS Knee System Tibial Insert	Tibial Insert, UHMWPE, mobile, deep dished	1-12 : 9-19mm	Deleted
SM049	UC (Unicompartment) PLUS Solution Knee System Uni Femoral Component	Uni Femoral Component, CoCr, cemented	Femoral - 4, 6, 8, 10.	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
SM052	VKS (Vario) Knee System Femoral Component	Femoral Component, CoCr, uncemented, Titanium Plasma Spray (Vacuum spray and triple layer)	1-6	Deleted
SM063	Tibial Insert	Mobile Bearing Tibial Insert	1-12	Deleted
SM064	VKS (Vario) Knee System Femoral Component	Femoral Component, CoCr, cemented	1-12	Deleted
SM065	VKS (Vario) Knee System Tibial Baseplate	Tibial Baseplate, CoCr, Cemented, for fixed insert	1-12	Deleted
SM066	VKS (Vario) Knee System Tibial Baseplate	Tibial Baseplate, CoCr, uncemented, Titanium Plasma Spray (Vacuum spray and triple layer), for fixed insert	1-12	Deleted
SM068	VKS (Vario) Knee System Tibial Baseplate	Tibial Baseplate, CoCr, uncemented, Titanium Plasma Spray (Vacuum spray and triple layer), for mobile insert (SB (Self aligning bearing))	1-12	Deleted
SM071	TC (Tri Compartment) PLUS Knee System Femoral Component	Femoral Component, CoCr, uncemented, Titanium Plasma Spray (Vacuum spray and triple layer), posterior stabilised	2-12	Deleted
SM072	TC (Tri Compartment) PLUS Knee System Tibial Insert	Tibial Insert, UHMWPE, fixed, posterior stabilised with peg	2-12	Deleted
SM077	RT (Rotating Hinge) PLUS Knee System Femoral and Tibial Stems	Femoral and Tibial Stems, Titanium, uncemented	95 -120	Deleted
SM082	'RT (Rotating Hinge) PLUS Knee System Femoral Component	Femoral Component, CoCr, Cemented, hinged	0-10	Deleted
SM084	RT (Rotating Hinge) PLUS Knee System Femoral and Tibial Stems	Femoral and Tibial Stems, CoCr, Cemented	95-160	Deleted
SM085	TC (Tri Compartment) PLUS Knee System Femoral Component	Femoral Component, CoCr, cemented	2 - 10	Deleted
SM086	RT (Rotating Hinge) PLUS Knee System Femoral and Tibial Stems	Femoral and Tibial Stems, Titanium, uncemented	95 - 160	Deleted
SM087	RT (Rotating Hinge) PLUS Knee System Femoral and Tibial Stems	Femoral and Tibial Stems, Titanium, uncemented (longer stems)	200	Deleted
SM088	RT (Rotating Hinge) PLUS Knee System Femoral Augment	Femoral Augment Distal and posterior blocks, CoCr, includes screws for fixation	5-15mm	Deleted
SM089	RT (Rotating Hinge) PLUS Knee System Tibial Augment	Tibial Augment Half blocks, CoCr, includes screws for fixation	5-10mm	Deleted
SM090	RT (Rotating Hinge) PLUS Knee System Tibial Insert	Tibial Insert, UHMWPE, fixed, for hinged femoral and tibial components, reinforced fixation clip and central hole for femoral component hinge post	0-10	Deleted
SM091	RT (Rotating Hinge) PLUS Knee System Clip and Screw	Insert clip and screws for stem fixation, packed together as emergency kit	0-10	Deleted
SM120	UC (Unicompartment) PLUS Solution Knee System Uni Tibial Baseplate	Uni Tibial Baseplate, CoCr, cemented for fixed insert	Tibial - 40 - 56 x (8, 10, 12, 14mm)	Deleted
SM121	UC (Unicompartment) PLUS Solution Knee System Uni Tibial Insert	Uni Tibial Insert, UHMWPE, fixed	40 (8mm, 10mm, 12mm, 14mm), 44 (8mm, 10mm, 12,, 14mm), 48 (8mm, 10mm, 12mm, 14mm), 52 (8mm, 10mm, 12mm, 14mm), 56 (8mm, 10mm, 12mm, 14mm)	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
SM141	TC (Tri Compartment) PLUS Knee System Femoral Component	Femoral Component, CoCr, Cemented posterior stabilised	2-10mm	Deleted
SM157	Journey Uni Femur- Cocr	Uni Femur - CoCr - It is UniCondylar Femur	Size 1 to Size 7	Deleted
SM159	Legion Hinge Rotating Platform Insert	This tibial insert is used for the construction of the Legion hinge.	Sizes 2-7 11,13,15,18,21mm	Deleted
SN314	Genesis II Knee System Femoral Conversion Module	Femoral Conversion Module, for Genesis II CR or PS femoral component, includes screws for	Left/Right size 1-8	Deleted
SN334	Genesis Uni Tibial Insert	Uni Tibial Insert, UHMWPE, fixed	x-Small-Magnum 8mm-12mm	Deleted
SN336	Genesis Uni Tibial Baseplate	Uni Tibial baseplate, cemented, CoCr for fixed insert	XSmall-Magnum	Deleted
SN338	Genesis II Uni Femoral Component	Uni Femoral component, CoCr, cemented	X-Small - Magnum Plus	Deleted
SN340	Genesis Knee System Tibial Insert	Tibial Insert, UHMWPE, fixed, totally stabilised with peg	Left/Right Small- XLarge 10mm - 25mm	Deleted
SN348	Genesis Knee System Tibial Insert	Tibial Insert, UHMWPE, fixed	Left & Right XS-Magnum 8MM-15MM	Deleted
SN349	Genesis Knee System Tibial Insert	Tibial Insert, UHMWPE, fixed, posterior stabilised with peg	Right/Left S-XL 8mm-25mm	Deleted
SN353	Genesis Knee System Tibial Insert	Tibial Insert, UHMWPE, fixed, totally stabilised with peg, to be used with Genesis I baseplate and Tricon Femoral Component	Left/Right Constrained Small - Xlarge, Crutiate retaining Size 1-8, Post Stabilising Size 1-8, Tricon/Genesis Small-Xlarge	Deleted
SN367	Mobile Bearing Knee System Insert Locking Screw	Insert Locking Screw, used to lock AP translation of Mobile insert	One size only	Deleted
SN368	'Mobile Bearing Knee System Tibial Baseplate	Tibial baseplate, uncemented, beaded, CoCr, polished insert surface, for mobile insert,	Left & Right Size 1-8	Deleted
SN370	Mobile Bearing Knee System Tibial Baseplate	Tibial baseplate, uncemented, beaded, HA, CoCr, polished insert surface, for mobile insert,	Left & Right, Size 1-8	Deleted
SN376	Profix Knee System Femoral and Tibial Stems	Femoral and Tibial stems, Titanium, Cemented or press fit,	10-20mm x 100mm. 10-20x150mm 10-20 x 200mm	Deleted
SN378	Profix Knee System Tibial Insert	Tibial Insert, UHMWPE, Mobile, anterior lip (Conforming Plus)	Size 1-8 10-16mm	Deleted
SN379	Profix Knee System Tibial Insert	Tibial Insert, UHMWPE, Mobile	Size 1-8 10-16mm	Deleted
SN381	Profix Knee System Tibial and Femoral Augment	Tibial Augments, Half wedges and half blocks, uncemented beaded includes screws for fixation, Titanium. Femoral Augments, Posterior, Distal and Posterior and distal combined, uncemented beaded, includes screws for fixation, Titanium	1-7. Small - Large	Deleted
SN383	Profix Knee System Femoral Component	Femoral Component, CoCr, uncemented, beaded, totally constrained	Right/Left Size 1-7	Deleted
SN384	Profix Knee System Tibial and Femoral Augment	Tibial Augments, Half wedges and half blocks, cement fixation, Titanium. Femoral Augments, Posterior, Distal and Posterior and distal combined, includes screws for fixation, Titanium	1-7	Deleted
SN660	Profix Knee System Femoral Component	Femoral Component, CoCr, Cemented, totally constrained	Left & Right, 2-7	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
SN699	Profix Knee System Tibial Insert	Tibial Insert, UHMWPE, Mobile, anterior lip (Conforming Plus) Larger sized inserts	1-8, 18-20mm	Deleted
SN710	Genesis Uni Femoral Component	Uni Femoral component, Oxinium, cemented	X-Small - Magnum	Deleted
SN715	Genesis II Knee System Femoral and Tibial Stems	Tibial and Femoral Stems, Titanium, cemented or press fit (larger diameter range for 200mm length)	18 - 24mm x 200mm	Deleted
SN779	Journey Knee System Femoral Component	Femoral Component, cemented, Oxinium, posterior stabilised (bicruciate substitute)	1-10	Deleted
SN835	Journey Deuce Bicompartement Femoral Component	Bicompartement Femoral Component, cemented, Oxinium	1-8	Deleted
SN847	Journey Knee System Femoral Component	Femoral Component, Cemented, CoCr, posterior stabilised	Sizes 1-10, Left and Right	Deleted
SN859	Genesis II Knee System Tibial Baseplate	Tibial Baseplate, cementless, titanium, beaded, for fixed insert	Left / Right 1-8	Deleted
SN860	Profix Knee System Tibial Baseplate	Tibial Baseplate, cementless, titanium, beaded, for fixed insert	Left / Right 1-8	Deleted
SN862	Profix Knee System Tibial Baseplate	Tibial baseplate, cementless, titanium, beaded, HA for fixed insert	Left / Right 1 - 8	Deleted
SN864	Profix Knee System Tibial Insert	Tibial insert, UHMWPE, fixed, totally constrained	Left / Right 1 - 8	Deleted
SN865	Genesis II Knee System Femoral Component	Femoral component, cemented, totally stabilised, CoCr	Left / Right 1 - 8	Deleted
SN866	Profix Knee System Femoral Component	Femoral component, cemented, totally stabilised, CoCr	Left / Right 1 - 8	Deleted
SN872	Profix Knee System Femoral Component	Femoral component, cemented posterior stabilised, CoCr	Left / Right 1-8	Deleted
SN874	Profix Knee System Femoral Component	Femoral component, CoCr, cementless, beaded, posterior stabilised	Left / Right 1-8	Deleted
SN878	Profix Knee System Femoral Component	Femoral component, CoCr, cementless, beaded, HA	Left / Right 1-8	Deleted
SN880	Profix Knee System Femoral Component	Femoral component, Oxinium, cemented	Left / Right 1-9	Deleted
SN884	Profix Knee System Femoral Component	Femoral Component, cemented, posterior stabilised, Oxinium	1-8	Deleted

Specialist Orthopaedic

SN915	Peri-Loc	Clavicle plates	\u22657 to \u226415 holes	Expanded into SL086, SL087, SL088
-------	----------	-----------------	---------------------------	-----------------------------------

Spinal Innovations

Spinal

IO001	Tiger Moth ALIF Cage	Tiger Moth ALIF	Standard	Deleted
IO002	i-Fuse C Cage	Cervical Cage	Standard	Deleted
IO003	i-Fuse C Cage System, Screw	Bone screw	4.0mm Diameter, 12-16mm; 4.5mm Diameter, 12-16mm	Deleted
IO004	i-Cage	i-Cage	small, large - Flat and contoured	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
IO005	i-Fuse L Cage	i-Fuse L Cage	small, medium, medium long, long, large, extra large	Deleted
IO006	i-Fuse L Cage System, Screw	Bone screw	5.5mm Diameter, 20-35mm; 6.5mm Diameter, 20-35mm	Deleted
IO007	i-Plate System, i-Plate	Anterior Cervical Plate	1 level plate (20-32mm), 2 level plate (34-50mm)	Deleted
IO008	i-Plate System, Screw	Bone screw	4.0mm diameter - 10-20mm, 4.5mm diameter - 10-20mm	Deleted

SPIRAN PTY. LTD.

Plastic and Reconstructive

BY008	PMT Integra tissue expander	Tissue/skin Expander	5cc to 1400cc	Deleted
-------	-----------------------------	----------------------	---------------	---------

St Jude Medical Australia Pty Ltd

Cardiac

SJ051	Verity ADX XL DR 5357 M/S	Dual - Chamber, multi-programmable, rate-responsive pacemaker with AF suppression	45x52x6mm, 11cc, 23g, 5mm or 6mm M/S	Deleted
SJ076	Verity Adx Model XL SR 5157 M/S implantable pacemaker	Single Chamber multi-programmable rate-adaptive pacing devices with extended longevity	11cc, 23g	Deleted
SJ298	Quadra Assura CD3267-40	Cardiac Resynchronisation Therapy Defibrillator with 40J delivered and Multisite Left Ventricular Pacing and Quadripolar pacing	40cc, 83g	Deleted
SJ301	Unify Assura CD3261-40	Cardiac Resynchronisation Therapy Defibrillator with 40J delivered energy	36cc, 78g	Deleted
SJ312	Quadra Assura CD3267-40Q	Cardiac Resynchronisation Therapy Defibrillator with 40J delivered energy, Multisite Left Ventricular Pacing plus Quadripolar pacing and SJ4 connector	38cc, 81g	Deleted
SJ314	Unify Assura CD3261-40Q	Cardiac Resynchronisation Therapy Defibrillator with 40J delivered energy and SJ4 connector	36cc, 77g	Deleted
SJ323	Quadra Assura CD3367-40/CD3367-40C	Cardiac Resynchronisation Therapy Defibrillator with 40J delivered energy	83g, 40cc	Deleted

Neurosurgical

SJ210	Eon C IPG 3688	16 channel non-rechargeable multi-program implantable pulse generator	49cc	Deleted
-------	----------------	---	------	---------

Stryker Australia Pty Ltd

Specialist Orthopaedic

HW455	Stryker locked Plating System	Periarticular variable angle locking plate - clavicle	1-6 holes	Expanded into HW595, HW596
HW456	Stryker Locked Plate System	Periarticular variable angle locking palte - clavicle	7-15 holes	Expanded into HW597, HW598

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
--------------	--------------	---------------------	------	-------------------------

Summit Healthcare Solutions

Plastic and Reconstructive

HS011	Periosave Z1-M Transgingival dental implant.	Periosave Z1-M Zirconia-titanium Transgingival hybrid dental implant.	All \u00D83.2mm transgingival implants have a zirconia platform of 4.4mm, all \u00D83.90mm transgingival implants have zirconia platform of 5.0mm, all \u00D84.7mm transgingival implants have a zirconia platform of 6.0mm. Zirconia gingival collar height of all implants = 1.5mm. All above implant diameters are available in lengths of 8mm, 10.0mm, 11.5mm, 13.0mm, 15mm	Deleted
-------	--	---	---	---------

Surgical Specialties

General Miscellaneous

SQ032	PainBuster	Kit includes catheter, introducer needle, flow restrictor, filter	270ml volume x 2 ml per hour	Compressed into SQ130
SQ033	PainBuster	Kit includes catheter, introducer needle, flow restrictor, filter	270ml volume x 5 ml per hour	Compressed into SQ130

Plastic and Reconstructive

SQ049	Inion GTR Biodegradable System	PLGA/TMC Copolymer: membrane & tacks	a) 30 x 40mm membrane kit; b) 6 tack kit and applicator	Transferred to VK019
SQ051	CPS Bioabsorbable Fixation System	OTPS fixation system: PLGA/TMC copolymer	Screws 1.5 - 2.5mm dia x 5-8mm long	Transferred to VK018
SQ062	CPS Bioabsorbable Fixation System	OTPS fixation system: PLGA/TMC copolymer	Plates 6 & 8 hole	Transferred to VK022

Specialist Orthopaedic

SQ063	CPS Bioabsorbable Fixation System	OTPS fixation system: PLGA/TMC copolymer	Pin 1.5 & 2 mm dia x 20-50 mm long	Transferred to VK021
SQ067	CPS Screw Hexalon Biodegradable ACL/PCL Reconstruction	Biodegradable ACL/PCL Recon Screw PLLA/PGA/TMC	6 x 20, 6 x 25, 6 x 30, 7 x 20, 7 x 25, 7 x 30, 8 x 20, 8 x 25, 8 x 30, 9 x 20, 9 x 25, 9 x 30, 10 x 30	Transferred to VK020
SQ080	PediLoc-Plating System \u2265 6 holes, screw size 2.71 \u2013 4.49mm	3.5 Locking Plate	3-6 Hole	Expanded into SQ138, SQ139, SQ140
SQ082	PediLoc-Plating System \u2265 16 holes, screw size 2.71 \u2013 4.49mm	3.5mm bowed locking compression femur 16,18 hole plate 3.5mm contour locking compression femur 16,18 hole plate right 3.5mm contour locking compression femur 16,18 hole plate left	3.5mm Bowed, 16,18 hole 3.5mm contour 16,18 hole right 3.5mm contour 16,18 hole left	Expanded into SQ133, SQ134, SQ135
SQ089	PediPlates - Cannulated Screws	4.5 mm Cannulated Screw	4.5mm x 16-36mm, in 4mm increments	Expanded into SQ136, SQ137

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
SQ093	PediLoc - 3.5mm self-tapping, Locking Cortical Screws	3.5 mm self tapping/locking cortical screw (threaded/T15 hexalobe)	Self tapping cortical screw with T 15 Hexalobe: 10mm-60mm, in 2mm increments 60-70mm, in 5mm increments Locking cortical full thread: 10mm-60mm, in 2mm increments, 60mm-70mm, in 5mm increments Locking CorticalScrew with T15 Hexalobe: 10mm-56mm, in 2mm increments	Expanded into SQ131, SQ132

Terumo Australia

Vascular

TU006	Twillweave Graft	Straight, Polyester, Woven, Unsealed	6-24mm x 50-60cm	Deleted
TU007	Twillweave Graft	Bifurcated, Polyester, Woven, Unsealed	12mm x 6mm x 45cm to 24mm x 12mm x 45cm	Deleted

Thermo Fisher Scientific Australia Pty Ltd

General Miscellaneous

FT001	Corflo Cubby LPGD Kit	Low profile gastronomy device	12 - 24fg x 1.0 - 4.5cm	Transferred to KI013
FT002	Corflo Gastronomy Replacement Device	Dual and triple gastronomy tubes	Dual 12 - 24fg 5 - 20cc balloon; Triple 16 - 24fg 20cc balloon	Transferred to KI012
FT003	Corflo Max 20fg PEG Kit Complete with 7fg Snare - "Pull Type"	Sterile enteral feeding tube with accessories	20fg	Transferred to KI011
FT004	Corflo Max 20fg PEG Kit "Pull Type"	Sterile enteral feeding tube with accessories	20fg	Transferred to KI010

Tornier Pty Ltd

Hip

TO084	Meije Duo Femoral Head Delta Ceramic <32	Femoral Head Ceramic	Short, Med, Long, Extra Long, 22.2mm or 32mm	Transferred to CR257
-------	--	----------------------	--	----------------------

Knee

TO022	HLS Noetos Revision Knee augments	Distal and Posterior Femoral and tibial Wedges and blocks, CoCr	1 to 6 Thickness 4, 8 and 12	Transferred to CR255
TO158	HLS KneeTec Extension Stem	Extension Stem for use with HLS KneeTec Tibial Tray	10mm, 14mm	Transferred to CR256

WILLIAM A COOK AUSTRALIA PTY LTD

General Miscellaneous

WC200	Fusion Zilver Biliary Stent System	Self expanding Metal Biliary Stent with Fusion Introducer System	Diameters: 6, 8 & 10mm; length: 4, 6 & 8cm	Deleted
WC266	Biodesign Surgisis Inguinal Hernia Graft	Biodesign Surgisis Inguinal Hernia Graft is a biologically derived [porcine] sis collagen, non cross-linked graft, that remodels into strong host tissue reinforcement for the inguinal floor	8cm x 15cm	Deleted

Specialist Orthopaedic

WC145	Osteo-Firm	Osteo Bone cement - Osteo Firm	One size only	Deleted
-------	------------	--------------------------------	---------------	---------

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Urogenital				
WC149	Sof-Flex Double Pigtail Ureteric Stent Set	Stent and Positioner only	Multiple French Sizes and Lengths	Deleted
WC172	Universa Firm	Universa Firm Double Pigtail Stent Set	Multiple French Sizes and Lengths	Deleted
WC253	Surgisis Biodesign 4-layer Tissue Graft	Surgisis Biodesign Posterior Pelvic Floor Graft	14cm x 16cm Site Specific Shape	Deleted
WC254	Surgisis Biodesign 4-layer Tissue Graft	Surgisis Biodesign Anterior Pelvic Floor Graft	14cm x 14cm / 7cm x 10 cm (shaped) 9cm x 12cm (Trapezoide)	Deleted
Wright Medical Australia				
Specialist Orthopaedic				
WR281	Unima Screw	Foot Screw 7.2	7.2 x 50 - 120mm	Compressed into WR319
WR282	Unima Screw	Foot Screw 4.5	4.5 x 30 - 50mm	Compressed into WR319
Zimmer Biomet Pty Ltd				
Hip				
BI132	Mallory Head Hip System	Cobalt Chrome, Unpolished	7-19mm	Deleted
BI841	Resurfacing Hip System	Acetabular Shell CoCr, Ti	44 - 66mm	Deleted
Knee				
BI149	AGC Total Knee System Tibial Insert	Tibial Insert 'Tradition' fixed, UHMWPE with locking pin	59-91mm	Deleted
Plastic and Reconstructive				
BI870	Neurological Packs	Plate & screws: Neuro pack Burr cover or multi plate set. Thinflap 4 hole plus plate sets	1.5mm or 2mm system	Deleted
Specialist Orthopaedic				
BI937	GPS Bone Biologics	TCP Granules/GPS, TCP	20ml	Deleted
BI946	Calcibon	Granules or paste, TCP	10cc	Deleted
BI947	Calcibon	Granules or paste, TCP	20ml	Deleted
Grand Total: 591 Records				