

Deleted Items for Prostheses List

February 2012

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Allied Medical Limited				
Urogenital				
AH003	GMD Universal Incontinence Sling Kit	A sterile single use device for treatment of female stress urinary incontinence. An implantable device for use in women as a suburethral sling for treatment of SUI resulting from urethral hypermobility and/or intrinsic sphincter deficiency.	Mesh = 500mm x 15mm and Trocars = 250 mm x 15mm approx	Deleted
Arthrocare Australasia Pty Ltd				
6 - Specialist Orthopaedic				
AF001	OPUS Knotless Anchor System	All in one Dual Knotless anchor for fixating soft tissue to bone	1.8mm	Deleted
Orthopaedic				
AF007	Parallax Vertebroplasty Bone Cement	Sterile Sealed Percutaneous Vertebroplasty Bone Cement	Standard	Deleted
AstraTech Pty Ltd				
Plastic and Reconstructive				
AZ009	AstraTech Profile BI Abutment		.	Deleted
Atrium Australia - Pacific Rim Pty Limited				
General Miscellaneous				
AC037	C-QUR Mesh	Sterile, knitted polypropylene monofilament mesh material for tissue reinforcement with a coating derived from a biological oil composed of fatty acids, lipids and glycerides (BAO - Bioabsorbable Oil Coating)	601 - 1000 sq cm	Compressed into AC051
AC038	C-QUR Mesh	Sterile, knitted polypropylene monofilament mesh material for tissue reinforcement with a coating derived from a biological oil composed of fatty acids, lipids and glycerides (BAO - Bioabsorbable Oil Coating)	1000 sq cm +	Compressed into AC051
AC039	C-QUR Mesh Plug	Sterile, knitted polypropylene monofilament mesh material for tissue reinforcement with a coating derived from a biological oil composed of fatty acids, lipids and glycerides (BAO - Bioabsorbable Oil Coating)	small, medium	Compressed into AC050

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
AC040	C-QUR Mesh Plug	Sterile, knitted polypropylene monofilament mesh material for tissue reinforcement with a coating derived from a biological oil composed of fatty acids, lipids and glycerides (BAO - Bioabsorbable Oil Coating)	large and extra large	Compressed into AC050
Vascular CAG				
AC001	Atrium PTFE Vascular Graft	Radially Supported (Ringed) PTFE Standard Wall	4mm x 10cm - 10mm x 100cm	Compressed into AC053
AC002	Atrium PTFE Vascular Graft	Straight PTFE Standard Wall	6mm x 10cm - 10mm x 90cm	Compressed into AC052
AC012	Atrium PTFE Vascular Graft	Radially Supported (Ringed) PTFE Thin Wall	4mm x 10cm - 10mm x 100cm	Compressed into AC053
AC013	Atrium PTFE Vascular Graft	Straight PTFE Thin Wall	6mm x 10cm - 10mm x 90cm	Compressed into AC052
AC043	Advantra PTFE Vascular Graft	Trilaminare PTFE Graft with Graft Deployment System	4mm - 8mm diameter, 10cm - 45cm length	Expanded into AC056, AC057
AC048	Advantra PTFE Vascular Graft with Graft Deployment System	Trilaminare PTFE. Vascular Access PTFE	4mm - 8mm diameter. 10cm - 40cm length	Expanded into AC054, AC055

Aus Systems Pty Ltd

6 - Specialist Orthopaedic

AU001	Aus Systems Titanium Miniplates (Bone Plates)	2hole x 2hole Strip Plate Stiff	1.2mm profile, 4, 6, 8mm length between inner holes	Deleted
-------	---	---------------------------------	---	---------

Plastic and Reconstructive

AU002	Aus Systems Titanium Miniplates (Bone Plates)	Low profile 2 & 4 hole	Short, medium, long	Deleted
AU005	Aus Systems Titanium Miniplates (Bone Plates)	Low profile condensed	8 hole	Compressed into AU060
AU006	Aus Systems Titanium Miniplates (Bone Plates)	Low profile	19 hole	Compressed into AU060
AU018	Aus Systems Titanium Miniplates (Bone Plates)	Strip plates, Titanium (M10 series)	1mm profile, 4 holes	Compressed into AU061
AU022	Aus Systems Titanium Miniplates (Bone Plates)	Pre-shaped - L	Small, Medium, Long	Compressed into AU061
AU035	Aus Systems Titanium Bone Screws	Screws 2mm & 2.3mm diameter	4mm - 15mm length	Compressed into AU059
AU043	Aus Systems Titanium Bone Screws	Screws 1.5mm & 1.8mm diameter	3mm - 11mm length	Compressed into AU059
AU055	Aus Systems Titanium Miniplates (Bone Plates)	Pre-shaped - T, T Double, Y	Small, Medium, Long, 4 & 5 hole	Compressed into AU061
AU056	Aus Systems Titanium Miniplates (Bone Plates)	Pre-shaped - Y Double	Small, Medium, Long	Compressed into AU061
AU057	Titanium Surgical Mesh	Titanium Surgical Mesh	Mesh to suit 2mm screw	Deleted
AU058	Titanium Surgical Mesh	Titanium Surgical Mesh	Mesh to suit 1.5mm screw	Deleted

Bard Australia Pty Ltd

Vascular CAG

BA004	Encapsulated Carbon Lined Stent Graft	AV access PTFE covered nitinol self-expanding stent	4mm - 10mm diameter, 3cm - 8cm length	Compressed into BA219
BA005	Encapsulated Carbon Lined Stent Graft	Iliac / SFA PTFE covered nitinol self-expanding stent	4mm - 10mm diameter, 3cm - 12cm length	Compressed into BA219

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
BA185	Lifestent	Laser cut nitinol self expanding stent, used to treat peripheral disease	Diameter: 6-10mm, Length: 20-100mm	Compressed into BA216
BA190	Lifestent - Peripheral Stent	Stent: Stainless Steel composition. Items included in delivery system: nylon balloon, stent and deployment system	Stent Length 15mm - 18mm, 0.035 compatible	Compressed into BA218
BA191	Lifestent - Peripheral Stent	Stent: Stainless Steel composition. Items included in delivery system: nylon balloon, stent and deployment system	Stent Length 19mm - 27mm, 0.035 compatible	Compressed into BA218
BA192	Lifestent - Peripheral Stent	Stent: Stainless Steel composition. Items included in delivery system: nylon balloon, stent and deployment system	Stent Length 28mm - 37mm, 0.035 compatible	Compressed into BA218
BA193	Lifestent - Peripheral Stent	Stent: Stainless Steel composition. Items included in delivery system: nylon balloon, stent and deployment system	Stent Length 38mm - 56mm, 0.035 compatible	Compressed into BA218
BA194	Lifestent - Peripheral Stent	Stent: Stainless Steel composition. Items included in delivery system: nylon balloon, stent and deployment system	Stent Length 15mm - 18mm, 0.018 compatible	Compressed into BA218
BA195	Lifestent - Peripheral Stent	Stent: Stainless Steel composition. Items included in delivery system: nylon balloon, stent and deployment system	Stent Length 19mm - 27mm, 0.018 compatible	Compressed into BA218
BA196	Lifestent - Peripheral Stent	Stent: Stainless Steel Composition. Items included in delivery system: nylon balloon, stent and deployment system	Stent Length 28mm - 37mm, 0.018 compatible	Compressed into BA218
BA197	Lifestent - Peripheral Stent	Stent: Stainless Steel Composition. Items included in delivery system: nylon balloon, stent and deployment system	Stent Length 38mm - 56mm, 0.018 compatible	Compressed into BA218
BA198	Lifestent Peripheral Stent	Stent: Nitinol composition with tanilum markers, Items included in the delivery system: Stent, deployment system	6-8mm Diameter, length 20-90mm	Compressed into BA216
BA200	Lifestent	Laser cut nitinol self expanding stent, used to treat peripheral disease	Diameter: 6-8mm, Length: 150mm	Compressed into BA217
BA201	Lifestent	Laser cut nitinol self expanding stent, used to treat peripheral disease	Diameter: 6-8mm, Length: 170mm	Compressed into BA217

Biomet 3i Australia Pty Ltd

Plastic and Reconstructive

NW004	Endobon Xenograft Granules	Hydroxyapatite granules	0.5-1mm diameter; 0.5ml, 1.0ml, 2.0ml	Expanded into NW006, NW007
-------	----------------------------	-------------------------	---------------------------------------	----------------------------

Biomet Australia Pty Ltd

6 - Specialist Orthopaedic

BH053	Comprehensive Shoulder - Screws	Screw, Titanium	(4.75 or 6.5)mm diam x 15-50mm length	Expanded into BH166, BH167
BI206	Arthrotek Ligament Fixation System	Screw and washer. Ti	Washer 14 - 18mm, Screw 24 - 60mm,	Expanded into BH168, BH169

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
BI265	EBI XFIX Dynafix System	Hybrid Fixation System, Stainless Steel, Aluminium	Rings - 1/3, 2/3, Rotating, 100mm-220mm. Ring Bolt - Xsmall, adult. Ring to fixator connector. Rotation adaptor - male, female, Xsmall, adult. Variable wire (1 size) or Variable Screw Carriage (fixed and angulating). Wire (1.6-2mm x 350-400mm). Washer (9	Expanded into BH147, BH148, BH149
BI267	EBI XFIX Dynafix System	Fixator Complete - includes T-Clamp, Compression/Distractio, Dynamisation, Articulating Ankle Clamp	Standard, Small, Extra Small	Expanded into BH150, BH151, BH152, BH153, BH154, BH155, BH156, BH157
BI272	EBI XFIX Dynafix System	Distal Radius Fixator, Wristfix, Stainless Steel, Aluminium	One size only	Expanded into BH158, BH159, BH160, BH161, BH162, BH163, BH164, BH165

Plastic and Reconstructive

BH007	Lorenz 2.4mm Locking Reconstruction System	Plate, Straight, 2.4mm System, Locking. Titanium	16-32 hole	Deleted
BH022	W Lorenz Osteosynthesis System	Panel, Regular or Small Grid. Titanium	(80,85) x (50-53)mm x (0.3 or 0.2mm)	Deleted
BH025	W.Lorenz Osteosynthesis System	Pre-contoured Neuro Mesh titanium	163 x 115 x 0.6mm	Deleted
BH030	W Lorenzo Osteosynthesis	Mesh 1.5mm system, precontoured, titanium	40 x 40 x 0.6mm profile	Deleted
BH031	W Lorenz Osteosynthesis	Mesh 1.5mm system, precontoured, titanium	40 x 40 x 0.3mm profile	Deleted

Biotronik Australia Pty Ltd

Vascular CAG

BT122	Pulsar 18 Peripheral self-expanding Nitinol stent system	Pulsar 18 self expanding Nitinol Stent System	Stent Diameter (mm) / Length (mm) / Catheter length (cm) 4/100/90 4/120/90 4/150/90 4/170/90 4/200/90 5/100/90 5/120/90 5/150/90 5/170/90 5/200/90 6/100/90 6/120/90 6/150/90 6/170/90 6/200/90 7/100/90 7/120/90 7/150/90 7/170/90 7/200/90 4/100/135 4/120/135 4/150/135 4/170/135 4/200/135 5/100/135 5/120/135 5/150/135 5/170/135 5/200/135 6/100/135 6/120/135 6/150/135 6/170/135 6/200/135 7/100/135 7/120/135 7/150/135 7/170/135 7/200/135	Expanded into BT126, BT127
-------	--	---	---	----------------------------

BMDi Tuta Healthcare Pty Ltd

Vascular CAG

TT001	Paragon Ambulatory Drug Infusion System	The top of the Paragon infuser is made of acetyl with stainless steel parts; the bottom is made of clear polycarbonate. Diam: 10cm Height: 5.8cm. Administration Sets - made from PVC and acrylic components.	Infuser - 100mL Administration Sets - 0.50mL, 1mL, 2mL, 4mL, 10mL, 50mL, 100mL, or 200mL/hr	Deleted
-------	---	---	---	---------

Boston Scientific Australia Pty Ltd

General Miscellaneous

BS117	WallFlex RX Biliary Stent	Platinol, self-expanding stent	Diameters up to 10mm & lengths up to 100mm	Expanded into BS214, BS215
-------	---------------------------	--------------------------------	--	----------------------------

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Urogenital				
BS195	Pinnacle™ LITE Duet	Synthetic polypropylene mesh assemblies and fixation device	Two configurations	Deleted
CareFusion 316 Pty Ltd				
General Miscellaneous				
ZQ006	PleurX® Peritoneal Catheter Drainage System	Peritoneal Catheter kit with Drainage system with 10 x 1000 mL or 500mL vacuum bottle set. Refer to CI004 for catheter alone if preferred.	Catheter 71cm x 15.5FR; 500mL or 1000mL vacuum bottles	Deleted
ZQ007	PleurX® Pleural Catheter Drainage System	Pleural Catheter kit with Drainage system with 10 x 1000 mL or 500mL vacuum bottle set. Refer to CI005 for catheter alone if preferred.	Catheter 24cm x 15.5 FR; 500 mL or 1000 mL vacuum bottles	Deleted
Coloplast Pty Ltd				
Urogenital				
CT002	Acu-form Penile Prosthesis	Malleable penile prosthesis	Dia: 9ml (14 - 23cm length), dia : 11mm (16 - 25cm length), Dia: 13mm (18 - 27cm length)	Deleted
CT006	Titan Inflatable Penile Prosthesis (Resist Coated)	Three-piece inflatable Penile Prosthesis (Resist Coated)	10cm, 12cm, 14cm, 16cm, 18cm, 20cm Cylinder Lengths	Deleted
ConceptVision Australia Pty Ltd				
1 - Ophthalmic				
CS002	Staar Toric foldable silicone intraocular lens: Model AA4203TF; Model AA4203TL	Plate haptics 6.0mm optic	10.8mm - 11.2mm length	Transferred to XE001
CS003	Staar foldable silicone intraocular lens: Model AQ 5010V	Polyimide haptics 6.3mm optic - low diopters	14.0mm length	Transferred to XE002
CS007	Staar foldable silicone IOLs: Models AQ2010V, AQ2017V and AO2003V	Plate haptics 6.0mm; Polymide haptics 5.5 or 6.3mm optic;	10.8mm 0 13.5mm length	Transferred to XE003
CS008	Preloaded Aspheric Intraocular Lens	Silicone intraocular lens	6.0mm	Transferred to XE004
CS009	Staar KS-Xs Preloaded Acrylic Intraocular Lens	Preloaded acrylic lens with anterior and posterior edge modification	Optic diameter 6.0mm, overall length 12.5mm, diopter range +10 to +28.0	Transferred to XE005
Corin Australia Pty Ltd				
12 - Knee				
CR186	METS Tibial Rotating Hinge Metal Casing	UHMWPE tibial bearing component	N/A	Deleted
Danex Medical Pty Ltd				
6 - Specialist Orthopaedic				
XD001	CPS Screw Hexalon Biodegradable ACL/PCL Reconstruction	Biodegradable ACL/PCL Recon Screw PLLA/PGA/TMC	6 x 20, 6 x 25, 6 x 30, 7 x 20, 7 x 25, 7 x 30, 8 x 20, 8 x 25, 8 x 30, 9 x 20, 9 x 25, 9 x 30, 10 x 30	Deleted
XD002	CPS Bioabsorbable Fixation System	CPS Systems and Baby System Plates. Polylactic Acid Trimethylene Carbonate Copolymer	1.5-2.5 mesh plates, 14 x 14 holes; 1.5mm baby mesh plate 14 x 14 holes	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
XD003	CPS Bioabsorbable Fixation System	CPS Systems and Baby System Plates. Polylactic Acid Trimethylene Carbonate Copolymer	1.5-2.5 mesh plate, 7 x 7 holes; 1.5mm baby mesh plate 7 x 7 holes	Deleted
XD004	CPS Bioabsorbable Fixation System	CPS Systems and Baby System Plates. Polylactic Acid Trimethylene Carbonate Copolymer	1.5mm baby plates:- 20 hole, c-plate & x-plate 7 hole, 2 hole	Deleted
XD005	CPS Bioabsorbable Fixation System	CPS Systems and Baby System Plates. Polylactic Acid Trimethylene Carbonate Copolymer	1.5mm plates:- 20 holes, c-plate & x-plate 7 hole, L-plate 7 hole L & R. burrhole	Deleted
XD006	CPS Bioabsorbable Fixation System	CPS Systems and Baby System Plates. Polylactic Acid Trimethylene Carbonate Copolymer	1.5-2.5mm plates:- 2-10 hole plates and extended, c-plate & x-plate 7 hole, H-plate 8 hole, orthognathic hole and L-plate L & R 7 hole	Deleted
XD007	CPS Bioabsorbable Fixation System	OTPS fixation system: PLGA/TMC copolymer	Plates 6 & 8 hole	Deleted
XD008	CPS Bioabsorbable Fixation System	OTPS fixation system: PLGA/TMC copolymer	Pin 1.5 & 2 mm dia x 20-50 mm long	Deleted
XD011	CPS Bioabsorbable Fixation System	OTPS fixation system: PLGA/TMC copolymer	4.5 x 90mm	Deleted

Plastic and Reconstructive

XD009	CPS Bioabsorbable Fixation System	OTPS fixation system: PLGA/TMC copolymer	Screws 2.8 x 6-23mm, 3.1 x 6-8mm	Deleted
XD010	CPS Bioabsorbable Fixation System	OTPS fixation system: PLGA/TMC copolymer	Screws 3.1 x 6 - 30mm and 2.5 x 30mm	Deleted
XD012	CPS Bioabsorbable Fixation System	OTPS fixation system: PLGA/TMC copolymer	Screws 4.5 x 20-55mm, 3.1 x 40mm	Deleted
XD013	CPS Bioabsorbable Fixation System	OTPS fixation system: PLGA/TMC copolymer	Screws 2 x 9-19mm, 2.5 x 10-23mm and 2.8 x 10 - 23mm	Deleted
XD014	CPS Bioabsorbable Fixation System	OTPS fixation system: PLGA/TMC copolymer	Screws 1.5 - 2.5mm dia x 5-8mm long	Deleted

Darco Australia

6 - Specialist Orthopaedic

DC019	Mini Staple	For fixation of osteotomies of first phalanx (e.g. Akin), 1mm diameter, straight & angled design	0° and 63°, 8-10mm x 10mm	Transferred to SQ071
DC032	Charlotte Claw Locking Screws	2.7mm stainless steel locking screws for use with Claw Plate	2.7mm, 12-30mm	Transferred to WR243
DC033	Charlotte Claw Locking Plate	2 hole and 4 hole compression plates, stainless steel, 2.7mm or 3.5mm screw fixation	2.7mm 2 holes - 15, 20 and 25mm; 3.5mm 2 holes and 4 holes - 20, 25 and 30mm	Transferred to WR244
DC034	Charlotte Claw Locking Screws	3.5mm stainless steel locking screws for use with Claw Plate	3.5mm: 14-40mm	Transferred to WR245
DC035	Darco Headed Compression Screw System 2.7	Cannulated titanium compression screws	2.7mm x 8-34mm	Transferred to WR246
DC036	Darco Headed Compression Screw System 3.5, 4.0	Cannulated titanium compression screws	3.5mm x 8-60mm; 4.0mm x 8-60mm	Transferred to WR247
DC037	Darco Headed Compression Screw System 4.5, 6.5, 7.5	Cannulated titanium compression screws	4.5mm x 8-60mm; 6.5mm x 35-120mm; 7.5mm x 35-120mm	Transferred to WR248

Device Technologies Australia Pty Ltd

6 - Specialist Orthopaedic

DE077	Cancellous Bone Screws	Low Profile	4-6.5mm x 14-60mm	Expanded into DE366, DE367
DE128	Cortical Screw	Self locking screws, cancellous and cortical	3-6.5mm x 10-110mm	Expanded into DE368, DE369
DE286	Low Profile Screw System	Low Profile Screw	3.0 - 6.7mm x 18 - 120mm	Expanded into DE370, DE371

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
DE287	Low Profile MTP Plate	Arthrodesis Plate	Contoured Left Short, Contoured Right Short, Contoured Left Long, Contoured Right Long	Expanded into DE372, DE373
DE291	QuickFix Screw	Small Bone Fixation - Metal	2mm x 10mm, 2mm x 11mm, 2mm x 12mm, 2mm x 13mm, 2mm x 14mm, 3mm x 13mm x 3mm x 15mm, 3mm x 17mm, 3mm x 19mm	Expanded into DE364, DE365
DE303	Distal Biceps Repair Implant Set	Surgical convenience pack that contains 2 different implants, sutures and instruments for the repair of ruptured tendons	2.6mm (Button), 7mm (Tenodesis Screw)	Deleted

Plastic and Reconstructive

DE315	Facial Implant Nasal "L" Shaped	White, pink	1.9 x 4.1 x 2.8cm, 1.8 x 4 x 2.9cm	Deleted
DE317	Facial Implant Malar	Malar	Small, medium, large/left or right	Deleted
DE318	Calf Implant	Silicone elastomer - smooth surface, asymmetrical shape,	70-175cc	Deleted
DE319	Facial Implant Nasal	Nasal dorsum	Small, large	Deleted
DE323	Calf Implant	Silicone elastomer - smooth surface, symmetrical shape	15-105cc	Deleted
DE326	Gluteal Implants filled with Gel	Oval Shape, Silicone Gel, Smooth	100-300cc	Deleted
DE329	Gluteal Implants filled with Elastomer	Oval Shape, Silicone Elastomer, Smooth Surface	95-260cc	Deleted
DE330	Gluteal Implants filled with Elastomer	Oval Shape, Silicone Elastomer, Textured Surface	225-420cc	Deleted
DE331	Gluteal Implants filled with Elastomer	Round Shape, Silicone Elastomer, Smooth Surface	250-340cc	Deleted
DE332	Facial Implant - Ear		One size only	Deleted
DE339	Silimed Textured Mammary Implant	Textured surface silicone gel mammary implant	40cc to 695cc	Expanded into DE362, DE363

DJO Australasia Pty Ltd

6 - Specialist Orthopaedic

DD037	Reverse Shoulder System	Bone Screw	3.5 x 15mm to 5 x 30mm	Expanded into DD054, DD055, DD056
-------	-------------------------	------------	------------------------	-----------------------------------

Electus Ortho Pty Ltd

11 - Hip

EZ001	APTA Hip Stem	Anatomic, Titanium, HA Coated, Modular Uncemented Femoral Stem	Sizes 1-8 in Left & Right, Collarless & Collared	Transferred to OO066
EZ002	Adler Ceramic Head <32	Ceramic Femoral Heads for Adler Stems. Biolox Forte and Delta. 28,32mmOD	Short, Medium, Long in 28 and 32mm	Transferred to OO067
EZ003	Adler Metal on Metal Head	Metal on Metal Articulating Femoral Heads for Adler Stems 32,36,40mm OD	Short, Medium, Long in 32,36 and 40 mm	Transferred to OO068
EZ004	Hydra Hip Stem	Tapered, Titanium, HA Coated, Modular Uncemented Femoral Stem	Sizes 9 through 16	Transferred to OO069
EZ005	Adler CoCr Head	Cobalt Chrome Femoral Heads for Adler Stems 22,28mm OD	Short, Medium, Long in 22 and 28 mm	Transferred to OO070
EZ006	Adler Ceramic Head >32	Ceramic Femoral Heads for Adler Stems. Biolox Forte and Delta. 36,40mm OD	Short, Medium, Long in 36 and 40mm	Transferred to OO071

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
EZ007	Modula SC Neck	The complete series of MODULA SC necks, all patented, consists of 15 sizes and makes it possible to optimise the reciprocal position of the stem and neck cup on the basis of the articular needs of the patient, by restoring the physiological off-set and le	OX, OY, OZ, OA, OB, OC, 9X, 9Y, 9Z, 9A, 9B, 9C, 9AA, 9BB, 9CC	Transferred to OO072
EZ008	Fixa Ti-Por Cup	Porous Matrix Titanium, Screw Holes with Plugs, Hemispherical Acetabular Cup	Size 44-66mm	Transferred to OO073
EZ009	Adler Bone Screw	Bone Screw for Acetabular Cup	6.5mm Diameter. 20-50mm	Transferred to OO074
EZ010	Fixa Cup	Solid Titanium, Porous & HA Coated, Screw Holes with Plugs, Hemispherical Acetabular Cup	44-66mm	Transferred to OO075
EZ011	Adler Metal Acetabular Liners	Metal Liners - for Fixa Cups	Metal Liner 32,36, 40mm ID	Transferred to OO076
EZ012	Adler PE Acetabular Liners	XLPE Liners - for Fixa Cups	Neutral, 15 degree, in 22,28,32,36mm ID	Transferred to OO077
EZ013	Adler Ceramic Acetabular Liners	Ceramic Liners - for Fixa Cups	Biolox Forte & Delta, 28,32,36 & 40 mm ID	Transferred to OO078

Endotherapeutics Pty Ltd

Urogenital

ET063	Vantris	Bulking agent for the treatment of Vesicoureteric Reflux	1ml Syringe	Transferred to GN003
-------	---------	--	-------------	----------------------

ESKA Australia

11 - Hip

EK001	2000 Plus Acetabular UHMWPE Liner	UHMWPE, titanium or CoCr locking lug, neutral & hooded	28-32mm inner diameter	Transferred to RQ018
EK006	2000 Plus Acetabular Ceramic Liner	Ceramic, (Alumina & Polyurethane), hooded & neutral	28-32mm inner diameter	Transferred to RQ019
EK009	Eska Ceramic Femoral Head	Ceramic, biolox forte	28-32mm	Transferred to RQ020
EK015	ESKA Bipolar Femoral Head	CoCr, UHMWPE with inner femoral head included	various diameters	Transferred to RQ045
EK020	ESKA Cemented UHMWPE Cup	UHMWPE, neutral & hooded	.	Transferred to RQ021
EK027	Cranial Acetabular Reconstruction Shells	CoCr, Titanium, 3 dimensional, non HA, various locking & flanges from eccentric to small & large proximal flanges	52mm - 72mm Left and Right	Transferred to RQ023
EK031	Adapter Cemented Femoral Stem	CoCr, unpolished, tapered, fixed proximal cement centralisers and distal centraliser included	Femoral stem 1-7	Deleted
EK034	Adapter Femoral Neck	CoCr, varying versions & offsets	One Size	Transferred to RQ024
EK036	ESKA Cera Metal Femoral Head	CoCr, with bonded ceramic (alumina) bearing surface, large diameter	36-48mm	Deleted
EK037	BS Acetabular Shell Metal Liner	CoCr, large diameter, metal on metal, insert varying thickness, can be used with conventional & resurfacing heads	36 -48mm 'inner diameter, 46-66mm outer diameter	Deleted
EK040	BS Acetabular Shell with HA	CoCr, Titanium spray, 3 dimensional metal, variable screw holes, HA	46-68mm	Transferred to RQ025

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
EK041	BS Acetabular Shell non HA	CoCr, Titanium spray, 3 dimensional metal, variable screw holes, without HA	46-68mm	Transferred to RQ026
EK049	Silver Surf Resurfacing Femoral Head	CoCr, metal on metal, cementless with titanium spray, 3 dimensional metal with & without HA and dimpled articular surface	38mm-58mm	Deleted
EK054	Nail TiNb	Nail TiNb	3 x 30, 40, 50mm length	Deleted
EK056	BS Acetabular Resurfacing Ceramic Insert	Ceramic, (Alumina & Polyurethane), for resurfacing heads	38-58mm	Deleted
EK060	ESKA Metal Femoral Head	CoCr	28mm - 32mm	Transferred to RQ028
EK064	Silver Surf Large Metal Head	CoCr, metal on metal, dimpled, large	36mm - 48mm	Transferred to RQ029
EK066	Hip Surf Resurfacing Ceramic Femoral Head	CoCr, Titanium spray, 3 dimensional metal, ceramic articular surface, without HA	38-58mm	Deleted
EK070	BS Dysplasia Acetabular Shell	CoCr, Titanium spray, 3 dimensional metal, variable screw holes and proximal flange, without HA	46-66mm	Transferred to RQ030
EK078	Hip Surf Cemented Resurfacing Ceramic Femoral Head	CoCr,ceramic articular surface, cemented	38mm - 58mm	Deleted
EK079	Silver Surf Cemented Resurfacing Femoral Head	CoCr, metal on metal, cemented with dimpled articular surface	38mm - 58mm	Deleted
EK082	BS Acetabular UHMWPE Liner	UHMWPE, for all head sizes	28mm-48mm inner diameter	Transferred to RQ031
EK088	2000 Plus Acetabular Metal Shell	CoCr, Titanium Spray, 3 Dimensional Metal, Variable Screw Holes,	44-68mm	Transferred to RQ043
EK089	2000 Plus Acetabular Metal Shell	CoCr, Titanium Spray, 3 Dimensional Metal, Variable Screw Holes, HA	44-68mm	Transferred to RQ032
EK096	PE Liner 2000 Plus S-Snap Lock	Constrained Acetabular Liner - UHMWPE, neutral	32mm inner diameter, 52-68mm outer diameter	Transferred to RQ033
EK097	MML Tumor Revision System	Plate for Trochanter Module, 3 Dimensional Metal	Straight	Deleted
EK098	MML Tumor Revision System	Washer for Trochanter Module, 3 Dimensional Metal	one size: ID=6.3mm, OD=15mm	Deleted
EK099	MML Tumor Revision System	Screw for Trochanter Module	20 to 50mm in Length, in 10mm increments	Transferred to RQ034
EK100	MML Tumor Revision System	Trochanteric Module - Cemented Adapter Version, CoCr, Smooth	Left or Right with Taper Locking 12/14	Transferred to RQ035
EK102	MML Tumor Revision System	Locking Screw	One size	Transferred to RQ036
EK103	MML Tumor Revision System	Extension Module with Taper Locking 16/18	7 Sizes in 10mm increments; 30mm - 160mm Length	Transferred to RQ037
EK104	MML Tumor Revision System	Connection Module - Connects the Extension modules with the dual taper	3mm, straight (0°) or bowed (5°) with taper locking 16 / 18	Transferred to RQ038
EK105	MML Tumor Revision System	Connection Module for Intramed, Prosthesis and Arthodesis-Connection	T10/12 - 16/18, IK16/18 - 16/18 with 70mm in Length	Transferred to RQ044
EK106	MML Tumor Revision System	Adapter Stem with Taper for Tibia and Femur - Cemented	10 to 16mm Diameters, each 120 & 160mm in Length	Transferred to RQ039
EK108	MML Tumor Revision System	Claw for Trochanter Module, 3 Dimensional Metal	Straight, Angled	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
12 - Knee				
EK024	RP (Rotating Platform) patella component	Patella, all polyethylene (UHMWPE), can be used either cemented or uncemented	small, medium, large	Transferred to RQ022
EK044	RP (Rotating Platform)Tibial Insert B	Tibial insert, UHMWPE, mobile, deep dish	8-10-12-14mm	Transferred to RQ027
EK109	ESKA Tumor Revision System MML	Distal femoral implant	various sizes	Transferred to RQ040
EK111	ESKA Tumor Revision System MML	Distal femoral implant	various sizes	Transferred to RQ041
EK113	ESKA Tumor Revision System MML	Total femoral implant	various sizes	Transferred to RQ042

Finsbury Orthopaedics Australia Pty Ltd

11 - Hip

FI002	ADEPT MoP Acetabular Component	Titanium, plasma with HA cup with presembled with unmodified UHMPE	44-66 outer diameter going up in 2mm increments	Deleted
FI003	ADEPT MoP Acetabular Component	Titanium, plasma with HA cup with presembled with unmodified UHMPE with dysplasia flange	44-66 Outer diameter going up in 4mm increments	Deleted
FI005	ADEPT CoC Acetabular component	Titanium, plasma with HA cup with presembled delta ceramic liner with dysplasia flange	44-66 Outer diameter going up in 4mm increments	Deleted
FI017	Finsbury Modular Heads	Ceramic	Diameter 22-26-28-32mm	Deleted
FI021	Adept Hip System	Femoral Hip Stem, cementless, titanium, long stem, grit blast	12 standard sizes and 7 lateralised sizes	Deleted
FI043	Finsbury Type C Stem	Tapered, Titanium, HA Coated, Uncemented Femoral Stem	Sizes 7 through 20. Standard & Lateralised	Deleted
FI044	Finsbury Type S Stem	Tapered, Titanium, Uncemented Femoral Stem	Sizes 5 through 20. Standard & Lateralised	Deleted

Global Orthopaedic Technology

6 - Specialist Orthopaedic

GO200	Iso-Elastic SuperCable Trochanteric Grips and Cable-Plates System	Cable Plates Titanium	6 Hole 185mm, 8 Hole Straight and Curved 240mm, 10 Hole Straight and Curved 290mm	Expanded into GO245, GO246
-------	---	-----------------------	---	----------------------------

Gytech Pty Ltd

General Miscellaneous

GP002	Rocket IPC Pleural/Peritoneal Tunnelled Catheter Insertion kit	Rocket IPC Pleural/Peritoneal Tunnelled Catheter Insertion kit with 600ml vacuum bottle	16fg x 69cm silicone catheter with cuff, 600ml Vacuum Bottle	Deleted
GP003	Rocket IPC Pleural/Peritoneal Tunnelled Catheter Insertion kit	Rocket IPC Pleural/Peritoneal Tunnelled Catheter Insertion kit with a choice of 2000ml bag with non return valve or 600ml vacuum bottle	16fg x 69cm silicone catheter with cuff, 2000ml bag, 600ml bottle	Transferred to RK001

Henry Schein-Halas Pty Ltd

Plastic and Reconstructive

HD006	Dental Implants	Titanium type 4 and 5	3.25 to 6.0mm diameter, 6.0 to 52.5mm length	Expanded into HD015, HD016
-------	-----------------	-----------------------	--	----------------------------

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Heraeus Kulzer Australia Pty Ltd				
6 - Specialist Orthopaedic				
HK003	Palamed	Single mix PMMA	40 grams	Deleted
HK004	Palamed G	Single Mix PMMA with with gentamicin	40 grams	Deleted
Orthopaedic				
HK002	Osteopal V	Single mix PMMA	26 grams powder; 10ml liquid	Deleted
Integra Neurosciences Pty Ltd				
6 - Specialist Orthopaedic				
IG061	Spider and Mini-Spider Limited Wrist Fusion System	Stainless Steel	8 hole spider plate, 6 hole mini-spider plate	Expanded into IG127, IG128, IG129, IG130
IG062	Tibixys Ankle Arthrodesis Plates	Medial/lateral anterior plate	3mm thick; lateral plate: 92mm long; medial plate 77mm long	Expanded into IG131, IG132
IG071	Spin Screw: Snap Off Screw	Titanium	Diameter 2mm, Length 11-14mm; Diameter 2.7mm, Various Lengths; Diameter 3.0mm, Various Lengths	Expanded into IG133, IG134, IG135
Johnson & Johnson Medical Pty Ltd				
11 - Hip				
DY546	ADEPT MoM Resurfacing Head	Resurfacing Head MoM, Cast CoChr	38-58 going up in 2mm increments	Transferred to FI058
DY548	Adept MoM Acetabular Component	Porocast beaded Shell , Co Cr, HA coated size 44-66mm	44-66mm Outer diameter going up in 2mm increments	Transferred to FI059
DY549	Adept MoM Acetabular Component - Extra Fixation Cup	Porocast beaded Shell , Co Cr, HA coated, dysplasia flange	46-66mm Outer diameter going up in 4mm increments	Transferred to FI060
DY550	Adept MoM Modular Head	Metal on Metal modular head, CoChr, 12/14 Eurocone	38 - 58mm going up in 2mm increments. 4 different neck lengths	Transferred to FI061
6 - Specialist Orthopaedic				
DP040	Bone Screw	Screw Cancellous Titanium	Diameter 4.5-6.5mm	Deleted
DP593	Small / Large Fragment Set	Cannulated Cancellous Screw	4mm or 16mm or 32mm Thread, 26-120mm Length	Deleted
DP605	Small / Large Fragment Set	Cancellous Lag Screw Titanium	4.8 - 6.5mm	Deleted
DP608	Small / Large Fragment Set	Straight Plate Titanium	3-12 Hole	Deleted
DP612	Small / Large Fragment Set	Active Compression Plate Titanium	3.5mm 5 to 10 Hole	Deleted
DP613	Small / Large Fragment Set	Humeral and Radial Plate Titanium Various	Wide - Narrow - Long - Extra Long	Expanded into DY570, DY571
DP615	Small / Large Fragment Set	Universal Reconstruction Ribbon Titanium	3.5mm with 8 to 10 holes	Deleted
DP632	Small / Large Fragment Set	Solid Cancellous Screw Titanium	5.0mm Length 50 - 80mm	Deleted
DP635	Small / Large Fragment Set	Solid Cancellous Lag Screw Partial Thread Titanium	4mm Dia 10-60mm Length	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
DP638	Small / Large Fragment Set	Solid Cancellous Bone Screw Full Thread Titanium	4mm Dia 50-110mm Length	Deleted
DP640	Small / Large Fragment Set	Cancellous Cannulated Lag Screw Partial Thread	4mm 10 to 70mm Length	Deleted
DP643	Small / Large Fragment Set	Cannulated Cancellous Screw Full Threaded - Stainless Steel	4 x 10 -100mm Length	Deleted
DP654	Small / Large Fragment Set S/S	Cortical Screw Diameter - Stainless Steel	3.5 or 4.5 x 12 - 48mm Length	Deleted
DP672	Small / Large Fragment Set S/S	CHS Plate Standard & Short Barrel Sterile	2-8 Hole 95 to 150 Deg	Deleted
DP675	Small / Large Fragment Set S/S	Broad Bone Plate Stainless Steel	3-6 Hole for 1.5mm	Deleted
DP678	Small / Large Fragment Set S/S	Small or Narrow DCP Plate	2.7mm or 3.5mm with 2 - 12 Hole	Deleted
DP689	Small / Large Fragment Set S/S	Condylar Plate & Mini Condylar Plate	All sizes	Deleted
DP695	Small / Large Fragment Set S/S	Y-Plate Stainless Steel	2 + 2 + 4 or 4 + 4 + 4 Slots	Deleted
DP719	Small / Large Fragment Set S/S	Reconstruction Plate	4.5 - 6.5mm 3-8 Hole	Deleted
DP837	Peak Channelled Plate System	Cortical Bone Screw	3.5mm	Deleted
DP883	Barouk SCR Sys Staples and Buttons	Barouk Screw System Button Prosthesis - SS or Ceramic	8-20mm	Deleted
DP888	Calcaneal Periarticular Plate	Calcaneal Periarticular Plate - Titanium	Extra small to Ex Large	Deleted
DP893	Rockwood Clavical Pin	Nut Clavical Pin S/S	2.5 to 4.5mm	Expanded into DY560, DY561, DY562, DY563, DY564
DP911	Periarticular Plating System	Meta Plate - Titanium	Sm -Lge 5 Hole	Deleted
DP915	Periarticular Plating System	Medial Pilon Plate - Titanium	5 Hole	Deleted
DP954	Delta Shoulder system	Metaglene Screw Stainless Steel	3.5mm and 4.5mm	Expanded into DY572, DY573
DY532	ALPS Proximal Tibia Locking Plate	Proximal Tibia Locking Plate	3 to 15 holes	Deleted
JJ622	Distal Radius Fracture Repair System	Locking peg, threaded, partly threaded, smooth, titanium/cobalt chrome	2.5mm x 14-40mm	Expanded into JJ868, JJ869, JJ870
JJ624	HI S3 Shoulder Fixation System	S3 Shoulder Plate	3 Hole, Left & Right & 4 Hole, Left & Right	Deleted
JJ629	HI S3 Shoulder Fixation System	Peg, Threaded Stainless Steel	4mm x 37.5mm	Deleted
JJ630	HI S3 Shoulder Fixation System	Peg, Threaded Stainless Steel	4mm x 40mm, 45, 47.5mm, 50mm, 52.5mm, 55mm, 57.5mm, 60mm, 62.5mm, 65mm,	Deleted
JJ632	HI S3 Shoulder Fixation System	Screw, 90 Deg Locking Stainless Steel	3.8mm x 20, 22, 24, 26, 28, 30, 32, 34, 36 & 38	Deleted
JJ681	Polyax Plating System	Distal Femoral Locking Plate, Titanium	6-18 holes	Expanded into JJ889, JJ890
JJ686	Polyax Plating System	Proximal Tibial Locking Plate, Titanium	2-14 holes	Expanded into JJ887, JJ888
JJ709	ALPS - Anatomic Locked Plating System	3.5MM Titanium 100° Tubular Plate	1-4 holes	Deleted
JJ711	ALPS - Anatomic Locked Plating System	3.5MM Titanium 100° Tubular Plate	5-10 holes	Deleted
JJ717	ALPS SFS	Cortical Locking Titanium Bone Screws	6-70MM	Deleted
JJ722	ALPS LFS	4.5mm locked narrow and broad 11-20 hole titanium compression plate	11-20 hole	Deleted
JJ723	ALPS LFS	Cancellous Titanium locking screws	26-100MM	Deleted
JJ726	ALPS LFS	Cortical Titanium non- locking screws	4.5mm x 14-70mm	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
JJ737	Compression Hip Screw System	Compression hip screw plate, stainless steel	25-38mm, 2-16 holes, 95-150 degrees	Expanded into JJ880, JJ881, JJ882
JJ783	ALPS Hand Fracture System - CoCr Pegs	Locking pegs & screws, threaded, partly threaded, CoCr	10 - 2.5mm x 4 - 40mm	Expanded into JJ875, JJ876
JJ784	ALPS Hand Fracture System - Titanium Pegs	Pegs, threaded, partly threaded, titanium	1.0 - 2.5mm x 4 - 40mm	Expanded into JJ877, JJ878, JJ879
JJ785	ALPS Hand Fracture System - Locking Plate	Locking plates, titanium, various shapes	1.0mm - 2.5mm locking plates	Expanded into JJ873, JJ874
JJ811	ALPS Elbow System	Locking plates Distal Humerus, Radius, Olecranon, Coronoid	Small - Large	Expanded into JJ864, JJ865, JJ866, JJ867
JJ821	ALPS Fibula Plating System	Anatomic Fibular Locking Plate	90mm-200mm	Expanded into JJ885, JJ886
MN038	Affixus Hip Fracture Nail System	Anti rotational and distal bone screws	20-80mm	Expanded into MN132, MN133

Cardio-thoracic

JJ302	CYPHER Sirolimus-Eluting Stent & Delivery System Model CRS - 23300, 08225, 08250, 08275, 08300, 28225, 28250, 28275, 28300, 33225, 33250, 33275, 33300, 13225, 13250, 13275, 18225, 18250, 18275, 18300, 23225, 23250, 23275, 23350, 23400, 08350, 08400, 2835	Stainless steel coronary stent with Rapamycin (an immunosuppressive and antiproliferative drug) bound to the stent struts	Diameter 2.25 - 5.0mm, length 8-33mm	Deleted
JJ481	CYPHER SELECT Sirolimus-Eluting Stent & Delivery System	Stainless steel coronary stent with Sirolimus (an immunosuppressive and anti-proliferative drug) bound to the stent by a polymer. Model CRA-23300, 08225, 08250, 08275, 08300, 28225, 28250, 28275, 28300, 33225, 33250, 33275, 33300, 13225, 13250, 13275, 182	Diameter 2.25 - 5.0mm, length 8 - 33mm	Deleted
JJ587	CYPHER Select Plus Sirolimus Eluting Coronary Stent	Stainless steel coronary stent with Sirolimus bound to the stent by a polymer	Diameter 2.25 - 5.00mm, Length 8 - 33mm	Deleted
JJ670	Presillion CoCr Coronary Stent on RX System	Cobalt Chromium, bare metal coronary stent	Stent Length (mm) x Stent Diameter (mm) 8 x 2.50, 2.75, 3.0, 3.50, 4.0; 12 x 2.50, 2.75, 3.0, 3.50, 4.0; 17 x 2.50, 2.75, 3.0, 3.50, 4.0; 24 x 2.75, 3.0, 3.50, 4.0; 33 x 2.75, 3.0, 3.50, 4.0;	Deleted

Neurosurgical

JJ136	Aneurysm Clips	Stainless steel large clip, curved	Blade 6mm diameter, 7.5mm length	Deleted
JJ137	Aneurysm Clips	Stainless steel large clip, right-angled	Blade 6mm diameter, 5mm length	Deleted
JJ138	Aneurysm Clips	Stainless steel large clip, right-angled	Blade 6mm diameter, 7.5-15mm length	Deleted
JJ139	Aneurysm Clips	Stainless steel large clip, 30 degree angle	Blade length 12mm	Deleted
JJ140	Aneurysm Clips	Stainless steel large clip, bayonet	Blade length 5-12mm	Deleted
JJ143	Aneurysm Clips	Stainless steel standard clip, straight to right angled	4.5-10mm length	Deleted
JJ144	Aneurysm Clips	Stainless steel standard clip, side angle	0.6mm diameter, 10mm length	Deleted
JJ146	Aneurysm Clips	Stainless steel standard clip, slightly curved	0.6mm diameter, 15mm length	Deleted
JJ147	Aneurysm Clips	Stainless steel standard clip, right angle	0.6mm diameter, 5.5 mm length	Deleted
JJ148	Aneurysm Clips	Stainless steel standard clip, straight to right angle	0.5-0.6mm diameter, 5-15mm length	Deleted
JJ149	Aneurysm Clips	Stainless steel standard clip, straight to curved	5-25mm length	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
JJ150	Aneurysm Clips	Stainless steel standard clip, slightly curved	16mm length	Deleted
JJ151	Aneurysm Clips	Stainless steel standard clip, bayonet	9mm length	Deleted
JJ152	Aneurysm Clips	Stainless steel standard clip, bayonet	15mm length	Deleted
JJ153	Aneurysm Clips	Stainless steel standard clip, curved	10-14mm length	Deleted
JJ154	Aneurysm Clips	Stainless steel standard clip, slightly curved to curved	8-20mm length	Deleted
JJ161	Codman-Medos Non-programmable Valve System	Silicone fixed pressure lumbar/peritoneal catheter, James design	Peritoneal Catheter length 25-80cm	Compressed into JJ855
JJ162	Codman-Medos Non-programmable Valve System	Silicone fixed pressure lumbar/peritoneal catheter, Holter design	Peritoneal Catheter length 65 cm	Compressed into JJ855
JJ163	Hakim Ventricular Catheter with Bactiseal Silicone	Silicone antibiotic impregnated catheter.	Ventricular Catheter length 14 cm	Expanded into JJ883, JJ884
JJ165	Burr Hole Button	Stainless steel ventriculostomy reservoir	One size only	Compressed into JJ856
JJ166	Burr Hole Button	Silicone or stainless steel ventriculostomy reservoir	14mm diameter	Compressed into JJ856
JJ167	Burr Hole Button	Silicone ventriculostomy reservoir, flat bottom	One size only	Compressed into JJ856
JJ168	Burr Hole Button	Silicone ventriculostomy reservoir, standard	One size only	Compressed into JJ856
JJ169	Burr Hole Button	Silicone ventriculostomy reservoir, large	One size only	Compressed into JJ856
JJ170	Burr Hole Button	Silicone or stainless steel ventriculostomy reservoir, low profile	One size only	Compressed into JJ856
JJ171	Burr Hole Button	Silicone or stainless steel ventriculostomy reservoir	24mm diameter	Compressed into JJ856
JJ217	Aneurysm Clips	Stainless steel large clip	Blade 4-6mm diameter, 5-25mm length	Deleted
JJ225	HOLTER Intracranial Pressure Shunt	HOLTER distal peritoneal catheter, packaged sterile, silicone	90cm in length	Compressed into JJ857
JJ226	HOLTER Intracranial Pressure Shunt	HOLTER distal peritoneal catheter Salmon, packaged sterile, silicone	90cm in length	Compressed into JJ857
JJ438	Codman Hakim Precision Valves with Siphonguard, Right Angle Reservoir	features 5 operating pressures and SIPHONGUARD technology	Pressure settings 10, 40, 70, 100 and 130mmH2O	Compressed into JJ858
JJ439	Codman Hakim Precision Valve with Siphonguard, Inline Reservoir	features 5 operating pressures and SIPHONGUARD technology	Pressure settings 10, 40, 70, 100 and 130mmH2O	Compressed into JJ858
JJ741	Duraform - 1" x 3" (2.5x7.5cm)	Collagen-based dural graft implant	1x3" (2.5x7.5cm)	Compressed into JJ860
JJ742	Duraform Dural Graft Implant - 2" x 2" (5x5cm)	Collagen-based dural graft implant	2'x2' (5x5cm)	Compressed into JJ860

Orthopaedic

DP338	Tibial Nail System	Solid Cortical Titanium Screw Unsterile or Sterile	6.5mm x 20 -120mm	Deleted
DP342	Femoral Nail System	Solid Cortical Screw Titanium Sterile or Unsterile	4.5 or 5.5mm x 20-80mm	Deleted
DP650	Small / Large Fragment Set S/S	Cortical Screw - Stainless Steel	1.5 - 4mm x 22 - 44mm Length	Deleted
DP655	Small / Large Fragment Set S/S	Cortical Self Tapping Screw	3.5 - 6.5mm; 6 - 110mm Length	Deleted
DP670	Small / Large Fragment Set S/S	Tronchanteric Support Plate	Small-Large	Expanded into DY565, DY566, DY567
DP673	Small / Large Fragment Set S/S	SCS Plate Sterile	3-9 Hole	Deleted
DP912	Periarticular Plating System	Fibula Composite Plate - Titanium	11 Hole	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
DP913	Periarticular Plating System	Fibula Composite Plate - Titanium	7 Hole	Deleted
DY244	Ace External Fixator	GRUB screw ACE/FISCHER, titanium	5mm	Deleted
DY303	Monarch Spinal System	Typhoon Cap and Domed Nuts	One size only	Expanded into DY568, DY569
DY420	X-Tenz	Telescopic VBR Cage	16mm	Deleted
DY421	X-Tenz	Telescopic VBR Cage	22mm	Deleted
DY429	X-Tenz	Telescopic VBR Cage	26mm	Deleted
DY430	X-Tenz	Telescopic VBR Cage	28mm	Deleted
JJ516	X-Tenz Lordotic Cage	X-tenz Lordotic Cage, Titanium		Deleted
JJ517	X-Tenz Lordotic Cage	X-tenz Lordotic Cage, Titanium		Deleted

Plastic and Reconstructive

JJ201	Bioplate Bone Screw	Titanium cranial fixation system	1.5mm diam, 3-10 6mm length; pack of 5	Compressed into JJ854
JJ204	Bioplate Bone Plate	Titanium cranial fixation system - straight plate, 2 hole	1.5mm diam, 11mm length; pack of 5	Compressed into JJ853
JJ205	Bioplate Bone Plate	Titanium cranial fixation system - straight plate, 4 hole	1.5mm - 1.9mm diam, 19mm length	Compressed into JJ847
JJ206	Bioplate Bone Plate	Titanium cranial fixation system - Y plate, 5 hole	1.5mm diam, 17mm length	Compressed into JJ847
JJ207	Bioplate Bone Plate	Titanium cranial fixation system - X plate, 6 hole	1.5mm -1.9 diam, 17 - 18mm length	Compressed into JJ847
JJ208	Bioplate Bone Plate	Titanium cranial fixation system - T plate, 5 hole	1.5mm diam, 15mm length	Compressed into JJ847
JJ209	Bioplate Burr Hole Cover	Titanium cranial fixation system - burr hole, 6 hole	1.5mm - 1.9 diam, screw 12 - 18mm diam plate	Compressed into JJ848
JJ210	Bioplate Burr Hole Cover	Titanium cranial fixation system - burr hole, 6 hole	1.5mm diam, 18mm plate	Compressed into JJ848
JJ211	Bioplate Bone Plate	Titanium cranial fixation system - box car, 4 hole	1.5mm - 1.9mm diam, 10 x 10mm	Compressed into JJ847
JJ212	Bioplate Bone Plate	Titanium cranial fixation system - box car 6 hole	1.5mm diam, 8 x 17mm	Compressed into JJ847
JJ213	Bioplate Bone Plate	Titanium cranial fixation system - box car, 8 hole	1.5mm diam, 10 x 24mm	Compressed into JJ846
JJ215	Bioplate Bio-100 Screw	Titanium cranial fixation system	1.9 mm diam; 15mm length pack of 5	Compressed into JJ854
JJ216	Bioplate Bio-100 Plate	Titanium cranial fixation system, 2 hole	1.9mm diam; 15mm length pack of 5	Compressed into JJ853
JJ244	BIOPLATE Bone screw	Titanium alloy self-drilling screws, 5 per pack, packaged non-sterile	Dia 1.9mm, length 3 - 5mm	Compressed into JJ854
JJ245	BIOPLATE Bone screw	Titanium alloy self-drilling screws, 5 per pack, packaged non-sterile	Dia 1.9mm, length 4mm	Compressed into JJ854
JJ248	BIOPLATE Bone screw	Titanium alloy self-drilling screw, 5 per pack, packaged non-sterile	Dia 1.5mm, length 3 - 5mm	Compressed into JJ854
JJ251	BIOPLATE Bone screw	Titanium alloy long screws, 5 per pack, packaged non-sterile	Dia 1.9mm, length 3, 4, 5, 6, 8, 10mm	Compressed into JJ854
JJ252	BIOPLATE Bone screw	Titanium alloy long screw, 1 per pack, packaged non-sterile	Dia 1.5mm, length 3, 4, 5, 6, 8, 10mm	Compressed into JJ854
JJ253	BIOPLATE Bone screw	Titanium alloy emergency screws, 5 per pack, packaged non-sterile	Dia 1.8, length 6mm; Dia 2.3mm, length 5mm	Compressed into JJ854
JJ254	BIOPLATE Bone screw	Titanium alloy emergency screw, 1 per pack, packaged non-sterile	Dia 1.8, length 6mm; Dia 2.3mm, length 5mm	Compressed into JJ854

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
JJ256	BIOPLATE Biomesh	Titanium cranial biomesh, packaged non-sterile	0.45mm thickness, 60 x 60mm	Compressed into JJ850
JJ257	BIOPLATE Biomesh	Titanium cranial biomesh, packaged non-sterile	0.45mm thickness, 85 x 90mm	Compressed into JJ851
JJ258	BIOPLATE Biomesh	Titanium cranial biomesh, packaged non-sterile	0.6mm thickness, 65 x 65mm, 90 x 92mm	Compressed into JJ852
JJ270	BIOPLATE Bone plate	Titanium straight plate, 2 hole, 5 per pack, packaged non-sterile	12mm in length	Compressed into JJ853
JJ271	BIOPLATE Bone plate	Titanium Y plate, 5 hole, packaged non-sterile	1.9mm diam, 19mm length	Compressed into JJ847
JJ272	BIOPLATE Bone plate	Titanium T-plate, 5 hole, packaged non-sterile	1.9mm diam, 16mm length	Compressed into JJ847
JJ273	BIOPLATE Bone plate	Titanium boxcar plate, 6 hole, packaged non-sterile	1.9mm diam, 9 x 18mm	Compressed into JJ847
JJ274	BIOPLATE Bone plate	Titanium boxcar plate, 8 hole, packaged non-sterile	1.9mm diam, 11 x 25mm	Compressed into JJ846
JJ276	BIOPLATE Bone plate	Titanium curved plate, 8 hole, packaged non-sterile	1.5mm, 30mm length	Compressed into JJ846
JJ278	BIOPLATE Bone plate	Titanium cranial straight plate, 16 hole, packaged non-sterile	1.5mm and 1.9mm diam, 63 - 86 length	Compressed into JJ846
JJ280	BIOPLATE Bone plate	Titanium large boxcar plate, 4 hole, packaged non-sterile	1.5mm diam, 14 x 14mm length	Compressed into JJ847
JJ281	BIOPLATE Bone plate	Titanium BIO100, 2 hole plate, 5 per pack, packaged non-sterile	1.5mm - 1.9mm Diam, 14mm length	Compressed into JJ853
JJ284	BIOPLATE Burr hole cover	1.9mm, titanium, flexible contoured burr hole cover, packaged non-sterile	1.5 - 1.9mm diam hole, 12-18mm diam plate	Compressed into JJ848
JJ290	Burr hole button	Sterile, 10 per package, silicone rubber	Button length 35mm, cover diameter 29mm, stem thickness 4.1mm	Deleted
JJ291	Burr hole cover	Burr hole cover, sterile, 10 per package, silicone rubber	Seat diameter 10mm, seat depth 6mm	Deleted
JJ489	Bioplate ZIP	Titanium Alloy Implant	11 - 12mm	Compressed into JJ849
JJ490	Bioplate ZIP	Titanium Alloy Implant	15 - 16mm	Compressed into JJ849
JJ491	Bioplate ZIP	Titanium Alloy Implant	18 - 20mm	Compressed into JJ849
JJ492	BIOPLATE Sterile Packs	813573, 2-Hole straight plate and screws - 1.5mm	1 kit	Deleted
JJ493	BIOPLATE Sterile Packs	813574, 2-Hole compression plate and screws - 1.5mm	1 kit	Deleted
JJ494	BIOPLATE Sterile Plates	813575, 2-Hole straight plate and screws - 1.5mm	1 kit	Deleted
JJ497	BIOPLATE Sterile Packs	813578, X-plate and screws - 1.5mm	1 kit	Deleted
JJ498	BIOPLATE Sterile Packs	813579, 4-Hole plate and screws - 1.5mm	1 kit	Deleted
JJ499	BIOPLATE Sterile Packs	813580, 6-Hole Burr Hole cover and screws - 1.5mm	1 kit	Deleted
JJ500	BIOPLATE Sterile Packs	813581, 2-Hole straight plate and screws - 1.9mm	1 kit	Deleted
JJ501	BIOPLATE Sterile Packs	813582, 2-Hole compression plate and screws - 1.9mm	1 kit	Deleted
JJ502	BIOPLATE Sterile Packs	813583, 2-Hole compression plate and screws - 1.9mm	1 kit	Deleted
JJ505	BIOPLATE Sterile Packs	813586, X-plate and Screws - 1.9mm	1 kit	Deleted
JJ506	BIOPLATE Sterile Packs	813587, Boxcar plate and screws - 1.9mm	1 kit	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
JJ507	BIOPLATE Sterile Packs	813588, 6-Hole Burr Hole Cover and Screws - 1.9mm	1 kit	Deleted
JJ534	BIOPLATE Low Profile	Low Profile Titanium Screw	1.5mm diam, 3-5mm length	Compressed into JJ854
JJ537	BIOPLATE Low Profile	Low Profile 4-hole Straight Plate	19mm length	Compressed into JJ845
JJ538	BIOPLATE Low Profile	Low Profile 5-hole Y Plate	18mm length	Compressed into JJ845
JJ539	BIOPLATE Low Profile	Low Profile 6-hole X Plate	17mm length	Compressed into JJ845
JJ540	BIOPLATE Low Profile	Low Profile 5-hole T Plate	15mm length	Compressed into JJ845
JJ541	BIOPLATE Low Profile	Low Profile 4-hole Boxcar Plate	10 x 10mm	Compressed into JJ845
JJ542	BIOPLATE Low Profile	Low Profile 6-hole Narrow Boxcar Plate	8 x 17mm	Compressed into JJ845
JJ638	BIOPLATE Neurosurgery Fixation System - BIOPLATE Low Profile Plate and Screw Sterile Packs	Five Hole T-Plate with Screws - Titanium	1.5mm	Deleted
JJ732	Bioplate - Biomesh 1MC	1MC (0.3mm) thick titanium malleable mesh	36 x 43mm	Compressed into JJ850
JJ733	Bioplate - Biomesh 3MC	3MC (0.6mm) thick titanium malleable mesh	36 x 52mm	Compressed into JJ852
JJ734	Bioplate - Two hole straight plate with 2 self drilling screws sterile kit	Sterile low profile kit -2 hole plate w/ 2 self drill scews	11-19mm plates and 3-5mm self-drilling screws	Deleted
JJ735	Bioplate - 2 x two hole straight plate with 4 self-drilling screws sterile kit	Sterilised low profile kit containing 2 x 2 hole compression plates and 4 x self-drilling screws	11 - 19mm plates and 3-5mm self drilling screws	Deleted
JJ796	BIOPLATE Biomesh	Titanium mesh for cranial fixation system	1.5mm diam; 0.45mm thickness, 32 x 48mm	Compressed into JJ850
JJ797	BIOPLATE Biomesh	Titanium mesh for cranial fixation system	1.5mm diam, 0.6mm thickness, 36mm x 52mm	Compressed into JJ852
JJ798	BIOPLATE Biomesh	Titanium cranial biomesh, packaged non sterile	132 x 134mm, 0.45mm thickness	Compressed into JJ851
MN016	Mentor Siltex Low Bleed Gel-Filled (High Profile) Mammary Prostheses Breast, Permanently Implantable	.	75, 200, 225, 250, 275, 300, 325, 350, 400, 450, 500, 550cc	Deleted
MN023	Smooth Round High Profile Saline-Filled Mammary Prosthesis	Model 350-3170; Model 350-3190; Model 350-3210; Model 350-3230; Model 350-3250; Model 350-3270; Model 350-3290; Model 350-3310; Model 350-3330; Model 350-3380; Model 350-3420; Model 350-3460; Model 350-3500; Model 350-3560; Model 350-3630	170cc, 190cc, 210cc, 230cc, 250cc, 270cc, 290cc, 310cc, 330cc, 380cc, 420cc, 460cc, 500cc, 560cc, 630cc	Compressed into MN118
MN050	Mentor Saline-filled Anterior Diaphragm Mammary Prostheses	Mammary Prostheses - Smooth	125cc - 475cc	Compressed into MN118
MN051	Mentor Saline-filled Anterior Diaphragm Mammary Prostheses	Mammary Prostheses - Smooth	500cc - 650cc	Compressed into MN119
MN052	Mentor Saline-filled Anterior Diaphragm Mammary Prostheses	Mammary Prostheses - Smooth	700cc to 800cc	Compressed into MN119
MN054	Mentor Saline Siltex Anterior Diaphragm Valve Mammary	Mammary Prostheses - Textured	275 - 450cc	Compressed into MN120
MN055	Mentor Saline Siltex Anterior Diaphragm Valve Mammary	Mammary Prostheses - Textured	500 - 650cc	Compressed into MN121
MN056	Mentor Saline Siltex Anterior Diaphragm Valve Mammary	Mammary Prostheses - Textured	175 - 475cc	Compressed into MN120

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
MN057	Mentor Saline Siltex Anterior Diaphragm Valve Mammary	Mammary Prostheses - Textured	525cc	Compressed into MN121
MN058	Mentor Medical Systems Smooth Low Bleed Gel-Filled, Mammary Prostheses Breast, Permanently Implantable	Mammary Prostheses Smooth - Medium profile	100 - 450cc	Compressed into MN122
MN059	Mentor Medical Systems Smooth Low Bleed Gel-Filled, Mammary Prostheses Breast, Permanently Implantable	Mammary Prostheses - Smooth - Medium Profile	500 -600cc	Compressed into MN123
MN060	Mentor Medical Systems Smooth Low Bleed Gel-Filled, Mammary Prostheses Breast, Permanently Implantable	Mammary Prostheses Smooth - Medium Profile	700 - 800cc	Compressed into MN123
MN061	Mentor Medical Systems Smooth Low Bleed Gel-Filled, Mammary Prostheses Breast, Permanently Implantable	Mammary Prostheses - Smooth - Low profile	100 - 450cc	Compressed into MN122
MN062	Mentor Medical Systems Smooth Low Bleed Gel-Filled, Mammary Prostheses Breast, Permanently Implantable	Mammary Prostheses Smooth - Low profile	500 - 600cc	Compressed into MN123
MN063	Mentor Siltex Low Bleed Gel-Filled, (Moderate Profile) Mammary Prostheses breast, Permanently Implantable	Mammary Prostheses - Textured	100 - 450cc	Compressed into MN124
MN064	Mentor Siltex Low Bleed Gel-Filled, (Moderate Profile) Mammary Prostheses breast, Permanently Implantable	Mammary Prostheses - Textured	500 - 600cc	Compressed into MN125
MN065	Mentor Siltex Low Bleed Gel-Filled, (Moderate Profile) Mammary Prostheses breast, Permanently Implantable	Mammary Prostheses - Textured	700cc - 800cc	Compressed into MN125
MN066	Mentor Medical Systems Contour Profile Gel filled Mammary Prostheses, Breast Permanently Implantable	Mammary Prostheses - Textured	<500cc	Compressed into MN126
MN067	Mentor Medical Systems Contour Profile Gel filled Mammary Prostheses, Breast Permanently Implantable	Mammary Prostheses - Textured - Medium Profile	500 - 650cc	Compressed into MN127
MN068	Mentor Medical Systems Contour Profile Gel filled Mammary Prostheses, Breast Permanently Implantable	Mammary Prostheses - Textured - Medium Profile	651-850cc	Compressed into MN127
MN069	Mentor Medical Systems Contour Profile Gel filled Mammary Prostheses, Breast Permanently Implantable	Mammary Prostheses - Textured - High Profile	<500cc	Compressed into MN126
MN070	Mentor Medical Systems Contour Profile Gel filled Mammary Prostheses, Breast Permanently Implantable	Mammary Prostheses - Textured - High Profile	500-650cc	Compressed into MN127
MN071	Mentor Medical Systems Contour Profile Gel filled Mammary Prostheses, Breast Permanently Implantable	Mammary Prostheses - Textured - High Profile	651-850cc	Compressed into MN127
MN072	Smooth High Profile Gel-filled Mammary Prostheses	Mammary Prostheses	125 - 480cc	Compressed into MN122

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
MN073	Smooth High Profile Gel-filled Mammary Prostheses	Mammary Prostheses	500 - 650cc	Compressed into MN123
MN074	Smooth High Profile Gel-filled Mammary Prostheses	Mammary Prostheses	700 - 800cc	Compressed into MN123
MN075	Siltex High Profile Gel-filled Mammary Prostheses	Mammary Prostheses - Textured	<500cc	Compressed into MN124
MN076	Siltex High Profile Gel-filled Mammary Prostheses	Mammary Prostheses - Textured	500 - 650cc	Compressed into MN125
MN077	Siltex High Profile Gel-filled Mammary Prostheses	Mammary Prostheses - Textured	651-850cc	Compressed into MN125
MN078	Perthese Sensitive Gel Breast Implants	Perthese Sensitive ultra high profile	95cc - 485cc	Compressed into MN128
MN079	Perthese Sensitive Gel Breast Implants	Perthese Sensitive ultra high profile	530cc - 630cc	Compressed into MN129
MN080	Perthese Sensitive Gel Breast Implants	Perthese Sensitive ultra high profile	705cc	Compressed into MN129
MN081	Perthese Sensitive Gel Breast Implants	Perthese Sensitive moderate profile	100cc - 450cc	Compressed into MN128
MN082	Perthese Sensitive Gel Breast Implants	Perthese Sensitive moderate profile	500cc - 650cc	Compressed into MN129
MN083	Perthese Sensitive Gel Breast Implants	Perthese Sensitive moderate profile	700cc - 800cc	Compressed into MN129
MN084	Perthese Sensitive Gel Breast Implants	Perthese Sensitive moderate plus profile	510cc - 635cc	Compressed into MN129
MN085	Perthese Sensitive Gel Breast Implants	Perthese Sensitive moderate plus profile	910cc	Compressed into MN129
MN086	Perthese Sensitive Gel Breast Implants	Perthese Sensitive moderate plus profile	685cc - 800cc	Compressed into MN129
MN087	Perthese Sensitive Gel Breast Implants	Perthese Sensitive moderate plus profile	115cc - 475cc	Compressed into MN128
MN088	Perthese Sensitive Gel Breast Implants	Perthese Sensitive high profile	520cc - 650cc	Compressed into MN129
MN089	Perthese Sensitive Gel Breast Implants	Perthese Sensitive high profile	850cc	Compressed into MN129
MN090	Perthese Sensitive Gel Breast Implants	Perthese Sensitive high profile	90cc - 455cc	Compressed into MN128
MN102	Round Cohesive Gel-Filled Mammary Prosthesis	Mammary Prostheses - textured	<500cc	Compressed into MN130
MN103	Round Cohesive Gel-Filled Mammary Prosthesis	Mammary Prostheses - textured	500 - 650cc	Compressed into MN131
MN104	Round Cohesive Gel-Filled Mammary Prosthesis	Mammary Prostheses - textured	651 - 850cc	Compressed into MN131
MN105	Round Cohesive Gel-Filled Mammary Prosthesis	Mammary Prostheses - textured	<500cc	Compressed into MN130
MN106	Round Cohesive Gel-Filled Mammary Prosthesis	Mammary Prostheses - textured	500 - 650cc	Compressed into MN131
MN107	Round Cohesive Gel-Filled Mammary Prosthesis	Mammary Prostheses - textured	651 - 800cc	Compressed into MN131

PoCE-Neuro

JJ485	Orbit detachable coil	Helical Fill	2mm - 12mm, 1.5cm - 30cm	Compressed into JJ859
JJ486	Orbit detachable coil	Complex Standard	6mm - 20mm, 10cm - 30cm	Compressed into JJ859
JJ487	Orbit detachable coil	Complex	1.5mm - 14mm	Compressed into JJ859
JJ822	Codman Hakim Precision Fixed Pressure Valve with Siphonguard unitised with Bactiseal impregnated ventricular and peritoneal catheters	Fixed Pressure Valve with Siphonguard device and Bactiseal ventricular and peritoneal catheters: Opening pressures: 10-130mmH2O	Standard and Micro	Expanded into JJ861, JJ862, JJ863

Vascular CAG

JJ068	SMART .018" Peripheral Stent System	Nitinol carotid stent and delivery system	6 - 10 mm	Deleted
JJ235	SMART Peripheral stent system	Laser cut nitinol tube. Available in long stents to treat large vessel lesions.	Dia 6 - 8mm, length 120mm	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
JJ445	ANGIOGUARD XP Emboli Capture Guidewire System	Distal protection device and delivery system	Length: 300cm, diameter: 0.014, Basket sizes 4mm, 5mm, 6mm, 7mm, and 8mm	Deleted

Lifehealthcare Pty Ltd

6 - Specialist Orthopaedic

LH272	Blackstone - Posterior Cervical System	Crimp Two Pack - Titanium	One size only	Transferred to AE170
LH273	Blackstone - Posterior Cervical System	Double Loop Cable w/Four Crimps - Titanium	One size only	Transferred to AE171
LH274	Blackstone - Posterior Cervical System	Single Loop Cable w/Two Crimps - Titanium	One size only	Transferred to AE172
LH420	SBi Precise SD Screw	An anatomically contoured locking titanium plate and titanium alloy screw/peg system intended for fixation of distal radius fractures via open reduction	2.7mm Cortical, Locking, Self-Tapping 10-30mm 2.7mm Cortical, Non-Locking, Self-Tapping 10-30mm 2.7mm Lag, Non-Locking, Self-Tapping 10-30mm 3.5mm Cortical, Locking, Self-Tapping 8-20mm 3.5mm Cortical, Non-Locking, Self-Tapping 8-20mm	Expanded into LH481, LH482

Orthopaedic

LH192	Blackstone Medical Inc Anterior Cervical Plate System	Titanium alloy plate L3	56mm - 90mm	Transferred to AE156
LH193	Blackstone Top Locking Plate	Holds bone screws and anterior cervical plate in place	One size only	Transferred to AE157
LH194	Blackstone Medical Inc Anterior Cervical Plate System	Bone Screw, Primary/Rescue Screw	12, 14, 16mm	Transferred to AE158
LH239	Spinal Fixation System	Multi Axial Cross Connector Assembly - Titanium/Lateral Offset	30mm - 75mm in 5mm increments	Transferred to AE159
LH240	Spinal Fixation System	Multi screw - Titanium	5.5 x 35mm up to 55mm in 5mm increments; 6.5 x 35mm up to 60mm in 5mm increments; 7.5 x 35mm up to 60mm in 5mm increments	Transferred to AE160
LH241	Spinal Fixation System	Rod - Titanium	40mm to 100mm in 10mm increments	Transferred to AE161
LH242	Spinal Fixation System	Rod - Titanium	110 to 450mm (110, 120, 140, 160, 180, 200, 450mm)	Transferred to AE162
LH243	Spinal Fixation System	Set screw spinal system	One size only	Transferred to AE163
LH247	Blackstone - Spinal Fixation System - Mono Axial Screws	Composition - Titanium	5.5mm x 40mm, 5.5mm x 45mm, 6.5mm x 40mm and 6.5mm x 45mm	Transferred to AE164
LH267	Blackstone - Fixed System Washer	Titanium	One Size Only	Transferred to AE165
LH268	Blackstone - Washer	Titanium	2/4/6mm	Transferred to AE166
LH269	Blackstone - Spacer	Titanium	3/5mm	Transferred to AE167
LH270	Blackstone - Posterior Hook	Titanium	Large/Angled/Offset/Left/Right/Narrow/Wide/Thoracic/Laminar/Lumbar Laminar	Transferred to AE168
LH271	Blackstone - Staple	Titanium	2/4/6mm	Transferred to AE169
LH275	Blackstone - Posterior Cervical System	Occipital Screw	6, 8, 10, 12, 14mm	Transferred to AE173
LH276	Blackstone - Posterior Cervical System	Occipital Anchor	31, 37, 45, 50mm	Transferred to AE174

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
LH277	Blackstone - Posterior Cervical System	Occipital Rod	One size only	Transferred to AE175
LH278	Blackstone - Posterior Cervical System	Cross-Connector	20, 25, 30, 35, 40, 45, 50mm	Transferred to AE176
LH279	Blackstone - Posterior Cervical System	Rods - Titanium	3.0mmx70, 120, 200mm	Transferred to AE177
LH280	Blackstone - Posterior Cervical System	Mini-Multi-Axial Screw	3.5-4mmx10-30mm (2mm increments)	Transferred to AE178
LH281	Blackstone Set Screw	Titanium	One size only	Transferred to AE179
LH282	Blackstone - End Ring	Surgical Mesh	[Surgical mesh X Angle] 10-16mm (2mm increments) X 0-2.5 degrees	Transferred to AE180
LH283	Blackstone - Standard Ring Screw	Titanium	One size only	Transferred to AE181
LH284	Blackstone - Surgical Mesh	4 lobe, 6 lobe	4 lobe: 12 x 15mm, 8mm - 17 x 22, 15mm, 6 lobe: (diameter x height) 10 - 16 x 10 - 16mm (2mm increments), 7 - 70mm	Transferred to AE182
LH310	ICON Modular Spinal Fixation System	Screw	4.5mm - 8.5mm x 25-80mm	Transferred to AE183
LH311	ICON Modular Spinal Fixation System	Multi-axial body assembly	5.5mm	Transferred to AE184
LH312	ICON Modular Spinal Fixation System	Offset body assembly	8, 11, 14mm	Transferred to AE185
LH313	ICON Modular Spinal Fixation System	Set Screw	one size only	Transferred to AE186
LH360	Spinal Fixation System	Pre Lordosed Rods	40mm to 100mm in 10mm increments	Transferred to AE187
LH363	Unity Lumbar Plate	Unity Plate	17-28mm	Transferred to AE188
LH364	Unity Lumbar Plate	Unity Bone Screw	6-7mm	Transferred to AE189
LH365	Unity Lumbar Plate	Unity Cover Plate	17-28mm	Transferred to AE190
LH393	Blackstone Construx Mini PEEK VBR System	The Construx Mini is an anterior Cervical Interbody PEEK Cage	12mm x 12mm 5 degrees lordotic. 5mm-12mm in 1mm increments. 12mm x 12mm, Parallel. 5mm - 12mm in 1mm increments. 15mm x 12mm, 5 degrees lordotic. 5mm - 12mm in 1mm increments. 15mm x 12mm, Parallel. 5mm-12mm in 1mm increments	Transferred to AE191
LH394	Blackstone Medical Pillar AL	Anterior Lumbar Interbody Fusion PEEK cage	26mm x 20mm, 7 degrees (lordotic). 8-20mm height in 2mm increments. 30mm x 24mm, 0 degrees (parallel). 8mm 18mm height in 2mm increments. 30mm x 24mm, 7 degrees (lordotic). 10-22mm height in 2mm increments. 30mm x 24mm, 12 degrees (lordotic). 12-24mm height	Transferred to AE192
LH395	Blackstone Medical Pillar PL	Posterior Lumbar Interbody Fusion PEEK Cage	9mm x 23mm, 0 degrees (parallel). 8mm - 16mm height in 1mm increments. 9mm x 23mm, 8 degrees (lordotic). 8mm-16mm height in 1mm increments	Transferred to AE193
LH396	Blackstone Medical Pillar TL	Transforaminal Lumbar Interbody Fusion PEEK cage	9mm x 27mm, 0 degrees (parallel). 8mm -16mm height in 1mm increments. 9mm x 27mm, 8 degrees (lordotic). 8mm -16mm height in 1mm increments	Transferred to AE194
LH429	Blackstone Medical Inc Anterior Cervical Plate System	Titanium alloy plate L1-L2	22mm - 54mm	Transferred to AE195

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
LH446	Pillar SA	The Pillar SA PEEK Spacer system is comprised of a variety of implants manufactured from PEEK-OPTIMA LT as described by ASTM F-2026, with tantalum markers as described by ASTM F-560. The implants are available in multiple footprint sizes a variety of heig	37Wx28Dx7° 12.5, 14, 16, 18mmH□37Wx28Dx12° 12.5, 14, 16, 18mmH□40Wx28Dx7° 12.5, 14, 16, 18mmH□40Wx28Dx12° 12.5, 14, 16, 18mmH□43Wx28Dx7° 12.5, 14, 16, 18mmH□43Wx28Dx12° 12.5, 14, 16, 18mmH□37Wx32Dx7° 12.5, 14, 16, 18mmH□37Wx32Dx12° 12.5, 14, 16, 18mmH□40W	Transferred to AE196
LH447	Pillar SA	The Pillar SA PEEK Spacer system is comprised of a variety of implants manufactured from PEEK-OPTIMA LT as described by ASTM F-2026, with tantalum markers as described by ASTM F-560. The implants are available in multiple footprint sizes a variety of heig	5.0x25, 30, 35mm screws	Transferred to AE197
LH448	Pillar SA	The Pillar SA PEEK Spacer system is comprised of a variety of implants manufactured from PEEK-OPTIMA LT as described by ASTM F-2026, with tantalum markers as described by ASTM F-560. The implants are available in multiple footprint sizes a variety of heig	37W, 40W, 43W, cover plates	Transferred to AE198
LH468	Chesapeake Spinal System	The Chesapeake Spinal System is a multi-screw construct providing stability to the anterior column in order to facilitate solid bony fusion	Footprint 24 X 30mm, Lordosis 5, 10 and 15 degrees, Height 11-21 mm length in 2mm increments Footprint 28 X 36mm, Lordosis 5, 10 and 15 degrees, Height 11-21 mm length in 2mm increments	Transferred to ER046
LH469	Chesapeake Spinal System - Fixation Screw	Locking screw for the Chesapeake Spinal System	5.5 Diameter screws in 20mm, 25mm and 30mm lengths	Transferred to ER047

Vascular CAG

LH460	Mynx Vascular Closure Device	Water-soluble synthetic sealant made of a polyethylene glycol (PEG) The sealant is resorbed by the body within 30 days	5F, 6/7F	Transferred to MB008
-------	------------------------------	--	----------	----------------------

LMA PacMed Pty Ltd

6 - Specialist Orthopaedic

PM012	Orthofix External Fixation System Ankle Fixator	Anodised aluminium and stainless steel	One size only	Transferred to VK001
PM013	Orthofix External Fixation System Pennig Wrist Fixator	Anodised aluminium and stainless steel	One size only	Transferred to VK002
PM061	Orthofix External Fixation System Elbow Fixator	Anodised aluminium and stainless steel	One size only	Transferred to VK003
PM062	Orthofix External Fixation System Hybrid Fixator	Anodised aluminium and stainless steel	One size only	Transferred to VK004
PM063	Orthofix External Fixation System Knee Fixator	Anodised aluminium and stainless steel	One size only	Transferred to VK005
PM092	Orthopaedic External Fixation System - Radiolucent Wrist Fixator	Complete System Sterile	One size only	Transferred to VK006

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
PM095	Orthopaedic External Fixation System	Screw	Shaft Dia 3.0 - 6.0mm, Thread Dia 6.0 - 2.0mm, Total Length 40 - 260mm, Thread Length 15 - 100mm	Transferred to VK007
PM097	Orthopaedic External Fixation System	Osteotite Screw	Shaft Dia 3.0 - 6.0mm, Thread Dia 6.0 - 2.0mm, Total Length 40 - 260mm, Thread Length 15 - 90mm	Transferred to VK008
PM098	Orthopaedic External Fixation System - Xcaliber External Fixator	Metadiaphyseal Fixator	One size only	Transferred to VK009
PM099	Orthopaedic External Fixation System - Xcaliber External Fixator	Articulated Ankle Fixator	One size only	Transferred to VK010
PM100	Orthopaedic External Fixation System - Xcaliber External Fixator	Hybrid Fixator	One size only	Transferred to VK011
PM108	Orthofix Limb Reconstruction System		Adult and paediatric - Short, Standard and Long	Transferred to VK012
PM109	Orthofix External Fixation Systems	MiniRail System	Short, Standard, Long and Articulated Horizontal and Vertical Axis	Transferred to VK013
PM110	Orthofix External Fixation Systems	Pennig Minifixator	Short, Standard, Long	Transferred to VK014
PM116	ISKD Internal Limb Lengthening System	Titanium Alloy	Diameter 12.5 - 14.5mm	Transferred to VK015
PM118	Orthofix eight-Plate	Guided Growth Plate for correction of angular deformities, Titanium, two hole plate, figure eight shaped	12mm; 16mm	Transferred to VK016

LMT Surgical Pty Ltd

6 - Specialist Orthopaedic

LM002	TriMed Fixation System	Plates, Stainless Steel	Various sizes	Expanded into LM117, LM118, LM119, LM120, LM121, LM122, LM123, LM124
LM007	TriMed Fixation System	Bone Screw	Various	Expanded into LM144, LM145, LM146, LM147
LM048	Ascension Radial Head Locking Plate and screws	Titanium pre-formed anatomical radial head Screws	10mm - 40mm	Expanded into LM111, LM112
LM049	BioTech Compression Screws	Titanium and Stainless compression screws	1.7-10mm diameter/10-100mm length	Expanded into LM131, LM132, LM133, LM134
LM062	ArgoMedical Pedofix	Titanium fixed angle plate for foot surgery	2.7mm	Deleted
LM068	Normed fracture fixation plates	Titanium plates, various sizes and shapes	Various	Expanded into LM127, LM128, LM129, LM130
LM072	Trimed Hook Plate	stainless steel 4 and 6 hole plates	4 and 6 holes/right and left	Expanded into LM135, LM136
LM088	NewClip Variable Angle Periarticular Fixation Plates	Stainless steel and titanium plates	size 1 to 8	Expanded into LM137, LM138, LM139
LM092	FixEx Bone Cement	Calcium Phosphate Bone Cement	20cc	Deleted
LM093	New Clip Titanium Bone Screws	Titanium Screws for fixation of plates to bone	4 mm diam x10mm length to 4mm 32mm and 4.5mm 10mm to 35mm	Expanded into LM115, LM116
LM096	Memometal Anchorage Bone Screws	Bone Plate Screws, locking and non-locking	3.0-3.5mm diameter, 8-40mm length	Expanded into LM113, LM114
LM098	Extremity Medical Compression Screw System	Compression Screw for fixation across fragments	3.0mm, 4.5mm, 6.5mm	Expanded into LM142, LM143

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
--------------	--------------	---------------------	------	-------------------------

LM099	TriMed Sidewinder	Ankle Fixation Plate	Left and Right, 6 & 7 Hole, Narrow and Wide	Expanded into LM125, LM126
-------	-------------------	----------------------	---	----------------------------

Orthopaedic

LM037	Trimed Bearing Plate	The Bearing Plate is a stainless Steel plate that has stainless Steel pegs and Screws for Fixation	3 - 9 holes	Expanded into LM140, LM141
-------	----------------------	--	-------------	----------------------------

LSS Surgical Pty Limited

Orthopaedic

LS013	DIVA Cervical PEEK Cage System	Cervical Cage PEEK	Standard Cervical PEEK Cage Sizes 4 to 8. Small Cervical PEEK Cage Sizes 4 to 7	Transferred to GM152
LS014	SOCORE Spinal Spinal - Hooks, Pedicle/Laminar	Hooks, Pedicle/Laminar	Standard, Medium and Offset	Transferred to GM153
LS015	SOCORE Spinal System - Pedicle Screws	Pedicle Screw- Polyaxial. Pedicle Screw - Reduction	Diameter 4mm 25mm to 40mm Length. Diameter 5mm 30mm to 50mm Length. Diameter 6mm 30mm to 55mm length. Diameter 7mm 30mm to 50mm Length. Diameter 8mm 40mm	Transferred to GM154
LS016	SOCORE Spinal System - Crosslink	Crosslink	45mm, 55mm, 65mm	Transferred to GM155
LS018	MATRIS Cervical Plate System	Cervical Screws	4mm 10mm to 24mm	Transferred to GM156
LS019	MATRIS Cervical Plate System	Cervical Screws	4.5mm 12mm to 22mm	Transferred to GM157
LS020	SOCORE Spinal System- Locking Screw	Locking Screw	Standard & Mini	Transferred to GM158
LS021	SOCORE Spinal System - Monoaxial	Pedicle Screw - Monoaxial	Diameter 45mm 25mm to 40mm Length. Diameter 5mm 30mm to 50mm Length. Diameter 6mm 30mm to 55mm Length. Diameter 7mm 30mm to 50mm Length. Diameter 8mm 40mm	Transferred to GM159
LS022	SOCORE Spinal System - Standard and Pre-Bent Rod	Standard and Pre-Bent Rod	Diameter 5.5mm 40mm to 500mm Length.	Transferred to GM160
LS023	DIVA PEEK Lumbar Cage	PEEK Lumbar Cage Posterior & Anterior	Posterior Cages 0, 4 & 8 degrees Length 20mm & 25mm T8 to T14. Anterior Cages 4 & 8 degrees T9 to T16	Transferred to GM161
LS026	MATRIS Cervical Plate System	Cervical Plate 20mm to 55mm	< 55	Transferred to GM162
LS027	MATRIS Cervical Plate System	Cervical Plate 57mm to 80mm	> 55	Transferred to GM163

Medartis

11 - Hip

EO011	Atlas Acetabular Cup System	Titanium, grit blast & HA	Atlas Cup 40-74mm	Transferred to PF010
EO012	Atlas Acetabular Cup System	liner polyethylene liner, Titanium & HA	Atlas Poly Insert Std. Dia 28 and 32mm	Transferred to PF011
EO013	Atlas Acetabular Cup System	Screw	Atlas Screw Dia 6.5mm 15-50mm L	Transferred to PF012
EO026	ESOP HA	Esop Femoral body Metaphyseal grit blast Ti/HA,	Left and Right Size 5-20	Transferred to PF003
EO027	ESOP HA	ESOP Femoral Stem Diaphyseal Ti polished	Size 9-15	Transferred to PF004
EO028	ESOP HA	Femoral Head CoCr	22.2 -32mm	Transferred to PF005
EO029	ESOP HA	Femoral Head Alumina Ceramic	28 and 32mm Diameter	Transferred to PF006
EO038	Atlas Acetabular Cup System	liner - ceramic and poly Titanium & HA	Atlas Alumina Insert Dia 28mmort	Transferred to PF009

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
EO048	Pharo	Intermediate Sleeve	-5 to +10 (six sizes)	Transferred to PF013
6 - Specialist Orthopaedic				
EO008	Aptus Hand &Foot Plates	Straight plate 4-16hole; curved 16 hole; T plate, Y plate, L plate 4-10 hole; T plate offset 11-12 hole; grid-rectangular, trapezoid, angled, square 4 hole - 12 hole, 1 hole plate and Wing Plate, rotation plate, double row T plate	1.2/1.5/2.0/2.3/2.5/2.8	Expanded into EO064, EO065, EO066
EO009	Aptus Radius Locking plates	Aptus Radius Locking plates (fracture plate, correction plate volar, correction plate long volar, correction plate with flap volar, correction plate long with flap volar, frame plate volar, frame plate long volar, H plate dorsal, Adaptive Plate; Radial Head Plate; 4 Corner Plate; Y plate	2.5mm locking plates, 1.6-2.00mm thickness	Expanded into EO067, EO068, EO069, EO070, EO071
EO032	Forefoot Snap off Screws	Titanium Alloy Screws with Snap-off Grip / Cannulated	Auto Compressive long L10 - L34	Expanded into PF001, PF002
EO034	Forefoot Snap off Screws	Titanium Alloy Screws with Snap-off Grip	Weil self tapping L9 - L15	Transferred to PF007
EO035	Forefoot Snap off Screws	Titanium Alloy Screws with Snap-off Grip / Cannulated	Arthrodesis large diameter L28 - L40	Transferred to PF008

Plastic and Reconstructive

EO006	Aptus Hand	Aptus Hand-locking screws	2.0mm-2.5mm diameter, 6mm-34mm length	Expanded into EO072, EO073, EO074
EO007	Aptus Hand	Titanium cortex screws	1.2-2,5mm diameter, 4mm-34mm	Expanded into EO075, EO076, EO077

Medical & Optical Instruments Australia Pty Ltd

6 - Specialist Orthopaedic

MO150	Acumed Congruent Plate System	Foot & Ankle Plate, Titanium	4 to 9 Hole	Expanded into MO379, MO380, MO381
MO178	Acutrak Fusion Screws	Fusion Screws Titanium 12-37mm	12-37mm	Expanded into MO373, MO374
MO179	Acutrak Fixation Screw	Acutrak Compression Screw Titanium	8mm to 50mm	Expanded into MO367, MO368
MO180	Acutrak Headless Compression Screw	Acutrak 4/5, 5/5, 6/7 Plus, cannulated, headless, variable thread	25 - 80mm	Expanded into MO382, MO383
MO211	Acumed Locking Clavical Plating System	Clavicle Plates Titanium	Small, medium, J shape, left and right	Expanded into MO384, MO385, MO386
MO249	ACU- LOC Distal Radius Plate System	Threaded, non-threaded, locking, non-locking screw, peg, Titanium	2.3mm / 3.5mm diameter, 14-32mm length	Expanded into MO375, MO376, MO377, MO378
MO257	Acu-Loc Distal Radius Plate System	Distal radius plate, titanium	Volar, Dorsal, Distal Ulna, Standard, Long, Extra long, wide, narrow, left, right, extra-articular	Expanded into MO364, MO365, MO366
MO272	Acumed Tap Loc Elbow plates	Variable angle locking plate system	Medial / Lateral, lft and right, Olecranon / Proximal Ulna left and right, coronoid 6-20hole	Expanded into MO349, MO350, MO351, MO352, MO353, MO354
MO274	Acutrak 2 5.5mm	Headless Compression Screw	8-mm - 50mm	Expanded into MO355, MO356, MO357

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
MO279	Anatomic Midshaft Forearm Plates	Internal Fixation Plate Anatomic Forearm, Ulna & Radius	Midshaft Ulna Plates: 6 hole 80mm, 8 hole plate 100mm, 10 hole 130mm, 12 hole, 160mm, Midshaft ulna shortening plates: 6 hole 80mm, Midshaft Dorsolateral Radius Plates: 6 hole (80mm), 8 hole (100mm), 10 hole 9130mm) 12 hole (160mm); Midshaft Volar Radius Plates: 6 hole (80mm), 8 hole (100mm), 10 hole (130mm), 12 hole (160mm)	Expanded into MO360, MO361, MO362, MO363
MO319	Acumed Locking Scapula Plate System	Locking Bone Plate, Scapula	4 hole, 6 hole, 9 hole, 10 hole, 13 hole left and right	Expanded into MO371, MO372

Orthopaedic

MO191	Acumed Congruent Plate System	Metatarsal osteotomy plate - titanium	Right, left	Deleted
MO273	Acumed Tap-Loc	Tap screws, Tap-Loc Screws	diameter 2.7mm - 3.5mm, length 36mm-60mm	Expanded into MO369, MO370

Plastic and Reconstructive

MO127	Martin Level One Fixation	Mesh, Titanium	0.20 to 0.49mm thick, 51 to 100cm ² area	Expanded into MO347, MO348
MO129	Titan Mesh	Mesh Plates Titanium	1 x 2 holes 1, 1.5, 2mm	Compressed into MO330
MO134	Martin Osteosynthesis System	Screw Fami Anchor Titanium	1.5 - 2.0mm Diameter 8 - 15mm	Compressed into MO329
MO186	Martin Level One Fixation Resorb x & SonicWeld	Plate PDLA (resorbable)	1.0 to 1.99mm thick, 8 to 15 holes	Compressed into MO326
MO204	Martin Level One Fixation Resorb x & SonicWeld Rx	Mesh, PDLA (resorbable)	0.50 to 0.80mm thick, 101 to 200cm ² area	Expanded into MO358, MO359
MO250	Martin Level One Fixation	Plate, titanium	0.5 to 0.99mm thick, <4 holes	Expanded into MO334, MO335
MO282	Martin Level One Fixation	Plate, titanium	1.0 to 1.99mm thick, 4 to 7 holes	Expanded into MO340, MO341, MO342
MO284	Martin Level One Fixation	Plate, titanium	0.5 to 0.99mm thick, 16 to 32 holes	Compressed into MO328
MO288	Martin Level One Fixation	Screw Titanium	diameter 1.25 to 1.74mm	Expanded into MO338, MO339
MO289	Martin Level One Fixation	Mesh Titanium	0.5 to 0.8mm thick, 1 to 10cm ² area	Compressed into MO330
MO296	Martin Level One Fixation	Plate, titanium	0.5 to 0.99mm thick, 4 to 7 holes	Expanded into MO332, MO333
MO300	Martin Level One Fixation Resorb x & SonicWeld Rx	Mesh, PDLA (resorbable)	0.50 to 0.80mm thick, 1 to 10cm ² area	Expanded into MO343, MO344
MO305	Martin Level One Fixation Resorb x & SonicWeld Rx	Mesh, PDLA (resorbable)	0.50 to 0.80mm thick, 26 to 50cm ² area	Expanded into MO345, MO346
MO306	Martin Level One Fixation	Mesh, Titanium	0.50 to 0.80mm thick, 26 to 50cm ² area	Compressed into MO327
MO307	Martin Level One Fixation Resorb x & SonicWeld Rx	SonicPin, PDLA (resorbable)	Diameter 1.75 - 2.24mm	Compressed into MO331
MO308	Martin Level One Fixation Resorb x & SonicWeld	SonicPin PDLA (resorbable)	diameter 1.25-1.74mm	Compressed into MO331
MO309	Titan Mesh	Mesh Plates Titanium	Box plate 50x30 profile 0.6mm	Compressed into MO327
MO311	Martin Level One Fixation	Screw, Titanium	Diameter 2.25 - 2.74mm	Compressed into MO329
MO314	Martin Level One Fixation Resorb x & SonicWeld Rx	Plate, PDLA (resorbable)	1.0 to 1.99mm thick, 8 to 15 holes	Compressed into MO326
MO315	Martin Level One Fixation	Screw, titanium	Diameter 1.75 - 2.24mm	Compressed into MO329

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
MO316	Martin Level One Fixation	Screw, titanium	Diameter 1.75 - 2.24mm	Expanded into MO336, MO337
MO317	Martin Level One Fixation	Plate, titanium	0.5 to 0.99mm thick, 8 to 15 holes	Compressed into MO328
MO318	Martin Level One Fixation	Plate, titanium	0.5 to 0.99mm thick, 8 to 15 holes	Compressed into MO328

Medtronic Australasia Pty Ltd

Cardio-thoracic

MC036	Medtronic Lead End Cap Kit Model: 5867-3M; Medtronic DF-1 Port Pin Plug Kit: Model 6719, Medtronic IS-1 Port Pin Plug Kit: Model 6725; Medtronic Upsizing Sleeve: Model 5866-45, Model 5866-46	Pin Plug Kits to Seal Unused Pacemaker or Defibrillator Port; Sizing Sleeve - Silicone or Polyurethane	One Size Per Model	Expanded into MI042, MI043, MI044
MC832	Adaptor Kit Model 5866-24M, 5866-40M, 5866-37M, Bipolar Lead Adaptor Kit Model 2872	Silicone	14cm	Expanded into MI045, MI046

General Miscellaneous

MC285	Medtronic MiniMed Insulin Pump Infusion Sets - Insertion Device	Insulin Infusion Pump System Administration Set - Serters	One size only	Deleted
MC286	Medtronic MiniMed Paradigm Insulin Pump Infusion Sets	Insulin Infusion Pump System Administration Set - Infusion Set	6-17mm cannula / needle 45-110cm tubing	Deleted
MC989	Medtronic MiniMed Insulin Pump Reservoir	Insulin Infusion Pump Reservoir	1.8ml - 3.0ml	Deleted

Neurosurgical

MC064	Implantable Drug Pump Accessories	8590-8, 8590-9 - Synchronised catheter accessory kit - Radiopaque silicone, 8590RAC - Right angled connector - Titanium, polyurethane, 8591-38, 8591-60, 8590-41 Tunnelling rods - Stainless Steel, 8575 Synchronised connector (40 degree) with catheter access	20cm; one size only; 38-60cm	Expanded into MI047, MI048
-------	-----------------------------------	--	------------------------------	----------------------------

PoCE-Neuro

MC824	Medtronic Neurostimulation Accessory Kits	Screening Cable (3550-03), Synergy IPG Connector Plug (3550-09), Tunnelling Tools (3555, 3550-06, 3555-60), EZ Anchor (3550-16), Boot and Anchor Kit (3550-24)	Various	Expanded into MI049, MI050, MI051, MI052
-------	---	--	---------	--

Morton Surgical Pty Ltd ta Matrix Surgical Company

Ear, Nose & Throat

MG003	Micromedics Ventilation Tubes		Micromedics;Shepard;1.0mm / 1.14mm lumen;Fluroplastic / Silicone;w.tab / w.wire;box of 6 / box of 50	Compressed into MG037
MG011	Micromedics Ventilation Tubes		Micromedics; Donaldson; 1.14mm lumen; Silicone / Fluroplastic; w.tab; box of 6 / box 50	Compressed into MG037
MG012	Micromedics Ventilation Tubes		Micromedics; Paparella-I / Paparella-II; 1.14mm / 1.42mm lumen; Silicone; box of 6 / box of 50	Compressed into MG037

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
MG013	Micromedics Ventilation Tubes		Micromedics; T-tubes; (12x10)/(5x8)/(5x4)/(8x5.5); 1.14mm / 1.27mm / 1.4mm lumen ; silicone; box of 6 / box of 50;	Compressed into MG037
MG014	Micromedics Ventilation Tubes		Micromedics; Armstrong; bevelled straight / grommit / w.wire; 7mm / 7.5mm / 1.14mm; silicone / fluoroelastic; box of 6 / box of 50	Compressed into MG037
MG015	Micromedics Ventilation Tubes		Micromedics; Collar Button; 1.27mm lumen; fluoroelastic; box of 6 / box of 50	Compressed into MG037
MG016	Micromedics Ventilation Tubes		Micromedics;Reuter Bobbin;1.0mm / 1.14mm lumen; fluoroelastic; box of 6 / box of 50	Compressed into MG037
MG017	Micromedics Ventilation Tubes		Micromedics; Shah with wire; mini 0.76mm lumen; fluoroelastic; box of 6 / box of 50	Compressed into MG037

General Miscellaneous

MG032	Glubran 2	Synthetic cyanoacrylic surgical glue. N-Butyl (2) cyanoacrylate and methacryloxysulfolane co-monomer.	1ml	Compressed into MG038
MG033	Glubran 2	Synthetic cyanoacrylic surgical glue. N-Butyl (2) cyanoacrylate and methacryloxysulfolane co-monomer.	0.25ml, 0.5ml	Compressed into MG038

Orthocare Pty Limited

6 - Specialist Orthopaedic

OC009	Orthomed Osteotomy & Ligament Staples	Osteotomy Staple. Cast Chromium-cobalt non-absorbable. Stainless Steel non-absorbable. Non-sterile 57-73	5mm	Transferred to RQ011
OC010	Orthomed Osteotomy & Ligament Staples	Osteotomy Staple. Cast Chromium-cobalt non-absorbable. Stainless Steel non-absorbable. Non-sterile 57-74	10mm	Transferred to RQ012
OC011	Orthomed Osteotomy & Ligament Staples	Osteotomy Staple. Cast Chromium-cobalt non-absorbable. Stainless Steel non-absorbable. Non-sterile 57-75	15mm	Transferred to RQ013
OC012	Orthomed Osteotomy & Ligament Staples	Ligament Staple. Cast Chromium-cobalt staples, non-absorbable. Non-sterile	6mm	Transferred to RQ014
OC013	Orthomed Osteotomy & Ligament Staples	Ligament Staple. Cast Chromium-cobalt staples, non-absorbable. Non-sterile	8mm	Transferred to RQ015
OC014	Orthomed Osteotomy & Ligament Staples	Ligament Staple. Cast Chromium-cobalt staples, non-absorbable. Non-sterile	11mm	Transferred to RQ016
OC015	Orthomed Osteotomy & Ligament Staples	Ligament Staple. Cast Chromium-cobalt staples, non-absorbable. Non-sterile	16mm	Transferred to RQ017

General Miscellaneous

OC001	Pain Care 2000	Pain Care 2000 System	One size only	Deleted
OC002	Pain Care 2000	Y Accessory Kit	One size only	Deleted
OC003	Pain Care 2000L	Pain Care 2000L System	One Size Only	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
--------------	--------------	---------------------	------	-------------------------

OC005	Pain Care 2000L	Multiport Catheter 54"	One Size Only	Deleted
-------	-----------------	------------------------	---------------	---------

Orthopaedic Solutions Pty Ltd

6 - Specialist Orthopaedic

OE009	Nexfix MTP Fusion System	A bendable stainless steel bone plate and screw system with unique low profile locking screw option. Indicated for use in primary and revision MTP fusion	Left: 2+3; Right: 2+3	Expanded into OE034, OE035
-------	--------------------------	---	-----------------------	----------------------------

Orthotech Pty Ltd

11 - Hip

OH059	Exactech M series modular Hip System	Modular femoral stem, titanium, polished, non HA	11 - 21mm x 135-165mm	Deleted
OH060	Exactech M series modular Hip System	Femoral cone, titanium, plasma, not HA	21 - 23mm, S, M, L, XL	Deleted
OH061	Exactech M Series body	Titanium, complex neck segment	32 - 49mm, -5 - +30mm	Deleted
OH062	Exactech Femoral Head	Cobalt Chrome Head	-2 to -5mm, +0 to 10mm	Deleted
OH116	Exactech Total Hip System	Modular stem Titanium polished, non HA	11-21mm x 200mm	Deleted
OH117	Exactech Total Hip System	Modular stem Titanium polished, non HA	11-21mm x 250mm	Deleted
OH118	Exactech Total Hip System	Modular Titanium Revision Hip - Stem	11-21mm x 300mm	Deleted
OH119	Exactech M series modular Hip System	Modular Titanium Revision Hip - Metaphyseal Segment	25-27mm, S, M, L, XL	Deleted
OH120	Exactech Total Hip System	Modular Titanium Revision Hip - Metaphyseal Segment	29-31mm, S, M, L, XL	Deleted
OH137	Exactech Femoral Head	Ceramic/Femoral Head, BioloX Forte	-2 to -5mm, +0 to +10mm	Deleted
OH219	Exactech M Series Total Hip System	Femoral Cone with calcar	21-31mm	Deleted
OH226	Exotech Novation C femoral stem	Femoral stem cemented unpolished	1-8	Deleted
OH285	JRI Austin Moore Total Hip System	Cementless femoral stem	Head sizes range from 39mm - 56mm	Deleted

6 - Specialist Orthopaedic

OH370	Otis Plate	Left & Right plate	1 size	Deleted
OH371	Otis Plate Screws	Screw for plate	27-70mm	Deleted
OH372	Otis Wedge	Wedge for tibial osteotomy	6-15mm	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Pacing Importers Pty Ltd - Life Systems				
Cardio-thoracic				
PI020	'STARflex Rapid Transport Plus System	The STARFlex Rapid Transport Plus System consists of two primary components: 1) The device, a permanent implant, which is constructed primarily of a metal MP35N framework to which polyester fabric is attached, and 2) The delivery catheter, a Pebax based catheter designed specifically to facilitate attachment, loading, delivery and deployment of the device to the defect. The device and delivery catheter can be packaged separately or pre-attached as a single end item.	23mm, 28mm, 33mm and 38mm	Deleted
Smith & Nephew Surgical Pty Ltd				
6 - Specialist Orthopaedic				
SM149	Peri-Loc PFP	Proximal Femur Locking Plate - 360L stainless steel	2H R & L 104MM, 4H R & L 144MM, 6H R & L 180MM, 9H R & L 234MM	Expanded into SM180, SM181, SM182
SM150	Peri-Loc PFP	Proximal Femur Locking Screw - 360L stainless steel	60MM X 22MM THRD - 130mm X 22MM THRD 60mm X Full Thread - 130mm Full Thread	Deleted
SN001	TC 100 Quarter Tubular plates (2.7mm cortex screws)	Sterile	23 - 63mm	Expanded into SN928, SN929
SN002	TC 100 3.5mm Cortical Screws	Hex, Cruciate or Self Tapping	45 - 85mm	Compressed into SL011
SN006	TC 100 1.5mm Mini Plates	Stainless steel, Sterile	Straight 3-6 holes, T-Plates 3-4 holes	Expanded into SN934, SN935
SN007	TC 100 3.5mm Cortical Screws	Sterile, Hex or Cruciate	10 - 40mm	Compressed into SL011
SN013	TC 100 3.5mm Curved Reconstruction plates	Sterile, 6 - 8 holes	70 - 94mm	Deleted
SN014	TC 100 4.5mm Cortical Screws	Hex, Cruciate or Self-tapping	14 - 60mm	Compressed into SL013
SN018	TC 100 4.5mm Cortical Screws	Hex, Cruciate or Self-tapping	100 - 145mm	Compressed into SL013
SN031	Original Ilizarov System	External circular fixation system, stainless steel and composite carbon fibre	Adult and Paediatric	Expanded into SN946, SN947, SN948, SN949, SN950, SN951, SN952, SN953, SN954, SN955, SN956, SN957, SN958, SN959, SN960, SN961, SN962, SN963, SN964, SN965, SN966, SN967
SN032	Compass Universal Hinge	Circular external hinged fixator, graphite composite	One size only	Deleted
SN061	TC 100 4.5mm Cortical Screws	Hex, Cruciate or Self-tapping	62 - 95mm	Compressed into SL013
SN062	TC 100	Narrow Compression Plate	4.5mm, 5 - 7 holes	Deleted
SN065	TC 100 4.5mm T-Buttress plates	Sterile, 4 - 6 holes	80 - 112mm	Deleted
SN076	TC 100	Plate: Curved Reconstruction	3.5mm, 10 -18 holes	Expanded into SN936, SN937
SN104	TC 100	1/3 Tubular Plate with Collar	3 - 10 Hole	Deleted
SN112	TC 100 2.0mm Cortical Screws	Self Tapping, Hex or cruciate	6 - 38mm	Compressed into SL006

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
SN119	TC 100 4.5mm T-plate	Sterile, 3 - 4 holes	68 - 84mm	Deleted
SN126	TC 100 4.5mm Condylar Buttress plates	Sterile, Left and right, 7 - 9 hole	158 - 190mm	Deleted
SN131	TC 100 4.5mm Narrow Compression plates	Sterile, 14 - 24 holes	231 - 390mm	Deleted
SN132	TC 100 4.5mm Narrow Compression plates	Sterile, 11 - 13 holes	183 - 215mm	Deleted
SN135	TC 100 95 Degree Condylar Plates	Small stature	Shaft length 92 - 299 mm, blade length 50 - 80mm	Expanded into SN924, SN925
SN137	TC 100	Plate: Broad Compression	4.5mm, 6 - 8 holes	Deleted
SN146	Taylor Spatial Frame	Pre-assembled circular external fixator, carbon-fibre rings, telescopic rods	One size only	Deleted
SN434	Half Pin	Arrow	4-6mm x 20-80mm	Compressed into SL010
SN435	Half Pins	Hex Fix Titanium	4-6mm x 20-80mm	Compressed into SL010
SN436	Half Pins	Ilizarov Stainless Steel	4 x 120 -180mm 30mm 35mm - thread 50mm conic	Compressed into SL010
SN437	Hex Fix Pins	Cancellous Crane Pin Threaded	5/8" - 1 1/4"	Deleted
SN438	Hip Pin	Cannulated	30-135mm	Compressed into SL009
SN445	Steinmann Pins	Skeletal Traction Pin-Cove Point	150-200mm	Compressed into SL010
SN446	Steinmann Pins	Skeletal Traction Pin-Cove Point	250mm+	Compressed into SL010
SN447	Steinmann Pins	Non Threaded, Various Tips	9"x5/64 - 9"x3/16	Compressed into SL010
SN449	Washer	Screw washers	2, 7/3, 7/4, 0/4.5	Compressed into SL007
SN450	Washer	For Cannulated screw systems, Titanium	One size only	Compressed into SL007
SN469	Compression Hip Screw System	Ambi Standard Barrel Plates	100mm -220mm, 4-10 slot	Expanded into SN926, SN927
SN478	Compression Hip Screw System	Classic Supracondylar Plate	90-95 6-12SL	Expanded into SN922, SN923
SN490	Intermediate Osteotomy System	Plate (hip screw)	90-150Deg	Expanded into SN912, SN913
SN532	TC 100 Plate	2.0mm Straight Plate	3-20 hole	Expanded into SN932, SN933
SN540	TC 100 1.5mm Screw	Hex, Cruciate or Self-tapping	6-24mm	Compressed into SL006
SN542	TC 100 Plate	Multifragment Plates	One size only	Deleted
SN543	TC 100 Plate	Pelvic Fragment Plates	3-18 hole, 45-190mm	Deleted
SN557	TC 100 Plate	4.5mm Broad Compression Plate	14-18 hole	Deleted
SN571	TC 100 Plate	Cloverleaf Plate	5-6 hole	Deleted
SN572	TC 100 Plate	Cloverleaf Plate	7-8 hole	Deleted
SN573	TC 100 Plate	Cloverleaf Plate	9 hole	Deleted
SN574	TC 100 Plate	Cobra Head Plate	8-11 hole	Deleted
SN577	TC 100 Plate	Hook Plate	123mm 4 hole	Deleted
SN578	TC 100	Plate: Spoon & L-Buttress	3 - 18 holes	Deleted
SN593	TC 100 Screw	6.5mm Cancellous Screw	25 - 150mm length	Compressed into SL013
SN595	TC 100 Screw	6.5mm Cancellous Screw Fully Threaded	6.5mm Diameter, 115mm-150mm	Compressed into SL013

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
SN602	TC 100 Screw	6.5mm Cancellous Screw Partially Threaded	6.5mm Diameter, 32mm thread, 130mm+ Length	Compressed into SL013
SN606	TC 100 4mm Cancellous Screw	Fully or Partially Threaded	10 - 20mm	Compressed into SL011
SN607	TC 100	4mm Cancellous Screw	22 - 50mm	Compressed into SL011
SN609	TC 100 4mm Cancellous Screw	Fully or Partially Threaded	55mm +	Compressed into SL011
SN612	TC 100 3.5mm Cortex Screw	Hex, Cruciate or Self-tapping	85mm +	Compressed into SL011
SN621	TC 100 3.5mm Cortex Screw	Hex, Cruciate or Self-tapping	10 - 40mm	Compressed into SL011
SN625	TC 100 Screw	Malleolar Bone Screw, Sterile	25x12mm - 70x32mm	Compressed into SL011
SN626	TC 100 Washers	Stainless Steel	7-13mm	Compressed into SL007
SN627	TC 100 Washers	Titanium Non Sterile	4.5mm -13mm	Compressed into SL007
SN628	TC 100 Washers	Titanium Sterile	4.5mm -13mm	Compressed into SL007
SN635	Cannulated Screw	Partial Thread, Stainless Steel	6.5mm Diameter, 16&20mm Thread, 20-135mm	Compressed into SL009
SN636	Cannulated Screw	Partial Thread, Stainless Steel	6.5mm Diameter, 32mm thread, 45-130mm	Compressed into SL009
SN637	Cannulated Screw	Partial and Fully Threaded, Stainless Steel	5.5mm Diameter, 20-120mm	Compressed into SL009
SN638	Cannulated Screw	Partial and Fully Threaded, Stainless Steel	7.0mm Diameter, 30-150mm	Compressed into SL009
SN639	Cannulated Screw	6.5mm & 7.0mm screw Titanium	30 - 150mm Length	Compressed into SL008
SN641	Cannulated Screw	5.5mm screw Titanium	5.5mm Diameter 8x20mm- 32x120mm	Compressed into SL008
SN642	Cannulated Screw	2.5mm - 4.0mm Screw	2.5mm - 4.0mm Diameter 8 -70mm length	Expanded into SN970, SN971
SN643	Cannulated Screw	8mm Cannulated screws	8mm Diameter 65-125mm	Compressed into SL009
SN644	Cannulated Screw	6.4mm Cannulated screws	6.4mm diameter 65-125mm length	Compressed into SL009
SN675	HTO Screws	Titanium	4.5mm Diameter, 20 - 80mm Length	Deleted
SN708	Jet X Bar	External Fixation Bar with Cap	100mm to 600mm	Deleted
SN709	Jet X Central	Modular Versatile Ankle Fixation Frame	99mm to 158mm	Deleted
SN745	Peri-Loc	2.7mm, 3.5mm & 4.5mm Locking Plate, StainlessSteel	3 - 19 Holes	Expanded into SN972, SN973, SN974, SN975, SN976, SN977, SN978, SN979, SN980
SN765	Peri-Loc	2.7mm & 4.0mm Non Locking Screw	10 - 80mm	Compressed into SL012
SN766	Peri-Loc	Fixation Device, Internal, Non-Locking, Stainless Steel, Cortical & Cancellous Screw Size: 3.5mm	3.5mm	Compressed into SL012
SN770	Peri-Loc	Fixation device, internal, locking and non-locking, stainless steel, cortical and cancellous screw	5 & 6.5mm	Compressed into SL014
SN782	Peri-Loc	Plates, Stainless Steel, Non-Locking, Narrow, Lefts & Rights	4.5mm	Deleted
SN783	Peri-Loc	Plates, Stainless Steel, Non-Locking, Broad, Left & Rights	4.5mm. 6-16 hole	Expanded into SN942, SN943
SN790	Peri-Loc	Fixation Device, Internal, Locking, Stainless Steel, Cortical & Cancellous Screw	3.5mm, 10mm - 85mm length	Expanded into SN944, SN945
SN792	Peri-Loc	Fixation Device, Internal, Locking and Non-Locking, Stainless Steel, Cortical & Cancellous Screw	4.0mm, 80mm - 100mm length	Compressed into SL012

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
SN793	Peri-Loc	Fixation Device, Internal, Non-Locking, Stainless Steel, Cortical & Cancellous Screw	4.5mm, 10mm -110mm length	Compressed into SL014
SN794	Peri-Loc	Fixation Device, Internal, Non-Locking, Stainless Steel, Cortical & Cancellous Screw	4.5mm, 115mm -130mm length	Compressed into SL014
SN795	Peri-Loc	Plates, Stainless Steel, Locking, Compression & Tubular, Lefts and Rights	3.5mm	Expanded into SN938, SN939, SN940, SN941
SN829	Peri-Loc UE	2.7mm Locking Recon Plate 6-14 Holes	48mm - 113mm	Expanded into SN930, SN931
SN831	Peri-Loc UE	Locking plates SS: Distal Radius, Olecrannon, Humerus, Clavicle	2.5-4.5mm, 3-14 holes	Expanded into SN914, SN915, SN916, SN917, SN918, SN919, SN920, SN921
SN832	Peri-Loc UE	Self Tapping Cortex Locking Screw	2.5-2.7mm, 10-60mm length	Expanded into SN968, SN969

Sorin Group

Cardio-thoracic

SA136	Symphony DR 2550	Active Implantable pacemaker	1 size only	Deleted
SA137	Symphony SR	Titanium	one size only	Deleted
SA138	OVATIO CRT-D 6750	Titanium, dual chamber ICD with CRT	30cc	Deleted
SA139	OVATIO VR 6250	Titanium, single chamber, sterile, VR 6250, 34J	29cc	Deleted
SA140	OVATIO DR 6550	Titanium dual chamber ICD, 29 cc	29cc	Deleted
SA146	ISOLINE 2CR	Active fixation, steroid eluting, integrated bipolar, dual coil defibrillation lead	Lead body is 7.8 French diameter whilst 65cm in length	Deleted
SA148	ISOLINE 2CT	Passive fixation, steroid eluting, intergrated bipolar, dual shock coil defibrillation lead.	Lead body is 7.8 French diameter whilst 65cm in length	Deleted

St Jude Medical Australia Pty Ltd

Neurosurgical

SJ170	ANS Spinal Cord Stimulation System (SCS)	Boots, Connectors, Anchors, Strain Relief	One size only	Expanded into SJ285, SJ286, SJ287, SJ288, SJ289, SJ290, SJ291
-------	--	---	---------------	---

Vascular CAG

SJ220	Intergard W – Woven Straight	Woven Straight	10-34mm, 15-30cm	Expanded into SJ292, SJ293
-------	------------------------------	----------------	------------------	----------------------------

Stryker Australia Pty Ltd

6 - Specialist Orthopaedic

HW257	Wichita Fusion Nail System	Femoral Component - Vitallium	18mm	Deleted
HW259	Wichita Fusion Nail System	Compression Screw - Vitallium	One size only	Deleted
HW260	Wichita Fusion Nail System	Transverse Screw - Vitallium	30-60mm in 5mm increments	Deleted
HW297	Asnis Guided Screw System	Guide Pin, Stainless Steel	1.4,2.0,3.2mm	Deleted
HW354	Metaizeau Nail	Stainless Steel	2-4mm x 400-500mm	Deleted
SK064	Skryker Plating System	Matta Pelvic Plates	Curved, Straight and Symphysis Pubis 2 - 30 hole	Expanded into SK577, SK578, SK579
SK077	Stryker Plating System Basic Fragment Set	4.5mm Reconstruction Plate	10-16 Holes	Expanded into SK544, SK545

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
SK098	Stryker Plating System Small Fragment Set	Stainless steel, reconstruction plate	10-22 Holes	Expanded into SK548, SK549, SK550
SK100	Stryker Plating System	Small Fragment Plates	T-Plates 2 - 10 hole	Expanded into SK546, SK547
SK232	BoneSource Classic Bone Cement	Calcium Phosphate Bone Matrix Replacement. Sodium Phosphate Solution and Mixing Bowl included	2.5gm pack	Deleted
SK233	BoneSource Classic Bone Cement	Calcium Phosphate Bone Matrix Replacement. Sodium Phosphate Solution and Mixing Bowl included	5gm pack	Deleted
SK234	BoneSource Classic Bone Cement	Calcium Phosphate Bone Matrix Replacement. Sodium Phosphate Solution and Mixing Bowl included	10gm pack	Deleted
SK235	BoneSource Classic Bone Cement	Calcium Phosphate Bone Matrix Replacement. Sodium Phosphate Solution and Mixing Bowl included	25gm pack	Deleted
SK366	Universal Distal Radius System	Universal SMARTLook Locking Plates	Standard, Narrow and Wide in Long and short options	Expanded into SK573, SK574
SK368	Stryker Plating System	SPS Locking Plate System	Distal Medial and Lateral tibia 3 Holes to 10 Holes left and right	Expanded into SK559, SK560
SK377	Stryker Plating System	SPS Locking Plate System	Distal Femur - 4 holes to 16 holes, Left and Right	Expanded into SK557, SK558
SK379	Stryker Plating System	SPS Locking Plate System	Proximal Humerus 3 Holes to 10 Holes Left and Right	Expanded into SK555, SK556
SK381	Stryker Plating System	Stryker locked plating system	Distal Humerus, Lateral and Medial, 1-8 holes	Expanded into SK569, SK570
SK383	Stryker Plating System	SPS Locking Plate System	Proximal Tibia, Lateral and Medial, 4 hole to 12 holes, left and right	Expanded into SK561, SK562
SK391	Leibinger Universal Distal radius System	Universal Distal Radius SMARTLock Column Locking Plates	Radial Column - Long and Short; Ulna Column - Long and Short, Left and Right	Expanded into SK571, SK572
SK395	Stryker Plating System	SPS Locking Plate System	Locking Screws: 3.0mm - 6.5mm diameter	Expanded into SK563, SK564
SK449	Stryker Plating System	Locking Compression Anatomical Shape	2 Hole to 22 Hole	Expanded into SK532, SK533, SK534, SK535, SK536, SK537, SK538, SK539, SK540, SK541, SK542, SK543
SK454	VariAx Plate	Volar Plate, Polyaxial Locking	Narrow & Standard; Short & Long; Right & Left	Expanded into SK575, SK576
SK462	Stryker Compression Hip Screw System	Omega3 compression Hip screw	130-150 degree, 2-12 gike, 47-207 mm	Expanded into SK551, SK552
SK463	Stryker Compression Hip Screw System	Omega3 Supracondylar Plate	95 hole, 6-14 hole, 111-239mm	Expanded into SK553, SK554
SK464	Stryker Locking Plate System	Screw; Locking, Cancellous & Cortical	Diameter 1.2 to 2.7mm, Length 2mm to 48mm	Expanded into SK526, SK527
SK484	Stryker Cannulated Screw System	Asnis III Cannulated screws	4.0 - 8.0 mm diameter	Expanded into SK528, SK529
SK510	Stryker Locked Plate System	Periarticular variable angle locking plate - fibula.	1-16 holes.	Expanded into SK580, SK581
SR055	Stryker Locking Plate System	Plates including Locking, Standard & Compression	Straight, Curved, L, T, Y & 3-D	Expanded into SR086, SR087, SR088
SR058	Stryker Cannulated Screw System	Asnis Micro Cannulated screw	2.0mm-3.0mm, Diameters, 8mm-40mm lengths	Expanded into SR094, SR095
SR071	Stryker Locking Plate System	Calcaneus Locking Plates	Small, Medium & Large	Expanded into SR092, SR093
SR075	Stryker Locking Plate System	Locking Plates	Straight, Curved, H, T, L & 3-D	Expanded into SR089, SR090, SR091

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
ST036	Stryker Plating System Small & Basic Fragment - T Plate	Oblique T Plate or T Plate, Stainless Steel or Titanium, Oblique	42-86mm Length	Expanded into SK530, SK531
ST040	Stryker Plating System - Washers & Nuts	Stainless Steel or Titanium	Nuts 5.0 or 4.5mm thickness; Washers 7 - 13mm diameter	Expanded into SK565, SK566
ST939	Hoffman II External Fixation System	Anodised metal alloy, aluminium connecting rod	8mm x 65-500mm	Deleted
ST940	Hoffman II External Fixation System	Anodised metal alloy, carbon connecting rod	8mm x 65-500mm	Deleted
ST942	Hoffman II External Fixation System	Anodised metal alloy, curved aluminium rod semi-circular	Small, Medium, Large	Deleted
ST949	Monotube External Fixation System	Anodized metal alloy, dynamic tube assembly blue	20mm	Expanded into SK567, SK568
ST955	Monotube External Fixation System	Anodized metal alloy, hybrid clamp blue, hybrid clamp red	One size only	Deleted

Orthopaedic

HW048	Trochanteric Mesh	Stainless Steel	Small/Large	Deleted
-------	-------------------	-----------------	-------------	---------

Plastic and Reconstructive

ST339	Leibinger Titanium Implant System	Leibinger Low Profile Bone Plate: T-shape, double-T-shape, right/left, 90 deg Titanium	5, 7, 9 holes, 0.55mm profile	Expanded into SK522, SK523
ST340	Leibinger Titanium Implant System	Leibinger Steinhauser Bone Plate: X-shape Titanium	4, 8, 9 holes, 0.55mm profile	Expanded into SK524, SK525

Surgiplus Medical

6 - Specialist Orthopaedic

SP054	ExtremiFix Screws	Headless Cannulated Compression Screw	Diameter 2.0mm, 2.4mm, 3.0mm, 4.0mm. Length 10mm to 52mm.	Expanded into SP121, SP122
-------	-------------------	---------------------------------------	---	----------------------------

Synthes Australia Pty Ltd

6 - Specialist Orthopaedic

SY018	AO/ASIF Plates	Reconstruction Plate	2 - 24hole	Expanded into SY601, SY602, SY603, SY604, SY605
SY030	AO/ASIF Plates	DHS plates	130-150 deg/ 2-16 hole / 43-27mm length / barrel 25 - 38mm	Expanded into SY606, SY607, SY608, SY609, SY610, SY611
SY033	AO/ASIF Plates	Semi tubular	2 - 28 hole	Expanded into SY669, SY670
SY056	Cortex Screws		2.7mm - 5.0mm diameter, 5mm - 150mm length	Expanded into SY612, SY613, SY614, SY615
SY059	AO/ASIF Plates	Unilock, angled, straight, T, Y, condylar, DCP, LCDCP, left & right, mandible and locking plates	2mm - 50mm	Expanded into SY616, SY617, SY618, SY619, SY620, SY621, SY622, SY623, SY624, SY625, SY626, SY627, SY628, SY629
SY069	AO/ASIF Screws	Malleolar Screws	25mm - 110mm	Compressed into SY596
SY074	AO/ASIF Screws Steel	Cannulated screws	≥4.50mm	Expanded into SY630, SY631, SY632, SY633, SY634
SY082	AO/ASIF Screws	Cancellous screws	10-150mm L	Compressed into SY596
SY097	AO/ASIF Plates - Steel	broad straight plate DCP/LCDCP	4.5mm, 2 - 28 hole	Expanded into SY635, SY636, SY637

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
SY106	AO/ASIF Plates - Steel	Angled blade plate	3 - 26 hole, length 25 - 110mm, 90 - 130 degree	Expanded into SY638, SY639, SY640
SY107	AO/ASIF Plates - Steel	DCS DHS plate	95 - 150 degree, 2 - 22 hole, length 25 - 38mm barrel	Expanded into SY641, SY642, SY643
SY114	AO/ASIF Plates	3.5mm - 5.0mm Straight DCP/LCDCP	2-28 hole	Expanded into SY654, SY655, SY656
SY121	AO/ASIF Plates	Condylar, angled plate	4-22 hole	Expanded into SY657, SY658, SY659, SY660, SY661
SY124	AO/ASIF Intramedullary Nails	Proximal sleeve	Standard 130 deg antigrade, spiral blade	Deleted
SY128	AO/ASIF Intramedullary Nails	Tibial unreamed - steel	8 - 9 mm , length 255 - 420mm	Deleted
SY164	LCP Plate	Distal Femoral Buttress Plate, Sterile/Non Sterile	Dia 5.0mm, length 4-22 hole	Expanded into SY671, SY672
SY166	LCP Plate	Locking Proximal Humeral Plate, sterile/non sterile	Dia 3.5mm, length 3-12 hole	Expanded into SY673, SY674
SY173	AO/ASIF Screws	Self drilling, Self Tapping, Conical Locking, Sterile/Non-Sterile	Diameter 3.5 - 5.0mm, Length 8 - 100mm	Expanded into SY648, SY649
SY194	Orthopaedic External Fixator Systems	Curved and straight rod - carbon fibre	4mm - 11mm	Expanded into SY667, SY668
SY197	Orthopaedic External Fixator Systems	Hybrid Rings	11mm diameter 1/4 ring - 205mm diameter full ring	Expanded into SY665, SY666
SY202	Orthopaedic External Fixator Systems	External fixator clamps, clamp for hybrid	1.8-11mm Diameter	Expanded into SY662, SY663, SY664
SY266	AO/ASIF Screws	Malleolar Screws	20.0 - 45.0mm	Deleted
SY270	AO/ASIF Intramedullary Nails	Antegrade/Retrograde Femoral Nail	Diameter 6.5-18mm, Length 30-500mm	Deleted
SY277	Spine Cable System	Double Lead	One size only	Deleted
SY280	Small & Mini Fragment Plates	Locking Distal Radius Ulna Column Plate System	2.0mm - 2.4mm	Expanded into SY675, SY676, SY677, SY678, SY679
SY284	LCP Plate	LCP Distal humerus plate, dorso-lateral, left and right, non sterile/sterile; LCP Distal humerus plate, dorso-lateral with support, left and right, non sterile/sterile; LCP Distal humerus plate, medial, left and right, non sterile/sterile	2-20 hole plates	Expanded into SY680, SY681
SY376	LCP Plate	Proximal Femur Plate	2-26 Hole	Expanded into SY682, SY683, SY684, SY685
SY521	LCP Plate	Distal Fibula Plate; Lateral, Posterolateral	2.7mm/3.5mm; 73mm-233mm Length, 3-15 holes	Expanded into SY686, SY687
Orthopaedic				
SY175	Universal Spine System (USS)	Pedicle Screw - USSII	25 - 140mm	Compressed into SY597
SY179	Spinal Fixation System	Pedicle Screw (without head)	L:30-100mm, D:4-9mm	Compressed into SY598
SY192	Universal Spine System (USS)	Pedicle screw	Length 70 - 140mm	Compressed into SY597
SY278	AO/ASIF Cortex Screws	Locking Head Screws	2.0mm 7.3mm	Expanded into SY650, SY651, SY652, SY653
SY322	AO/ASIF Screws	Headless Compression Screw 2.0mm - 8.0mm	Short Thread 4-40mm; Long Thread 4-40mm	Expanded into SY644, SY645, SY646, SY647
SY339	Vectra T Anterior Spinal System	Self tapping, self drilling Titanium	4.0/4.5mm. 12mm to 20mm	Deleted
SY379	Universal Spine System (USS)	USS II Polyaxial/Lotus Screw or Head	Head 5mm / 6mm □ Screw diameter 4,5,6,7,8mm, Length - 20-110mm	Compressed into SY598

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Plastic and Reconstructive				
SY314	AO/ASIF Plate	Titanium Mesh for reconstruction of cranial defects, Low Profile Neuro Mesh	200 x 200mm square, 0.4mm - 0.6mm thick, Contourable	Deleted
SY400	External Midface Distractor System	Fixation Screws	40-50mm	Compressed into SY591
SY403	External Midface Distractor System	Set Screw	One size only	Compressed into SY591
SY404	External Midface Distractor System	Maxillary Footplate Assembly	80mm-110mm	Compressed into SY595
SY405	External Midface Distractor System	Titanium Wire Fixation Screw	15-27mm	Compressed into SY591
SY408	Mandible External Fixator	Three Quarter Mandible	One size	Compressed into SY594
SY409	Mandible External Fixator	Full Mandible	One size only	Compressed into SY594
SY410	Mandible External Fixator	Full Mandible Ramus	One size	Compressed into SY594
SY411	Mandible External Fixator	Hemi Mandible	One size	Compressed into SY594
SY467	CMF fracture or reconstruction plate	Titanium adaption plates	0.5 to 0.99mm 8 to 15 holes	Compressed into SY583
SY468	CMF fracture or reconstruction plate	Titanium adaption plates	0.5 to 0.99mm 4 to 7 holes	Compressed into SY581
SY469	CMF fracture or reconstruction plate	Titanium adaption plates	0.5 to 0.99mm 8 to 15 holes	Compressed into SY585
SY470	CMF fracture or reconstruction plate	Titanium adaption plates	0.5 to 0.99mm 4 to 7 holes	Compressed into SY582
SY471	CMF fracture or reconstruction plate	Titanium mandibular locking reconstruction plates	2.0 to 2.99mm 15 to 32 holes	Expanded into SY599, SY600
SY473	CMF fracture or reconstruction plate	Titanium adaption plates	0.5 to 0.99mm 4 to 7 holes	Compressed into SY582
SY474	CMF fracture or reconstruction plate	Titanium adaption plates	0.5 to 0.99mm 8 to 15 holes	Compressed into SY586
SY475	CMF fracture or reconstruction plate	Titanium adaption plates	0.5 to 0.99mm < 4 holes	Compressed into SY580
SY476	CMF fracture or reconstruction plate	Titanium adaption plates	0.5 to 0.99mm 15 to 32 holes	Compressed into SY586
SY477	CMF fracture or reconstruction plate	Titanium adaption plates	0.5 to 0.99mm 8 to 15 holes	Compressed into SY585
SY478	CMF fracture or reconstruction plate	Titanium adaption plates	0.5 to 0.99mm < 4 holes	Compressed into SY580
SY479	Mesh Plate	Titanium malleable mesh plates	<0.2mm-0.49mm, 11-25 cm2	Compressed into SY578
SY480	Mesh Plate	Titanium malleable mesh plates	0.4mm > 200cm2 205x205	Deleted
SY481	Oribital Floor Mesh Plate	Titanium orbital floor mesh plates	<0.5mm	Compressed into SY577
SY482	Mesh Plate	Titanium rigid mesh plates	0.6mm < 200cm2	Compressed into SY579
SY483	Mesh Plate	Titanium rigid mesh plates	0.6mm > 200cm2	Deleted
SY484	Mesh Plate	Titanium rigid mesh plates - complex shape	0.6mm	Compressed into SY579
SY485	Mesh Plate	Titanium malleable mesh plates	0.2mm-0.4mm, 1-10cm2	Compressed into SY577
SY486	CMF fracture or reconstruction plate	Titanium mandible locking plate - complex	1.0 to 1.99mm 4 to 7 holes	Compressed into SY587
SY487	CMF fracture or reconstruction plate	Titanium mandible locking plate	1.0 to 1.99mm 8 to 15 holes	Compressed into SY588
SY489	Mesh Plate	Titanium Contourable mesh plate	0.5 to 0.8mm 51 to 100cm2	Compressed into SY579
SY490	Mesh Plate	Titanium Contourable mesh plate - mastoid	<0.2 to 0.49mm, >25cm2	Compressed into SY578
SY491	CMF fracture or reconstruction plate	Titanium Mandibular locking reconstruction plates - complex shape	1.0 to 1.99 4 to 7 holes	Compressed into SY587

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
SY492	CMF fracture or reconstruction plate	Titanium Mandibular locking reconstruction plates - complex shape	1.0 to 1.99mm 8 to 15 holes	Compressed into SY588
SY494	CMF fracture or reconstruction plate	Titanium adaption plates - Low profile neurosurgical plates	0.5 to 0.99 4 - 7 holes	Compressed into SY581
SY495	CMF fracture or reconstruction plate	Titanium adaption plates - Low profile neurosurgical plates	0.5 to 0.99mm 16 - 32 holes	Compressed into SY583
SY496	CMF fracture or reconstruction plate	Titanium adaption plates - Low profile neurosurgical plates	0.5 to 0.99mm 8 - 15 holes	Compressed into SY583
SY502	PolyMax Resorbable Fixation System	Polyactide Resorbable Screw/Tack	1.5mm dia	Compressed into SY593
SY503	PolyMax Resorbable Fixation System	Polyactide Resorbable Screw/Tack	2.0/2.5mm dia	Compressed into SY593
SY505	CMF Rapid Resorbable fracture or reconstruction Plate	Sterile Rapid resorbable reconstruction plate	0.5 to 0.99mm thick, 8 to 15 holes	Compressed into SY584
SY509	CMF Rapid Resorbable fracture or reconstruction Plate	Sterile Rapid resorbable reconstruction plate	1.0 to 1.99mm thick, 15 to 32 holes	Compressed into SY589
SY510	CMF Rapid Resorbable fracture or reconstruction Plate	Sterile Rapid resorbable reconstruction plate	1.0 to 1.99mm thick, 15 to 32 holes	Compressed into SY589
SY513	CMF Rapid Resorbable fracture or reconstruction Plate	Sterile Rapid resorbable reconstruction plate	0.5 to 0.99mm thick, 15 to 32 holes	Compressed into SY584
SY516	Midface Distractor System	Distractor System, Assembly, Footplate	6-25mm	Compressed into SY595
SY552	AO/ASIF Screw.	CMF Screw; cortex, cortical, emergency, self-tapping, locking.	2.4mm, various lengths.	Compressed into SY592
SY553	AO/ASIF Screw	CMF screw: cortex, cortical, emergency, self-tapping, self-drilling	2.4-2.7mm, various lengths	Compressed into SY590
SY554	AO/ASIF Screw	CMF screw: cortex, emergency, self-tapping	2.7-3.2mm, various lengths	Compressed into SY590
SY555	AO/ASIF Screw.	CMF screw; cortex, emergency, self-tapping.	2.7-3.2mm, various lengths.	Compressed into SY592
SY556	AO/ASIF screw	CMF screw; cortex, cortical, emergency, self-tapping, self-drilling; low profile	1.3-1.7mm, various lengths	Compressed into SY590
SY557	AO/ASIF Screw	CMF screw; cortex, cortical, emergency, self-tapping, locking	2.0-2.4mm, various lengths	Compressed into SY592
SY560	AO/ASIF Screw.	CMF screw; cortex, cortical, emergency, self-tapping, self-drilling.	1.8-2.0mm, various lengths.	Compressed into SY590

Terumo Corporation Australia

Vascular CAG

TU016	Gelsoft Plus Graft	Polyester, Externally Reinforced, Knitted	6 to 10mm x 75m	Compressed into TU045
TU017	Gelsoft Plus Graft	Polyester, Externally Reinforced, Knitted	6 to 10mm x 100cm	Compressed into TU045
TU022	Gelweave Graft	Straight, Polyester, Woven	6-38mm x 10-40cm	Expanded into TU047, TU048
TU027	SEALPTFE Graft	Standard Wall, Straight, Sealed, PTFE	5 to 10mm x 10 to 40cm	Expanded into TU049, TU050
TU032	SEALPTFE Graft	Thin Wall, Straight, Sealed, Externally Reinforced, PTFE	5 to 10mm x 60 to 80cm	Compressed into TU046

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
TU035	SEALPTFE Graft	Thin Wall, Straight, Sealed externally Reinforced, Vascular Artificial Arteries/Prostheses of PTFE, Sealed with Gelatin	5 to 10mm x 50cm	Compressed into TU046

W L Gore & Associates

Vascular CAG

GT255	Gore-Tex Stretch Propaten Vascular Graft	Stretch Thin Walled Graft, Removable Rings (ePTFE), Heparin Bonded	8mm diameter, 40-50cm length, 30-40cm Ringed Section	Expanded into GT264, GT265
-------	--	--	--	----------------------------

Wright Medical Australia

6 - Specialist Orthopaedic

WR051	Charlotte MTP Fusion System	MTP plate screw, stainless steel	2.7 & 3.2 dia. 8-24mm length in 2mm increments	Expanded into WR241, WR242
WR058	Calcaneus Plate	Titanium locking plate specifically designed to have low profile (1.5mm thick) for easy contouring	3.5mm universal sizing (R&L): S - 54mm, M - 64mm & L - 74mm	Expanded into WR231, WR232
WR061	Twist-off Screw	Unique feature of two thread diameters to suit variable bone quality, specifically designed for Weil-osteotomy, titanium, self drilling and self tapping, twist-off connector	2.0mm diameter x 11-15mm, 2.5mm diameter x 11-15mm,	Expanded into WR229, WR230
WR070	Orlolo Fracture System - Plates	Straight, T, L Plates	Straight - 3, 4 & 6 Hole, T - 6 & 7 Hole, L - 6 Hole	Expanded into WR235, WR236
WR076	Orlolo Fracture System - Plates	Universal	6 Hole & 8 Hole	Expanded into WR237, WR238
WR079	Ortholoc Fracture System - Plates	Lateral Fibula, Posterior Fibula or Syndesmosis Plates	Right & Left: Small, Medium & Large	Expanded into WR239, WR240
WR083	Ortholoc Fracture System - Plates	Medial Maleolar, Anterolateral Tibia or Medial Tibia Plates	Right & Left: Small, Medium & Large	Expanded into WR233, WR234
WR220	Evolve Ortholoco EPS System - Distal Humerus	Stainless Steel, Polyaxial Locking Plate, Straight, Coronal, Medial, Lateral, Posterolateral	Right & Left, 2.7 & 3.5mm, 8-21 holes	Expanded into WR225, WR226

Orthopaedic

WR059	Titanium Screw	Locking, non-locking or cannulated, for use only with Darco titanium plates, self-tapping	8-40mm, 2.7mm or 3.5mm	Expanded into WR227, WR228
-------	----------------	---	------------------------	----------------------------

Zimmer Pty Ltd

6 - Specialist Orthopaedic

ZI153	Periarticular Plates	Periarticular Tibial Plateau Plates - Stainless Steel	2 holes - 14 holes Left & Right	Expanded into ZI823, ZI824, ZI825
ZI154	Periarticular Plates	Periarticular Femoral Condylar Plates - Stainless Steel	4 holes - 18 holes Left & Right	Expanded into ZI820, ZI821, ZI822
ZI157	Zimmer Internal Fixation Systems: Compression Hip Screw	Freelock/Versa-fx tube plate - Stainless Steel	2 holes - 20 holes	Expanded into ZI768, ZI769, ZI770, ZI771
ZI199	Zimmer ECT Screws	1.5mm Cortical Screws	6 - 18mm	Compressed into ZI742
ZI200	Zimmer ECT Screws	2.0mm Cortical Screws	6 - 24mm	Compressed into ZI742
ZI211	Zimmer Plates	ZPS SC 1/3 Tubular Plate - Forearm	3 - 8 Hole	Expanded into ZI781, ZI782
ZI212	Zimmer Plates	ZPS Semi Tubular Small Narrow Plate	3 - 8 Hole	Expanded into ZI776, ZI777

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
ZI216	Zimmer Plates	SCP Forearm plate	4 - 12 Hole	Expanded into ZI778, ZI779, ZI780
ZI219	Zimmer Plates	T-Plates	68 - 147mm	Expanded into ZI785, ZI786, ZI787, ZI788
ZI223	Zimmer Plates	1/4 Tubular Plate	3 - 8 Hole	Expanded into ZI800, ZI801, ZI802, ZI803
ZI224	Zimmer Plates	Standard DC Plate	2 - 12 Hole	Expanded into ZI804, ZI805, ZI806, ZI807
ZI225	Zimmer Plates	Broad Plates	5 - 14 Hole	Expanded into ZI794, ZI795, ZI796, ZI797, ZI798, ZI799
ZI227	ZPS	3.5mm Straight Recon Plates	6 Hole	Expanded into ZI789, ZI790, ZI791
ZI228	ZPS	3.5mm Curved Recon Plates	6 Hole	Expanded into ZI752, ZI753, ZI754
ZI230	ZPS	4.5mm Straight Recon Plate	6 Hole	Expanded into ZI792, ZI793
ZI243	Periarticular Plates	Stainless Steel	2 - 20 Hole	Expanded into ZI755, ZI756, ZI757, ZI758, ZI759, ZI760, ZI761, ZI762, ZI763, ZI764, ZI765, ZI766, ZI767
ZI331	Zimmer Periarticular Locking Plates	Periarticular Locking Plating System	Various lengths and numbers of holes	Expanded into ZI837, ZI838, ZI839, ZI840, ZI841, ZI842, ZI843, ZI844, ZI845, ZI846, ZI847, ZI848, ZI849, ZI850, ZI851
ZI370	Cancellous Screws	Orthopaedic Screws - Ti alloy	20 to 60	Expanded into ZI830, ZI831, ZI832, ZI833, ZI834, ZI835, ZI836
ZI471	NCB Plates	Polyaxial locking plates, special titanium alloy	Plate size 60 to 324mm long	Expanded into ZI743, ZI744, ZI745, ZI746, ZI747, ZI748, ZI749, ZI750, ZI751
ZI541	Zimmer Universal Locking System	3.5mm Universal Locking System Reconstruction Plates, Straight-Sterile-Sterile & Non Sterile	3 hole 40mm; 4 hole 53mm; 5 hole 79mm; 7 hole 92mm; 8 hole 105mm; 9 hole 118mm; 10 hole 131mm; 11 hole 144mm; 12 hole 157mm	Expanded into ZI783, ZI784
ZI542	Zimmer Universal Locking System	3.5mm Locking Dual Compression Plate Sterile and Non Sterile	4 hole 53mm; 5 hole 66; 6 hole 79mm; 7 hole 92mm; 8 hole 105mm; 9 hole 118mm; 10 hole 131mm; 11 hole 144mm; 12 hole 157mm; 14 hole 183mm	Expanded into ZI810, ZI811
ZI544	Zimmer Universal Locking System	3.5mm Locking One-Third Tubular Plate - Sterile and non-sterile	5 hole 68mm; 6 hole 81mm; 7 hole 94mm; 8 hole 107mm; 10 hole 133mm	Expanded into ZI774, ZI775
ZI545	Zimmer Universal Locking system	3.5 mm Optional Locking Reconstructive Plate-Sterile and Non-Sterile	13 hole; 14 hole; 15 hole; 16 hole; 18 hole; 20 hole; 22 hole	Expanded into ZI772, ZI773
ZI547	Zimmer Universal Locking System	3.5mm Optical Locking-Third Tubular Plate-Sterile & Non Sterile	3 hole; 4 hole; 12 hole; 14 hole	Expanded into ZI808, ZI809
ZI549	Zimmer Universal Locking System	2.7mm Universal Locking System Reconstruction Plates, Straight - Sterile & Non Sterile	6 hole 49mm; 8 hole 65mm	Expanded into ZI812, ZI813, ZI814
ZI550	Zimmer Universal Locking System	2.7mm Locking Dual Compression Plate Sterile and Non Sterile	2 hole 26mm; 4 hole 49mm; 6 hole 72mm; 7 hole 84mm; 8 hole 95mm; 9 hole 107mm; 10 hole 118mm; 12 hole 141mm; 16 hole 187mm	Expanded into ZI817, ZI818, ZI819
ZI552	Zimmer Universal Locking System	2.7mm Locking One-Quarter Tubular Plate-Sterile and Non-Sterile	3 hole 36mm; 4 hole 47mm; 5 hole 59mm; 6 hole 70mm; 7 hole 82mm; 8 hole 93mm	Expanded into ZI815, ZI816
ZI604	Trans Fx LITE	MRI Knee Spanning Implant Kit	Large	Expanded into ZI826, ZI827
ZI605	Trans Fx LITE - Wrist Kit	Wrist Spanning Frame	Small	Expanded into ZI828, ZI829

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Orthopaedic				
ZI486	Zimmer Periarticular Locking Screws	Stainless Steel Periarticular Locking screws to accompany Periarticular Locking Plates	2.4mm, 2.7mm, 3.5mm, 4.5mm, 5.5mm, and 8mm to 60mm in 2mm increments and 60mm to 100mm in 5mm increments.	Expanded into ZI852, ZI853, ZI854, ZI855, ZI856, ZI857, ZI858, ZI859

Grand Total: 855 Records