

# New Products for Prostheses List

February 2013

Billing Code	Product Name	Further Description	Size
<b>Advanced Biomedical Pty Ltd</b>			
<b>3 - General Miscellaneous</b>			
AB075	BioGlue Surgical Adhesive - 2ml Syringe System	Model No BG3502-5-A (BioGlue Surgical Adhesive)	2ml
<b>Advanced Surgical Design &amp; Manufacture Ltd</b>			
<b>6 - Specialist Orthopaedic</b>			
AE249	FusiFIX™	Triple thread, cannulated, compression screw system	4mm
AE250	FusiFIX™	Triple thread, compression, cannulated screw system	6mm
<b>Alliance Surgical</b>			
<b>3 - General Miscellaneous</b>			
AA014	SealFoam, High Density	SealFoam is an absorbable Polysaccharide Haemostat	60mm x 40mm x 2mm 60mm x 40mm x 4mm
<b>AMO Australia Pty Ltd</b>			
<b>1 - Ophthalmic</b>			
AO034	TECNIS® 1-Piece Pre-Loaded IOL	1-piece IOL Posterior Chamber Intraocular lens, incorporates a proprietary wavefront-designed aspheric optic with a squared posterior optic edge designed to provide a 360 degree barrier. The edge of the optic has a frosted design to reduce potential edge glare effects. Supplied pre-loaded in a screw style disposable injector.	+5.0 to +34.0 diopter powers in 0.5 diopter increments. Overall diameter 13mm, Optic size 6mm
AO035	Synchrony Vu Accommodating IOL	Synchrony Vu Dual Optic Accommodating Posterior Chamber IOL	5.50mm Anterior Optic, 6.00mm Interior Optic, 9.80mm Overall Length, Diopter Range: +16.00 to +28.00 in 0.5D Increments
<b>B Braun Australia Pty Ltd</b>			
<b>4 - Neurosurgical</b>			
BB330	Miethke Reservoir with integrated catheter	The reservoirs are all made of titanium and are radiopaque. They have a low overall height for easy and safe positioning and fixation of the ventricular catheter. They allow CSF extraction and drug injection by inserting a syringe through the silicone dome. The solid titanium base prevents penetration with a syringe needle. The reservoirs come with integrated catheters. There are 4 different types of reservoirs with integrated catheters: Burrhole reservoir, sprung reservoir, flushing reservoir and control reservoir.	Burrhole reservoir: FV027T - Diameter 20mm, Height 5.65mm, with integrated catheter 600mm. FV054T - Diameter 14mm, Height 4.8mm, with integrated catheter 200mm (pediatric). Sprung reservoir: FV044T - Diameter 20mm, Height 5.65mm, with integrated catheter 600mm. Flushing reservoir: FV034T - Diameter 20mm, Height 5.65mm, with integrated 600mm. FV081T - Diameter 14mm, Height 4.8mm, with integrated catheter 600mm (pediatric). Control reservoir: FV048T - Diameter 20mm, Height 5.65mm, with integrated catheter 600mm.

Billing Code	Product Name	Further Description	Size
BB331	Miethke Ventricular catheter with deflector	Ventricular catheters (with deflector) are used to drain CSF out of the ventricle. All catheters are made of radiopaque silicone. The deflectors allow 90 degree deflection of the ventricular catheter in the burrhole without kinking the catheter. All deflectors are made of titanium. The deflectors are adjustable on the catheter, have suture fixation holes and are radiopaque.	Ventricular catheter with deflector: Inside diameter 1.2mm, Outside diameter 2.5mm. FV075P: Ventricular catheter 180mm, graduated. Deflector: Large. FV078P: Ventricular catheter 250mm, graduated. Deflector: Large. Ventricular catheter with deflector (for pediatric application): Inside diameter 1.2mm, Outside diameter 2.5mm. FV076P: Ventricular catheter 180mm, graduated. Deflector: Small.
BB332	Miethke proGAV	proGAV is an adjustable valve with an integrated gravitational unit for the treatment of pediatric and adult hydrocephalus. The valve is made from titanium and is MR safe up to 3 tesla. In combination with its integrated, well established Miethke Shunt Assistant (the gravitational unit) proGAV offers protection against overdrainage.	Adjustable valve: Diameter 18mm, Opening pressure 0-20 cmH2O, Height 4.5mm. Gravitational unit: Length 14.9mm, Height 4.6mm. FV410T: gravitational unit, opening pressure - . FV411T: gravitational unit, opening pressure 10 cmH2O. FV412T: gravitational unit, opening pressure 15 cmH2O. FV413T: gravitational unit, opening pressure 20 cmH2O. FV414T: gravitational unit, opening pressure 25 cmH2O. FV415T: gravitational unit, opening pressure 30 cmH2O. FV416T: gravitational unit, opening pressure 35 cmH2O.
BB333	Miethke Port / Reservoir	The ports / reservoirs are all made of titanium and are radiopaque. They have a low overall height for easy and safe positioning and fixation of the ventricular catheter. They allow CSF extraction and drug injection by inserting a syringe through the silicone dome. The solid titanium base prevents penetration with a syringe needle. There are 6 different types: Burrhole port, CSF port, Burrhole reservoir, Sprung reservoir, Flushing reservoir, Control reservoir.	Burrhole port: FV030T: Diameter 20mm, Height 5.65mm. FV040T: Diameter 14mm, Height 4.8mm (for pediatric application). CSF port: FV060T: Diameter 20mm, Height 5.65mm. Burrhole reservoir: FV028T: Diameter 20mm, Height 5.65mm. FV029T: Diameter 20mm, Height 5.65mm with adjustable connector. FV039T: Diameter 14mm, Height 4.8mm (for pediatric application). Sprung reservoir: FV043T: Diameter 20mm, Height 5.65mm. Flushing reservoir: FV033T: Diameter 20mm, Height 5.65mm. FV035T: Diameter 14mm, Height 4.8mm (for pediatric application). Control reservoir: FV047T: Diameter 20mm, Height 5.65mm.

Billing Code	Product Name	Further Description	Size
BB334	Miethke Titanium connectors - right angled / shaped	In general, titanium connectors are preferably used with catheters of internal diameter 1.2m and external diameter 2.5mm. Step-down connectors are designed for connecting standard catheters to lumbar catheters. L-P connectors are designed for connecting two lumbar catheters to each other.	Titanium connector: Connector diameter, 1.9mm. L-shape: FV051T: 1pc Y-shape: FV015T: 1 pc, FV016T: 5 pcs, FV017T: 10 pcs. T-shape: FV018T: 1 pc, FV019T: 5 pcs, FV020T: 10 pcs. X-shape: FV021T: 1 pc, FV022T: 5 pcs, FV023T: 10 pcs. Y-shape: FV056T: 1 pc. U-shape: FV057T: 1 pc. F-shape: FV058T: 1 pc. L-shape: FV059T: 1 pc. Titanium connector, step-down: Connector diameters: 1.9mm to 1.4mm: L-shape: FV052T: 1 pc. Titanium connector, L-P drainage: Connector diameters 1.4mm to 1.4mm: L-shape: FV053T: 1 pc.
BB335	Miethke proGAV with distal catheter	Adjustable valve with a gravitational unit and a distal catheter for the treatment of pediatric and adult hydrocephalus. The valve is made from titanium and is MR safe up to 3 tesla. In combination with its integrated, well established Miethke Shunt Assistant (the gravitational unit) proGAV offers protection against overdrainage.	FV417T: gravitational unit, opening pressure - . FV418T: gravitational unit, opening pressure 10 cmH2O. FV419T: gravitational unit, opening pressure 15 cmH2O. FV420T: gravitational unit, opening pressure 20 cmH2O. FV421T: gravitational unit, opening pressure 25 cmH2O. FV422T: gravitational unit, opening pressure 30 cmH2O. FV423T: gravitational unit, opening pressure 35 cmH2O
BB336	Miethke Ventricular Catheter with stylet	Ventricular catheters (with stylet) are used to drain CSF out of the ventricle. All catheters are made of radiopaque silicone.	Inside diameter 1.2mm, Outside diameter 2.5mm. FV074P: 180mm, graduated. FV077P: 250mm, graduated.

## Bard Australia Pty Ltd

### 10 - Vascular

BA221	Implanted infusion Port	Titanium or MRI Implanted Port, Open-Ended Catheter, Single Chamber	6Fr - 9.6Fr
-------	-------------------------	---	-------------

## Baxter Healthcare Pty Ltd

### 3 - General Miscellaneous

BX287	Intermate XLV 250	The Intermate XLV 250 is an ambulatory device utilising elastomeric technology to deliver continuous infusion of parenteral therapy to patients in an ambulatory setting. The device is specifically suitable for patients requiring intravenous immunoglobulin therapy. The nominal flow rate of the Intermate XLV 250 is 250mL/hr, however when used for the administration of IVIG the flow rate is reduced to approximately 120mL/hr.	Volume 500mL. Approximate infusion time for IVIG solutions is 4.2 hrs.
-------	-------------------	---	--

Billing Code	Product Name	Further Description	Size
BX288	Peri-Strips Dry	Model No PSD 4506	One size only
BX289	Peri-Strips Dry	Model No PSD 6006	One size only
BX290	Peri-Strips Dry	Model No PSD 4506	One size only
BX291	Peri-Strips Dry	Model No PSD 8006	One size only

### 9 - Cardiothoracic

BX292	Supple Peri-Guard (4 x 4cm)	Model No PC0404SN - 4 x 4cm Bovine pericardium patch	4 x 4cm
BX293	Supple Peri-Guard (6 x 8cm)	Model No PC0608SN -6 x 8cm Bovine pericardium patch	6 x 8cm
BX294	Supple Peri-Guard (10 x 16cm)	Model No PC1016SN - 10 x 16 Bovine pericardium patch	10 x 16cm
BX295	Supple Peri-Guard (8 x 14cm)	Model No PC0814SN - 8 x 14 Bovine pericardium patch	8 x 14cm

## Biomet Australia Pty Ltd

### 13 - Spinal

BH170	Zyston Straight Interbody Spacer	Posterior Lumbar Interbody Spacer, PEEK	(7mm x 20mm) to (18mm x 30mm), Convex, Lordotic
-------	----------------------------------	---	---

### 6 - Specialist Orthopaedic

BH171	JuggerKnot Soft Anchor	Suture Anchor , Polyester, PE	1.4mm
BH172	Tibial Nail System	Tibial Nail or Dynamic Tibial Nail Titanium Unsterile or Sterile	8-13mm x 25.5-42.5cm
BH173	Tibial Nail System	End Cap Titanium	One size only
BH174	Femoral Nail System	Femoral Nail Titanium Sterile or Unsterile	8 -15mm x 30- 240mm
BH176	Humeral Nail System	Humeral Nail Titanium Sterile or Unsterile	20 – 30 cm
BH177	Humeral Nail System	End Cap Various Titanium Unsterile or Sterile	One size only
BH178	Ace External Fixator	Pin Holder Bolt - Titanium	All sizes
BH179	Nancy Nail System	Pediatric Flexible Nail	2.5 or 3.0 mm x 190 -290mm
BH180	Nancy Nail System	Pediatric Flexible Nail	3.5 mm x 270-350mm
BH181	Nancy Nail System	Pediatric Flexible Nail	4.0 mm x 330-450mm
BH182	Art Retrograde Nail	Femoral Nail Titanium Unsterile or Sterile	9 -12mm x 30 - 50cm
BH183	Nancy Nail System	Pediatric Flexible Nail	2.0 - 4.0 mm x 130 - 450mm
BH184	Small / Large Fragment Set	Cannulated Bone Screw Titanium	4.5 - 8mm
BH185	Small / Large Fragment Set	Bone Screw, Titanium	3.5 - 4.0mm diameter
BH186	Small / Large Fragment Set	Cannulated Titanium Bone Screw	3.0mm - 4.0mm
BH187	Small / Large Fragment Set	3.5mm Titanium plate	7-14 holes
BH188	Small / Large Fragment Set	3.5mm Titanium plates	2 to 6 holes
BH189	Small / Large Fragment Set S/S	Washer Spiked, Standard, Cancellous, Cortical & Fastening Wire	One size only
BH190	Barouk Screw System	Metatarsal screw	3.0mm
BH191	Barouk System Staples	Varisation Staple Stainless Steel	26-90Deg x 8-10mm
BH192	Barouk System Staples	Memory Staple - Titanium Alloy	12-20mm Long

Billing Code	Product Name	Further Description	Size
BH193	Twistoff Screw	TwistOff Screw Titanium	11-14mm Long
BH194	Periarticular Plating System	Plate Calcaneal - Titanium	Small - Large
BH195	Periarticular Plating System	Fibula Composite Plate - Titanium	5 Hole
BH196	Periarticular Plating System	Medial Pilon Plate - Titanium	3 Hole
BH197	Periarticular Plating System	Meta Plate - Titanium	Sm - Lge 3 to 6 Holes
BH198	Periarticular Plating System	Fibula Composite Plate - Titanium	9 Hole
BH199	Periarticular Plating System	Tibial Plate - Titanium	7 - 15 Holes
BH200	Small / Large Fragment Set	Bone Screw	4.5-6.5mm diameter
BH203	Ace External Fixator	Ring, aluminium	1/3 ring small 6" diameter
BH204	Ace External Fixator	Ring, composite	1/3 ring small - large
BH205	Ace External Fixator	Ring, composite	1/3 ring medium
BH206	Ace External Fixator	Ring, composite	1/3 ring small
BH207	Ace External Fixator	Threaded Rod, titanium	1/4" x 10cm
BH208	Ace External Fixator	Threaded Rod, titanium	1/4" x 15cm
BH209	Ace External Fixator	Threaded Rod, titanium	1/4" x 10-25cm
BH210	Ace External Fixator	Titanium half pin thread	15-80mm, 155 x 5mm to 220 x 5mm
BH211	Ace External Fixator	Spacer with bolt, titanium	2.5-5mm
BH212	Ace External Fixator	Ring, aluminium	2/3 ring, Small - Large
BH213	Ace External Fixator	Ring, composite	2/3 ring, small - Large
BH214	Ace External Fixator	Ring, aluminium	2/3 ring, small 6" diameter
BH215	Ace External Fixator	Ring, composite	2/3 ring, small
BH216	Ace External Fixator	Stainless steel transfix pin	250/300 x 5mm with 40-70mm thread
BH217	Ace External Fixator	Titanium Transfix Pin	250/300 x 5mm with 40-70mm thread
BH218	Ace External Fixator	TIP CapS, polyethylene	3-5mm
BH220	Ace External Fixator	Adaptor rod, titanium	8mm
BH221	Ace External Fixator	Pin holder adaptor, aluminium	90"
BH222	Ace External Fixator	Anchor assembly, titanium	One size only
BH223	Ace External Fixator	Articulation, titanium	One size only
BH224	Ace External Fixator	Bolt clevis, titanium	One size only
BH225	Ace External Fixator	Locking nut, titanium	One size only
BH226	Ace External Fixator	Nut, stainless steel	One size only
BH227	Ace External Fixator	Position pins I/C foot plate, titanium	One size only
BH228	Ace External Fixator	Ring adapter bolt, titanium	One size only
BH229	Ace External Fixator	Ring connector, titanium	One size only
BH230	Ace External Fixator	Spherical nut and washer, titanium	One size only

<b>Billing Code</b>	<b>Product Name</b>	<b>Further Description</b>	<b>Size</b>
BH231	Ace External Fixator	U rings, aluminium	One size only
BH232	Ace External Fixator	Universal joint, titanium	One size only
BH233	Ace External Fixator	Wire bolt hinge, titanium	One size only
BH234	Ace External Fixator	Wire fixation bolt, cannulated or slotted (stainless steel)	One size only
BH235	Ace External Fixator	Connecting rod, aluminium	X-Short, short, medium or long
BH236	Ace External Fixator	Ring adaptor, titanium	One size only
BH237	Ace Trochanteric Nail	Trochanteric Anti Rotation Screw Sterile	60 to 100mm
BH238	Ace Trochanteric Nail	Trochanteric End Cap Sterile	5 to 25mm
BH239	Versa Nail	TTC Fusion Nail	10mm x 15cm up to 12mm x 30cm
BH240	Hoffman Wrist Kit	Hoffman Sterile Wrist Kit	One size only
BH241	Hand and Foot Fracture Systems	FRS Screw	10mm to 34mm L x 2.5mm Diameter
BH242	ALPS Foot System	Complex periarticular foot plates	small to large
BH243	ALPS Foot System	Calcaneal foot plate	small to large
BH244	ALPS foot system	periarticular foot, metatarsal and tarsal plates	small to large
BH245	Rockwood Clavicle Pin	Clavicle Pin with dual thread	2.5mm
BH246	Rockwood Clavical Pin	Clavical Pin with dual thread	4.5mm
BH247	Rockwood Clavical Pin	Clavical Pin with dual thread	3.0-3.8mm
BH248	Compression Hip Screw System	Stainless Steel Trochanteric Support Plate	Small-Large
BH249	Compression Hip Screw System	Stainless Steel Trochanteric Support Plate	Small-Large
BH250	Compression Hip Screw System	Stainless Steel Trochanteric Support Plate	Small-Large
BH251	Small/Large Fragment Set	Humeral Titanium Plate	7 to 15 holes
BH252	Small/Large Fragment Set	Radial Titanium Plate	7 to 15 holes
BH253	Distal Radius Fracture Repair System	DVR titanium radius plates	7 to 15 holes
BH254	Distal Radius Fracture Repair System	DVR-A, distal volar radius locking plate, titanium	16 to 20 holes
BH255	Distal Radius Fracture Repair System	DNP, titanium radius nail plates	7 to 15 holes
BH256	Distal Radius Fracture Repair System	Fragment locking plate, titanium	Right, left, straight, Y
BH257	Distal Radius Fracture Repair System	Non-locking bone screw	3.5mm diameter
BH258	HI S3 Shoulder Fixation System	S3 Shoulder Plate	7 to 15 holes
BH259	HI S3 Shoulder Fixation System	S3 Shoulder Plate	16-20 Hole, Left & Right
BH260	HI S3 Shoulder Fixation System	Peg, Standard Stainless Steel	4mm
BH261	HI S3 Shoulder Fixation System	Locking Peg	4mm diameter
BH262	HI S3 Shoulder Fixation System	Bone screw	3.8 to 4.0mm
BH263	HI S3 Shoulder Fixation System	Set Screw, 90 Deg Locking	One size
BH264	Small Bone Fixation System - Small Bone Flexible Nail	Intramedullary Nail	1.6mm and 1.1mm
BH265	Small Bone Fixation System - Small Bone Fixation System Kit	Intramedullary Nail Fixation System Kit	1.6mm and 1.1mm

<b>Billing Code</b>	<b>Product Name</b>	<b>Further Description</b>	<b>Size</b>
BH266	VersaNail IM Nailing Platform	Troch Entry and Universal Femoral Nails, Titanium, Locking, cannulated.	9-13mm x 28-48CM
BH267	VersaNail IM Nailing Platform	Tibial Nails, Titanium, Locking, cannulated.	8-13mm x 25 - 50cm
BH268	Polyax Plating System	Titanium Locking Screw	4.5-5.5mm
BH269	Polyax Plating system	Cannulated Locking Screw, Titanium	4.5 to 8.0mm diameter
BH270	Polyax Plating System	Multidirectional Locking Screw, Titanium	4.5-5.5MM
BH271	Polyax Plating System	Non-Locking Screw, Titanium	40-100mm
BH272	Polyax Plating System	Locking Bone screws	4.0mm diameter
BH273	ALPS - Anatomic Locked Plating System	3.5mm titanium plate	2-6 holes
BH274	ALPS - Anatomic Locked Plating System	3.5mm Titanium plates	7 to 15 holes
BH275	ALPS Plating System	Non locking Bone Screws	3.0-4.0mm
BH276	ALPS Plating System	Cancellous titanium Locking Bone Screws	10-100mm
BH277	ALPS Plating System	Cannulated Bone Screws	3.0 to 4.0mm diameter
BH278	ALPS Plating System	Non-locking bone screw	2.5 to 2.7mm
BH279	ALPS - Anatomic Locked Plating System	3.5mm titanium locking spider plates	Small - large and offset
BH280	ALPS SFS	Flat and cupped Titanium washers	Flat and cupped
BH281	ALPS LFS	4.5mm titanium plates	1-6 holes
BH282	ALPS LFS	4.5mm titanium plates,	7-15 holes
BH283	ALPS Plating System	Non-locking bone screws	4.5 - 6.5mm diameter
BH284	ALPS Plating System	Locking screws	4.5 to 6.5mm diameter
BH285	ALPS LFS	4.5mm Titanium Spider plates	Single hole plate with hooks
BH286	ALPS LFS	Flat and cupped Titanium washers	4.5-6.5mm
BH287	ALPS Anatomic Locked plating system	Distal and Proximal Tibial Plates, Titanium	7 to 15 holes
BH288	ALPS-Anatomic Locked Plating system	Distal and Proximal Tibial Plates, Titanium	16 - 25 holes
BH289	ALPS System	Polyaxial locking screws	3-4.0mm diameter
BH290	ALPS Elbow System	Humeral Titanium Plates	Small - Large, 7 to 15 holes
BH291	ALPS Elbow System	Radial Titanium Plates	Small – Large, 3 to 6 holes
BH292	ALPS Elbow System	Ulna Titanium Plates	Small – Large, 3 to 6 holes
BH293	ALPS Elbow System	Ulna Titanium Plates	Small – Large, 7 to 15 holes
BH294	Distal Radius Fracture Repair System	Locking titanium bone screws	2-2.5mm
BH295	Distal Radius Fracture Repair System	'Multidirectional locking bone screws	2-2.5mm
BH296	Distal Radius Fracture Repair System	Locking titanium bone screws with dual thread	2.0 - 2.5mm
BH297	ALPS Hand Fracture System - Locking Plate	1.0 - 2.5mm titanium hand plates	7 to 25 holes
BH298	ALPS Hand Fracture System - Locking Plate	1.0 - 2.5mm titanium hand plates	7 to 15 holes
BH299	ALPS Hand Fracture System	Bone Screws	1.0 - 2.0mm

<b>Billing Code</b>	<b>Product Name</b>	<b>Further Description</b>	<b>Size</b>
BH300	ALPS Hand Fracture System	Locking Bone Screws	1.0 - 2.0mm
BH301	ALPS Hand Fracture System	Multidirectional locking bone screws	2.5mm
BH302	ALPS Hand Fracture System	Bone screws	2.5mm
BH303	ALPS Hand Fracture System	Locking Bone Screws	2.5mm
BH304	Compression Hip Screw System	Compression hip screw plate, stainless steel	2 to 6 holes
BH305	Compression Hip Screw System	Compression hip screw plate, stainless steel	7 to 15 holes
BH306	Compression Hip Screw System	Compression hip screw plate, stainless steel	16 holes
BH307	ALPS Fibula Plating System	Anatomic Fibular Plating System	7 to 15 holes
BH308	ALPS Fibula Plating System	Anatomic Fibular Locking Plate	16 to 20 holes
BH309	Polyax Plating System	Proximal Tibial Locking Plate, Titanium	7 to 15 holes
BH310	Polyax Plating System	Proximal Tibial Locking Plate, Titanium	16 to 20 holes
BH311	Polyax Plating System	Distal Femoral Locking Plate, Titanium	7-15 holes
BH312	Polyax Plating System	Distal Femoral Locking Plate, Titanium	16-25 holes
BH313	Affixus Hip Fracture Nail System	Short Hip fracture nails	9-13mm diameter, 180mm length
BH314	Affixus Hip Fracture Nail System	Long Hip fracture nails	9-15mm diameter, 260-460mm length
BH315	Affixus Hip Fracture Nail System	Lag Screw	70-130mm
BH316	Affixus Hip Fracture Nail System	End Caps	5mm, flush or impinging
BH317	Affixus Hip Fracture Nail System	Distal screw	20-80mm
BH318	Affixus Hip Fracture Nail System	Anti- rotational screw	5mm diameter
BH319	Orthosorb Absorbable Pin	Orthosorb - Polydiaxanone Fixation Pins 3 pins per pkt	40 x 1.3mm
BH320	Orthosorb Absorbable Pin	Orthosorb - Polydiaxanone 3 pins per pkt	40mm x 2mm
BH321	Orthosorb Absorbable Pin	Orthosorb Pkt 1 - Polydiaxanone	1mm x 40mm x 1.3mm
BH322	Orthosorb Absorbable Pin	Orthosorb Pkt 1 - Polydiaxanone	40 x 2.0mm
BH323	Orthosorb Absorbable Pin	Orthosorb K Wire - Stainless Steel Tapered Pins	1 x 40mm x 1.3mm Pk 3
BH324	Orthosorb Absorbable Pin	Orthosorb -Polydiametexanone	50 x 1.3mm
BH325	Orthosorb Absorbable Pin	Orthosorb - Polydiaxanone 2 pins per pkt	40mm x 2.0mm
BH326	Orthosorb Absorbable Pin	Orthosorb Arthroscopic Fix-Set - Polydiaxanone 5 pins per pkt	40 x 1.3mm
BH327	Barouk System Staples	TIFLEX Staple / Pin - Titanium	1.6 - 2.5 Dia 7-24mm width 13/15-36/50mm Length
BH328	Versa Nail	TTC Nail Cap Unsterile Impinging and Non Impinging	One Size
BH329	Versa Nail	TTC Nail Cap Sterile Impinging and Non Impinging	One Size
BH330	VersaNail IM Nailing Platform	End caps for VersaNail IM Nail Platform	Flush, impinging & 5-15mm
BH331	Small / Large Fragment Set	Bone Screw Titanium	4.5 to 6.5mm diameter
BH332	Small / Large Fragment Set	Washer Titanium - Flat/Cup/Countersink	One size only
BH333	Small / Large Fragment Set	Cannulated Bone Screw	4.5 to 8.0mm diameter
BH335	Small / Large Fragment Set S/S	K/Wire Stainless Steel	0.8 to 3.0 mm x 6-9" or 150-500mm



Billing Code	Product Name	Further Description	Size
BH336	Small / Large Fragment Set S/S	CHS Lag Screw Stainless Steel	Length 50-145mm
<b>Orthopaedic</b>			
BH175	Supracondylar Nail System	Solid End Cap Titanium Unsterile or Sterile	One size only
BH201	Ace External Fixator	Olive wire bayonet point - stainless steel, packet of 3	1.5 or 1.8mm
BH202	Ace External Fixator	Wire bayonet point - stainless steel	1.8mm
BH219	Ace External Fixator	Peg, titanium	5mm
BH334	Small / Large Fragment Set S/S	CHS Compression Screw - Stainless Steel	Neutral to +2

## Biotronik Australia Pty Ltd

### 8 - Cardiac

BT134	VIGILA 2 CR	Fractal coated and steroid electrode, active fixation quadrapolar	65, 75cm length, 16, 18mm electrode spacing
BT135	CELERITY PILOT	Bipolar, steroid eluting coronary sinus pacing lead with fractal coating	Lengths: 77, 87cm (in model number as 75 and 85 for simplicity)
BT136	CELERITY 2D, CELERITY 3D	Bipolar, steroid eluting coronary sinus pacing lead with fractal coating. 2D preshaped curved distal end; 3D - preshaped helix distal end	Lengths: 77, 87cm (model shows 75 and 85 for simplicity)
BT137	VIGILA 1 CT	Single-shock coil ICD lead with passive fixation	65, 75cm length
BT138	TILDA T	Bipolar, passive fixation, steroid eluting pacing lead with fractal coating	53, 60cm length
BT139	TILDA R	Bipolar active fixation lead with fractal coated and steroid eluting electrode	length 45, 53, 60cm
BT140	VIGILA 1 CR	Single shock coil ICD lead with active fixation, fractal coating and steroid elution	Lengths 65, 75cm
BT141	TILDA JT	Bipolar, passive fixation, steroid eluting pacing lead with fractal coating and J-shape	Length 45, 53cm
BT142	VIGILA 2 CT	Fractal coated and steroid electrode, active fixation, quadrapolar	Lengths: 65, 75cm; Diameter: 7.8Fr

## Boston Scientific Australia Pty Ltd

### 3 - General Miscellaneous

BS225	Speedband Superview Super 7	Multiple Band Ligator	7 bands per unit, compatible with scopes with outer diameter of 8.6mm - 11.5mm
BS227	Flexima All-Purpose Drainage Catheter	All-purpose drainage catheters for abscesses and fluid collections.	Length up to 25cm
BS229	Flexima vanSonnenburg Sump Catheter	Dual lumen catheters that drain cavity contents by application of suction	Length up to 35cm
BS230	Percuflex vanSonnenburg Sump Catheter	Dual lumen catheters that drain cavity contents by application of suction	Length up to 35cm

### 4 - Neurosurgical

BS237	Vercise IPG Kit	Dual Channel, 16 Contact, Zero Volt Rechargeable Deep Brain Stimulation IPG	One size only
BS238	Boston Scientific DBS Lead Kit	Deep brain stimulation lead with 8 in-line contact electrodes. Independent 19-filar platinum-core.	30cm - 45cm

Billing Code	Product Name	Further Description	Size
BS239	Boston Scientific DBS Extension Kit	Deep brain stimulation extension kit	55cm
BS240	Vercise Physician's Spare Kit	Boots accessory kit for DBS	N/A
BS241	Boston Scientific DBS Tunneling Tool	Tunneling tool for DBS - straw, long	N/A
BS242	Boston Scientific DBS OR Cable & Extension	OR cable and extension for DBS	One size only
BS243	Vercise Remote Control	Remote patient control for DBS	One size only
BS244	SureTek Burr Hole Cover	Burr hole cover	14mm compatability
BS245	Vercise Charging System	Recharging system for DBS	N/A
BS246	Introducer Kit	Introducer intended for the percutaneous introduction and placement of leads.	Length: 13cm; 23cm.
BS247	Stylet Kit	Stylet Kit with steering cap and stiffer stylet	Stiffer stylet length: Up to 70cm
BS248	OR Cable	OR Cable	One size only
BS249	Medical Adhesive	Medical adhesive is used to assist in fixing the lead to the suture sleeve.	One size

## 5 - Urogenital

BS226	Obtryx II Transobturator Mid-Urethral Sling System	Polypropylene mesh sling	One size only
BS228	Flexima Nephrostomy Catheter	Urinary drainage catheters for internal and external drainage of the urinary tract.	Length up to 25cm

## 8 - Cardiac

BS224	PROMUS Element Plus	Platinum chromium alloy stent coated with a blended polymer mixed with everolimus.	8mm to 38mm in length, diameter of 2.25mm to 4mm.
BS231	ADVANTIO MRI EL DR	Dual Chamber Pacemaker, Extended Life, MRI Conditional	14cc
BS232	ADVANTIO MRI DR	Dual Chamber Pacemaker, MRI Compatible	12cc
BS233	ADVANTIO MRI SR	Single Chamber Pacemaker, MRI Compatible	11.5cc
BS234	INGENIO MRI EL DR	Dual Chamber Pacemaker, Extended Life, MRI Compatible	14cc
BS235	INGENIO MRI DR	Dual Chamber Pacemaker, MRI Compatible	12cc
BS236	INGENIO MRI SR	Single Chamber Pacemaker, MRI Compatible	11.5cc

## Carl Zeiss Pty Ltd

### 1 - Ophthalmic

CZ036	AT LISA tri Toric 939MP	Trifocal (aspheric), bitoric, micro incision, single-piece IOL for capsular bag fixation, implantable with preloaded injector system. The trifocal (anterior) optic provides two diffractive focal points (+3.33D near focus and + 1.66D intermediate focus) with asymmetric light distribution 50% distance / 20% intermediate / 30% near vision,	Diopter range: + 6.00 to 24.0 DS and + 1 to +4 DC; Optic size: 6.0mm; Overall length: 11.0mm
CZ037	CT ASPHINA 509MP	Preloaded, micro incision, aspheric (aberration correcting), foldable square-edged single-piece intraocular lens for capsular bag fixation	Diopter range: 0.0 to + 32.0D; Optic Size: 6.0mm; Overall length: 11.0mm

Billing Code	Product Name	Further Description	Size
<b>Cochlear Limited</b>			
<b>2 - Ear, Nose &amp; Throat</b>			
CO062	System: Baha bone conduction implant Component: Baha® BA400 Abutment	Titanium abutment with hydroxyapatite (HA) coating	The BA400 abutment comes in four sizes: 6mm, 8mm, 10mm, 12mm
CO063	System: Baha bone conduction implant Component: Baha® BIA400 Implant with Abutment	Pre-mounted self-tapping titanium implant with TiOblast™ surface and coated Abutment with hydroxyapatite coating for Baha FAST surgery	The BIA400 implant and abutment comes in four sizes: 4mm implant with pre-mounted 6mm, 8mm, 10mm, or 12mm abutment
<b>7 - Plastic and Reconstructive</b>			
CO061	Cochlear Vistafix 3 VXA300 Abutments	Titanium abutment for Vistafix one-stage and two-stage surgery. VXA Abutments are only compatible with VXB00 Implants	3.5 mm, 4.5 mm, 6 mm, 7.5 mm
<b>Coloplast Pty Ltd</b>			
<b>5 - Urogenital</b>			
CT018	Altis Single Incision Sling System	Single Incision Sling System for female SUI	One size
CT019	Restorelle L Smartmesh	Smartmesh, Type 1, macroporous, soft, knitted, monofilament polypropylene mesh	24cm x 8cm
CT020	Restorelle XL Smartmesh	Smartmesh, Type 1, macroporous, soft, knitted, monofilament polypropylene mesh	30cm x 30cm
<b>ConMed Linvatec Australia Pty Ltd</b>			
<b>6 - Specialist Orthopaedic</b>			
LV123	Press FT PEEK Suture Anchor	Press FT PEEK Suture Anchor - preloaded on a single driver	2.6mm
LV124	PressFT PEEK Suture Anchor 2.1mm	The ConMed Linvatec PressFT Suture Anchors are manufactured from PEEK and are provided, preloaded on a single use driver and pre-threaded with either one or two Hi-Fi Sutures.	2.1mm
<b>Cook Medical Australia Pty Ltd</b>			
<b>10 - Vascular</b>			
WC301	Zenith Low Profile AAA Endovascular Graft - Contralateral/Ipsilateral Iliac Leg	Contralateral/Ipsilateral Iliac Leg	Diameter: 10-24mm, Working Length: 36-120mm
WC302	Zenith Low Profile AAA Endovascular Graft - Converter	Converter	Proximal Diameter: 24-32mm, Distal Diameter: 12mm, Working Length: 66mm
WC303	Zenith Low Profile AAA Endovascular Graft - Main Body Extension	Main Body Extension	Diameter: 22-32mm, Working Length: 45-58mm
WC305	Zenith TX2 Dissection Endovascular Graft with Pro-Form and the Z-Trak Plus Introduction System (Long proximal component)	Long thoracic proximal graft	Diameter 28mm-42mm; Length 194mm-218
WC306	Zenith TX2 Dissection Endovascular Graft with Pro-Form and the Z-Trak Plus Introduction System (thoracic body extension)	Thoracic Proximal Extension	Diameter 22mm - 42mm; Length 79mm - 83mm
WC307	Zenith TX2 Dissection Endovascular Graft with Pro-Form and the Z-Trak Plus Introduction System (Short proximal component)	Short Thoracic Proximal Graft	Diameter 22mm - 42mm Length 117mm - 165

Billing Code	Product Name	Further Description	Size
<b>3 - General Miscellaneous</b>			
WC304	Biodesign Staple Line Reinforcement	Used for reinforcement of the gastric staple line during bariatric surgical procedures and also for buttressing staple lines during lung resection	Complex 3D shape, lengths 60 - 160mm and widths 11 - 12mm
Covidien Pty Ltd			
<b>3 - General Miscellaneous</b>			
AS186	Endo GIA™ Reload with TriStaple™ Technology	Covidien's Endo GIA™ Reload with TriStaple™ Technology provides outstanding performance across a broader range of tissue thickness, thereby simplifying the cartridge selection process. With its stepped cartridge face, TriStaple™ Technology delivers graduated compression, optimising interaction between the tissue and the stapler	30mm, 45mm, 60mm
AS187	Permacol™ Biological Implant	Flat sheet of acellular porcine three-dimensional, crosslinked, dermal collagen.	20 x 40cm
AS188	Permacol™ Biological Implant	Flat sheet of acellular porcine three-dimensional, crosslinked, dermal collagen.	20 x 50cm
Culpan Medical Pty			
<b>4 - Neurosurgical</b>			
CB012	LVIS Intraluminal Support Device	Self-expanding intracranial vascular stent	Diameters: 2.5, 3.0, 4.0, 5.5mm Lengths: 15, 16, 17, 24, 25, 35, 41, 49mm
CB013	Scepter Occlusion Balloon Catheter	Intravascular occlusion balloon catheter	Balloon diameter: 4mm Balloon lengths: 10 - 20mm
CB014	Headway Microcatheter	Single lumen microcatheter	Internal diameter: 0.42mm - 0.69mm Outside diameter - distal: 1.6 - 2.6 Fr Outside diameter - proximal 2.1 -3.1 Fr Length: 150cm to 167cm
Danex Medical Pty Ltd			
<b>6 - Specialist Orthopaedic</b>			
XD015	Nextra hammertoe Correction Prosthesis	Interdigital Fusion Implant	3.5mm MPI / 3.2mm PI 4.5mm MPI / 3.2mm PI 5.5mm MPI / 3.2mm PI 4.5mm MPI / 4.5mm PI 5.5mm MPI / 4.5mm PI
Design for Vision Pty Ltd			
<b>1 - Ophthalmic</b>			
DV256	LIS 052 "StenTube"	Large Diameter Lachrymal Intubation Set	1.32mm Tube diameter
DV257	Lacricath Lachrymal Duct Balloon Catheter	Bilateral Lachrymal Duct Balloon Catheter System including inflation device.	2mm, 3mm and 5mm
DV258	Lacricath Lachrymal Duct Balloon Catheter	Unilateral Lachrymal Duct Balloon Catheter system including inflation device	2mm, 3mm & 5mm

Billing Code	Product Name	Further Description	Size
<b>Device Technologies Australia Pty Ltd</b>			
<b>12 - Knee</b>			
DE424	Restoris MCK Knee - Femeral Component	Femeral Component	LM/RL sizes 1 to 8 RM/LL sizes 1 to 8
DE425	Restoris MCK Knee - Tibial Baseplate	Tibial Baseplate	LM/RL and RM/LL, sizes 1 to 8
DE426	Restoris MCK Knee - Tibial Onlay Insert	Tibial Onlay Insert	Tibial Onlay Insert come in sizes 1 to 7, each size with 8, 9, 10 and 12mm thickness options

### 13 - Spinal

DE411	Mobi-C Cervical Disc Prosthesis	A cervical intervertebral disc replacement consisting of superior and inferior spinal plates and a mobile bearing insert.	Depth (13-19mm) x width (15-19mm) x height (4.5-7mm)
-------	---------------------------------	---	--

### 3 - General Miscellaneous

DE408	Bonastent Biliary Stent	Self-expanding metal biliary stents	10mm diameter and length varies from 60mm to 100mm
DE409	Bonastent Colo-Rectal Stent	Self-expanding covered metal colo-rectal stents	22mm-24mm diameter and length varies from 60mm to 160mm
DE410	Bonastent Colo-Rectal Stent	Self-expanding metal colo-rectal stents	22mm-26mm diameter and length varies from 30mm to 160mm

### 6 - Specialist Orthopaedic

DE412	Low Profile Locking Screws	Locking screws for Arthrex Fracture Plate Fixation	2.7mm x (8-30mm)
DE413	Locking Reconstruction Plate	Reconstruction Plate for communitied Fibula Shaft Fractures	4-6 Holes
DE414	Locking Reconstruction Plates	Reconstruction Plate for communitied Fibula Shaft Fractures	7-12 holes
DE415	Locking Third Tubular Plates	Plate for fracture of the Fibula	7-12 Holes
DE416	Locking Third Tubular Plate	Plate for fracture fixation of the Fibula	4-6 holes
DE417	Locking Medial Hook Plate	Locking Medial Hook Plate for Fixation of medial malleolus fractures	3-5 holes
DE418	Locking Medial Hook Plate	Locking Medial Hook Plate for fixation of Medial malleolus fractures	7 Holes
DE419	Locking Lateral Hook Plate	Locking Lateral Hook Plate for Fracture Fixation of the Lateral Malleolus	3-5 Holes
DE420	Locking Lateral Hook Plate	Locking Lateral Hook Plate for Fixation of Lateral Malleolus	7 Holes
DE421	Locking distal Fibula plate	Locking Distal Fibula Plate For Fracture Fixation	4-6 Holes ( Left and Right Specific)
DE422	Locking Distal Fibula Plate	Locking Distal Fibula Plate for Fracture Fixation	8 Hole ( Left and Right Specific)
DE423	PEEKPower HTO Plate	Medial High Tibial Osteotomy Implant Device System	4.5mm Titanium compression Screws

### Edwards Lifesciences Pty Ltd

#### 9 - Cardiothoracic

EL061	Carpentier-Edwards Physio Tricuspid Annuloplasty Ring	The Carpentier-Edwards Physio Tricuspid annuloplasty ring, model 6200 is intended for use in patients with tricuspid valvular insufficiency. Designed with selective flexibility and 3D waveform shape.	24, 26, 28, 30, 32, 34, 36mm
-------	---	---	------------------------------

## Emergo Asia Pacific Pty Ltd

**4 - Neurosurgical**

ER130 Nevro Spinal Cord Stimulation System (SCSS) - Pocket Adaptor Kit - M8

The Pocket Adaptor is intended to be used when replacing a previously implanted Pulse Generator with the Nevro Implantable Pulse Generator. The Pocket Adaptor interfaces the Nevro Implantable Pulse Generator to another manufacturer's previously implanted compatible lead or lead extension

Length of 10cm to 60cm, in increments of 1cm

**6 - Specialist Orthopaedic**

ER117 PediNail - Captured Locking screws - standard

4.5x16 Cort Screw  
 4.5x18 Cort Screw  
 4.5x20 Cort Screw  
 4.5x22 Cort Screw  
 4.5x24 Cort Screw  
 4.5x26 Cort Screw  
 4.5x28 Cort Screw  
 4.5x30 Cort Screw  
 4.5x32 Cort Screw  
 4.5x34 Cort Screw  
 4.5x36 Cort Screw  
 4.5x38 Cort Screw  
 4.5x40 Cort Screw  
 4.5x42 Cort Screw  
 4.5x44 Cort Screw  
 4.5x46 Cort Screw  
 4.5x48 Cort Screw  
 4.5x50 Cort Screw  
 4.5x55 Cort Screw  
 4.5x60 Cort Screw  
 4.5x65 Cort Screw  
 4.5x70 Cort Screw  
 4.5x75 Cort Screw  
 4.5x80 Cort Screw  
 4.5x85 Cort Screw  
 4.5x45 Cort Recon Screw  
 4.5x50 Cort Recon Screw  
 4.5x55 Cort Recon Screw  
 4.5x60 Cort Recon Screw  
 4.5x65 Cort Recon Screw  
 4.5x70 Cort Recon Screw  
 4.5x75 Cort Recon Screw  
 4.5x80 Cort Recon Screw  
 4.5x85 Cort Recon Screw  
 4.5x90 Cort Recon Screw  
 4.5x95 Cort Recon Screw  
 4.5x100 Cort Recon Screw

4.5mm Cort screws: 4.5mm x 16-50mm, in 2mm increments  
 4.5mmx50mm-85mm, in 5mm increments  
 4.5mm Cort Recon Screws: 4.5mmx45-100mm, in 5mm increments

ER118 PediPlates: O Plates

O-plate 12mm - Center Hole  
 O-plate 16mm - Center Hole  
 O-plate 20mm - Center Hole  
 O-plate 24mm - Center Hole

12mm, 16mm, 20mm, 24mm

Billing Code	Product Name	Further Description	Size
ER119	PediLoc - Periarticular Locking Plating System Femur<6 holes	4.5 contour locking compression femur 6 hole plate right 4.5 contour locking compression femur 6 hole plate left	4.5 contour, 6 hole, right 4.5 contour, 6 hole, left
ER120	PediPlates: I Plates	I-Plate 16mm - Center Hole I-Plate 22mm - Center Hole I-Plate 32mm - Center Hole	16mm 22mm 32mm
ER121	PediNail-Captured locking screws-small	4.0 x 15 Cort Screw (7mm Distal Lock) 4.0 x 20 Cort Screw (7mm Distal Lock) 4.0 x 25 Cort Screw (7mm Distal Lock) 4.0 x 55 Cort Screw (7mm Distal Lock) 4.0 x 60 Cort Screw (7mm Distal Lock) 4.0 x 30Cort Screw (7mm Distal Lock) 4.0 x 35 Cort Screw (7mm Distal Lock) 4.0 x 40 Cort Screw (7mm Distal Lock) 4.0 x 45 Cort Screw (7mm Distal Lock) 4.0 x 50 Cort Screw (7mm Distal Lock)	4mmx15mm-60mm in 5 mm increments
ER122	PediLoc-Periarticular Locking Plating System Femur - >7 to < 15 holes, screw siz 2.71 - 4.49mm	3.5mm Bowed locking compression femur 14 hole plate 3.5mm contour locking compression femur 8 hole plate right 3.5mm contour locking compression femur 10 hole plate right 3.5mm contour locking compression femur 12 hole plate right 3.5mm contour locking compression femur 14 hole plate right 3.5mm contour locking compression femur 8 hole plate left 3.5mm contour locking compression femur 10 hole plate left 3.5mm contour locking compression femur 12 hole plate left 3.5mm contour locking compression femur 14 hole plate left	3.5mm Bowed, 14 hole 3.5mm contour, 8 hole right 3.5mm contour, 10 hole right 3.5mm contour, 12 hole right 3.5mm contour, 14 hole right 3.5mm contour, 8 hole left 3.5mm contour, 10 hole left 3.5mm contour, 12 hole left 3.5mm contour, 14 hole left
ER123	PediLoc - Periarticular Locking Plating System Femur- > 16 holes, screw size ≥4.5mm	4.5mm Bowed locking compression femur 16 hole plate 4.5mm Bowed locking compression femur 18 hole plate 4.5mm contour locking compression femur 16 hole plate right 4.5mm contour locking compression femur 18 hole plate right 4.5mm contour locking compression femur 20 hole plate right 4.5mm contour locking compression femur 16 hole plate left 4.5mm contour locking compression femur 18 hole plate left 4.5mm contour locking compression femur 20 hole plate left	4.5mm Bowed, 16 hole 4.5mm Bowed, 18 hole 4.5mm contour,16 hole, right 4.5mm contour,18 hole, right 4.5mm contour,20 hole, right 4.5mm contour,16 hole, left 4.5mm contour,18 hole, left 4.5mm contour,20 hole, left
ER124	Stimulan Kit/Rapid Cure-5 cc	Calcium Sulphate synthetic rapid cure bone void filler kit.	5cc
ER125	Stimulan Kit/Rapid Cure-10cc	Calcium Sulphate synthetic rapid cure bone void filler kit	10 cc
ER126	Stimulan Kit/Rapid Cure-20cc	Calcium Sulphate synthetic rapid cure bone void filler kit.	20cc
ER127	Stimulan kit -5cc	Calcium Sulphate synthetic bone void filler kit	5cc
ER128	Stimulan kit-10cc	Calcium Sulphate synthetic bone void filler kit	10cc
ER129	BOTAO - ACL Button with Continuous Loop - ligament fixation device	BOTAO Titanium button with polyester Continuous Loop and Polyester Traction Threads	15mm - 40mm loop length
ER131	PediLoc System ≥7 to ≤15 holes, scfew size ≥4.5mm	4.5mm Bowed locking compression femur 10, 12, 14 hole plates 4.5mm contour locking compression femur 8, 10, 12, 14 hole plates left and right	4.5mm bowed 10, 12, 14 hole 4.5mm contour 8,10,12,14 hole right 4.5mm contour 8, 10, 12, 14 hole left
ER132	PediLoc-Plating System ≥ 16 holes, screw size 2.71 – 4.49mm	3.5mm bowed locking compression femur 16,18 hole plate 3.5mm contour locking compression femur 16,18 hole plate right 3.5mm contour locking compression femur 16,18 hole plate left	3.5mm Bowed, 16,18 hole 3.5mm contour 16,18 hole right 3.5mm contour 16,18 hole left
ER133	PediLoc-Plating System ≥ 6 holes, screw size 2.71 – 4.49mm	3.5 contour locking compression femur 6 hole plate right 3.5 contour, 6 hole left	3.5 mm contour, 6 hole right 3.5mm contour 6 hole left

Billing Code	Product Name	Further Description	Size
<b>Endotherapeutics Pty Ltd</b>			
<b>2 - Ear, Nose &amp; Throat</b>			
ET072	Eclipse Piston	Stapes: Nitinol, Fluroplastic	Diameter 0.5mm: 3.75mm - 6.00mm
ET073	Eclipse Malleus Piston	Malleus & Stapes: Nitinol, Fluoroplastic	Diamater 0.6mm: 5.5mm-8.00mm
<b>Five Corners Pty Ltd</b>			
<b>5 - Urogenital</b>			
FC002	UroLift® System	Prostatic urethral tissue-retaining retractor with adjustable retraction.	One size.
<b>GE Healthcare</b>			
<b>3 - General Miscellaneous</b>			
GC001	Iodine 125 - 'Rapid Strand' Brachytherapy Implant, Iodine 125 - 'OncoSeeds' Brachytherapy Implant	Rapid Strand consists of 10 welded titanium capsules containing iodine-125 absorbed onto a silver rod. OncoSeeds consists of the loose seeds only. Per Patient up to 120 seeds.	One size each
GC002	Iodine 125 - Rapid Strand Brachytherapy Implant; OncoSeeds Brachytherapy Implant	I-125 Rapid Strand, code IMC 7000, consists of 10 welded titanium capsules containing iodine 125. This assembly is sterile, the activity of the capsules "seeds" is available from 0.18mCi to 0.70mCi. Individual I-125 capsules (seeds) are also available as OncoSeeds IMC6711. To be used only if more than 120 seeds are used per patient.	One size only
GC003	RAPID Strand Rx Seeds	I-125 RAPID Strand Rx, pre-loaded titanium capsules containing iodine 125. To be used only if more than 100 seeds are used per patient. Benefit is per seed.	Custom
GC004	RAPID Strand Rx™	Pre-loaded, variable per patient prescription version of RAPID Strand. Price as shown is for up to 100 seeds.	The number of seeds per needle, the spacing between seeds (suture length) and number of needles required is customised per patient. Seed size is standard as is the needle gauge
<b>Global Orthopaedic Technology</b>			
<b>11 - Hip</b>			
GO261	Novae Double Cup Cortical Bone Screw	Cortical Bone Screw	5mm diameter, 30 to 65mm length in 5mm increments
<b>12 - Knee</b>			
GO250	SHiVA Modular Knee Hinge Prosthesis - Femoral Component	Hinge Knee Femoral Component	Sizes 2,3 and 4 Left and right
GO251	SHiVA Modular Knee Prosthesis - Tibial Tray	Tibial Tray	Size 2,3 and 4
GO252	SHiVA Modular Knee Prosthesis - Rotating Bearing	Rotating Bearing	Sizes 2,3 and 4 x 10mm
GO253	SHiVA Modular Knee Hinge Prosthesis - Patella Button	Patella Button	Sizes 2,3 and 4
GO254	SHiVA Modular Knee Hinge Prosthesis	SHiVA Modular Knee Hinge Prosthesis - Tibial Spacer	Size 2,3 and 4 x 5mm and 10mm thick
GO255	Apex PS Revision System - Femoral Component	The femoral component of a total knee revisionsystem that incoporates a proportionally sized box	Sizes 1-6, plus Sizes 1+ to 5+ Left and Right
GO256	Apex Revision Knee System	A modular tibial baseplate	sizes 1-6



Billing Code	Product Name	Further Description	Size
GO257	Apex Revision Knee Tibial Insert	Apex Revision Knee Tibial Insert	size 1 to 6mm x 10 to 28mm
GO258	Apex Revision Knee Stems	Apex revision Knee Femoral and Tibial Stems	Straight stem 9mm-25mm x 75mm -150mm Offset 9mm-25mm x 75mm-150mm x 2mm-4mm angled stem 9mm
GO259	Apex Revision Knee - Femoral and Tibial Augment Locking Screw/Bolt	Femoral and Tibial Locking Screw/Bolt	Femoral Augment Locking Screw/Bolt - one size only Tibial Augment Locking Screw/Bolt - 4mm, 8mm, 12mm
GO260	Apex Revision Knee	Apex Revision Knee Femoral and Tibial Augments	5mm to 10mm
GO262	Apex Revision Knee - Tibial Insert Locking Peg/Bolt	Tibial Insert Locking Peg/Bolt	10; 11; 12; 14; 16; 18; 20; 24 and 28mm

## Globus Medical Australia

### 13 - Spinal

LB058	ZYFUSE Facet Fixation System Screw with washer	Facet Screw	5.0 - 6.0mm diameter x 30 - 60mm length
LB059	ZYFUSE Facet Fixation System Screw	Facet Screw	5.0 - 6.0mm diameter x 30 - 60mm length
LB060	REVLOK Fenestrated Screw System Screw	Fenestrated Screw	5.5mm x 30mm - 8.5mm x 90mm
LB061	REVLOK Fenestrated Screw System Locking Cap	Locking Cap	One Size
LB062	SI-LOK™ Stabilization System Screw	Cannulated Dual Thread Screw	8.0-12.0mm diameter x 25-60mm length
LB063	REVERE Polyaxial Screw	Polyaxial Screw	5.5 Titanium Alloy and Stainless Steel - 4.0mm - 8.5mm x 20mm to 90mm in 5mm increments 5.5 Reduction screws - 5.5mm - 7.5mm x 30mm - 90 mm in 5mm increments 6.35 Titanium Alloy and Stainless Steel - 5.5mm- 9.0mm x 25mm to 120mm in 5mm increments 5.5 Dual Diameter Screws Titanium Alloy and Stainless Steel - 5.5mm, 6.0mm, 7.0mm, 7.5mm x 30mm to 100mm in 5mm increments 6.35 Dual Diameter Screws Titanium Alloy and Stainless Steel - 5.5mm, 6.0mm, 7.0mm, 7.5mm x 30mm to 65mm in 5mm increments
LB064	REVERE Polyaxial Screw	Polyaxial Screw, Cannulated	5.5mm x 25 - 8.5 x 65mm

## Gytech Pty Ltd

### 5 - Urogenital

GP007	Contrasure Remeex Female	Adjustable female SUI sling	Varitnesor is 1 x 1 x 2.5cm, the sling is 15mm x 32mm.
-------	--------------------------	-----------------------------	--

## Implament

### 13 - Spinal

IB001	STACC Cervical Cage	PEEK Stand Alone Interbody Spinal Fusion Cage	5.5mm x 14mm, 6.5mm x 14mm, 7.5mm x 14mm, 8.5mm x 14mm
-------	---------------------	---	--

## IQ Medical

### 1 - Ophthalmic

IQ012	EasyGas	Endotamponade Gases for Retinal Surgery, EasyGas SF6, C2F6 or C3F8, each supplied in a 60ml syringe, sterile	60ml dispensed in a single dose, sterile syringe
-------	---------	--	--

Billing Code	Product Name	Further Description	Size
<b>Johnson &amp; Johnson Medical Pty Ltd</b>			
<b>11 - Hip</b>			
MN150	Pinnacle Acetabular System - Gripton Ti-Foam Augments	Gripton Ti-Foam Augments	Wedges 52-72, buttress 54-58 or shim 10-20mm
<b>13 - Spinal</b>			
DY574	Summit SI System	Connectors	Various
DY575	Summit SI System	Connectors - wedding bands and axial	Various
MN155	Discover Artificial Disc Replacement	Artificial Cervical Disc	Small to large including extra wide
MN156	Viper Spinal System	F2 Transfacet Pedicular Screw	5 to 7mm
MN157	Viper Spinal System	Polyaxial washer with barb	13 to 19mm
MN169	VIPER Spinal System	Spinal Rods	30-480mm
<b>3 - General Miscellaneous</b>			
MN151	Evicel®	Haemostatic matrix composed of human fibrinogen and thrombin	4mL kit
MN152	Evicel®	Haemostatic matrix composed of human fibrinogen and thrombin	10mL kit
MN153	Evicel® 35cm Rigid Tip	Triple lumen, clog resistant rigid tip for drip or spray applications	35cm
MN154	Evicel® 45cm Flexible Tip	Triple lumen, clog resistant flexible tip for drip or spray applications	45cm
MN159	PROLENE™ Soft Polypropylene Mesh 2.54 x 10cm	Nonabsorbable Synthetic Surgical Mesh	2.54cm x 10cm
MN160	PROLENE™ Soft Polypropylene Mesh 5 x 10cm	Nonabsorbable Synthetic Surgical Mesh	5cm x 10cm
MN161	PROLENE™ Soft Polypropylene Mesh 7.6 x 15cm	Nonabsorbable Synthetic Surgical Mesh	7.6 x 15cm
MN162	PROLENE™ Soft Polypropylene Mesh 15 x 15cm	Nonabsorbable Synthetic Surgical Mesh	15cm x 15cm
MN163	PROLENE™ Soft Polypropylene Mesh 25 x 25cm	Nonabsorbable Synthetic Surgical Mesh	25cm x 25cm
MN164	PROLENE™ Soft Polypropylene Mesh 35.6 x 30cm	Nonabsorbable Synthetic Surgical Mesh	35.6cm x 30cm
<b>4 - Neurosurgical</b>			
JJ906	MicroSensor Monitoring System	Ventricular catheter with transducer	Catheter length 38cm
JJ907	Codman External Ventricular Drain (EVD) Catheter	External Ventricular Drain	1.5mm & 1.9mm diameter
JJ908	Codman Bactiseal External Ventricular Drain (EVD) Catheter	Antibiotic impregnated External Ventricular Drain	1.5mm & 1.9mm lumen diameter
MN158	MicroSensor Monitoring System	Skull bolt with ICP transducer	0.7mm sensor lead diameter
MN165	Delta Coiling Systems	Triangular (Delta) wind endovascular coils	1.5 to 24mm diameter
MN166	Transit Microcatheter System	Transit and Rapidtransit Microcatheters	75 to 175cm
MN167	Ascent Balloon Catheter System	Coaxial dual lumen balloon catheter	4-6mm diameter
MN168	EnPOWER Detachment Control System	Sterile Field Coil Detachment Control	Single unit
<b>5 - Urogenital</b>			
JJ905	ARTISYN™	Pelvic floor reconstructive material, lightweight, Y shaped mesh	27 x 5 cm

Billing Code	Product Name	Further Description	Size
<b>6 - Specialist Orthopaedic</b>			
MN170	Delta Shoulder System	Humeral cup	36 to 42
<b>KH NXGEN (AUS) Pty Limited</b>			
<b>13 - Spinal</b>			
KH018	Ceres Anterior Cervical Plate <55mm	Anterior Cervical Plate<55mm	22 -54mm
KH019	Ceres Anterior Cervical Plate >55mm	Anterior Cervical Plate >55mm	57-78mm
KH020	Ceres - Bone Screw - Self-tapping	Bone Screw - Self-tapping	Diam: 4.05mm Length:12-16mm
KH021	Ceres - Bone Screw - Large Diameter	Bone Screw - Large Diameter	Diam: 4.8mm Length: 12- 16mm
KH022	Ceres - Bone Screw - Self drilling	Bone Screw - Self drilling	Diam: 5.5mm Length:12-16mm
KH023	Cobra Multiaxial Pedicle Screw	Multiaxial Pedicle Screw	Diam: 3.5 and 4.0mm length: 12-32mm
KH024	Cobra Crosslink Connector	Transverse rod connector	one size only
KH025	Cobra Occipital Plate	Occipital Plate	32 and 37mm
KH026	Cobra Rod - Dual Diameter	Dual diameter rod for use with occipital plate	Diameter: 3/4/3mm Length: 160mm
KH027	Cobra Occipital Screws	Occipital bone screw	Diameter:4.0 -4.5mm length: 6 -10mm
KH028	Cobra Lateral Offset Connector	Lateral Offset Connector	one size only
KH029	Cobra Locking Screw	Locking Screw	one size only
KH030	Cobra Rod	Rod	Diameter: 3mm Length: 70 -200mm
KH031	Cobra Laminar Hook	Laminar Hook	Standard size extended
KH032	G5 Monoaxial Pedicle Screws	Monoaxial pedicle screw, titanium alloy	Diameter: 4.5 - 7.5mm Length: 25- 55mm
KH033	G5 Polyaxial Pedicle Screw	Polyaxial Pedicle Screw, Titanium Alloy	Diameter: 4.0 -7.5 Length: 25 -55mm
KH034	G5 Locking Cap/Screw	setscrew, titanium alloy	one size only
KH035	G5 Rod	Rod, titanium alloy	50 - 550mm
KH036	G5 Crosslink Adjustable	Adjustable crosslink (Straight or curved), titanium alloy	Straight or curved; Span 28 -70mm
KH037	G5 Crosslink Fixed	Fixed crosslink, Titanium alloy	Span 16 -26 mm
KH038	Cercage Cervical Cage	Cervical interbody fusion cage	Depth: 11mm/ 14mm Width: 5/6/7/8/9/10mm
KH039	Lumcage Lumbar Cage	Lumbar interbody fusion cage	Height: 8/10/12/14/16mm Length: 22/26/32/36mm

Billing Code	Product Name	Further Description	Size
<b>Lifehealthcare Pty Ltd</b>			
<b>13 - Spinal</b>			
LH489	NanOss Cervical Interbody	Cervical Cage with 6 degree of lordosis	Height 5mm, 6mm, 7mm, 9mm, 11mm Footprints: 14mm Wide & 12mm Depth, 17mm Wide & 14.5mm Depth
LH490	M6C Artificial Cervical Disc	The M6 artificial cervical disc is an intervertebral disc prosthesis designed to maintain motion of a functional spinal unit when the native disc is diseased.	Footprints: 12.5mm x 15mm 15mm x 15mm 14mm x 17mm 16mm x 17mm Heights: 6mm & 7mm
LH491	Jazz Posterior Fixation System - Screw Connector	A locking screw that ensures a perfect two-in-one bond of the braid and connector.	10mm

#### 4 - Neurosurgical

LH494	Aneurism Clip - Elgiloy	Sugita Clips, Elgiloy. Cobalt Chrome alloy.	One size each
-------	-------------------------	---	---------------

#### 7 - Plastic and Reconstructive

LH492	Standard Approach Mesh	Pre-contoured titanium mesh implants for 11 standard approaches.	0.6mm thick
LH493	Neuro Flap Fix Kit (Sterile)	Neuro Flapfix Kit (sterile) consists of three low-profile 2-hole plates & six self-drilling 1.5-mm maxDrive screws.	Plates: length 15mm / width 1mm /thick 0.6mm Screws: length 4mm/ width 1.5mm
LH495	Martin Level One Fixation	Plate, titanium	<0.5mm thick, 4 to 7 holes

### Lima Orthopaedics Australia Pty Ltd

#### 6 - Specialist Orthopaedic

LC121	Versa Screw Washer	Versa Screw Washer	One Size
LC122	Versa Screw	Self Drilling self tapping Cannulated Compression Screw	6.5 to 8mm Dia x 40 to 120mm length
LC123	TwinLock Screw - Mini	TwinLock Screw - Mini	2.5/2.8mm Dia x 8 to 20 mm length
LC124	TwinLock Screw - Small	TwinLock Screw - Small	3.5/3.6mm to 4.0/4.1mm Dia x 16 to 34 mm length
LC125	Twinlock Screw - Standard	Twinlock Screw - Standard	5.2/5.5mm to 6.0/7.0mm Dia x 25 to 120 mm Length
LC126	R2 Subtalar Implant	R2 Subtalar Implant	Size 7/13mm to 12/18mm
LC127	MCD non Locking Bone screw - Small	MCD NON Locking Bone Screw Small	3 to 4mm Dia x 08 - 60mm Length partial or Full Thread
LC128	MCD Non Locking Bone Screw - Standard	MCD Non Locking Bone Screw - Standard	4.5 / 6.5mm Dia x 20 -120mm Length Full thread
LC129	MCD Cannulated Bone Screw - Mini	MCD Cannulated Bone Screw - Mini	2.0 to 2.3mm Dia x 08 - 24mm Length
LC130	MCD Cannulated Bone Screw - Small	MCD Canulated Bone Screw - Partial or Full Thread - Small	3.0 to 4.0 mm Dia x 08-60mm Length
LC131	MCD Cannulated Bone Screw - Standard	MCD Cannulated Bone Screw Full or Partial Threaded - Standard	4.5 to 6.5mm Dia x 16 - 120mm Length
LC132	MCD Cannulated Double Threaded Bone Scre - Small	MCD Cannulated Double Threaded Bone Screw - Small	3.0/4.0mm Dia x 14 to 34mm Length
LC133	MCD Non Locking Bone Screw - Micro	MCD Non Locking Bone Screw - Micro	2.0mm Dia x 06-26mm Length
LC134	MCD Bone Screw - Mini	MCD Non Locking bone Screw - Mini	2.3 / 2.7 Dia x 06-30mm Length

Billing Code	Product Name	Further Description	Size
LC135	MCD Locking Bone Screw - Micro	MCD Locking Bone Screw - Mini	2mm Dia x 08 - 26mm Length
LC136	MCD Locking Bone Screw - Mini	MCD Locking Bone Screw - Mini	2.3 / 2.7mm Dia x 06 - 30mm Length
LC137	MCD Double Threaded Bone Screw - Mini	MCD Double Threaded Bone Screw - Mini	2.3/3.0 mm Dia x 08 - 26mm Length
LC138	Compression Plate Complex ≤ 6 hole - Mini	Compression Plate Complex ≤ 6 hole - Mini	4-6Hole Compression Plate - 1 to 2 mm thick with/without step
LC139	Compression Plate Complex ≥ 7 to ≤15 hole - Mini	Compression Plate Complex ≥ 7 to ≤15 hole - Mini	7-9 Hole Compression Plate from 1 to 2 mm thick with/without step
LC140	Compression Plate ≤ 6 hole - Mini	Compression Plate ≤ 6 hole - Mini	3-6 Hole Straight Plate x 1.2mm Thick x Compression 1-2mm
LC141	Compression Plate ≥ 7 ≤15 Hole - Mini	Compression Plate ≥ 7 ≤15 Hole - Mini	8 Hole Straight Plate - a1-2mm Thick x 1-2mm Compression path
LC142	Fibula Compression Plate ≤ 6 hole	Fibula Compression Foot Plate ≤ 6 hole	3-6 hole Fibula Plate 1.5mm thick x 2mm Compression path
LC143	Fibula Compression Plate ≥ 7 to ≤ 15 hole	Fibula Compression foot Plate ≥ 7 to ≤ 15 hole	7-8 Hole Plate 1.5mm thick x 2mm Compression

## LMA PacMed Pty Ltd

### 2 - Ear, Nose & Throat

PM119	Total Ossicle Replacement	a) TTP Tuebingen Type Aerial Type b) TTB-Vario Aerial c) TTP Variac System Total d) Malleus Notch Prosthesis e) Regensburg Type Titanium Prosthesis	a) Length - 3 to 7mm b) one size only d) Length - 3 to 7mm e) Length - 4 to 5mm
-------	---------------------------	---	---

## LMT Surgical Pty Ltd

### 6 - Specialist Orthopaedic

LM160	AIM-TEC AVRE SF Anchor System - Small	Titanium screw type anchor system	Diameter : 1.7 and 22mm
LM161	AIM-TEC AVRE SF Anchor System - Medium	Titanium screw type anchor system	Diameter : 3mm
LM162	AIM-TEC AVRE SF Anchor System - Large	Titanium screw type anchor system	Diameter : 5 and 6mm
LM163	AIM-TEC AVRP SF (PEEK) Anchor System -Medium	PEEK screw type anchor system	Diameter: 3mm
LM164	AIM-TEC AVRP SF (PEEK) Anchor System - Large	PEEK screw type anchor system	Diameter: 5 and 6.5mm
LM165	AIM-TEC Absorbable Anchor Screw - Small	Absorbable screw type anchor system	Diameter: 2mm
LM166	AIM-TEC Absorbable Anchor Screw - Medium	Absorbable screw type anchor system	Diameter 3mm Length: 8 and 14mm
LM167	AIM-TEC Absorbable Anchor Screw - Large	Absorbable screw type anchor system	Diameter: 5 and 6mm Length: 15 and 17mm
LM168	Ankle Fix - Plate ≥ 7 to ≤ 15 holes	Ankle Fusion plate	Standard and Large
LM169	Ankle Fix -Plate ≥ 16 holes	Ankle fusion plate	One size only
LM170	Screws - Standard	Standard Screws	10 - 70mm
LM171	Screws -Locking	Locking Screw	10 - 70mm
LM172	NEUMANN Wrist Arthrodesis System - Plate	Wrist arthrodesis plate	small and large
LM173	Screws - Standard - Micro	2mm diameter standard screw	5 - 19mm
LM174	Screws - Standard - Mini	2.7mm diameter standard screw	8 - 30mm
LM175	Screws -Locking -mini	2.7mm diameter locking screw	8 - 30mm

Billing Code	Product Name	Further Description	Size
LM176	Cross Bone 5-10cc	Bone substitute	Blocks-Height:10mm, Width:14-20mm, Length:30-40mm (Volume: 5.6-6.0cc) Granules - Granule size 0.5-3.5mm; volume 10cc
LM177	Cross Bone 10-20cc	Bone Substitute	Blocks - Height: 15mm, Width: 30mm Length:35mm (Volume:15.75cc) Granyles - Granule size 0.5-3.5mm; Volume 20cc
LM178	PIDI-KIT System - Plate	Proximal radial head and neck fracture plate	Small, medium and large
LM179	Compression Screw - Small	3.9mm diameter cannulated compression screw	Length: 14 - 22mm
LM180	Compression Screw - Mini	2.7mm diameter cannulated compression screw	Length:14 - 24mm

## MatOrtho

### 11 - Hip

MJ001	ADEPT MoM Resurfacing Head	Resurfacing Head MoM, Cast CoChr	38-58 going up in 2mm increments
MJ002	Adept MoM Acetabular Component	Porocast beaded Shell , Co Cr, HA coated size 44-66mm	44-66mm Outer diameter going up in 2mm increments
MJ003	Adept MoM Acetabular Component - Extra Fixation Cup	Porocast beaded Shell , Co Cr, HA coated, dysplasia flange	46-66mm Outer diameter going up in 4mm increments

### 12 - Knee

MJ004	MRK (Medial Rotation Knee) Total Knee System Femoral Component	Femoral Component, Cemented, CoCr	0-5 Left and Right
MJ005	Saiph Knee System Femoral Component Cemented	CoCr Polished Cemented Femoral Component	1 - 8 Left & Right
MJ006	MRK (Medial Rotation Knee) Total Knee System Femoral Component	Femoral Component, uncemented, CoCr with stippled surface titanium plasma spray HA coated	0-5 Left and Right
MJ007	Saiph Knee System Femoral Component Cementless	CoCr Polished Cementless Femoral Component, Porous Titanium and HA	1 - 8 Left & Right
MJ008	MRK (Medial Rotation Knee) Total Knee System Tibial Baseplate	Tibial Baseplate, cemented, Titanium for fixed insert	1-5
MJ009	Saiph Knee System Tibial Component Cemented	CoCr Tibial Component, Cemented	A - F, Standard and Long Stem
MJ010	MRK (Medial Rotation Knee) Total Knee System Tibial Baseplate	Tibial Baseplate, uncemented, Titanium with stippled surface titanium plasma spray HA coated	1-5
MJ011	Saiph Knee System Tibial Component Cementless	CoCr Tibial Component, Porous Titanium and HA	A - F, Standard an Long Stem
MJ012	MRK (Medial Rotation Knee) Total Knee System Tibial Insert	Tibial Insert, UHMWPE, Fixed	1/2/3, 8-18mm thickness
MJ013	Saiph Knee System APS Tibial Insert	Compression Moulded Anterior Posterior Stabilised Tibial Bearing	A - F, Left & Right 10 - 20mm
MJ014	MRK (Medial Rotation Knee) Total Knee System Patellar Component	All Poly Patellar, UHMWPE, 1 central peg, This is a uncemented poly button	20-30mm
MJ015	Saiph Knee System Patella Component	Inset or Onset Polyethylene Patella Component	Small & Large, 16mm - 28mm

### 6 - Specialist Orthopaedic

MJ016	Box Ankle	Meniscal Insert, UHMWPE	Small 5-8mm, Medium 5-8mm and Large 5-8mm
MJ017	Box Ankle	Talar Component CoChr. Cementless	Small, Medium and Large
MJ018	Box Ankle	Tibial Component CoChr. Cementless	Small, Medium and Large
MJ019	PIPR Finger Joint	Proximal Interphalangeal Replacement Joint	Sizes 7 through to 11

## Mayo group

**10 - Vascular**

CM027	Pressure Injectable ARROWg+ard® Blue Plus Antimicrobial Multi-Lumen Central Venous Catheters	Pressure Injectable Multi Lumen Central Venous Catheters (of various lengths sizes and lumen configurations) with antimicrobial impregnation of the internal and external catheter with Chlorhexidine and Silver Sulphadiazine.	CS42703HP: 16cm x 7Fr Triple Lumen Catheter CS45703HP: 20cm x 7Fr Triple Lumen Catheter CS42854HP: 16cm x 8.5Fr Quad Lumen Catheter CS45854HP: 20cm x 8.5Fr Quad Lumen Catheter
-------	--	---	--

## Mayo Healthcare Pty Ltd

**10 - Vascular**

YO001	Arrow Peripherally Inserted Central Catheterisation Sets	Range of Polyurethane single lumen peripherally inserted central catheters with or without stylet	3 Fr, range of lengths
YO002	Arrow Peripherally Inserted Central Catheterisation Sets	Range of Polyurethane single lumen peripherally inserted central catheters with or without stylet	4 Fr, range of lengths
YO003	Arrow Peripherally Inserted Central Catheterisation Sets	Range of Polyurethane double lumen peripherally inserted central catheters with or without stylet	4 and 5 Fr, range of lengths
YO004	ARROWg+ard Blue Haemodialysis Catheters	Haemodialysis Catheters (of various lengths, sizes and lumen configurations) with antimicrobial impregnation (chlorhexidine and silver sulphadiazine) on the external surface of the polyurethane catheter material.	CS-22122 - 12Fr 16cm, Dual Lumen CS-22123 – 12Fr 16cm, Triple Lumen CS-25122 – 12Fr x 20cm, Dual Lumen CS-22142CF – 14Fr x 15cm, Dual Lumen, Curved, Firm CS-22142F – 14Fr x 15cm, Dual Lumen Firm CS-25122 – 12Fr x 20cm, Double Lumen CS-25123 – 12Fr x 20cm, Triple Lumen CS- 25142CF – 14Fr x 20cm, Double Lumen, Curve, Firm CS-25142F – 14Fr x 20cm, Double Lumen, Firm CS-26142F – 14Fr x 25cm, Double Lumen, Firm CU-22122 – 12Fr x 16cm, Double Lumen, Curved CU-23122 – 12Fr x 13cm, Double Lumen, Curved CU-25122 – 12Fr x 20cm, Double Lumen, Curved
YO005	ARROWg+ard Blue Single Lumen Central Venous Catheters	A polyurethane central venous catheter with Blue FlexTip (of various lengths, sizes and lumen configurations) with antimicrobial impregnation (chlorhexidine and silver sulphadiazine) on the external surface of the polyurethane catheter body.	CS-24301 - 16g x 20cm, Single Lumen, Adult CS-24306E-16g x 16cm, Single Lumen Adult CS-24701 - 14g 20 cm, Single Lumen Adult CS-24706E -14g x 16cm, Single Lumen, Adult
YO006	ARROWg+ard Four & Five Lumen Central Venous Catheters	A polyurethane central catheter with Blue FlexTip (of various lengths, sizes and lumen configurations) with antimicrobial impregnation (chlorhexidine and silver sulphadiazine) on the external surface of the polyurethane catheter material	CS-22854E - 8.5 Fr x 16cm, Quad Lumen CS-25854E - 8.5Fr x 20cm, Quad Lumen CS-22855 - 8.5 x 16cm, Five Lumen CS-25855 - 8.5Fr x 20cm, Five Lumen
YO007	ARROWg+ard Blue Double & Triple Lumen Central Venous Catheters	A polyurethane central venous catheter with Blue FlexTip (of various lengths, sizes and lumen configurations) with antimicrobial impregnation (chlorhexidine and silver sulphadiazine) on the external surface of the polyurethane catheter material	CS-24402 - 4Fr x13cm, Dual Lumen CS-22502 -5FR x 5cm, Dual Lumen CS-25402 - 4Fr x 8cm, Dual Lumen CS-25502 - 5Fr x 12cm, Dual Lumen CS-22702E - 7Fr x 16cm, Double Lumen CS-26702 - 7Fr x 20cm, Double Lumen CS-27702E - 7Fr x 20cm, Double Lumen CS-25553 - 5.5Fr x 8cm, Triple Lumen CS-22703E - 7Fr x 16cm, Triple Lumen CS-26553 -5.5Fr x 13cm, Triple Lumen CS-24703E - 7Fr x 30cm, Triple Lumen CS-25703E - 7Fr x 20cm, Triple Lumen
YO008	ARROWg+ard Blue Plus QUAD Lumen Central Venous Catheters	Central Venous Catheters (of Various lengths, sizes and lumen configurations with antimicrobial impregnation on:1. The external indwelling surface of catheter material (chlorhexidine and silver sulphadiazine) 2. The entire internal fluid pathway including catheter, extension-lines and hubs (chlorhexidine acetate)	CS-42854E - 8.5Fr x 16cm, Quad Lumen CS-45854E - 8.5Fr x 20cm, Quad Lumen

Billing Code	Product Name	Further Description	Size
YO009	ARROWg+ard Blue Plus Double & Triple Lumen Central Venous Catheters	Double & Triple Lumen Central Venous Catheters (of various lengths sizes and lumen configurations) with antimicrobial impregnation on: 1. The external indwelling surface of catheter material (chlorhexidine and silver sulphadiazine) 2. The entire internal fluid pathway including catheter, extension-lines and hubs (chlorhexidine acetate)	CS-45802E - 8 Fr x 20cm, Dual Lumen CS-46702E - 7Fr x 20cm, Dual Lumen CS-47702E - 7Fr x 20cm, Dual Lumen CS-42703E - 7Fr x 16cm, Triple Lumen CS-45703E - 7Fr x 20cm, Triple Lumen
YO010	Arrow double lumen pressure injectable peripherally inserted central catheter (PICC) set	Arrow double lumen pressure injectable PICC (peripherally inserted central catheter) set	5Fr x 50cm, Double Lumen
YO011	Arrow single lumen pressure injectable peripherally inserted central catheter (PICC) set	Single lumen pressure injectable peripherally inserted central catheter (PICC) set	4 Fr x 50cm, Single lumen
YO012	Arrow Cannon II Plus Chronic Haemodialysis Catheter Set	Dual Lumen, Retrograde Tunneled, Cuffed, Tip First, Chronic Haemodialysis Catheter Set	15Fg x 24 - 55cm

## MDJ Australia (PTY) Ltd

### 3 - General Miscellaneous

DJ014	CABS Air Composit	Umbilical hernia, Parietal Prosthesis with inflatable expansion Balloon	5cm, 7cm, 9cm (all sizes in diameter)
-------	-------------------	---	---------------------------------------

## Medacta Australia Pty Ltd

### 11 - Hip

MU110	X-Acta Femoral Stems	Stainless Steel Femoral Stems	Sizes 0 - 4 / Offsets 35.5 - 44 mm
MU111	MectaPlug PE	Cement Restrictor	12 - 30 mm

### 12 - Knee

MU112	GMK Cemented Standard Femur - TiNbN coated	Cemented standard femoral component, with TiNbN surface coating	sizes 1 to 7, left to right
MU113	GMK Posterior Stabilised Cemented Femur -TiNbN coated	Cemented posterior stabilised femoral component, with TiNbN surface coating	sizes 1 to 7, left toright
MU114	GMK Cemented FIXED Tibial Tray -TiNbN coated	Asymmetric polished cemented fixed tibial component, with TiNbN surface coating	1 to 6, left to right
MU115	GMK Mobile Cemented Tibial Tray - TiNbN coated	Asymmetric mobile cemented tibial component, with TiNbN surface coating.	1 to 6, left to right

### 13 - Spinal

MU102	Mecta-C	Cervical Interbody Fusion Device made with PEEK	Width: 12,14,and 15mm. Length: 14,16 and 18 mm. Height: from 4 to 9 mm. Flat Dome Shaped versions
MU103	Mectalif Oblique	Oblique Transforaminal Interbody Fusion Device made with PEEK	Width: 12mm. Length 32,36 and 40 mm. Height: from 7 to 15 mm
MU104	Mectalif Posterior	Posterior Interbody Fusion Device made with PEEK	Width: 11mm. Length: 22 and 25 mm. Height: from 7 to 15 mm
MU105	Mectalif Transforaminal	Transforaminal Interbody Fusion Device _ Banana Shape - made with PEEK	Width: 12 and 14 mm. Length: 30 and 34 mm. Height from 8 to 15 mm
MU106	M.U.S.T Polyaxial Pedicle Screws Cannulated	Polyaxial Cannulated Screws	5-7mm; Length 25 -90mm
MU107	M.U.S.T. Set Screw	Set Screw	One Size
MU108	M.U.S.T. Rods	Straight and Pre-Bent Rods	5.5; length 35 - 480mm
MU109	M.U.S.T. Polyaxial Pedicle Screws	Polyaxial Screws	4.5 -7mm; length 20 -90mm



Billing Code	Product Name	Further Description	Size
<b>Medical &amp; Optical Instruments Australia Pty Ltd</b>			
<b>6 - Specialist Orthopaedic</b>			
MO404	Acumed Locking Calcaneal Plates	Locking Calcaneal Plates	>7 to >15 holes LK
MO405	Acumed Locking Calcaneal Plates	Locking Calcaneal Plates	<6 Hole LK
<b>7 - Plastic and Reconstructive</b>			
MO398	KLS Martin Plating System	Preshaped reconstruction plates, in left and right options	3.0mm thickness with 26 holes
MO399	KLS Martin Plating System	Preshaped reconstruction plates, in left and right options	2.0mm and 2.5mm thickness with 26 holes
MO400	Martin Level One Fixation	Plate ,Titanium	1.0 to 1.99mm thick, 8 -15 holes
MO401	Martin Level One Fixation	Plate Titanium	0.5 to 0.99mm thick, 4 - 7 holes
MO402	Martin Level One Fixation Resorb X & SonicWeld RX	Mesh, PDLA (resorbable)	0.50 to 0.80mm thick, 1 to 10cm <sup>2</sup>
MO403	Martin Level One Fixation Plate	Martin Level One Fixation	1.0-1.99mm thick, 4-7 holes
<b>Medical Specialties Australia Pty Ltd</b>			
<b>10 - Vascular</b>			
MS063	Peripherally Inserted Central Catheter	Single Lumen Power Injectable PICC	3 - 5Fr; 55 - 65cm
MS064	Peripherally Inserted Central Catheter	Multiple Lumen Power Injectable PICC	5 - 7Fr; 55 - 65cm
<b>Medigroup Australia</b>			
<b>3 - General Miscellaneous</b>			
MZ010	ABRA Abdominal Wall Closure Set	Abdominal Wall Closure System, for primary closure of large full thickness retracted abdominal wounds.	For wounds up to 30cm long up 30cm across.
MZ011	ABRA Abdominal Wall Closure Set (Extension Kit Only)	Extention Kit for use with ABRA Abdominal Wall Closure Set CWK08. Used when width or length of open abdomen exceeds 30cm. ABRA is for the primary closure of large full thickness retracted abdominal wounds	Extention Kit, used when wounds to be closed are larger than 30cm long and/or 30cm across.
<b>Medtronic Australasia Pty Ltd</b>			
<b>10 - Vascular</b>			
MI060	Endurant II AAA Abdominal Tube	Endurant II Endoluminal Stent Graft System - Abdominal Tube	Proximal diameter: 23 to 36mm; Distal diameter: 23 to 36mm; Covered length: 70mm
MI061	Endurant II AAA Aortic Extension	Endurant II Endoluminal Stent Graft System - Aortic Extension	Proximal diameter: 23 to 36mm; distal diameter: 23 to 36mm; Covered length: 49mm
<b>13 - Spinal</b>			
MI058	Bryan Cervical Disc	Cervical intervertebral disc prosthesis consisting of a polyurethane nucleus designed to fit between two titanium alloy shells	14mm-18mm
MI059	Prestige Cervical Disc	Cervical intervertebral disc prosthesis with ball-and-trough designed articulation	5mm - 8mm x 12mm - 18mm
MI062	Capstone Control	TLIF vertebral Body Spacer	Length: 27-32mm
MI063	Capstone Control	PLIF Vertebral Body Spacer	Length: 22-26mm

Billing Code	Product Name	Further Description	Size
MI064	Crescent Spinal System	Titanium	height: 7-16mm
MI065	Clydesdale Spinal System	DLIF Vertebral Body Spacer	Length: 40mm - 60mm
MI066	Fuse Spinal system	PLIF Vertebral Body Spacer	Length: 24.5mm
MI068	Loop Spinal System	TLIF Vertebral Body Spacer	Length: 32.5mm -37.5mm
<b>2 - Ear, Nose &amp; Throat</b>			
MI075	Middle Ear Prostheses	Total Ossicular Reconstruction Implants	0.6-0.8mm x 3.0-4.0mm x 7.0-8.0mm
MI076	Middle Ear Prostheses	Partial Ossicular Reconstruction Implant - malleus + incus	0.6-2.5 x 2.2-8.8 x 3.5 -10mm
MI077	Medtronic Ventilation Tube	Medium to long term, antimicrobial vent tube	1.02 - 1.52mm x 1.3-12.0mm
MI078	Medtronic Ventilation Tubes	Medium to Long term vent tube	0.76-1.52mm x0.9-12.0mm
MI079	Middle ear prostheses	Stapes	0.4-1.17mm x 0.9-4.0 x 4.0 x4.0-10.2mm; 4.0 - 4.75mm
<b>4 - Neurosurgical</b>			
MI067	Injex Anchor Kit	Neurostimulation Anchor Kit	One Size
MI073	Medtronic MicroTargeting Electrodes	Microelectrodes used for intra-operative recording of neuronal activity for DBS	Various
MI080	Strata NSC LP Shunt Kit	Strata NSC LP Shunt Kit with Lumbar Catheter and Peritoneal Catheter, Small Lumen	One size only
MI081	Durepair	Dura Substitute, Collagen	1"-2" x 2"-3"
MI082	Strata Valve NSC PSM Range	Strata NSC, Strata NSC Burr Hole Valve. Adjustable cerebrospinal fluid (CSF) flow valve. Polypropylene and acetal plastic base. Silicone elastomer dome.	13-20mm x 23-35mm
MI086	Strata Shunt Assembly	Assembly: Strata Shunt, Strata Burr Hole Shunt, Strata Snap Shunt. Adjustable CSF Valve with five symmetric performance level steps, includes integral (distal) peritoneal catheter.	90-120cm, 35-50mm
MI087	Strata Valve	Strata Valve, Strata Burr Hole Valve,. Adjustable CSF Valve with five symmetric performance level steps.	13-20mm x 35-50mm
MI095	CSF Ventricular Catheter PSM range	Ventricular catheter, non metallic latex free. Barium impregnated, include stainless steel stylet.	1.3 - 35cm
<b>5 - Urogenital</b>			
MI074	Sacral Nerve Stimulation Lead	4 Electrode tined lead	28 - 41 cm
<b>7 - Plastic and Reconstructive</b>			
MI083	TiMesh Titanium rigid Fixation Bone Grafting and Plating System	FlexMesh 1.5mm - 2.2mm system. Composition: Titanium	148 - 154mm x 148 - 154mm, 0.6mm
MI084	TiMesh Rigid Fixation Bone Grafting and Plating System	FlexMesh 1.0 - 1.5mm system. Composition: Titanium	51 to 100cm <sup>2</sup> area, 0.3mm thickness
MI085	TiMesh Rigid Fixation Bone Grafting and Plating System	FlexMesh 1.0 - 2.2mm system. Composition : Titanium	51 to 100cm <sup>2</sup> area, 0.6mm thickness
MI088	Macropore	Protective Sheets	1 to 10cm <sup>2</sup> area; 0.5mm thick
MI089	Macropore	Straight Plates	8 -20 hole
MI090	Macropore	Screws	1.75 - 2.75 x 2.24 - 3.24mm
MI091	TiMesh	Rigid Straight Plate	8 -32 holes
MI092	TiMesh	Internal Drive Screws	Diameter: 1.5 - 1.8mm

Billing Code	Product Name	Further Description	Size
MI093	TiMesh	Rescue Screws	Diameter: 1.8 - 2.4mm
MI094	Invisx Locks	Invisx polymer cranial fixation system	One size
<b>8 - Cardiac</b>			
MI069	VIVA XT CRT-D DTBA2D1	Implantable Cardioverter Defibrillator with Cardiac Resynchronisation therapy, SmartShock Technology, OptiVol 2.0 Fluid Status Monitoring, Complete Capture Management Specifications (DF1), and AdaptivCRT	35cc, 82g
MI070	VIVA XT CRT-D DTBA2D4	Implantable Cardioverter Defibrillator with Cardiac Resynchronisation therapy, SmartShock Technology, OptiVol 2.0 Fluid Status Monitoring, Complete Capture Management Specifications (DF4), and AdaptivCRT	35cc, 82g
MI071	VIVA S CRT-D DTBB2D1	Implantable Cardioverter Defibrillator with Cardiac Resynchronisation therapy, SmartShock Tehnology, OptiVol 2.0 Fluid Status Monitoring and Complete Capture Management Specifications (DF1)	35cc, 82g
MI072	VIVA S CRT-D DTBB2D4	Implantable Cardioverter Defibrillator with Cardiac Resynchronisation therapy, SmartShock Tehnology, OptiVol 2.0 Fluid Status Monitoring and Complete Capture Management Specifications (DF4)	35cc, 82G

## N Stenning & Co Pty Ltd

### 3 - General Miscellaneous

NG059	Frankenman Circular Stapler	Curved intraluminal stapler preloaded with titanium staplers.	21mm; 25mm; 28mm; 32mm
NG060	Frankenman Haemorrhoidal (CPH) Stapler	Circular stapler for rectal prolapse and haemorrhoids preloaded with titanium staples	Outside diameter: 32.5mm; 34.5mm
NG061	Frankenman Linear Cutter Stapler	Single use, reloadable, linear cutter stapler containing titanium staples	61mm; 81mm; 100mm
NG062	Frankenman Linear Stapler Reloads	Linear stapler single use reload with titanium staples	32mm; 46mm; 60mm; 90mm
NG063	Frankenman Linear Stapler	Linear stapler preloaded with titanium staples	32mm; 46mm; 60mm; 90mm
NG064	Frankenman Linear Cutter Reloads	Single use, linear cutter reload cartridge containing titanium staples	61mm; 81mm; 100mm

### 5 - Urogenital

NG058	NEPHRO-CATH Nephrostomy Drainage Catheter	Nephrostomy Drainage Catheter	Diameters: 8fr to 14fr sizes; Lengths 27cm through to 29cm
-------	---	-------------------------------	--

## National Surgical Pty Ltd

### 13 - Spinal

NK016	X90 Pedicle Screw	Capless, Polyaxial pedicle screw	Diameter 4.75 - 8.25mm Length 30 -55mm
NK017	Fixcet Spinal Facet Screw	Spinal facet screw	30mm - 45mm
NK018	Easy Plate - anterior Cervical Plate <55mm	Anterior cervical plate	17mm to 50mm
NK019	Easy Plate - Anterior Cervical Plate >55mm	Anterior cervical plate	60mm to 90mm
NK020	Easy Plate - Bone Screw	Bone screw	12mm to 20mm

Billing Code	Product Name	Further Description	Size
--------------	--------------	---------------------	------

NK021	Fixcet Spinal Facet Screw	Spinal facet screw	25mm - 45mm
-------	---------------------------	--------------------	-------------

## Nipro Australia

### 3 - General Miscellaneous

RN001	Surefuser	Non electronic, elastomeric balloon driven, ambulatory infusion pump, various flow rates	50ml
RN002	Surefuser	Non electronic, elastomeric balloon driven, ambulatory infusion pump, various flow rates	100ml
RN003	Surefuser	Non electronic, elastomeric balloon driven, ambulatory infusion pump, various flow rates	250ml

## Nuvasive Australia and NZ Pty Ltd

### 13 - Spinal

NV089	Armada (Fenestrated Screw)	Fenestrated Screw	5.5 - 8.5 x 30-65mm
NV090	PCM Cervical Disc	Total disc replacement system	5.7-8.0mm
NV091	Helix-T (Plate 20-54mm)	Anterior cervical plate	20-54mm
NV092	Helix-T (Plate 56 - 110mm)	Anterior cervical plate	56-110mm
NV093	Helix-T (Bone Screw)	Anterior cervical plate bone screw	4/4.5x11-19mm
NV094	Brigade Ti System	Interbody fusion implant	10-20mm x 34-42mm
NV095	Brigade Anterior Plate	Anterior plate	26-42mm
NV096	Brigade Bone Screw	Anterior plate bone screw	5.5/6.5 x 20-35mm

## Oceania Orthopaedics

### 11 - Hip

OO102	IC Intramedullary Plug	Intramedullary Plug	9mm, 14mm
OO116	Mutars RS revision system - Proximal component	RS Proximal component	127 degrees, 34/42mm, 135 degrees, 32/42mm
OO117	Mutars Proximal Femur	Mutars Proximal Femur	50/70mm length

### 12 - Knee

OO103	ACS Knee Minimally Stabilised Tibial Insert	ACS PE Insert	10, 12.5, 15, 17.5, 20mm
OO104	ACS Knee - Posterior Stabilised Tibial Insert	ACS Posterior Stabilised Tibial PE Insert	10, 12.5, 15, 17.5, 20mm
OO105	Mutars Diaphyseal connecting piece	Mutars Diaphyseal connecting piece	100mm -120mm
OO106	Mutars Distal Femur	Mutars Distal Femur	Left/Right 90mm -110mm
OO107	Mutars Diaphyseal extension piece	Mutars Diaphyseal extension piece	40/100mm
OO108	Mutars Tumour System	Mutars diaphyseal implant	100mm length x 15/17/19mm
OO109	Mutars – Genux tibial plateau	Tibial plateau for hinged knee	X small, small, standard, large
OO110	Mutars – end piece	Mutars – end piece	1 size
OO111	Mutars – Genux Augments	Mutars – Genux Augments	Size, small, 3,4,5, 5mm, 10mm, 15mm, 20mm

Billing Code	Product Name	Further Description	Size
OO112	Mutars – Metaphyseal component	Mutars – Genux metaphyseal tibial spacer	Right/Left 25mm, 35mm, 50mm
OO113	Mutars – Proximal Tibia	Mutars – Proximal Tibia	100mm
OO114	Mutars – reducer	Mutars – reducer	120mm/30mm
OO115	Mutars – Proximal tibia connecting piece	Mutars – Proximal tibia connecting piece	105mm, 125mm

## Olympus Australia

### 3 - General Miscellaneous

OL081	IBV Valve in Cartridge	A one-way valve placed in the lung airway intended to treat diseased lung in emphysematous patients or damaged lung resulting in air leaks by limiting airflow to selected areas.	5mm, 6mm and 7mm
-------	------------------------	---	------------------

## Ortho Solutions Pty Ltd

### 6 - Specialist Orthopaedic

OU001	RFS STRAIGHT WIRE	RFS STRAIGHT WIRE	RFS STRAIGHT WIRE 1.8MM X 370MM RFS DT STRAIGHT WIRE 1.8MM X 370MM RFS STRAIGHT WIRE 1.5MM X 300MM RFS TITANIUM STRAIGHT WIRE 1.8MM X 370MM
OU002	RFS OLIVE WIRE	RFS OLIVE WIRE	1.8MM X 400MM 1.5MM X 300MM
OU003	K-WIRE DOUBLE TROCAR	K-WIRE DOUBLE TROCAR	1.1mm x 150mm 1.6mm x 125mm 2.0mm x 150mm
OU004	MEMO STAPLE	12MM MEMO STAPLE (13MM) 12MM MEMO STAPLE (14MM) 12MM MEMO STAPLE (15MM) 12MM MEMO STAPLE (16MM) 12MM MEMO STAPLE (17MM) 12MM MEMO STAPLE (13MM X 15MM) 12MM MEMO STAPLE (14MM X 16MM) 12MM MEMO STAPLE (15MM X 17MM) 12MM MEMO STAPLE (16MM X 18MM) 12MM MEMO STAPLE (17MM X 19MM) 20MM MEMO STAPLE (13MM) 20MM MEMO STAPLE (15MM) 20MM MEMO STAPLE (17MM) 20MM MEMO STAPLE (19MM) 20MM MEMO STAPLE (21MM) 20MM MEMO STAPLE (23MM) 20MM MEMO STAPLE (25MM) 20MM MEMO STAPLE (12MM X 15MM) 20MM MEMO STAPLE (14MM X 17MM) 20MM MEMO STAPLE (16MM X 19MM) 20MM MEMO STAPLE (18MM X 21MM) 20MM MEMO STAPLE (20MM X 23MM)	12MM MEMO STAPLE (13MM) 12MM MEMO STAPLE (14MM) 12MM MEMO STAPLE (15MM) 12MM MEMO STAPLE (16MM) 12MM MEMO STAPLE (17MM) 12MM MEMO STAPLE (13MM X 15MM) 12MM MEMO STAPLE (14MM X 16MM) 12MM MEMO STAPLE (15MM X 17MM) 12MM MEMO STAPLE (16MM X 18MM) 12MM MEMO STAPLE (17MM X 19MM) 20MM MEMO STAPLE (13MM) 20MM MEMO STAPLE (15MM) 20MM MEMO STAPLE (17MM) 20MM MEMO STAPLE (19MM) 20MM MEMO STAPLE (21MM) 20MM MEMO STAPLE (23MM) 20MM MEMO STAPLE (25MM) 20MM MEMO STAPLE (12MM X 15MM) 20MM MEMO STAPLE (14MM X 17MM) 20MM MEMO STAPLE (16MM X 19MM) 20MM MEMO STAPLE (18MM X 21MM) 20MM MEMO STAPLE (20MM X 23MM)

**Billing Code Product Name****Further Description****Size**

---

OU005	VARISATION STAPLE	VARISATION STAPLE 90° 10MM VARISATION STAPLE 26° 10MM VARISATION STAPLE 90° 8MM VARISATION STAPLE 26° 8MM	VARISATION STAPLE 90° 10MM WIDE VARISATION STAPLE 26° 10MM WIDE VARISATION STAPLE 90° 8MM WIDE VARISATION STAPLE 26° 8MM WIDE
-------	-------------------	--	--

Billing Code	Product Name	Further Description	Size
OU006	TITANIUM EX. FIX. PIN	TITANIUM EX.FIX.PIN	TITANIUM EX. FIX. PIN 4.0MM X 20MM, TITANIUM EX. FIX. PIN 4.0MM X 25MM TITANIUM EX. FIX. PIN 4.0MM X 30MM, TITANIUM EX. FIX. PIN 4.0MM X 35MM TITANIUM EX. FIX. PIN 4.0MM X 40MM, TITANIUM EX. FIX. PIN 4.0MM X 45MM TITANIUM EX. FIX. PIN 4.0MM X 50MM, TITANIUM EX. FIX. PIN 4.0MM X 60MM TITANIUM EX. FIX. PIN 5.0MM X 20MM, TITANIUM EX. FIX. PIN 5.0MM X 25MM TITANIUM EX. FIX. PIN 5.0MM X 30MM, TITANIUM EX. FIX. PIN 5.0MM X 35MM TITANIUM EX. FIX. PIN 5.0MM X 40MM, TITANIUM EX. FIX. PIN 5.0MM X 45MM TITANIUM EX. FIX. PIN 5.0MM X 50MM, TITANIUM EX. FIX. PIN 5.0MM X 55MM TITANIUM EX. FIX. PIN 5.0MM X 60MM, TITANIUM EX. FIX. PIN 5.0MM X 65MM TITANIUM EX. FIX. PIN 5.0MM X 70MM, TITANIUM EX. FIX. PIN 5.0MM X 75MM TITANIUM EX. FIX. PIN 5.0MM X 80MM, TITANIUM EX. FIX. PIN 5.0MM X 85MM TITANIUM EX. FIX. PIN 5.0MM X 90MM, TITANIUM EX. FIX. PIN 6.0MM X 20MM TITANIUM EX. FIX. PIN 6.0MM X 25MM TITANIUM EX. FIX. PIN 6.0MM X 30MM TITANIUM EX. FIX. PIN 6.0MM X 35MM TITANIUM EX. FIX. PIN 6.0MM X 40MM TITANIUM EX. FIX. PIN 6.0MM X 45MM TITANIUM EX. FIX. PIN 6.0MM X 50MM TITANIUM EX. FIX. PIN 6.0MM X 55MM TITANIUM EX. FIX. PIN 6.0MM X 60MM TITANIUM EX. FIX. PIN 6.0MM X 65MM TITANIUM EX. FIX. PIN 6.0MM X 70MM TITANIUM EX. FIX. PIN 6.0MM X 75MM TITANIUM EX. FIX. PIN 6.0MM X 80MM TITANIUM EX. FIX. PIN 6.0MM X 85MM TITANIUM EX. FIX. PIN 6.0MM X 90MM SST EX. FIX PIN 5MM X 35MM X 175MM, SELF DRILL/TAP PIN 3.0MM L=60/10, SELF DRILL/TAP PIN 3.0MM L=60/15 SELF DRILL/TAP PIN 3.0MM L=80/20 SELF DRILL/TAP PIN 3.0MM L=110/22, SELF DRILL/TAP PIN 4.0MM L=90/40 SELF DRILL/TAP PIN 4.0MM L=120/45, SELF DRILL/TAP PIN 4.0MM L=150/40, SELF DRILL/TAP PIN 4.0MM L=150/50, SELF DRILL/TAP PIN 4.0MM L=180/50, SELF DRILL/TAP PIN 4.0MM L=200/40, SELF DRILL/TAP PIN 4.0MM L=250/50, SELF DRILL/TAP PIN 4.0MM L=250/70, SELF DRILL/TAP PIN 5.0MM L=120/35, SELF DRILL/TAP PIN 5.0MM L=150/40,SELF DRILL/TAP PIN 5.0MM L=150/50,SELF DRILL/TAP PIN 5.0MM L=180/50,SELF

Billing Code	Product Name	Further Description	Size
			DRILL/TAP PIN 5.0MM L=200/50,SELF DRILL/TAP PIN 5.0MM L=150/40,SELF DRILL/TAP PIN 5.0MM L=150/50,SELF DRILL/TAP PIN 5.0MM L=180/50,SELF DRILL/TAP PIN 5.0MM L=200/50,SELF DRILL/TAP PIN 5.0MM L=200/60,SELF DRILL/TAP PIN 5.0MM L=250/50,SELF DRILL/TAP PIN 5.0MM L=250/70,
OU007	FIXATION NAIL END CAP	OXFORD AFN ENDCAP LOCKING ANKLE ARTHRODESIS NAIL END CAP	OXFORD AFN END CAP AFN END CAP DIA 10MM X 5MM LONG AFN END CAP DIA 10MM X 10MM LONG AFN END CAP DIA 11MM X 5MM LONG AFN END CAP DIA 11MM X 10MM LONG AFN END CAP DIA 12MM X 5MM LONG AFN END CAP DIA 12MM X 10MM LONG OXFORD AFN END CAP LOCKING
OU008	OXFORD ANKLE FUSION NAIL	OXFORD ANKLE FUSION NAIL (Ti6Al4V)	AFN NAIL 11MM X 150MM (Ti6Al4V) AFN NAIL 11MM X 180MM (Ti6Al4V) AFN NAIL 10MM X 150MM (Ti6Al4V) AFN NAIL 10MM X 180MM (Ti6Al4V) AFN NAIL 12MM X 150MM (Ti6Al4V) AFN NAIL 12MM X 180MM (Ti6Al4V)
OU009	3.5mm A.C.P Plate	A.C.P Plate	3.5mm, 7 hole plate to 3.5mm 12 hole plate 3.5mm straight 7 hole reconstruction plate to 3.5mm straight 14 hole reconstruction plate
OU010	Calcaneal Step plate	Calcaneal Step plate	Calcaneal Step plate 6mm (CSP) Calcaneal Step plate 8mm (CSP) Calcaneal Step plate 10mm (CSP)
OU011	Lapidus Plate	Lapidus Plate	Lapidus plate flat ( LP), Lapidus plate 1mm step (LP) up to Lapidus plate flat ( LP), Lapidus plate 6mm step (LP)
OU012	MTP Plate	MTP Plate	2.7mm Universal locking plate 18mm (2.7ULP), up to 24mm Open wedge locking plate 4mm (OW) up to 7mm Open wedge locking plate 0mm Open wedge osteotomy plate 4mm to 7.00mm
OU013	1/3 Tubular Plate with Collar	1/3 Tubular Plate with Collar	1/3 Tubular Plate with Collar, 8-12hole
OU014	Tarsal Fusion Plate	Tarsal Fusion Plate	Tarsal Fusion Plate 12mm (TFP) Tarsal Fusion Plate 14mm (TFP) Tarsal Fusion Plate 16mm (TFP)
OU015	Rearfoot Recon Plate	Rearfoot Recon Plate	Rearfoot Recon. Plate 6 hole (RRP) Rearfoot Recon. Plate 8 hole (RRP) Rearfoot Recon. Plate 14 hole (RRP)
OU016	Arthrodesis Wedge Plate	Arthrodesis Wedge Plate	Arthrodesis Wedge Plate 0mm - 8mm (AWP) 3.5mm Universal Locking Plate 12mm - 30mm (3.5ULP)
OU017	Ti Calaneal Locking Plate	Ti Calaneal Locking Plate 3.5	Ti Calaneal Locking Plate 3.5, large Ti Calaneal Locking Plate 3.5, medium Ti Calaneal Locking Plate 3.5, small
OU018	T-Plate	3.5mm T-plate	T-Plate 3.5mm right angled 3,4,5,6 hole T-Plate 3.5mm oblique angled 3,4,5 hole
OU019	Universal - Wedge Locking plate	Universal - Wedge Locking plate	2.7mm universal locking plate 18,20,22,24mm Opening Wedge Locking plate 0,3,4,5,6,7mm Openeing Wedge Osteotomy plate 0,2.5,3,4,5,6,7mm



Billing Code	Product Name	Further Description	Size
OU020	Reconstructive Plate	3.5mm Reconstructive Plate 3.5mm A.C.P Plate	3.5mm Reconstructive Plate 5-6 hole 3.5mm A.C.P Plate 2,3,4,5,6 hole
OU021	1/3 Tubular Plate with Collar	1/3 Tubular Plate with Collar	1/3 Tubular Plate with Collar 2,3,4,5,6 hole
OU022	CHS Plate	CHS Plate	130/135/140/145/150 Degree CHS plate 2-6 hole
OU023	CHS Plate	CHS Plate	135 Degree CHS Plate 8 - 14 hole 150 Degree CHS Plate 8, 10, 12 hole
OU024	Locking screw	Locking screw	FPS 3.5mm x 14mm locking screw up to 35mm
OU025	2.5 mm Meta Screw	Meta Screw	2.5mm length 10 up to 2.5mm length 26mm
OU026	Cortex screws	Cortex screws	2.4mm x 10mm up to 28mm 2.0mm x 8mm up to 26mm 2.0mm cortical screw 6mm up to 38mm 2.0mm self tapping S/S cortical screw 8mm up to 24mm 2.7mm cortical screw 6mm up to 38mm
OU027	Cortical Screw (Ti6Al4V)	Cortical Screw	5.0mm x 20mm up to 5.0mm x 40mm
OU028	FPS 2.7mm Locking Screw	Bone screws and washers are indicated for use in fixation of various fractured bones. Mini plates and screws 3.5mm or smaller are intended for use in small bones in the hand or foot and include the metacarpal, metatarsal and phalange bones. Small and large plates and screws 4.0mm and larger are intended for use in large and long bones which can include the clavicle, scapula, pelvis, calcaneous, talus and long bones (humerus, ulna, radius, femur, tibia and fibula)	Locking Screw :8mm, 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm, Standard Scew:8mm, 10mm, 12mm, 14mm, 16mm, 18mm, 20mm, 22mm, 24mm, 26mm, 28mm, 30mm
OU029	Twistfix Screw	Bone screws and washers are indicated for use in fixation of various fractured bones. Mini plates and screws 3.5mm or smaller are intended for use in small bones in the hand or foot and include the metacarpal, metatarsal and phalange bones. Small and large plates and screws 4.0mm and larger are intended for use in large and long bones which can include the clavicle, scapula, pelvis, calcaneous, talus and long bones (humerus, ulna, radius, femur, tibia and fibula)	10mm (1.5mm Shank), 11mm(1.5mm Shank),12mm (1.5mm Shank), 13mm (1.5mm Shank), 14mm (1.5mm Shank), 15mm (1.5mm Shank), 16mm (1.5mm Shank), 17mm (1.5mm Shank), 18mm (1.5mm Shank), 10mm, 12mm, 13m, 14mm, 15mm,16mm,17mm,18mm, 11mm (cancellous thread), 12mm(cancellous thread), 13mm (cancellous thread), 14mm (cancellous thread), 15mm (cancellous thread)
OU030	Cannulated Screw Self Drill/Tap	bone screws and washers are indicated for use in fixation of various fractured bones. Mini plates and screws 3.5mm or smaller are intended fro use in small bones in the hand or foot and include metacarpal, metatarsal and phalange bones. Small and large plates and screws 4.0mm and larger are intended for use in large and long bones which can include the clavicle, scaplua, pelvis, calcaneus, talus ans long bones (humerus, ulna, radius, femur, tibia and fibula)	3.5mm x 22mm, 3.5mm x 24mm, 3.5mm x 26mm, 3.5mm x 28mm, 3.5mm x 30mm, 3.5mm x 32mm, 3.5mm x 34mm, 3.5mm x 36mm, 3.5mm x 40mm, 3.5mm x 42mm, 3.5mm x 44mm, 3.5mm x 45mm, 3.5mm x 46mm, 3.5mm x 48mm, 3.5mm x 50mm, 3.5mm x 55mm, 3.5mm x 60mm

Billing Code	Product Name	Further Description	Size
OU031	Compression Screw	Compression Screw	3.0MM META SCREW - LONG THREAD 10MM 3.0MM META SCREW - LONG THREAD 12MM 3.0MM META SCREW - LONG THREAD 14MM 3.0MM META SCREW - LONG THREAD 16MM 3.0MM META SCREW - LONG THREAD 18MM 3.0MM META SCREW - LONG THREAD 20MM 3.0MM META SCREW - LONG THREAD 22MM 3.0MM META SCREW - LONG THREAD 24MM 3.0MM META SCREW - LONG THREAD 26MM 3.0MM META SCREW - LONG THREAD 28MM 3.0MM META SCREW - LONG THREAD 30MM 3.0MM META SCREW - LONG THREAD 32MM 3.0MM META SCREW - LONG THREAD 34MM 3.0MM META SCREW - SHORT THREAD 12MM 3.0MM META SCREW - SHORT THREAD 14MM 3.0MM META SCREW - SHORT THREAD 16MM 3.0MM META SCREW - SHORT THREAD 18MM 3.0MM META SCREW - SHORT THREAD 20MM 3.0MM META SCREW - SHORT THREAD 22MM 3.0MM META SCREW - SHORT THREAD 24MM 3.0MM META SCREW - SHORT THREAD 26MM 3.0MM META SCREW - SHORT THREAD 28MM 3.0MM META SCREW - SHORT THREAD 30MM 3.0MM META SCREW - SHORT THREAD 32MM 3.0MM META SCREW - SHORT THREAD 34MM 3.0MM META SCREW - SHORT THREAD 36MM 3.0MM META SCREW - SHORT THREAD 40MM 3.0MM META SCREW - SHORT THREAD 44MM COMPRESSION SCREW 10MM COMPRESSION SCREW 12MM COMPRESSION SCREW 14MM COMPRESSION SCREW 16MM COMPRESSION SCREW 18MM COMPRESSION SCREW 20MM COMPRESSION SCREW 22MM COMPRESSION SCREW 24MM COMPRESSION SCREW 26MM COMPRESSION SCREW 28MM COMPRESSION SCREW 30MM COMPRESSION SCREW 32MM COMPRESSION SCREW 34MM SCARF SCREW 10MM SCARF SCREW 12MM SCARF SCREW 14MM SCARF SCREW 16MM SCARF SCREW 16MM SCARF SCREW 18MM SCARF SCREW 20MM SCARF SCREW 22MM SCARF SCREW 24MM SCARF SCREW 26MM SCARF SCREW 28MM

**Billing Code Product Name**

**Further Description**

**Size**

SCARF SCREW 30MM  
SCARF SCREW 32MM  
SCARF SCREW 34MM

Billing Code	Product Name	Further Description	Size
OU032	CORTICAL SCREW	CORTICAL SCREW	3.5MM CORTICAL SCREW 8MM
		SELF TAPPING CORTICAL SCREW	3.5MM CORTICAL SCREW 10MM
			3.5MM CORTICAL SCREW 12MM
			3.5MM CORTICAL SCREW 14MM
			3.5MM CORTICAL SCREW 16MM
			3.5MM CORTICAL SCREW 18MM
			3.5MM CORTICAL SCREW 20MM
			3.5MM CORTICAL SCREW 22MM
			3.5MM CORTICAL SCREW 24MM
			3.5MM CORTICAL SCREW 26MM
			3.5MM CORTICAL SCREW 28MM
			3.5MM CORTICAL SCREW 30MM
			3.5MM CORTICAL SCREW 32MM
			3.5MM CORTICAL SCREW 34MM
			3.5MM CORTICAL SCREW 36MM
			3.5MM CORTICAL SCREW 38MM
			3.5MM CORTICAL SCREW 40MM
			3.5MM CORTICAL SCREW 42MM
			3.5MM CORTICAL SCREW 44MM
			3.5MM CORTICAL SCREW 45MM
			3.5MM CORTICAL SCREW 50MM
			3.5MM CORTICAL SCREW 55MM
			3.5MM CORTICAL SCREW 60mm
			3.5MM CORTICAL SCREW 65mm
			3.5MM CORTICAL SCREW 70mm
			3.5MM CORTICAL SCREW 75mm
			3.5MM CORTICAL SCREW 80mm
			3.5MM CORTICAL SCREW 85mm
			3.5MM CORTICAL SCREW 90mm
			3.5MM CORTICAL SCREW 95mm
			3.5MM CORTICAL SCREW 100mm
			3.5MM CORTICAL SCREW 105mm
			3.5MM CORTICAL SCREW 110mm
			3.5MM SELF TAPPING CORTICAL SCREW 10MM
			3.5MM SELF TAPPING CORTICAL SCREW 12MM
			3.5MM SELF TAPPING CORTICAL SCREW 14MM
			3.5MM SELF TAPPING CORTICAL SCREW 16MM
			3.5MM SELF TAPPING CORTICAL SCREW 18MM
			3.5MM SELF TAPPING CORTICAL SCREW 20MM
			3.5MM SELF TAPPING CORTICAL SCREW 22MM
			3.5MM SELF TAPPING CORTICAL SCREW 24MM
			3.5MM SELF TAPPING CORTICAL SCREW 26MM
			3.5MM SELF TAPPING CORTICAL SCREW 28MM
			3.5MM SELF TAPPING CORTICAL SCREW 30MM
			3.5MM SELF TAPPING CORTICAL SCREW 32MM
			3.5MM SELF TAPPING CORTICAL SCREW 34MM
			3.5MM SELF TAPPING CORTICAL SCREW 36MM
			3.5MM SELF TAPPING CORTICAL SCREW 38MM
			3.5MM SELF TAPPING CORTICAL SCREW 40MM
			3.5MM SELF TAPPING CORTICAL SCREW 45MM
			3.5MM SELF TAPPING CORTICAL SCREW 50MM
			3.5MM SELF TAPPING CORTICAL SCREW 55MM

Billing Code	Product Name	Further Description	Size
OU033	Titianium Cannulated Cancellous lag Screw	Titianium Cannulated Cancellous lag Screw	3.5MM SELF TAPPING CORTICAL SCREW 60MM 4.0mm x 10mm Titianium Cannulated Cancellous lag Screw up to (4.0mm x 28mm)
OU034	Cannulated Screw	Cannulated Screw	cannulated screw 7.0 length 45, thread length 32mm up to cannulated screw 7.0 length 130, thread length 32mm and cannulated screw 7.0 length 35, thread length 16mm up to cannulated screw 7.0 length 130, thread length 16mm 5.0mm x 30mm up to 100mm titanium cannulated cancellous lag screw 6.5mm x 20mm ( up to 120mm) titanium cann.18mm thread 8.0mm x 20mm titanuium cann (up to 120mm)18mm thread 8.0mm x 20mm titanuium cann (up to 120mm)30mm thread 8.0mm x 45mm titanuium cann (up to 120mm)45mm thread CHS/SCS Lag Screw 50mm to145mm
OU035	CHS/SCS Lag Screw	Lag Screrw	
OU036	Cancellous Screw	Cancellous Screw	4.0mm cancellous screw fully threaded 10mm to 60mm 4.0mm cancellous screw partially threaded 10mm to 60mm
OU037	Self Tapping Cortical Screw	Self Tapping Cortical Screw	4.5mm self tapping cortical screw 14mm to 95mm 4.5mm cortical screw 14mm to 140mm 4.5mm malleolar screw 25mm to 70mm 6.5 cancellous screw 16mm thread 30mm to 150mm 6.5mm cancellous screw fully threaded 20mm to 110mm

## Orthocare Pty Limited

### 3 - General Miscellaneous

OC016	Advanced Infusion	ALPHA 200ml Capacity Infusion Pump	140 x 80 x 30 mm
OC017	Advanced Infusion	ALPHA 450ml Capacity Infusion Pump	180 x 100 x 45 mm
OC018	Advanced Infusion	Multi-Drip Catheter 2.0ml/hr flow rate	0.8 x 1200 mm
OC019	Advanced Infusion	Multit-Drip Catheter 4.0ml/hr flow rate 12cm drip area	.08 x 1200 mm

## Orthopaedic Solutions Pty Ltd

### 6 - Specialist Orthopaedic

OE036	611 Ankle Fusion Nail	The 611 ankle arthrodesis nail is made out of titanium alloy (Ti6Al4V) and is associated with self locking screws, a plug and an internal screw. The nail is delivered sterile. The self locking screws, plug and internal locking screw are delivered non-sterile with the instrumentation	10mm x 180mm, 6 deg left, 10mm x 180mm, 6 deg right 12mm x 180mm, 6 deg left, 12mm x 180mm, 6 deg right 10mm x 180mm, 11 deg left, 10mm x 180mm, 11 deg right 12mm x 180mm, 11 deg left, 12mmx180mm, 11 right
OE037	611 Ankle Fusion Nail -Component : LOCKING SCREWS	The 611 ankle arthrodesis nail, self locking screws are made out of titanium alloy (Ti6Al4V) and incorporate a unique anti-backout design feature to ensure optimal fixation	5mm x100mm, 5mmx95mm, 5mmx90mm, 5mmx85mm, 5mmx80mm, 5mmx75mm, 5mmx70mm, 5mmx65mm, 5mmx60mm, 5mmx55mm, 5mmx50mm, 5mmx45mm, 5mmx40mm, 5mmx35mm, 5mmx32mm, 5mmx29mm, 5mmx26mm, 5mmx23mm, 5mmx20mm
OE038	611 Ankle Fusion Nail - Component: PLUGS	The 611 ankle arthrodesis nail, 2mm & 7mm plugs are made out of titanium alloy (Ti6Al4V). They are delivered non-sterile	2mm plug, 7mm plug
OE039	611 Ankle Fusion Nail - Component: INTERNAL LOCKING SCREW	The 611 ankle arthrodesis nail, 2.5mm internal locking screw is made out of titanium alloy (Ti6Al4V) it is supplied non-sterile	2.5mm Internal Locking Screw

Billing Code	Product Name	Further Description	Size
<b>Orthotech Pty Ltd</b>			
<b>13 - Spinal</b>			
OH441	Axialif Rod	Integral fixated spacer for lumbar spine.	25-65mm
<b>6 - Specialist Orthopaedic</b>			
OH442	Hemi-Great Toe Implant	Great Toe implant, Cobalt Chromium	XS, S, M, L
OH443	Reflexion 1st MPJ Implant System	Reflexion metatarsal stems, 3 part 1st MPJ reconstruction system, 2 part composition - titanium/cobalt chrome, 1 part composition - titanium/UHMWPE,	Small, medium, large
OH444	Reflexion 1st MPJ Implant System	Reflexion metatarsal heads, 3 part 1st MPJ reconstruction system, 2 part composition - titanium/cobalt chrome, 1 part composition - titanium/UHMWPE,	Standard, long, extra-long
OH445	Reflexion 1st MPJ Implant System	ReflexionPhalangeal Bases, 3 part 1st MPJ reconstruction system, 2 part composition - titanium/cobalt chrome, 1 part composition - titanium/UHMWPE,	Small, medium, large
OH446	ExtremiFix Screws	Headless Cannulated Compression Screw	Diameter 3.0mm, 4.0mm. Length 10mm to 52mm; Diameter 2.71mm - 4.49mm.
OH447	ExtremiFix Screws	Headless Cannulated Compression Screw	Diameter 2.0mm, 2.4mm. Length 10mm to 52mm; Diameter 2.01mm - 2.7mm
OH448	Bio-Action Great Toe Implant	Bio-Action Phalangeal Implant, Titanium Alloy and UHMWPE.	Small neutral/ small modified/ large modified.
OH449	Bio-Action Great Toe System	Bio-Action Metatarsal Implant Cobalt Chrome	Small neutral / small left/ small right/ large neutral
<b>Oticon Australia</b>			
<b>2 - Ear, Nose &amp; Throat</b>			
OI023	Ponto Sound Processor	Fully programmable head worn sound processor for bone conduction hearing systems	Ponto: 34 x 21 x 11mm Ponto Pro: 34 x 21 x 11mm Ponto Power Pro; 34 x 21 x 14mm
OI024	Ponto Implant	Bone anchor implant	Diameter: 3.75 - 4.5mm Length: 3 - 4mm
OI025	Ponto Abutment	Bone anchor abutment with connection screw	Length: 6 - 12mm Straight and angled
OI026	Ponto Abutment and Implant	Bone anchor implant and abutment with connection screw	Diameter: 3.75 - 4.5mm Length: Fixture 3 - 4mm, Abutment 6 -12mm
OI027	Ponto Healing Cap	Cover screw	One size only
OI028	Ponto Cover Screw	Cover screw	One size only
<b>Prism Surgical Designs Pty Ltd</b>			
<b>13 - Spinal</b>			
PZ001	Aquila Plate System	Anterior Cervical Plate	1 level and 2 level plates (21 - 55mm Length)
PZ002	Aquila Plate System	Anterior Cervical Plate	2, 3 and 4 level cervical plates (55m - 109mm length)
PZ003	Aquila Plate System, Aquila screw	Bone Screw	4.0mm Diameter (length 10, 12, 14, 16, 18, 20mm) and 4.5mm Diameter (Length 10, 12, 14, 16, 18, 20mm)

Billing Code	Product Name	Further Description	Size
<b>6 - Specialist Orthopaedic</b>			
PZ004	In'Oss	Synthetic Bone Graft Putty Hydroxyapatite/Beta Calcium Phosphate (HA/beta-TCP) and Hydroxypropylmethylcellulose hydrogel carrier (HPMC)	0.5ml, 1ml, 2.5ml and 5ml Putty
PulmonX Australia			
<b>3 - General Miscellaneous</b>			
PX001	Pulmonx	Valve intended to improve lung function in patients with heterogeneous emphysema by controlling air flow with a one-way valve and to treat patients with pulmonary air leak.	4.0 (4 to 7 mm) and 5.5 (5.5 to 8.5mm)
Pyramed Pty Limited			
<b>10 - Vascular</b>			
PY036	sinus-Venous Stents	sinus-Venous Stent used for treating venous insufficiency, occlusion and stenosis	12-18mm Diameter, 60-150mm Length
PY037	sinus-Venous Stent	sinus-Venous stent used for treating venous insufficiency, occlusion and stenosis	18mm diameter, 150mm Length
<b>3 - General Miscellaneous</b>			
PY038	Niti-S Biliary Stent (D, Y, T, S-Type, Comvi)	Niti-S Biliary Stent. Deployed via stent delivery system for use TTS or percutaneously	6-10mm Diameter x 40 - 120mm Length
<b>8 - Cardiac</b>			
PY034	Figulla Flex II PFO Occluder	The Figulla® Flex II PFO is an implant for closure of a patent foramen ovale (PFO) defect in the heart and is deployed via a minimally invasive catheter delivery system. The Figulla® Flex PFO is intended for patients with substantiated Right-Left-Shunt in the contrast agent echocardiography under Valsalva maneuver and presence of a "cryptogenic", paradoxical thromboembolism.	Figulla Flex II PFO Disc Ø (mm): 23/25, 16/18, 27/30, 31/35
PY035	Figulla Flex II ASD Occluder	Occlutech Flexx II ASD Occlusion device	Figulla Flex II ASD Waist Ø (mm): Size 4,5,6,7.5,9,10.5,12,13.5,15,16.5,18,21,24,27,30,33,36,39,40
Reid Healthcare			
<b>3 - General Miscellaneous</b>			
RH006	Vitalitec Titanium Hemostatic Clips	The SLS titanium (grade 1) hemostatic clips are designed to securely grip the vessel in order to provide a complete and final occlusion atraumatically.	Micro, Small, Small/Medium, Medium, Medium/Large and Large. 6 clips per cartridge
RH007	Vitalitec Titanium Hemostatic Clips	The SLS titanium (grade 1) hemostatic clips are designed to securely grip the vessel in order to provide a complete and final occlusion atraumatically.	Small & Medium Clips (24 clips per pouch - 6 clips per cartridge, 4 cartridges per pouch)
RH008	Vitalitec Titanium Hemostatic Clips	The SLS titanium (grade 1) hemostatic clips are designed to securely grip the vessel in order to provide a complete and final occlusion atraumatically.	Micro, Small, Small/Medium, Medium (9 clips per cartridge)
RH009	Vitalitec Titanium Hemostatic Clips	The SLS titanium (grade 1) hemostatic clips are designed to securely grip the vessel in order to provide a complete and final occlusion atraumatically.	Small and Medium (27 clips per pouch - 9 clips per cartridge, 3 cartridges per pouch)

Billing Code	Product Name	Further Description	Size
--------------	--------------	---------------------	------

## RQSolutions Medical Devices Distribution Support

### 4 - Neurosurgical

RQ054	Axium Neurostimulator System - Implantable Neurostimulator	Spinal modulation implantable neurostimulator.	1 size; 31cc (1 presentation)
RQ055	Axium Neurostimulator System - 22cm Delivery Sheath Kit - small curve and big curve	22cm delivery sheath kit - small curve and big curve.	2 sizes (2 presentations) 1 x Big Curve - MN23650 1 x Small Curve - MN22150
RQ056	Axium Neurostimulator System - Programmer - Patient	Programmer - patient	1 size (1 presentation)
RQ057	Axium Neurostimulator System - Lead accessories kit	Lead accessories kit.	1 size (1 presentation)
RQ058	Axium Neurostimulator System - Connector Cable Kit	Connector cable kit.	1 size (1 presentation)
RQ059	Axium Neurostimulator System - Lead Extension Kit	Lead extension kit.	1 size (1 presentation)
RQ060	Axium Neurostimulator System - Implant Lead Kit	Implant lead kit.	Package containing either 50cm or 90cm lead
RQ061	Axium Neurostimulator System - Tunneling Tool	Tunneling tool.	30cm or 51cm

### 6 - Specialist Orthopaedic

RQ046	Orthodynamics The Integral Leg Prosthesis - Modular Femoral Stem (as a component of The Integral Leg Prosthesis)	Orthodynamics The Integral Leg Prosthesis-Modular Femoral Stem	82 items with sizes ranging in stem length from 140mm to 180mm
RQ047	Orthodynamics The Integral Leg Prostheses-Central Screw (as a component of the Orthodynamics The Integral Leg Prosthesis)	Orthodynamics The Integral Leg Prosthesis-Central Screw	1 size
RQ048	Orthodynamics The Integral Leg Prostheses-Dual Cone Extension (as a component of the Orthodynamics The Integral Leg Prosthesis)	Orthodynamics The Integral Leg Prosthesis-Dual Cone Extension	6 sizes
RQ049	Silicone cap (as a component of the Orthodynamics The Integral Leg Prosthesis)	Orthodynamics The Integral Leg Prosthesis-Silicone Cap	1 size
RQ050	Dual Cone Locking Extension (as a component of the Orthodynamics The Integral Leg Prosthesis)	Orthodynamics The Integral Leg Prosthesis-Dual Cone Locking Extension	6 sizes
RQ051	Taper Sleeve Connector (as a component of the Orthodynamics The Integral Leg Prosthesis)	Orthodynamics The Integral Leg Prosthesis -Taper Sleeve Connector	1 size only
RQ052	Offset Antirrotational Locking Busing (as a component of the Orthodynamics The Integral Leg Prosthesis)	Orthodynamics The Integral Leg Prosthesis -Offset Antirrotational Locking Bushing	3 sizes
RQ053	Orthodynamics The Integral Leg Prosthesis - Permanent Unidirectional Locking Fixture (as a component of tehOrthodynamics The Integral Leg Prosthesis)	Orthodynamics The Integral Leg Prosthesis -Permanent Unidirectional Locking Fixture	1 size
RQ062	Orthomed Osteotomy & Ligament Staples	Osteotomy Staple. Cast Chromium-cobalt non-absorbable. Stainless Steel non-absorbable. Non-sterile 57-73	20*25, 26*25, 36*25, 26*34, 34*34, 24*36, 24*40,24*44
RQ063	Orthomed Osteotomy & Ligament Staple	Osteotomy Staple. Cast Chromium-cobalt staples, non-absorbable	20*25
RQ064	Orthomed Osteotomy & Ligament Staple	Osteotomy Staple. Cast Chromium-cobalt non-absorbable.	26*25, 36*25, 26*34, 34*34, 24*36,24*40,24*44
RQ065	Orthomed Osteotomy & Ligament Staples	Osteotomy Staple. Cast Chromium-cobalt non-absorbable. Stainless Steel non-absorbable. Non-sterile 57-75	16*25, 18*25, 20*25, 22*25, 26*25, 32*25, 36*25
RQ066	Orthomed Osteotomy & Ligament Staple	Osteotomy Staple. Cast Chromium-cobalt non-absorbable.	16*25, 18*25, 20*25
RQ067	Orthomed Osteotomy & Ligament Staple	Osteotomy Staple. Cast Chromium-cobalt non-absorbable.	22*25, 26*25, 32*25, 36*25
RQ068	Orthomed Osteotomy & Ligament Staples	Ligament Staple. Cast Chromium-cobalt staples, non-absorbable	6*15, 6*20, 8*15, 8*20
RQ069	Orthomed Osteotomy & Ligament Staples	Ligament Staple. Cast Chromium-cobalt staples, non-absorbable.	11*15, 11*20, 16*20, 16*15



Billing Code	Product Name	Further Description	Size
<b>Scient'x Australia</b>			
<b>13 - Spinal</b>			
SX072	Samarys RF - PEEK Cage	Pre-filled cervical cage	Depty x width: 12 x 15mm, 13 x 17mm, 15 x 17mm, 15 x 20mm; Height: 4.5, 5, 6, 7, 8, 9, 10mm
SX074	Trestle Luxe Anterior Cervical Plating System - Plate	Anterior cervical plate	1 level plates: 10, 12, 14, 16, 20, 22, 24, 26mm; 2 level plates: 24, 26, 28, 30, 32, 34, 37, 40, 43, 46mm; 3 level plates: 39, 42, 45mm
SX075	Trestle Luxe Anterior Cervical Plating System - plate, >55mm	Anterior cervical plate	3 level plates: 48, 51, 54, 57, 60, 63, 66, 69mm. 4 level plates: 60, 64, 68, 72, 76, 80, 84mm. 5 level plates: 85, 90, 95, 100mm
SX076	Trestle Luxe Anterior Cervical Plating System - screw	Self-tapping screws, self-drilling screws; fixed and variable angle	Diameters: 4.0mm, 4.5mm. Lengths of self-drilling screws: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20mm. Lengths of self-tapping screws: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26mm 56mm, 66mm
SX077	Avalon Occipital Fixation System - Plate	Occipital plate assembly	
SX078	Avalon Occipital Fixation System - screw	Bone screw	Diameters: 4.5mm, 5.0mm. Lengths: 6mm, 8mm, 10mm, 12mm, 14mm, 16mm
SX079	Avalon Occipital Fixation System - Set screw	Hexalobe set screw	Diameter: 6.5mm; Length: 3.4mm
SX080	Avalon Occipital Fixation System - Rod	Occipital pre-contoured transition rod	Length: 280mm
SX081	Novel SD Spinal Spacer System (Sterile)	Self-distracting PEEK fusion cage (Sterile)	Small 9mm width x 22mm depth; height 8mm-20mm (1mm increments) Medium 9mm width x 25mm depth; height 8mm-20mm (1mm increments) Large 9mm width x 28mm depth; height 8mm-20mm (1mm increments)
SX082	Novel TL Spinal Spacer System (Sterile)	PEEK thoracolumbar fusion cage - Tapered design (Sterile)	Medium: 24mm width x 10mm depth; height: 6mm-15 mm (1mm increments); 5° lordosis Large: 28mm width x 10mm depth; height: 6mm -15mm (1mm increments); 5° lordosis Extra Large : 30mm width x 10mm depth; height: 6mm-15mm (1mm increments) 5° lordosis
SX083	Novel ALS Spinal Spacer System (Sterile)	PEEK lumbar fusion cage (Sterile)	Small: 26mm wide x 23mm depth; height: 8mm-18mm (2mm increments) 7° or 12° Medium: 32mm wide x 26mm depth; height 8mm-18mm (2mm increments); 7° or 12° lordotic Large: 36mm wide x 30mm depth; height 10mm-18mm (2mm increments) 7° or 12° lordotic
SX084	Discocerv Cervical Disc	Cervical disc prosthesis, also supplied pre-loaded on single-use inserter tip.	Length x Depth: 17mm x 13mm, 20mm x 15mm; Height: 5.25mm, 6mm 6.7mm, 7.5mm, 8.25mm
SX088	Samarys Anterior Cervical Cage System	Anterior Cervical Cage - PEEK	L15 x w17 x h5mm, L15 x w17 x h6mm, L15 x w17 x h7mm, L15 x w17 x h8mm, L13 x w17 x h5mm, L13 x w17 x h6mm, L15 x w20 x h5mm, L15 x w20 x h6mm

## 6 - Specialist Orthopaedic

SX073	Samarys RF - 3D bone substitute	3D hydroxapatite and tricalcic phosphate implant	4.5mm to 10 height (o. 1cc to 1cc)
SX085	Hydr'Os	Biphasic Calcium Phosphate, Hydrated Biphasic Calcium Phosphate (Putty)	1ml, 2ml, 5ml
SX086	In'Oss	Biphasic Calcium Phosphate with absorbable hydrogel (putty)	1ml. 2.5ml, 5ml
SX087	In'Oss	Biphasic Calcium Phosphate with absorbable hydrogel (putty)	10ml

**Billing Code Product Name****Further Description****Size****Signature Orthopaedics****11 - Hip**

SF036	Cement Pug	UHMWPE Cement Plug	18.5 - 35mm
SF037	Global Acetabular System- Highly cross-linked and Annealed constrained liner	highly cross linked and annealed constrained liner	28mm, 32mm 36mm Diameter Neutral, 10 degree and 20 degree size range 44mm to 72mm
SF038	Global Acetabular Shell	Titanium, plasma spray, HA with variable number of holes	42-72mm
SF039	Global Acetabular System HCLA (highly Cross-Linked and Annealed) Acetabular Liner	HCLA (highly Cross-Linked and Annealed) Acetabular Insert	68-76mm/36 68-76mm/32 68-76mm/28 60-66mm/36 60-66mm/32 60-66mm/28 56-58mm/36 56-58mm/32 56-58mm/28 52-54/32 52-54mm/28 50mm/28 46-48mm/28  10 Degree  68-76mm/36 68-76mm/32 68-76mm/28 60-66mm/36 60-66mm/32 60-66mm/28 56-58mm/36 56-58
SF040	Global Acetabular Cancellous Screw	Titanium 6.5mm cancellous bone screw	15mm to 50mm
SF041	Global Cemented Femoral Stem	CoCr, polished, double taper,	Sizes 0-4, various offsets
SF042	Apex Global & K2 & MSA Femoral Neck	Titanium and CoCr with lateral extension for stem connection	25mm - 35mm to 35mm - 50mm
SF043	MSA Global Femoral Stem	Titanium, plasma spray, with HA, distal flute & polished	0 - 6

**Sorin Group Australia Pty Ltd****8 - Cardiac**

SA156	PARADYM™ RF DR 9550	Dual Chamber Implantable Cardioverter Defibrillator with rate response, high output extended longevity and remote monitoring.	69.5 x 73.4 x 11mm 38.6cc 95g
SA157	PARADYM™ RF VR 9250	Single Chamber, High Energy, Implantable Cardioverter Defibrillator with rate response and remote monitoring.	69.5 x 73.4 x 11mm 38.6cc 95g
SA158	PARADYM™ RF CRT-D 9750	Implantable Cardioverter Defibrillator, for resynchronisation of heart failure, high output extended longevity and home monitoring.	69.5 x 73.4 x 11mm 38.6cc 95g

Billing Code	Product Name	Further Description	Size
SA159	PARADYM™ RF CRT-D SonR 9770	Implantable Cardioverter Defibrillator for resynchronisation of heart failure, high output, extended longevity and home monitoring, and in conjunction with a dedicated atrial lead with SonR sensor provides automatic adjustment of AV/VV delays for optimisation of resynchronisation therapy.	69.5 x 73.4 x 11mm 38.6cc 95g

## Sphere Surgical

### 3 - General Miscellaneous

RS001	Minimizer Ring	Adjustable Gastric Ring	One size ranging from 6.5cm to a 8.0cm diameter
RS002	MiniMizer gastric band.	Adjustable Silicone band which is placed around the upper part of the stomach to reduce the volume and speed of intake of food.	The gastric band comes in one size, but could come with a small or medium sized port. 14mm wide, 16.6cm band two phase closure, 1: 31mm inner diameter, phase 2: 26mm inner diameter. 40cm silicon tube attached.

## St Jude Medical Australia Pty Ltd

### 4 - Neurosurgical

SJ315	Standard Trial Cable Octrode and Quattrode	Connector which connects implanted lead to external stimulator	One size
-------	--	--	----------

### 8 - Cardiac

SJ309	Fortify Assura VR CD1259-40Q	Single chamber cardioverter defibrillator with 40J delivered energy and ST segment monitoring and DF4 connector	35cc, 75g
SJ310	Fortify Assura DR CD2259-40Q	Dual Chamber cardioverter defibrillator with 40J delivered energy and ST segment monitoring with DF4 connector	35cc, 75g
SJ311	Ellipse VR CD1277-36Q	Single chamber cardioverter defibrillator with 36J delivered energy and ST segment monitoring and DF4 connector	67g, 30cc
SJ312	Quadra Assura CD3267-40Q	Cardiac Resynchronisation Therapy Defibrillator with 40J delivered energy, Multisite Left Ventricular Pacing plus Quadripolar pacing and SJ4 connector	38cc, 81g
SJ313	Ellipse DR CD2277-36Q	Dual chamber cardioverter defibrillator with 36J delivered energy and ST segment monitoring with DF4 connector	68g, 31cc
SJ314	Unify Assura CD3261-40Q	Cardiac Resynchronisation Therapy Defibrillator with 40J delivered energy and SJ4 connector	36cc, 77g

### 9 - Cardiothoracic

SJ316	Seguin Annuloplasty Ring	Semi-rigid annuloplasty ring	24-40mm
SJ317	Regent Prosthetic Heart Valve	Standard Cuff	Standard cuff - 17-23mm/25mm-29mm, Flex cuff - 17-23mm/25mm-29mm

## Stryker Australia Pty Ltd

**11 - Hip**

HW473 Restoration Acetabular Wedge Augment System

The Restoration Acetabular Wedge Augment System is designed for hip surgeries requiring additional acetabular component support in cases where host bone is insufficient.

The Wedge Augments provide the intraoperative flexibility to optimize screw placement.

Outer Diameter 46mm, Inner Diameter 48, Thickness 15mm Screw Holes 3  
 Outer Diameter 46mm, Inner Diameter 48, Thickness 20mm Screw Holes 4  
 Outer Diameter 46mm, Inner Diameter 48, Thickness 25mm Screw Holes 4  
 Outer Diameter 50mm, Inner Diameter 52, Thickness 15mm Screw Holes 3  
 Outer Diameter 50mm, Inner Diameter 52, Thickness 20mm Screw Holes 4  
 Outer Diameter 50mm, Inner Diameter 52, Thickness 25mm Screw Holes 4  
 Outer Diameter 54mm, Inner Diameter 56, Thickness 15mm Screw Holes 4  
 Outer Diameter 54mm, Inner Diameter 56, Thickness 20mm Screw Holes 6  
 Outer Diameter 54mm, Inner Diameter 56, Thickness 25mm Screw Holes 6  
 Outer Diameter 58mm, Inner Diameter 60, Thickness 15mm Screw Holes 6  
 Outer Diameter 58mm, Inner Diameter 60, Thickness 20mm Screw Holes 6  
 Outer Diameter 58mm, Inner Diameter 60, Thickness 25mm Screw Holes 6  
 Outer Diameter 62mm, Inner Diameter 64, Thickness 15mm Screw Holes 6  
 Outer Diameter 62mm, Inner Diameter 64, Thickness 20mm Screw Holes 8  
 Outer Diameter 62mm, Inner Diameter 64, Thickness 25mm Screw Holes 8  
 Outer Diameter 66mm, Inner Diameter 68, Thickness 15mm Screw Holes 6  
 Outer Diameter 66mm, Inner Diameter 68, Thickness 20mm Screw Holes 8

HW485 MDM CoCr Liner

Modular Dual Mobility (MDM) CoCr Liner

The MDM CoCr Liner comes in a range of inner diameters of 36mm - 58mm

**13 - Spinal**

HW483 ES2 Spinal System, Rod

Hex end rods

5.5mm x 20 - 600mm

HW484 ES2 Spinal System, Screw

Polyaxial cannulated screw with integrated blades

Diam 4.5mm to 8.5mm, Length 25mm to 90mm

**4 - Neurosurgical**

HW488 Excelsior SL-10 &amp; Excelsior 1018

Excelsior SL-10 & the Excelsior 1018 Microcatheter is indicated to assist in the delivery of diagnostic agents, such as contrast media, and therapeutic agents, such as occlusion coils, into the peripheral, coronary and neurovasculature.

Length: 150cm  
 Outer Diameter: 2.4F - 2.6F  
 Inner Diameter: 0.165" - 0.019"

Billing Code	Product Name	Further Description	Size
<b>6 - Specialist Orthopaedic</b>			
HW474	HOFFMANN LRF - APEX PIN ADAPTOR	APEX PIN ADAPTOR	SHORT , LONG
HW475	HOFFMAN LRF- FOOT RING PLATE	FOOT RING PLATE	DIAMETER - 100-210MM
HW476	HOFFMANN LRF - FULL CIRCULAR RING	FULL CURCULAR RING	DIAMETER - 80 - 270MM
HW477	HOFFMANNLRF - NUTS, WASHERS , SPACERS	NUTS, WASHERS , SPACERS	SHORT, LONG, M6,M8,1-7MM
HW478	HOFFMANN LRF - PARTIAL CIRCULAR RING	PARTIAL CIRCULAR RING	DIAMETER - 100-240MM
HW479	HOFFMANN LRF - POSTS	POSTS	LENGTHS - 44-88MM
HW480	HOFFMANN LRF - STATIC STRUT	STATIC STRUT	LENGTHS - 20 -60MM
HW481	HOFFMANN LRF - THREADED TELESCOPIC ROD	THREADED TELESCOPIC ROD	DIAMETER - 6MM LENGTHS - 30-400MM
HW482	HOFFMANN LRF - WIRE BOLT COUPLINGS	WIRE BOLT COUPLING	SHORT, MEDIUM, LONG
HW489	HOFFMANN3 external fixation system	Sterile field kit	Standard kit A
HW490	HOFFMANN3 external fixation system	Sterile field kit	Standard kit B
SR096	HOFFMANN LRF - TELESCOPIC STRUT	TELESCOPIC STRUT	LENGTHS - 100-277MM
<b>7 - Plastic and Reconstructive</b>			
HW486	Stryker Leibinger Hybrid MMF Plate	SMARTLOCK Hybrid MMF Plate, Locking System - Universal SMARTLOCK Hybrid MMF Component - MMF Plate	One size - 9 Hole Straight Plate, for maxilla and Mandible
HW487	Stryker Leibinger Hybrid MMF Screws	SMARTLock Hybrid MMF Screws, Locking System - Universal SMARTLock Hybrid MMF Component - MMF Screws	Two Sizes - 2.0mm Diameter, 6mm Length 2.0mm Diameter, 8mm Length
HW491	Stryker Leibinger Plating System	Craniofacial Fixation Screws	1.5 - 2.7mm diameter, 3 - 20mm length
HW492	Stryker Leibinger Plating System	Mandible Fixation plates	1.0 - 1.99mm thick, 4 - 7 holes
HW493	Stryker Leibinger Plating System	Mandible Locking Fixation Plates	1.0 -1.9mm thick, 4 - 7 holes
HW494	Stryker Leibinger Plating System	Mandible Fixation Plates	1.0 - 1.99mm thick, 8 -15 holes
HW495	Stryker Leibinger Plating System	Mandible Fixation Plates	1.0 - 1.9mm thick, 16- 32 holes
HW496	Stryker Leibinger Plating System	Mandible Fixation Plates	1.0 -1.9mm thick, 16 - 32 holes
HW497	Stryker Leibinger Plating System	Craniofacial Fixation Plates	0.5 - 0.99mm thick, <4 holes
HW498	Stryker Leibinger Plating System	Craniofacial Fixation Plates	0.5 - 0.99mm thick, 4 -7 holes
HW499	Delta Resorbable Fixation System	Craniofacial Resorbable Fixation Plates	0.5 -0.99mm thick, 4 - 7 holes
HW500	Stryker Leibinger Plating System	Craniofacial Fixation Plates ,Locking	0.5 - 0.9mm thick, 4 -7 holes
HW501	Stryker Leibinger Plating System	Craniofacial Fixation Plates, Compression	0.5 - 0.9mm thick, 4 -7 holes
HW502	Stryker Leibinger Plating System	Craniofacial Fixation Plates	0.5 - 0.99mm thick, 8 -32 holes
HW503	Delta Resorbable fixation System	Craniofacial Resorbable Fixation Plates	0.5 - 0.99mm thick, 8 -32 holes
HW504	Stryker Leibinger Plating System	Craniofacial Locking Fixation Plates	0.5 - 0.99mm thick, 8 -32 holes
HW505	Stryker Leibinger Plating System	Mandible Fixation Plates	1.0 - 1.99mm thick, <4 holes
HW506	Stryker MEDPOR Implant	Porous Polyethylene Mesh	Block

Billing Code	Product Name	Further Description	Size
HW507	Stryker Leibinger Plating System	Craniofacial Titanium Mesh System	0.5 - 0.8mm thick, 11 - 50cm <sup>2</sup>
HW508	Stryker Leibinger Plating System	Mandible Locking Fixation Plates	1.0 - 1.99mm thick, 8 - 15 holes
HW509	Stryker Leibinger Plating System	Universal Mandibular Locking Screws	2.0 - 2.7mm diameter, 3 - 24mm length
HW510	Delta Resorbable Fixation System	Resorbable Screws	1.7mm diameter, 3 -6mm length
HW511	Stryker Leibinger Plating System	Micro Screws	1.0 - 1.2mm diameter, 3 - 15mm length
SK582	Stryker Leibinger Plating System	Craniofacial Titanium Mesh System	0.2 - 0.49mm thick, 51 - 200cm <sup>2</sup>

## Surgeons Choice Australia Pty Ltd

### 3 - General Miscellaneous

SH010	INTRA-SWING	Intraperitoneal Prosthesis for wall reinforcement / composite structure /polyester multifilaments (Polyethylene terephthalate PET), coated with, on one side, a thin membrane of aliphatic polyurethylene (PEU) / Precut and entirely macro-perforated prothesis. This mesh also has pre-attached sutures used to hold the mesh in place until it is fixated	20cm x 15cm
-------	-------------	--	-------------

## Surgical Specialties

### 3 - General Miscellaneous

SQ072	HaemoCer Haemostatic Powder	Absorbable Polysaccharide Haemostat	2gms
SQ073	HaemoCer Haemostatic Powder	Absorbable Polysaccharide Haemostat	5gms

## Synthes Australia Pty Ltd

### 13 - Spinal

SY751	Prodisc-C	Cervical Intervertebral Disc	5-7mm Height; 15-19mm Width; 12-18mm Depth
SY752	Zero-P	Anterior Cervical Interbody Fusion System	5-12mm Height

### 6 - Specialist Orthopaedic

SY754	AO/ASIF Plates	Anatomical Locking Humerus Plate	≥ 16 holes
SY755	AO/ASIF Plates	Anatomical Locking Humerus Plate	≥ 16 holes
SY756	AO/ASIF Plates	Anatomic Locking Tibial Plates	≥16 Holes
SY757	AO/ASIF Plates	Anatomic Variable Locking Tibial Plates	≥16 Holes
SY758	AO/ASIF Plates	Anatomic Locking Tibial Plates	7 to 15 Holes
SY759	AO/ASIF Plates	Anatomic Variable Angle Locking Tibial Plates	7 to 15 Holes
SY760	AO/ASIF Plates	LCP Distal Fibula; lateral, Posterolateral	7 to 15 Holes
SY761	AO/ASIF Plates	LCP Lateral Distal Fibula	7 to 15 Holes
SY762	AO/ASIF Plate	Locking Perarticular Anatomic Humerus plate	≥ 7 - ≤ 15 holes
SY763	AO/ASIF Plate	Locking Perarticular Anatomic Humerus plate	≥ 7 - ≤ 15 holes
SY764	AO/ASIF Plates	Anatomic Locking Ulna Plates	≥16 holes
SY765	AO/ASIF Plates	Anatomic Locking Ulna Plates	≥16 holes

Billing Code	Product Name	Further Description	Size
SY766	AO/ASIF Plates	Variable Angle Locking Perarticular Ulna Plates	≥7 to ≤15 holes
SY767	AO/ASIF Plates	Locking Periarticular Ulna Plates	≥7 to ≤15 holes
SY768	AO/ASIF Plates	Anatomic Locking Femur Plates	≥16 Holes
SY769	AO/ASIF Plates	Anatomic Locking Femur Plates	≥16 Holes
SY770	AO/ASIF Plates	Anatomic Variable Angle Locking Tibial Plates	7 - 15 holes
SY771	AO/ASIF	Anatomic Variable Angle Locking Tibial Plates	> 16 holes

## 7 - Plastic and Reconstructive

SY749	Orthodontic Bone Anchor System	Anchor Plate, Various Designs	4-5 Holes
SY750	Orthodontic Bone Anchor System	Anchor Screw, Self Drilling, Self Tapping	1.5mm - 1.8mm
SY753	Curvilinear Distraction System	Curvilinear Distraction, Right Left	30mm - 100mm radius

## Tag Medical

### 4 - Neurosurgical

TM052	Obex Neurofilm	Synthetic Self-Adhesive Barrier and Sealant for Cerebrospinal Fluid Leaks	50mm x 100mm
TM053	Obex Neurofilm	Synthetic Self-Adhesive Barrier and Sealant for Cerebrospinal Fluid Leaks	50mm X 50mm
TM054	Obex Neurofilm	Synthetic Self-Adhesive Barrier and Sealant for Cerebrospinal Fluid Leaks	50mm x 25mm
TM055	Obex Neurofilm	Synthetic Self-Adhesive Barrier and Sealant for cerebrospinal fluid leaks	100 x 100mm

## Terumo Corporation Australia

### 10 - Vascular

TU052	AZUR Peripheral Framing Coil	AZUR Peripheral Coil,detachable, Framing Coil three dimensional complex shape	8-20mm diameter, length 20-50cm
TU053	AZUR Peripheral HydroCoil	AZUR Peripheral Coil, detachable	3-20mm diameter, length 3-50cm
TU054	AZUR Peripheral Coil Detachment Controller	Hand held battery powered coil detachment controller	One size only

## Zimmer Pty Ltd

### 13 - Spinal

Z1868	TM (Trabecular Metal) Ardis Interbody System	Fenestrated and non-fenestrated intervertebral body fusion device	Length 22mm x Width - 9mm x Height – 8-16mm (1mm increments, excludes 15mm) Total 8 sizes. The implant comes in both Fenestrated and un-fenestrated types, therefore there are 16 options in total.
-------	--	---	---

**Billing Code Product Name****Further Description****Size**

ZI869	TM (Trabecular metal) Ardis Interbody System	Fenestrated and non-fenestrated intervertebral body fusion device - for single insertion	Length 26mm x Width 9 & 11mm x Height - 8-16mm (1mm increments, excludes 15mm) Total 16 sizes Length 30mm x Width x 9 & 11mm x Height - 8-16mm (1mm increments, excludes 15mm) Total 16 sizes Length - 34mm x Width - 11mm x Height - 8-16mm (1mm increments, excludes 15mm) Total 8 sizes There are 40 sizes as above. The implant comes in both Fenestrated and un-fenestrated types, therefore there are 80 options in total.
-------	--	--	---

**6 - Specialist Orthopaedic**

ZI870	Zimmer Plates	Mini SCP Plate	1 - Holes
ZI871	Zimmer Plates	Mini SCP Plate	7 - 15 Holes

**Grand Total: 774 Records**