

# Deleted Items for Prostheses List

February 2015

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
<b>Alcon Laboratories (Aust.) Pty Ltd</b>				
<b>01 - Ophthalmic</b>				
AL034	AcrySof Cachet Phakic Lens	Anterior chamber foldable, acrylic, single piece phakic lens	-6.0 to -16.5 diopters, in 0.5 diopter increments	Deleted
<b>Allergan Australia Pty Limited</b>				
<b>03 - General Miscellaneous</b>				
AW001	Lap-Band Adjustable Gastric Banding (LAGB) System	-	AP-small and AP-large	Transferred to ER216
AW002	Lap-Band Access Port	For use with the Lap-Band Adjustable Gastric Banding System	Standard, low profile	Transferred to ER217
AW003	Rapid Port Tack	Implantable acetal copolymer disk assembly, rotor assembly with three stainless steel fasteners. The fasteners, when deployed by rotating the rotor, extend about 3mm below the undersurface of the Tack	Outside diameter for the tack 30.5mm diameter by 5.6mm Height. The wires extend 3mm below the bottom surface.	Transferred to ER218
AW016	Lap-Band AP with RapidPort EZ	LAP-BAND AP RapidPort EZ System	11.6mm x 30.5mm x 14mm 11.6mm x 30.5mm x 16.5mm	Transferred to ER219
AW017	RapidPort EZ Access Port Kit (replacement port)	Access Port Kit for LAP-BAND RapidPort EZ system	11.6mm x 30.5mm x 14mm 11.6mm x 30.5mm x 16.5mm	Transferred to ER220
<b>Alliance Surgical</b>				
<b>03 - General Miscellaneous</b>				
AA014	SealFoam, High Density	SealFoam is an absorbable Polysaccharide Haemostat	60mm x 40mm x 2mm 60mm x 40mm x 4mm	Transferred to BF021
<b>AMO Australia Pty Ltd</b>				
<b>01 - Ophthalmic</b>				
AO031	TECNIS® Toric 1-Piece IOL	1-piece IOL Posterior chamber Intraocular lens, incorporates a proprietary wavefront designed toric aspheric optic with a squared posterior optic edge designed to provide a 360 degree barrier. The edge of the optic has a frosted design to reduce potential edge glare effects.	+5.0 to +34.0 diopter powers in 0.5 diopter increments. Cylinder power: 1.00 diopter, 1.50 diopter, 2.25 diopter, 3.00 diopter and 4.00 diopter (as measured at the IOL plane). Overall diameter 13mm, Optic size 6mm.	Expanded into AO039, AO040
<b>Atrium Australia - Pacific Rim Pty Limited</b>				
<b>03 - General Miscellaneous</b>				
AC007	Atrium polypropylene mesh - surgical mesh	Polypropylene	15cm x 15cm	Transferred to MQ004
AC011	Atrium polypropylene mesh - surgical mesh	Polypropylene mesh plug	Small, Medium, Large and Extra Large	Transferred to MQ005

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
AC050	C-QUR Mesh Plug	Sterile, knitted polypropylene monofilament mesh material for tissue reinforcement with a coating derived from a biological oil composed of fatty acids, lipids and glycerides (BAO – Bioabsorbable Oil Coating)	Small, Med, Large, Extra Large	Transferred to MQ014
AC051	C-QUR Mesh	Sterile, knitted polypropylene monofilament mesh material for tissue reinforcement with a coating derived from a biological oil composed of fatty acids, lipids and glycerides (BAO - Bioabsorbable Oil Coating)	>600cm <sup>2</sup>	Transferred to MQ015
AC058	C-QUR Mesh	Sterile, knitted polypropylene monofilament mesh material for tissue reinforcement with a coating derived from a biological oil composed of fatty acids, lipids and glycerides (BAO - Bioabsorbable Oil Coating)	0 - 200cm <sup>2</sup>	Transferred to MQ022
AC059	C-QUR Mesh	Sterile, knitted polypropylene monofilament mesh material for tissue reinforcement with a coating derived from a biological oil composed of fatty acids, lipids and glycerides (BAO - Bioabsorbable Oil Coating)	401 - 600cm <sup>2</sup>	Transferred to MQ023
AC060	C-QUR Mesh	Sterile, knitted polypropylene monofilament mesh material for tissue reinforcement with a coating derived from a biological oil composed of fatty acids, lipids and glycerides (BAO - Bioabsorbable Oil Coating)	201 - 400cm <sup>2</sup>	Transferred to MQ024
AC061	Atrium polypropylene mesh	Polypropylene mesh	0-200cm <sup>2</sup>	Transferred to MQ025
AC062	Atrium polypropylene mesh	Polypropylene mesh	>600cm <sup>2</sup>	Transferred to MQ026
AC087	C-QUR Film	C-QUR™ Film Adhesion Barrier is intended as an adjunct in abdominal and pelvic surgery for reducing the incidence, extent and severity of postoperative adhesions at the site of placement.	>100cm <sup>2</sup>	Transferred to MQ034
<b>08 - Cardiac</b>				
AC030	Cinatra Cobalt Chromium Coronary Stent System	The Cinatra Cobalt Chromium Coronary Stent System consists of a balloon expandable Cobalt Chromium stent premounted on a rapid exchange system	Diameter range: 2.5mm - 3.5mm. Length range: 8mm - 25mm	Transferred to MQ008
<b>10 - Vascular</b>				
AC023	Advant PTFE V12 Stent Graft System	Balloon Expandable PTFE Encapsulated Stainless Steel Peripheral Vascular Stent	5mm - 12mm Diameter	Transferred to MQ006
AC026	Advanta SST	Bifurcated PTFE Graft	12mm - 24mm X 6mm - 12mm Length 40cm	Transferred to MQ007
AC044	Advantra PTFE Vascular Graft	Trilaminar PTFE Aortic Graft with hydrostatic membrane	12mm - 24mm diameter 30cm length	Transferred to MQ009
AC045	Advantra PTFE Vascular Graft	Trilaminar PTFE Graft with Graft Deployment System	4 - 8mm diameter 50cm - 100cm lengths	Transferred to MQ010
AC046	Advantra PTFE Vascular Graft	Tapered Trilaminar PTFE Graft with Graft Deployment System	4mm - 8mm diameter 50cm - 80cm lengths	Transferred to MQ011

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
AC047	Advantra PTFE Vascular Graft	Tapered Trilaminare PTFE Graft with Graft Deployment System	4mm - 8mm diameter, 10 - 40cm lengths	Transferred to MQ012
AC049	Advantra PTFE Vascular Graft with Graft Deployment System	Trilaminare PTFE. Vascular Access Graft	4mm - 8mm diameter. 50 - 80cm length	Transferred to MQ013
AC052	Advanta PTFE Vascular Graft	Straight PTFE Vascular Graft	6mm - 10mm; 50cm - 90cm	Transferred to MQ016
AC053	Atrium PTFE Vascular Graft	Ringed PTFE	4mm - 10mm; 50cm - 100cm	Transferred to MQ017
AC054	Advanta PTFE Vascular Graft with Graft Deployment System	Trilaminare PTFE. Vascular Access PTFE	4mm - 8mm diameter 11cm - 20cm length	Transferred to MQ018
AC055	Advanta PTFE Vascular Graft with Graft Deployment System	Trilaminare PTFE. Vascular Access PTFE	4mm - 8mm diameter 21cm - 49cm length	Transferred to MQ019
AC056	Advanta PTFE Vascular Graft	Trilaminare PTFE Graft with Graft Deployment System	4mm - 8mm 11cm - 20cm length	Transferred to MQ020
AC057	Advanta PTFE Vascular Graft	Trilaminare PTFE Graft with Graft Deployment System	4mm - 8mm diameter 21cm - 49cm length	Transferred to MQ021
AC064	Intergard W	Woven Aortic Arch	24mm x 10mm x 8mm x 8mm x 50cm - 30mm x 10mm x 8mm x 8mm	Transferred to MQ027
AC067	Intergard K	Knitted Axillobifemoral	Diameter (mm) Length (cm) 8 x 8 100/60; 10 x 10 100/60; 8 x 6 x 6 85/55; 8 x 8 85/55; 8 x 8 100/55	Transferred to MQ028
AC079	Intergard W - Woven Straight	Woven Straight	15cm	Transferred to MQ029
AC083	Maquet InterVascular Straight vascular Grafts	Straight Vascular Grafts	5mm - 24mm diameter, 21 -49am length	Transferred to MQ030
AC084	Maquet InterVascular Straight Vascular Grafts	Straight Vascular Grafts	6mm - 24mm Diameter, 50-100cm length	Transferred to MQ031
AC085	Maquet InterVascular radially Supported Vascular Grafts	Radially Supported Vascular Grafts	5mm - 24mm diameter, 50 -100m length	Transferred to MQ032
AC086	Maquet InterVascular Bifurcated Vascular Grafts	Bifurcated Vascular Grafts	6mm - 24mm diameter, 50cm length	Transferred to MQ033
AC088	Advanta V12 Stent Graft System	Balloon Expandable PTFE Encapsulated Stainless Steel Vascular Stent	Large Diameter 12 -16mm. 80 and 120cm catheter lengths	Transferred to MQ035

## B Braun Australia Pty Ltd

### 13 - Spinal

BB248	PACH Plate	Titanium	28 & 32mm	Transferred to OH499
-------	------------	----------	-----------	----------------------

## Biomet Australia Pty Ltd

### 06 - Specialist Orthopaedic

BI258	BMP Cable System	Dynamic Compression Plate, 3 hole, Stainless Steel	One size only	Compressed into BH364
BI259	BMP Cable System	Dynamic Compression Plate, 5 hole, Stainless Steel	One size only	Compressed into BH364

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
<b>Cantley Medical Services</b>				
<b>07 - Plastic and Reconstructive</b>				
CF005	Cranial Loop	Cranial Loop is a smart system for fixing Bone Flaps resulting from craniotomies. Its instrument free, made from Peek - Optima, allows the surgeon complete control not artifacts seen on MRI/CT, its fast and easy and takes less than a minute for the bone to be fixed in place	One size - is suitable for 1.5mm up to 24mm bone thickness as it is adjustable	Deleted
<b>Cochlear Limited</b>				
<b>02 - Ear, Nose &amp; Throat</b>				
CO040	Baha Divino sound processor	Head worn digital sound processor for the Baha hearing system. Available in four colours and left and right side orientations.	One Size	Deleted
CO041	Baha Intenso sound processor	Head worn digital sound processor for the Baha hearing system. Available in four colours.	One size	Deleted
CO047	Cochlear™ Baha® BP100 sound processor	Fully programmable head worn sound processor for the Baha implantable bone conduction hearing system	One size - 30 x 21 x 12mm	Deleted
<b>Covidien Pty Ltd</b>				
<b>03 - General Miscellaneous</b>				
AS177	Duet TRS Reload with Tissue Reinforcement	Single use loading units with tissue reinforcement material for use with Endo GIA Universal stapling devices	45mm and 60mm staple line length; 3.5mm and 4.8mm staple leg-length	Deleted
<b>Danex Medical Pty Ltd</b>				
<b>06 - Specialist Orthopaedic</b>				
XD016	Nanotack Suture Anchor	1.4mm High Strength PEEK suture anchor pre-loaded with suture and inserter for arthroscopic hip labral reattachment	1.4mm	Transferred to SK583
XD020	Pivot Anatomic Labrum Restoration Anchors	High Strength PEEK anchor pre-laoded with suture and inserter for arthroscopic hip labral reattachment	12mm x 2.4-2.8mm, 1.4-2.0mm, 2.8-3.5mm	Transferred to SK584
<b>Denward Dell Pty Ltd TA Surimex</b>				
<b>10 - Vascular</b>				
DW003	Jet Port Plus Set - Vascular Access Port	Implantable injection / infusion port system: port chamber with silicone membrane; connectable polyurethane catheter; and introducer kit.	Port: Diameter: 28.0mm, Height: 12.3mm; Catheter: 6.6 French, Length: 750mm	Deleted
DW004	Jet Port Plus Low Profile Peripheral Set - Vascular Access Port	Implantable injection / infusion port system: low profile port chamber with silicone membrane; connectable polyurethane catheter; and introducer kit	Port: Length: 24.0mm, Width: 20.5mm, Height: 10.3mm Catheter: 6.6 French, Length: 750mm	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
DW006	T-Port Contrast set - Vascular access port.	Injection infusion port system: titanium port chamber with silicone membrane: connectable polyurethane catheter; introducer kit.	6163653077: Port Base 27mm x 13mm, CD 1.3 x 2.2mm, CL 75cm. 6163652087: PB 27mm x 13mm, CD 1.6 x 2.6mm, CL 75cm. 6163663077: PB 23mm x 10mm, CD 1.3 x 2.2mm, CL 75cm. 6163662087: PB 23mm x 10mm, CD 1.6 x 2.6mm, CL 75cm.	Deleted
DW007	pfm Contrast Port	High pressure injection port system: plastic or plastic/titanium port with silicone mebrane; connectable polyurethane catheter; introducer kit	Port: length 32.1mm, width 23.6mm, height 13.2mm. Catheter: 6.6 or 8.4 French, length 750mm	Deleted

## Device Technologies Australia Pty Ltd

### 06 - Specialist Orthopaedic

DE307	BonAlive Granules	Bone Graft Substitute - Bioactive Glass Granules	13140 - 0.5-0.8mm small granules, 10cc syringe 13340 - 1.0-2.0mm medium granules, 10cc syringe 13440 - 2.0-3.15mm large granules, 10cc syringe	Transferred to LM216
DE308	BonAlive Granules	Bone Graft Substitute - Bioactive Glass Granules	13130 - 0.5-0.8mm small granules, 5cc syringe 13330 -1.0-2.0mm medium granules, 5cc syringe 13430 -2.0-3.15mm large granules, 5cc syringe	Transferred to LM215

### 12 - Knee

DE424	Restoris MCK Knee - Femeral Component	Femeral Component	LM/RL sizes 1 to 8 RM/LL sizes 1 to 8	Transferred to SK585
DE425	Restoris MCK Knee - Tibial Baseplate	Tibial Baseplate	LM/RL and RM/LL, sizes 1 to 8	Transferred to SK586
DE426	Restoris MCK Knee - Tibial Onlay Insert	Tibial Onlay Insert	Tibial Onlay Insert come in sizes 1 to 7, each size with 8, 9, 10 and 12mm thickness options	Transferred to SK587

## Emagin Pty Ltd

### 01 - Ophthalmic

EG008	Artisan Anterior Chamber Intraocular Lens	Phakic Intraocular Lens: Model ToricComposition: PMMA	5.00mm Optic Diameter x 7.5 in overall length	Expanded into EG019, EG020
-------	---	---	---	----------------------------

## Emergo Asia Pacific Pty Ltd

### 13 - Spinal

ER015	Denali Spinal System / ATR Set Screw	Set Screw	8mm diameter and 4mm height	Compressed into ER213
ER029	Caspian OCT Spinal System - Set Screw	cervico-thoracic posterior rigid fixation system	one size only	Compressed into ER213
ER048	Everest Spinal System Set Screw	Set Screw	one size only	Compressed into ER213
ER183	Everest Spinal System , Cannulated Screw	Polyaxial Screw, Cannulated or Fenestrated, Titanium	(4.5 -8.5)mm diam x (20-110)mm	Expanded into ER214, ER215

## Eupharma

### 06 - Specialist Orthopaedic

EH001	OSIQ Nano HA Bone Paste - Bone matrix implant artificial	OSIQ is a ready to use Nano Bone Graft Substitute injectable bone matrix paste.	Pre loaded syringes 0.5cc,1.0cc,2.0cc,3.0cc & 5.0cc	Transferred to GO275
-------	--	---	---	----------------------

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
EH002	ELIZ Bone Graft Substitute	Synthetic HA / TCP Bone Graft Substitute	Granules (1.0 - 4.0mm) (0.8 - 1.5mm) (0.5 - 1.0mm) Volume / Vial (0.25cc to 5.0cc)	Transferred to GO276
EH003	ELIZ Bone graft Substitute	Synthetic HA /TCP Bone Graft Substitute	Granules (1.0 - 4.0mm) (0.8 - 1.5mm) (0.5 - 1.0mm) Volume / Vial 10.0cc	Transferred to GO277
EH004	ELIZ Bone Graft Substitute	Synthetic HA / TCP Bone graft Substitute	Granules (1.0 - 4.0 mm) (0.8 - 1.5mm) (0.5 - 1.0mm) Volume / Vial ( 15.0 cc to 20.0cc)	Deleted
EH005	ELIZ Bone Graft Substitute	Synthetic HA / TCP Bone Graft	Granules (1.0 - 4.0mm) (0.8 - 1.5mm)(0.5 - 1.0mm) Volume / Vial (25.0 cc to 30.0 cc)	Deleted

## Gytech Pty Ltd

### 05 - Urogenital

GP004	Essure System (ESS305)	Stainless steel, polyester fibre	One size only, 2 per pack	Transferred to AN013
GP005	Contrasure Needleless	Female SUI sling	11.4 x 1.2cm with two pockets 2.2cm wide	Deleted
GP006	Contrasure Remeex Male	Adjustable male SUI sling	Varitnesor is 1 x 1 x 2.5cm, the sling is 22mm x 33mm.	Deleted
GP007	Contrasure Remeex Female	Adjustable female SUI sling	Varitnesor is 1 x 1 x 2.5cm, the sling is 15mm x 32mm.	Deleted

## Johnson & Johnson Medical Pty Ltd

### 04 - Neurosurgical

DY533	Trufill Coil system - Trufill DCS Syringe	Trufill syringe barrel with a pressure gauge, a threaded plunger assembly.	One sterile unit.	Deleted
JJ838	MedStream - Programmable Infusion Pump	Programmable infusion pump - variable	20-40ml	Deleted
JJ839	MedStream - Replacement Connector	Replacement connector with strain relief sleeve	One size only	Deleted
JJ840	MedStream - Spinal 2 piece Catheter Kit	Surestream and Codman Intraspinial two piece catheter kit. Includes catheter, guide wire, connectors, anchors, tuohy needle, wing clip hub, flushing adapter, ruler and data stickers	100-105cm	Deleted
JJ859	Trufill DCS Orbit Detachable Coil System	Helical, Standard and Complex	1.5 to 30cm	Deleted
MN149	Pharos Neurovascular Stent	Balloon expandable stent for treatment of intracranial artery stenosis and aneurysm	Diameter 2.0mm-5.0mm, length 8mm-40mm	Deleted

### 05 - Urogenital

JJ476	Gynecare Prolift Pelvic Floor Repair System	Pre-cut gynemesh PS and single use instruments for mesh placement	one size only	Deleted
JJ477	Gynecare Prolift Pelvic Floor Repair System	Pre-cut gynemesh PS and single use instruments for mesh placement	one size only	Deleted
JJ478	Gynecare Prolift Pelvic Floor Repair System	Pre-cut gynemesh PS and single use instruments for mesh placement	one size only	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
JJ676	GYNECARE PROSIMA Anterior Pelvic Floor Repair System	Precut gynaemesh PS and single use instruments for mesh placement. Includes vaginal support device	1 x Pieces of GYNECARE GYNEMESH PS* Mesh (approximately 80mm x 60mm). 1 x Vaginal Support Device, 1 x Syringe, 1 x Posterior Inserter	Deleted
JJ679	GYNECARE PROLIFT + M Anterior Pelvic Floor Repair System	Pre-cut GYNECARE GYNEMESH M* Partially Absorbable mesh and single use instruments for mesh placements	One size only	Deleted
JJ745	GYNECARE PROSIMA Combined Pelvic Floor Repair System	Pre-cut gynemesh PS and single use instruments for mesh placement	2 x Pieces of GYNECARE GYNEMESH PS* Mesh (approximately 80mm x 60mm). 1 x Vaginal Support Device, 1 x Syringe, 1 x Anterior Inserter, 1 x Posterior Inserter	Deleted
JJ746	GYNECARE PROSIMA Posterior Pelvic Floor Repair System	Pre - Cut gynemesh PS and single use instruments for mesh placement	1 x Pieces of GYNECARE GYNEMESH PS* Mesh (approximately 80mm x 60mm). 1 x Vaginal Support Device, 1 x Syringe, 1 x Posterior Inserter	Deleted
JJ747	GYNECARE PROLIFT+M combined Pelvic Floor Repair System	Pre-cut GYNECARE GYNEMESH M* Partially Absorbable mesh and single use instruments for mesh placement	One Size Only	Deleted
JJ748	GYNECARE PROLIFT+M Posterior Pelvic Floor Repair System	Pre-cut GYNECARE GYNEMESH M* Partially Absorbable mes and single use instruments for mesh placement	Once Size Only	Deleted
JJ905	ARTISYN™	Pelvic floor reconstructive material, lightweight, Y shaped mesh	27 x 5 cm	Deleted
<b>06 - Specialist Orthopaedic</b>				
DP020	Global Advantage Shoulder	Eccentric Head, Cobalt chrome alloy	44- 56mm x 18, 21mm	Compressed into JJ965
DP029	Global Advantage Shoulder	Revision Stem Titanium alloy	8mm x 200mm - 14mm x 220mm	Compressed into JJ966
DP030	Global Advantage Shoulder	Stem Standard, Titanium alloy	6mm - 16mm	Compressed into JJ966
DP077	Global Advantage Shoulder	Global Advantage Stem	Size 8 to 14 or Length 6-16mm	Compressed into JJ966
DP086	Global Shoulder	Global FIN/ Peg Glenoid	Size 40-56	Compressed into JJ964
DP871	Agility Ankle System	Agility Ankle Talar	Size 1 - 6	Deleted
DP898	S-Fit Metal Glenoid	S-FIT Glenoid Bearing	Size 40-52	Deleted
DP899	S-Fit Metal Glenoid	S-FIT M/B Glenoid	Size 40-52	Deleted
DP950	Delta Shoulder system	Standard Metaglens INOX/ ST. Steel + Alumina+HAC	One size only	Compressed into JJ974
DP951	Delta Shoulder system	Revision Metaglens INOX/ ST. Steel + Alumina+HAC	One size only	Compressed into JJ974
DP952	Delta Shoulder system	Centror Glenoid INOX / ST.Steel / Nichtrostender St.	Size 36-40 /42	Compressed into JJ967
DP956	Delta Shoulder system	Modular diaphyseal stem HA coated	Size 1-4	Deleted
DP964	Delta Shoulder system	Humeral Spacer INOX / ST.Steel / Nichtrostender St.	Dia 36/42 + 9	Compressed into JJ968
DP965	Delta Shoulder system	Revision Cementless Diaphysis INOX / ST. Steel + Alumina+HAC	Size 1-4	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
DP966	Global FX Shoulder	Global FX Stem Chrome	6-12mm and STD and revision 160-220mm length	Compressed into JJ969
DY082	Agility LP Ankle System	Agility Ankle Tibial Shell Right and Left	Size 1-6	Deleted
DY083	Agility LP Ankle System	Agility Ankle Tibial Insert	Size 1-6	Deleted
DY129	Global Advantage CTA Head	Extended Lip Rotator Cuff Humeral Head component	44 x 18 - 56 x 23	Compressed into JJ970
DY137	Acclaim Elbow	Humeral Stem, Std/Lge	100-200mm	Deleted
DY138	Acclaim Elbow	Ulnar Stem, Std/Lge-Left/Right	60-85mm	Deleted
DY140	Acclaim Elbow	Linked Ulnar Metal Bearing or Polyethylene Yoke	One size only	Deleted
DY273	Global FX Porocoat	FX PC Stem Standard / Long	6-12mm	Compressed into JJ969
DY360	Global Advantage Shoulder	Anchor Peg Glenoid	40 to 56 mm	Compressed into JJ964
DY409	Agility LP Ankle System	Wide Ankle Talus	Size 1-6	Deleted
DY572	Delta Shoulder system	Metaglenscrew Stainless Steel	4.5mm	Deleted
DY573	Delta Shoulder System	Metaglenscrew Stainless Steel	3.5mm	Deleted
JJ337	Biocryl - TCP/PLA Interference Screw	Composition - Tricalcium Phosphate & Polylactic Acid	7x23mm; 7x30mm; 8x23mm; 8x30mm, 9x23mm; 9x30mm; 10x23mm; 10x30mm; 11x30mm	Deleted
JJ548	DELTA Xtend	Monobloc Humeral Cemented Epiphysis Standard	8 to 14 mm	Compressed into JJ971
JJ549	DELTA Xtend	Monobloc Humeral Cemented Epiphysis Revision	8 to 14mm	Compressed into JJ971
JJ550	DELTA Xtend	Modular Humeral Diaphysis	10, 12, 14, 16mm	Compressed into JJ972
JJ551	DELTA Xtend	Modular Epiphysis HA coated	1 + 2	Compressed into JJ973
JJ555	DELTA Xtend	Eccentric Glenosphere	38 + 42	Compressed into JJ967
JJ556	DELTA Xtend	Standard Glenosphere	38 + 42	Compressed into JJ967
JJ561	DELTA Xtend	Humeral Spacer	9mm	Compressed into JJ968
JJ562	DELTA Xtend	Metaglenscrew	.	Compressed into JJ974
JJ563	DELTA Xtend	Revision Metaglenscrew	.	Compressed into JJ974
JJ610	Global AP Shoulder	Humeral Stem	Humeral Stem 6mm, 8mm, 10mm, 12mm, 14mm, 16mm	Compressed into JJ966
JJ611	Global AP Shoulder	Humeral Stem Long	Humeral Stem Long - 8mm, 10mm, 12mm, 14mm	Compressed into JJ966
JJ612	Global Shoulder System	Porocoat Humeral Stem	6-16mm	Compressed into JJ966
JJ614	Global AP Shoulder	Humeral Head-Eccentric	40 – 56mm	Compressed into JJ965
JJ637	Global Advantage Shoulder – Cross Linked Anchor Peg Glenoid	Cross Linked Polyethylene Glenoid Implant	40 to 56mm including XL	Compressed into JJ964
JJ788	Global AP CTA Humeral Head	CTA Humeral Head	Sizes 44-56mm	Compressed into JJ970
JJ828	Global Shoulder System	Standard humeral head	40-56mm	Compressed into JJ965
JJ833	Delta Shoulder System	Modular metaphyseal cemented component	1-4 in 26-42mm	Deleted
JJ834	Delta Shoulder System	Modular metaphyseal component HA coated	1-4 in 26-42mm	Compressed into JJ973
JJ909	OmniSpan	Peek backstops with suture	0 to 27 degrees	Deleted



Billing Code	Product Name	Further Description	Size	Explanation of Deletion
MN135	Delta Xtend Shoulder System	Porocoat Global Unite Distal Stem	size 6-16	Compressed into JJ972
<b>07 - Plastic and Reconstructive</b>				
JJ255	BIOPLATE Biomesh	Titanium, lattice, 48 hole, packaged non-sterile	32 x 44mm	Transferred to LM231
JJ260	BIOPLATE Biomesh	Titanium cranial biomesh 3ME, packaged non-sterile	20 x 20cm	Transferred to LM221
JJ275	BIOPLATE Plating System	Titanium cranial compression plate	2 holes	Transferred to LM227
JJ535	BIOPLATE Low Profile	Low Profile 2-hole Straight Plate	11mm - 14mm length	Transferred to LM222
JJ543	BIOPLATE Low Profile	Low Profile 8-hole Boxcar Plate	10 x 24mm	Transferred to LM225
JJ544	BIOPLATE Low Profile	Low Profile Flex Contoured Burr Hole Cover	Low profile 0.3mm, 1.5mm diam hole, 12 - 18mm diam plate	Transferred to LM224
JJ799	BIOPLATE Biomesh	Titanium cranial biomesh	0.6mm thickness, 90-127 x 92-131mm	Transferred to LM220
JJ845	Bioplate Plating System	Plates of various shape	4 to 7 holes	Transferred to LM223
JJ846	Bioplate Plating System	Plates of various shape	8 to 32 holes	Transferred to LM230
JJ847	Bioplate Plating System	Plates of various shape	4 to 7 holes	Transferred to LM228
JJ848	Bioplate Plating System	Titanium Burr Hole Covers	4 to 7 holes	Transferred to LM229
JJ849	Bioplate ZIP	Titanium Clamp	11 to 20 mm	Transferred to LM233
JJ850	Bioplate Biomesh System	Titanium cranial biomesh	0.3 to 0.45mm thickness, 32-60mm x 43-60mm	Transferred to LM217
JJ851	Bioplate Biomesh System	Titanium cranial biomesh	0.45mm thickness, 85-132mm x 90-134mm	Transferred to LM218
JJ852	Bioplate Biomesh System	Titanium cranial biomesh	0.6mm thickness, 36-65 x 52-65mm	Transferred to LM219
JJ853	Bioplate Plating System	Plates of various shape	Less than 4 holes	Transferred to LM226
JJ854	Bioplate Plating System	Titanium Screws	1.25 to 3.24mm Diameter	Transferred to LM232
<b>08 - Cardiac</b>				
DY534	Presillion Plus CoCr Coronary Stent on RX System	Cobalt Chromium, bare metal coronary stent	Stent length 8 - 40mm x Stent Diameter 2.5 - 5.0 mm	Deleted
<b>11 - Hip</b>				
DP013	Wroblewski Resection femoral Stem	Stainless steel, polished, includes segmental support rings x 3	200mm-250mm	Deleted
DP112	Duraloc Enduron Liner	UHMWPE liner	Inner diameter 22-32mm, 36-76mm outer diameter	Deleted
DP182	Charnely Hip System Bore, LPW and Flanged Cups	UHMWPE cup, cemented	28mm inner diameter, 38 - 53mm outer diameter	Deleted
DP297	Universal Femoral Stem Distal Centraliser	PMMA Distal Centralisers includes Charnley, Elite Plus, C-Stem and Summit centralisers	10-20mm	Compressed into JJ963
DP584	PLA Centraliser	Poly Lactic Acid+D108 Centraliser	9-20mm	Compressed into JJ963
DP945	Octopus Acetabular Reconstruction Shell	Titanium, grit blast, HA coating, rimmed, used in conjunction with Octopus Outer Reconstruction Ring (DP948)	Size 50, 55mm	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
DP946	Octopus UHMWPE Liner	UHMWPE liner used with Octopus Acetabular Reconstruction Shell (DP945)	22.2, 28 and 32mm Size 55, 50	Deleted
DP948	Octopus Reconstruction Ring	Titanium ring with proximal flanges & distal hook, used in conjunction with Acetabular Reconstruction shell (DP945)	Size 50-55mm	Deleted
DP975	SROM Oblong Acetabular Shell	Titanium, beaded, non HA, double bubble	51-66mm - L, R or neutral	Deleted
DY026	Elite Unipolar Femoral Head	CoCr unipolar head	42 - 60 mm	Deleted
DY169	Ultima Acetabular Reconstruction Ring	Titanium, acetabular reconstruction cage with proximal rim	40 - 70mm	Deleted
DY424	Proxima Femoral Stem	Titanium, beaded with HA (duofix), metaphyseal stem	Size 1 to 9	Deleted
DY516	Solution Implantable Hip System	Revision Standard & MMA 8 straight or bowed porous coated collarless, coxa vara or high offset uncemented stem	6 inch (150mm) size 10.5 - 22.5	Deleted
JJ604	Tri-lock Femoral Stem	Titanium, proximally beaded, (porocoat) not HA,	Sizes 0-10 with various offsets	Deleted
JJ756	Wroblewski Cemented Cup	UHMWPE cup, cemented	22mm inner diameter, 40 - 53mm outer diameter and angled bored	Deleted
JJ757	LPW Cemented Cup	UHMWPE cup, cemented	28mm inner diameter, 40 - 53mm outer diameter	Deleted
<b>12 - Knee</b>				
DP153	PFC Sigma Knee System femoral stems	Femoral stems cemented and fluted uncemented, titanium with variable angulation	5-7degree, 125-175mm	Deleted
DP235	LCS Classic and Universal Knee System tibial baseplate	Tibial baseplate, CoCr, cemented for rotating platform	Sizes small to large+	Deleted
DP259	SROM Noiles Knee System tibial component	Tibial baseplate, CoCr, cemented, for rotating platform insert	Sizes xxsmall-large	Deleted
DP261	SROM Noiles Knee System tibial sleeves	Tibial metaphyseal sleeve, porous coated, for proximal bone replacement	37-61mm	Deleted
DP267	SROM Noiles Knee System femoral metaphyseal sleeve cap	Cap and bolt for end of femoral metaphyseal sleeve if stem not used	One size only	Deleted
DP268	SROM Noiles Posterior Stabilised Revision femoral component	Posterior stabilised, CoCr, cemented, femoral component	Sizes xxsmall-large	Deleted
DP271	SROM Noiles Knee System femoral sleeves	Femoral metaphyseal sleeve, porous coated, for distal bone replacement	Size 31-46mm	Deleted
DP272	SROM Noiles Knee System stems	Femoral and tibial stems, uncemented, fluted and slotted including attachment bolt	Sizes 100-150mm	Deleted
DP384	AMK primary locking pin and clip	Normally supplied with insert, this covers separate provision	One size only	Deleted
DP891	AMK Tibial Baseplate	Tibial Baseplate, uncemented, CoCr, beaded, HA (Duofix), for fixed insert	Size 1-5	Deleted
DY111	LCS Patellofemoral Joint Prosthesis (femoral component)	Femoral trochlear component, cemented, CoCr	Sizes small to large+	Deleted
DY112	Preservation Knee System uni femoral component	Uni femoral component, cemented, CoCr	Size 1-5	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
DY114	Preservation Knee System uni tibial baseplate	Uni all poly, cemented, tibial baseplate, UHMWPE	Sizes 1 - 5. 7-13.5mm	Deleted
DY117	Preservation Knee System uni tibial baseplate	Uni tibial baseplate, cemented, CoCr, for mobile insert	Size 1-5	Deleted
DY118	Preservation Knee System uni tibial baseplate	Uni tibial baseplate, cemented, CoCr, for fixed insert	Size 1-5	Deleted
DY149	LCS Complete Knee System femoral component	Femoral component, uncemented, CoCr, beaded (Porocoat), totally constrained	Size 1 - 6 including narrow sizesss small to large	Deleted
DY460	SROM Noiles Knee System tibial metaphyseal sleeve cap	Cap and bolt for end of tibial metaphyseal sleeve if stem not used	One size only	Deleted
DY465	LCS Classic and Universal Knee System rotating platform tibial insert	Tibial insert, UHMWPE, rotating platform, standard and deep dish, used for revising LCS classic and universal TKA	Sizes small to large+. 10-30mm	Deleted
JJ660	Preservation Knee System Uni Tibial Insert	Uni Tibial Insert, Fixed Bearing, UHMWPE	Sizes 1-5. 7-15mm	Deleted
JJ661	Preservation Knee System Uni Tibial Insert	Uni Tibial Insert, Mobile Bearing, UHMWPE	Sizes 1-5. 7-15mm	Deleted
JJ668	LCS Patellofemoral Joint Prosthesis (patellar component)	Metal backed, CoCr, rotating, uncemented, patella	Sizes small to large+	Deleted
JJ669	LCS Patellofemoral Joint Prosthesis (patellar component)	Metal backed, CoCr, rotating, cemented, patella	Sizes small to large+	Deleted
JJ825	Limb Preservation System - Diaphyseal Sleeve	Diaphyseal Sleeve	18 - 28mm	Deleted

## KH NXGEN (AUS) Pty Limited

### 13 - Spinal

KH004	L8 Spine System - Rod	Rod, titanium alloy	40 - 420mm	Deleted
KH018	Ceres Anterior Cervical Plate <55mm	Anterior Cervical Plate<55mm	22 -54mm	Deleted
KH019	Ceres Anterior Cervical Plate >55mm	Anterior Cervical Plate >55mm	57-78mm	Deleted
KH020	Ceres - Bone Screw - Self-tapping	Bone Screw - Self-tapping	Diam: 405mm Length:12-16mm	Deleted
KH021	Ceres - Bone Screw - Large Diameter	Bone Screw - Large Diameter	Diam: 4.8mm Length: 12- 16mm	Deleted
KH022	Ceres - Bone Screw - Self drilling	Bone Screw - Self drilling	Diam: 5.5mm Length:12-16mm	Deleted
KH023	Cobra Multiaxial Pedicle Screw	Multiaxial Pedicle Screw	Diam: 3.5 and 4.0mm length: 12-32mm	Deleted
KH024	Cobra Crosslink Connector	Transverse rod connector	one size only	Deleted
KH025	Cobra Occipital Plate	Occipital Plate	32 and 37mm	Deleted
KH026	Cobra Rod - Dual Diameter	Dual diameter rod for use with occipital plate	Diameter: 3/4/3mm Length: 160mm	Deleted
KH027	Cobra Occipital Screws	Occipital bone screw	Diameter:4.0 -4.5mm length: 6 -10mm	Deleted
KH028	Cobra Lateral Offset Connector	Lateral Offset Connector	one size only	Deleted
KH029	Cobra Locking Screw	Locking Screw	one size only	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
KH030	Cobra Rod	Rod	Diameter: 3mm Length: 70 -200mm	Deleted
KH031	Cobra Laminar Hook	Laminar Hook	Standard size extended	Deleted

## Lima Orthopaedics Australia Pty Ltd

### 06 - Specialist Orthopaedic

LC041	SMR Shoulder	Humeral Body - Finned - Trauma - Reverse	Short/Medium/Long	Expanded into LC188, LC189
LC050	DiPhos H Plate	Proximal Humeral 3 hole plate	3 hole	Deleted
LC051	DiPhos H Plate	Proximal Humeral 5 hole plate	5 hole	Deleted
LC052	Bone Screw	Bone Screw self tapping cortical	Diameter 3.5mm length 20-100mm	Deleted
LC053	Threaded Head Bone Screw	Threaded Head Bone Screw Cancellous	Diameter 3.5, 4mm, length 10-60mm	Deleted
LC058	S.E.M. II 400 External Fixator -Clamp	Clamp - Left / Right / Threaded / Non Threaded	One size	Deleted
LC063	Calcaneo stop screw	Cannulated self-drilling & self threading eccentric screw for calcaneous stop	Diameter 7mm Length 28mm	Deleted
LC087	TNP® Bone Washer Ti	TNP® Bone Washer Ti	13mm to 19mm	Deleted
LC091	Diphos Plate - Spherical Head Screw - Small	Spherical Head Screw - Small	Diameter 3.5mm x 8-26mm length	Deleted
LC092	Diphos Plate - Threaded Head Screw - Mini	Threaded Head Screw - Mini	Diameter 2.3/2.7mm x Length 10-40mm	Deleted
LC093	Diphos Plate - Threaded Pin with Screw Head	threaded Pin with Screw head	Diameter 2.3mm x Length 30-40mm	Deleted
LC094	DiPhos Radial Plate	Diphos 'R' Plate	3-5 Hole	Deleted
LC095	Diphos Plate - Threaded Head Screw - Small	Threaded Head Screw - Small	Diameter 3.5mm x Length 8-40mm	Deleted
LC127	MCD non Locking Bone screw - Small	MCD NON Locking Bone Screw Small	3 to 4mm Dia x 08 - 60mm Length partial or Full Thread	Deleted
LC128	MCD Non Locking Bone Screw - Standard	MCD Non Locking Bone Screw - Standard	4.5 / 6.5mm Dia x 20 -120mm Length Full thread	Deleted
LC129	MCD Cannulated Bone Screw - Mini	MCD Cannulated Bone Screw - Mini	2.0 to 2.3mm Dia x 08 - 24mm Length	Deleted
LC130	MCD Cannulated Bone Screw - Small	MCD Canulated Bone Screw - Partial or Full Thread - Small	3.0 to 4.0 mm Dia x 08-60mm Length	Deleted
LC131	MCD Cannulated Bone Screw - Standard	MCD Cannulated Bone Screw Full or Partial Threaded - Standard	4.5 to 6.5mm Dia x 16 - 120mm Length	Deleted
LC132	MCD Cannulated Double Threaded Bone Scre - Small	MCD Cannulated Double Threaded Bone Screw - Small	3.0/4.0mm Dia x 14 to 34mm Length	Deleted
LC133	MCD Non Locking Bone Screw - Micro	MCD Non Locking Bone Screw - Micro	2.0mm Dia x 06-26mm Length	Deleted
LC134	MCD Bone Screw - Mini	MCD Non Locking bone Screw - Mini	2.3 / 2.7 Dia x 06-30mm Length	Deleted
LC135	MCD Locking Bone Screw - Micro	MCD Locking Bone Screw - Mini	2mm Dia x 08 - 26mm Length	Deleted
LC136	MCD Locking Bone Screw - Mini	MCD Locking Bone Screw - Mini	2.3 / 2.7mm Dia x 06 - 30mm Length	Deleted
LC137	MCD Double Threaded Bone Screw - Mini	MCD Double Threaded Bone Screw - Mini	2.3/3.0 mm Dia x 08 - 26mm Length	Deleted
LC138	Compression Plate Complex ≤ 6 hole - Mini	Compression Plate Complex ≤ 6 hole - Mini	4-6Hole Compression Plate - 1 to 2 mm thick with/without step	Deleted
LC139	Compression Plate Complex ≥ 7 to ≤15 hole - Mini	Compression Plate Complex ≥ 7 to ≤15 hole - Mini	7-10 Hole Compression Plate from 1 to 2 mm thick with/without step	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
LC140	Compression Plate ≤ 6 hole - Mini	Compression Plate ≤ 6 hole - Mini	3-6 Hole Straight Plate x 1.2mm Thick x Compression 1-2mm	Deleted
LC141	Compression Plate ≥ 7 ≤15 Hole - Mini	Compression Plate ≥ 7 ≤15 Hole - Mini	8 Hole Straight Plate - a1-2mm Thick x 1-2mm Compression path	Deleted
LC142	Fibula Compression Plate ≤6 hole	Fibula Compression Foot Plate ≤6 hole	3-6 hole Fibula Plate 1.5mm thick x 2mm Compression path	Deleted
LC143	Fibula Compression Plate ≥7 to ≤ 15 hole	Fibula Compression foot Plate ≥7 to ≤ 15 hole	7-8 Hole Plate 1.5mm thick x 2mm Compression	Deleted

## Mathys Orthopaedics Pty Ltd

### 12 - Knee

MA453	BalanSys UNI tibial baseplate	Uni Tibial component for mobile insert, cemented, CoCr	1,2,3,4,5	Deleted
MA455	BalanSys UNI tibial Insert	Uni tibial insert, UHMWPE, mobile	5,6,7,9	Deleted
MA460	Balansys Tibial Baseplate	Tibial Baseplate for Mobile Bearing insert, Uncemented, CoCr	64/8mm - 85/15.5mm	Deleted

## Matrix Medical Innovations

### 13 - Spinal

BF003	A-Mesh Spinal Titanium Mesh Plate	A-Mesh® Spinal Titanium Mesh is designed to restore biomechanical integrity throughout the thoracic and lumbar spine following vertebrectomy or corpectomy for patients with spine tumors or fractures	Diameter: 10, 12, 14, 16, 20, 25, 30 or 35mm	Compressed into BF020
BF004	A-Mesh Spinal Titanium Mesh Set Screw	A-Mesh® Spinal Titanium Mesh is designed to restore biomechanical integrity throughout the thoracic and lumbar spine following vertebrectomy or corpectomy for patients with spine tumors or fractures.	Diameter 3mm and Length 9mm	Compressed into BF020

## Medical & Optical Instruments Australia Pty Ltd

### 06 - Specialist Orthopaedic

MO005	HBS Bone screw	Compression - standard, high	Length 10 - 30mm	Deleted
MO145	Martin Ulna Head prosthesis	Ulnar Stem Titanium	Small, medium and large, 2mm, 4mm and 17mm collar	Transferred to OH502
MO165	Osteo Clage Cable System	CoCr, Stainless Steel Cable Sleeve	2mm	Deleted
MO166	Osteo Clage Cable System	CoCr, Stainless Steel Cable	850mm	Deleted
MO324	Martin Ulna Head prosthesis	UHP Ceramic Head	Small, medium and large	Transferred to OH500
MO325	Martin Ulna Head prosthesis	UHP Cobalt Chrome Head	Small, medium and large	Transferred to OH501

### 07 - Plastic and Reconstructive

MO002	Martin Level One Fixation	Plate, titanium	=>3mm thick, 8 to 15 holes	Transferred to KT007
MO024	Martin Level One Fixation	Temporary condylar impant, titanium	5cm	Transferred to KT008

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
MO054	Martin Level One Fixation	Plate, titanium	1 to 1.99mm thick, <4 holes	Transferred to KT009
MO121	Martin Level One Fixation	Plate, titanium	<0.5mm thick, 4 to 7 holes	Transferred to KT010
MO135	Martin Distraction Osteogenesis	Distractor System, Complete, internal/intraoral, titanium	10 to 20 mm	Transferred to KT011
MO185	Martin Level One Fixation Resorb x & SonicWeld Rx	Mesh, PDLA (resorbable)	1.0 to 1.99mm thick, 4 to 7 holes	Transferred to KT012
MO188	Martin Level One Fixation Resorb x & SonicWeld Rx	Mesh, PDLA (resorbable)	0.20 to 0.49mm thick, 26 to 50cm <sup>2</sup> area	Transferred to KT013
MO224	Martin Level One Fixation	Plate, titanium	0.5-0.99mm thick, 4-7 holes	Transferred to KT014
MO231	Martin Level One Fixation Resorb x & SonicWeld Rx	Mesh, PDLA (resorbable)	>0.80mm thick, 11 to 25cm <sup>2</sup> area	Transferred to KT015
MO233	Martin Distraction Osteogenesis	Distractor System, Complete, other, titanium	1.5mm	Transferred to KT016
MO234	Martin Distraction Osteogenesis Rigid External Distraction (Polley RED II)	Distractor System, Component, Screws/Pins (other than bone screws), titanium	45-55mm	Transferred to KT017
MO236	Martin Distraction Osteogenesis Rigid External Distraction (Polley RED II)	Distractor System, Complete, External, Midface, Aluminium, Carbon Fibre	one size only	Transferred to KT018
MO239	Martin Distraction Osteogenesis	Distractor System, Complete, other, titanium	15-60 mm distraction length	Transferred to KT019
MO240	Martin Distraction Osteogenesis Rigid External Distraction (Polley RED II)	Distractor System, Component, Other, titanium, aluminium	1.5-1.58mm	Transferred to KT020
MO242	Martin Distraction Osteogenesis Rigid External Distraction (Polley RED II)	Distractor System, Component, Footplate, titanium	1.5mm	Transferred to KT021
MO246	Martin Distraction Osteogenesis Rigid External Distraction (Polley RED II)	Distractor System, Component, Cross Bar, aluminium.carbon fibre	one size only	Transferred to KT022
MO251	Martin Level One Fixation	Mesh, Titanium	0.50 to 0.80mm thick, 51 to 100cm <sup>2</sup> area	Transferred to KT023
MO283	Martin Micro Plate Osteosynthesis System	1.5mm system Straight Plate Titanium	2 hole, 0.6mm profile	Transferred to KT024
MO287	Martin Level One Fixation	Screw Titanium	diameter <1.24mm	Transferred to KT025
MO290	Martin Level One Fixation	Mesh, Titanium	<0.2mm, 51 to 100cm <sup>2</sup> area	Transferred to KT026
MO291	Martin Level One Fixation	Mesh, Titanium	<0.2mm thick, 1 to 10cm <sup>2</sup> area	Transferred to KT027
MO293	Martin Level One Fixation Resorb x & SonicWeld Rx	Plate, PDLA (resorbable)	1.0 to 1.99mm thick, 16 to 32 holes	Transferred to KT028
MO294	Martin Level One Fixation	Plate, titanium	1.0 to 1.99mm thick, 16 to 32 holes	Transferred to KT029
MO295	Martin Level One Fixation	Plate Titanium	1.0 to 1.99mm thick, 16 to 32 holes	Transferred to KT030
MO298	Martin Level One Fixation	Mesh, Titanium	0.2 to 0.49mm thick, 1 to 10cm <sup>2</sup> area	Transferred to KT031
MO299	Martin Level One Fixation Resorb x & SonicWeld	Mesh PDLA (resorbable)	0.20 to 0.49mm thick, 1 to 10 cm <sup>2</sup> area	Transferred to KT032
MO302	Martin Level One Fixation Resorb x & SonicWeld	Reconstruction sheet not mesh PDLA (resorbable)	25x25mm-0.1mm	Transferred to KT033
MO303	Martin Level One Fixation	Mesh, Titanium	0.2 to 0.49mm thick, 1 to 10cm <sup>2</sup> area	Transferred to KT034
MO312	Martin Level One Fixation	Screw, titanium	Diameter 2.25 - 2.74mm	Transferred to KT035
MO326	Martin Level One Fixation Resorb x & Sonic Weld	Plate PDLA (resorbable)	1.0 to 1.99mm thick, 8 to 15 holes	Transferred to KT036
MO328	Martin Level One Fixation	Plate Titanium	0.5-0.99mm thick, 8-32 holes	Transferred to KT037

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
MO329	Martin Level One Fixation	Screw Titanium	Diameter 1.25 to 3.24mm	Transferred to KT038
MO330	Martin Level One Fixation	Mesh Titanium	0.5-0.8mm thick, 1-10cm <sup>2</sup>	Transferred to KT039
MO331	Martin Level One Fixation Resorb x & Sonic Weld	Sonic Pin PDDL (resorbable)	Diameter 1.25 - 3.24mm	Transferred to KT040
MO337	Martin Level One Fixation	Orthodontic Locking Screw	2mm	Transferred to KT041
MO338	Martin Level One Fixation	Screw Titanium	Diameter 1.25 to 1.74mm	Transferred to KT042
MO342	Martin Level One Fixation	Plate Titanium locking	1.0 to 1.99 mm thick, 4 - 7 holes	Transferred to KT043
MO344	Martin Level One Fixation	Mesh PDLLA resorbable	>0.8mm thick, 1-10cm <sup>2</sup>	Transferred to KT044
MO345	Martin Level One Fixation	Mesh PDLLA resorbable	>0.8mm thick, 26-50cm <sup>2</sup>	Transferred to KT045
MO346	Martin Level One Fixation	Mesh PDLLA resorbable	0.5-0.8mm thick, 26-50cm <sup>2</sup>	Transferred to KT046
MO347	Martin Level One Fixation	Mesh, Titanium & 3D	0.2-0.49mm thick, 51-200cm <sup>2</sup>	Transferred to KT047
MO358	Martin Level One Fixation	Mesh PDLLA resorbable	0.5-0.8mm thick, 101-200cm <sup>2</sup>	Transferred to KT048
MO359	Martin Level One Fixation	Mesh PDLLA resorbable	>0.8mm thick, 101-200cm <sup>2</sup>	Transferred to KT049
MO389	KLS Martin Neuro Fixation System	Ultra low profile neuro plates	0.3mm thick 2 holes	Transferred to KT050
MO390	KLS Martin Neuro Fixation System	Ultra low profile neuro plates	0.3mm thick 4-7 holes	Transferred to KT051
MO391	KLS Martin Neuro Fixation System	Ultra low profile neuro plates	0.3mm thick 8-15 holes	Transferred to KT052
MO396	KLS Martin Distractor	Zurich II distractor bodies	15mm - 30mm distraction length	Transferred to KT053
MO397	KLS Martin Distractors	Zurich II remote release activators	20mm - 50mm	Transferred to KT054
MO399	KLS Martin Plating System	Preshaped reconstruction plates, in left and right options	2.0mm and 2.5mm thickness with 26 holes	Transferred to KT055
MO400	Martin Level One Fixation	Plate ,Titanium	1.0 to 1.99mm thick, 8 -15 holes	Transferred to KT056
MO401	Martin Level One Fixation	Plate Titanium	0.5 to 0.99mm thick, 4 - 7 holes	Transferred to KT057
MO402	Martin Level One Fixation Resorb X & SonicWeld RX	Mesh, PDLLA (resorbable)	0.50 to 0.80mm thick, 1 to 10cm <sup>2</sup>	Transferred to KT058
MO403	Martin Level One Fixation Plate	Martin Level One Fixation	1.0-1.99mm thick, 4-7 holes	Transferred to KT059
MO409	Martin Level One Fixation	Mesh, Titanium	0.9-0.49mm thick, 11-50cm <sup>2</sup>	Transferred to KT060
MO410	Martin Level One Fixation	Plate, Titanium	≥3mm thick, 16 to 32 Holes	Transferred to KT061
MO411	Martin Level One Fixation	Mesh, Titanium	0.5-0.8mm thick, 11-50cm <sup>2</sup>	Transferred to KT062
MO412	Martin Level One Fixation	Orthodontic skeletal anchorage plate	0.5 to 0.99mm thick, 2 to 7 holes	Transferred to KT063

## Medical Vision Australia Plastic and Cosmetic Pty Ltd

### 07 - Plastic and Reconstructive

MW012	Cereform Silicone Gel-filled Breast Implant, Round, Smooth and Textured Surface	Silicone Gel-filled Breast Implant	100cc to 500cc	Deleted
MW013	Cereform Silicone Gel-filled Breast Implant, Round, Smooth and Textured Surface	Silicone Gel-filled Breast Implant	500cc to 650cc	Deleted
MW014	Cereform "Aptima" Silicone Gel Filled Breast Implant	Silicone gel-filled breast implant with very high profile and filled with "Aptima" high cohesive gel	100cc to 500cc	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
MW015	Cereform "Aptima" Silicone Gel Filled Breast Implant	Silicone gel-filled breast implant with very high profile and filled with "Aptima" high cohesive gel	500cc to 650cc	Deleted
MW016	Cereform Silicone Breast Implant, Anatomical, Textured Surface	Silicone Gel-Filled Breast Implant	100cc to 500cc	Deleted
MW017	Cereform Silicone Breast Implant, Anatomical, Textured Surface	Silicone Gel-Filled Breast Implant	500cc to 650cc	Deleted
MW018	Cereform Silicone Breast Implant, Anatomical, Textured Surface	Silicone Gel-Filled Breast Implant	650 cc to 850cc	Deleted
MW019	Cereform Silicone Gel-filled Breast Implant, Round, Smooth and Textured Surface	Silicone Gel-filled Breast Implant	650cc to 850cc	Deleted
MW020	Cereform "Aptima" Silicone Gel Filled Breast Implant	Silicone gel-filled breast implant with very high profile and filled with "Aptima" high cohesive gel	650cc to 850cc	Deleted

## Medtronic Australasia Pty Ltd

### 04 - Neurosurgical

MC001	Kinetra Dual Channel Implantable Pulse Generator Model 7428	Titanium, polyurethane	One size only	Deleted
MC228	Solettra Model 7426 Neurostimulator	Sterility - Ethylene Oxide. Neurostimulator comprised of electronic circuitry and a battery, which are hermetically sealed in a titanium case	One size only	Deleted
MC249	Access Therapy Controller	Handheld device used with the Kinetra and Solettra Implantable Pulse Generators	One size only	Deleted

## Morton Surgical Pty Ltd ta Matrix Surgical Company

### 03 - General Miscellaneous

MG007	Aspide Surgimesh	Monofilament polypropylene	15 x 15cm Thread 0.14mm	Deleted
MG039	Surgimesh WN	Non-woven, non-knitted reinforcement mesh	4.5cmx10cm, 6x13cm, 9x13cm, 11x15cm, 10x15cm	Deleted
MG040	Surgimesh WN	Non-woven, non-knitted reinforcement mesh	30x30cm	Deleted
MG041	Surgimesh XB non-adherent with introducer	Intra-abdominal implant biface	Tintra P diameter 7cm, Tintra PXL diameter 9cm	Deleted
MG042	Surgimesh WN	Non-woven, non-knitted reinforcement mesh	14x15cm, 15x15cm	Deleted
MG043	Aspide Surgimesh	Monofilament polypropylene	6 x 11cm, 8 x 12cm, 10 x 13cm, 10 x 15cm	Deleted

## Ortho Solutions Pty Ltd

### 06 - Specialist Orthopaedic

OU015	Rearfoot Recon Plate	Rearfoot Recon Plate	Rearfoot Recon. Plate 6 hole (RRP) Rearfoot Recon. Plate 8 hole (RRP) Rearfoot Recon. Plate 14 hole (RRP)	Expanded into OU049, OU050, OU051, OU052
OU016	Arthrodesis Wedge Plate	Arthrodesis Wedge Plate	Arthrodesis Wedge Plate 0mm - 8mm (AWP) 3.5mm Universal Locking Plate 12mm - 30mm (3.5ULP)	Expanded into OU053, OU054



Billing Code	Product Name	Further Description	Size	Explanation of Deletion
<b>Orthopaedic Solutions Pty Ltd</b>				
<b>06 - Specialist Orthopaedic</b>				
OE044	Merete MetaCun/ DuoMetaCun/ MetaFix Plantar BG10 - Fusion Plates	Small Plates, Titanium, < 6 holes	Plates, < 6 holes: MetaCun - 21mm, 23mm 25mm 27mm DuoMetaCun - small 23, medium 23; Small 25, Medium 25 MetaFix Plantar BG10 - 37mm, 40mm (Left & Right)	Transferred to EF002
OE045	Merete MetaFix MTP >6 holes	Small Plates, Titanium, >6 holes	39mm & 52mm (Left & Right)	Transferred to EF003
OE046	Merete - Cannulated HCS (headless Compression Screws) 6.5mm	Bone screws, Titanium, Cannulated Compression	Diameter + 6.5mm, length 40-120mm (in 5mm increments)	Transferred to EF004
OE047	Merete - MetaFix LS - Locking Screws 3.0 & 3.5mm	Bone screws, Titanium, Locking	Diameter = 3.0, length = 12-28mm in 2mm increments Diameter = 3.5mm, length 12-48mm in 2mm increments	Transferred to EF006
OE048	Merete - Cannulated HCS (Compression Screws 3.0mm x 4.3mm)	Bone Screws, Titanium, Cannulated Compression	Diameter = 3.0mm, Length = 12-32mm in 2mm increments & 35mm, 40mm Diameter = 4.3mm, Length =20-40mm in 2mm increments	Transferred to EF005
<b>Orthotech Pty Ltd</b>				
<b>06 - Specialist Orthopaedic</b>				
OH473	Precice Limb Lengthening	Limb Lengthening system	8.5/10.7/12.5	Deleted
<b>12 - Knee</b>				
OH024	Optetrak Total Knee System CCK (Constrained Condylar Knee) Femoral Component	Femoral Component, cemented, CoCr, totally stabilised	Size 1 - 6	Transferred to EX066
<b>13 - Spinal</b>				
OH257	Stalif	Interbody Fusion Cage	36/39/42/45 x 11/13/15/17mm	Expanded into OH495, OH496
OH486	Stalif C	Interbody Fusion Cage - Tapered	5.5 - 9.5	Expanded into OH497, OH498
<b>Signature Orthopaedics</b>				
<b>11 - Hip</b>				
SF026	Ceramic Femoral Head	Ceramic femoral head	-2 to -5mm, +0 to +10mm	Deleted
SF042	TSI™ Modular Neck	Titanium and CoCr with lateral extension for stem connection	25mm - 35mm to 35mm - 50mm	Deleted
SF043	MSA Global Femoral Stem	Titanium, plasma spray, with HA, distal flute & polished	0 - 6	Deleted
<b>13 - Spinal</b>				
SF007	VerteLoc Spine System	Cervical Cage	extra small - extra large	Deleted
SF048	VerteLoc Spine System	Locking Screw	20mm - 150mm	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
SF049	VerteLoc Spine System	Stackable Cage	Extra Small - Extra large	Deleted
SF050	VerteLoc Spine System	Locking Nut	one size only	Deleted
SF069	Centaur Screw System	Polyaxial Screw	4mm - 13 mm	Expanded into SF080, SF081

## Smith & Nephew Surgical Pty Ltd

### 12 - Knee

SN321	Genesis II Knee System Femoral Component	Femoral Component, cemented, CoCr	Left/Right Size 1-8	Expanded into SN991, SN992
SN871	Genesis II Knee System Femoral Component	Femoral component, cemented posterior stabilised, CoCr	Left / Right 1-8	Expanded into SN989, SN990
SN879	Genesis II / LEGION	Femoral component, Oxinium, cemented	Left / Right 1-9	Expanded into SL047, SL048
SN883	Genesis II / LEGION	Femoral Component, cemented, posterior stabilised, Oxinium	Left / Right 1-9	Expanded into SN987, SN988

## St Jude Medical Australia Pty Ltd

### 04 - Neurosurgical

SJ209	Eon Mini Neurostimulation System - Charging System Model 3721	Charging System Model 3721	One size only	Deleted
-------	---	----------------------------	---------------	---------

### 08 - Cardiac

SJ091	Premere PFO Closure System	Percutaneous, transcatheter, self-expanding, dual anchor, occlusion and apposition device	Left Atrial Anchor diameter 20mm, 25mm and 30mm	Deleted
SJ145	Promote Accel CD3215-30	Cardiac Resynchronisation Therapy Defibrillator with RF Telemetry	76g, 39cc	Deleted
SJ147	Current Accel VR RF CD1215-36	Single Chamber Cardioverter Defibrillator with RF Telemetry	79g, 38cc	Deleted
SJ150	Promote Accel RF CD3215-36	Cardiac Resynchronisation Therapy Defibrillator with RF Telemetry	82g, 43cc	Deleted
SJ153	Current Accel DR RF CD2215-36	Dual Chamber Cardioverter Defibrillator with RF Telemetry	80g, 42cc	Deleted
SJ213	Current Accel VR RF CD1215-30	Single chamber cardioverter defibrillator with RF telemetry	73g, 37cc	Deleted
SJ214	Current Accel DR RF CD2215-30	Dual chamber cardioverter defibrillator with RF telemetry	74g, 38cc	Deleted
SJ232	Current Accel VR CD1215-36Q	Single Chamber Cardioverter Defibrillator with RF Telemetry and SJ4 connector	80g, 42cc	Deleted
SJ236	Promote Accel CD3215-36Q	Cardiac Resynchronisation Therapy Defibrillator with RF Telemetry and SJ4 connector	82g, 43cc	Deleted
SJ239	Current Accel DR CD2215-36Q	Dual Chamber Cardioverter Defibrillator with RF Telemetry and SJ4 connector	80g, 41cc	Deleted
SJ244	Unify CRT CD3235-40Q	Cardiac Resynchronisation Therapy Defibrillator with 40J delivered energy and SJ4 connector	36cc, 77g	Deleted
SJ246	Unify CRT CD3235-40	Cardiac Resynchronisation Therapy Defibrillator with 40J delivered	36cc, 78g	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
SJ247	Fortify ST VR 1235-40Q	Single chamber cardioverter defibrillator with 40J delivered energy and ST segment monitoring and SJ4 connector	35cc, 75g	Deleted
SJ248	Fortify ST DR CD2235-40	Dual chamber cardioverter defibrillator with 40J delivered energy and ST segment monitoring	35cc, 76g	Deleted
SJ250	Fortify ST DR CD2235-40Q	Dual chamber cardioverter defibrillator with 40J delivered energy and ST segment monitoring	35cc, 75g	Deleted
SJ251	Fortify ST VR CD1235-40	Single chamber cardioverter defibrillator with 40J delivered energy and ST segment monitoring	35cc, 75g	Deleted
SJ252	Promote Quadra CRT CD3239-40Q	Cardiac Resynchronisation Therapy Defibrillator with 40J delivered energy and VectSelect Quartet Programmable LV pulse configuration and SJ 4 connector	46cc, 88g	Deleted
SJ253	Promote Quadra CRT CD3239-40	Cardiac Resynchronisation Therapy Defibrillator with 40J delivered energy and VectSelect Quartet Programmable LV pulse configuration	46cc, 88g	Deleted
SJ271	Unify Quadra CRT CD 3251-40	Cardiac Resynchronisation Therapy Defibrillator with 40J delivered plus Quadripolar pacing	40cc, 83g	Deleted
SJ272	Unify Quadra CRT CD 3251-40Q	Cardiac Resynchronisation Therapy Defibrillator with 40J delivered energy with quadripole pacing and SJ4 connector	38cc, 81g	Deleted
SJ322	Unify Quadra MP CD 3255-40Q	Cardiac Resynchronisation Therapy Defibrillator with 40J delivered energy, Multisite Left Ventricular Pacing plus Quadripolar pacing and DF-4 connector	38cc, 81g	Deleted
SJ328	Unify Quadra MP CD 3255-40	Cardiac Resynchronisation Therapy Defibrillator with 40J delivered and Multisite Left Ventricular Pacing and Quadripolar pacing	40cc, 83g	Deleted

## Surgiplas Medical

### 06 - Specialist Orthopaedic

SP055	Hemi-Great Toe Implant	Great Toe implant, Cobalt Chromium	XS, S, M, L	Deleted
SP056	Bio-Action Great Toe Implant	Bio-Action Phalangeal Implant, Titanium Alloy and UHMWPE.	Small neutral/ small modified/ large modified.	Deleted
SP057	Bio-Action Great Toe System	Bio-Action Metatarsal Implant Cobalt Chrome	Small neutral / small left/ small right/ large neutral	Deleted
SP061	Reflexion 1st MPJ Implant System	Reflexion metatarsal stems, 3 part 1st MPJ reconstruction system, 2 part composition - titanium/cobalt chrome, 1 part composition - titanium/UHMWPE,	Small, medium, large	Deleted
SP062	Reflexion 1st MPJ Implant System	Reflexion metatarsal heads, 3 part 1st MPJ reconstruction system, 2 part composition - titanium/cobalt chrome, 1 part composition - titanium/UHMWPE,	Standard, long, extra-long	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
SP063	Reflexion 1st MPJ Implant System	ReflexionPhalangeal Bases, 3 part 1st MPJ reconstruction system, 2 part composition - titanium/cobalt chrome, 1 part composition - titanium/UHMWPE,	Small, medium, large	Deleted
<b>07 - Plastic and Reconstructive</b>				
SP101	Bioresorbable Fixation System	Plates	Neuro Fixation Set	Deleted
<b>Synthes Australia Pty Ltd</b>				
<b>06 - Specialist Orthopaedic</b>				
SY259	AO/ASIF Plates	Small & Mini Fragment Plates	7-15 Holes	Deleted
SY714	AO/ASIF Plates	LCP, Condylar, Mini Fragment Plates - Various	7-15 holes	Expanded into SY799, SY800
<b>W L Gore &amp; Associates</b>				
<b>08 - Cardiac</b>				
GT223	Helix 1.5 Septal Occluder	The GORE HELEX Septal Occluder consists of an implantable endoprosthesis and a catheter delivery system. The Occluder is comprised of a nickel-titanium (Nitinol) wire frame covered with expanded polytetrafluoroethylene (ePTFE). The ePTFE is treated with	Diameters: 15, 20, 25, 30 and 35mm	Deleted
<b>10 - Vascular</b>				
GT008	Gore-Tex Stretch Vascular Graft - Removable Rings	Thin Walled Removable Ringed Stretch	Diameters: 5-8mm Lengths: ≥ 50cm	Compressed into GT278
GT132	Gore-Tex Vascular Grafts	Vascular Grafts - Aorto - Pulmonary & Systemic Pulmonary Shunts (ePTFE) Stretch & Non Stretch Standard Wall & Thin Wall.	Diameter 3 - 12mm, Length 10cm	Compressed into GT284
GT136	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters 4 - 12mm, Length ≥ 50cm	Compressed into GT279
GT138	Gore-Tex Vascular Grafts	Vascular Grafts - Aorto - Pulmonary & Systemic- Pulmonary Shunts (ePTFE) Stretch & Non Stretch Standard Wall & Thin Wall	Diameter 3 - 12mm, Length 10cm	Compressed into GT284
GT139	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Thin Wall Stretch (ePTFE)	Diameters: 3-10mm Length: 21-49cm	Compressed into GT281
GT143	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameter 4 - 12mm, Lengths ≥ 50cm	Compressed into GT280
GT145	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameter 4 - 12mm, Lengths ≥ 50cm	Compressed into GT280
GT147	Gore-Tex Vascular Grafts	Stretch Vascular Grafts- Large Diameter	Diameter 12-24mm, Length 21-49cm	Compressed into GT282
GT148	Gore-Tex Vascular Grafts	Stretch Vascular Grafts-Large Diameter	Diameter 12 - 24mm, Length 21-49cm	Compressed into GT282
GT149	Gore-Tex Vascular Grafts	Vascular Grafts - Aorto - Pulmonary & Systemic- Pulmonary Shunts (ePTFE) Stretch & Non Stretch Standard Wall & Thin Wall	Diameter 4 - 10mm, Length 10cm	Compressed into GT284

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
GT150	Gore-Tex Vascular Grafts	Thin Wall and Standard Wall (ePTFE)	Diameters: 5-12mm Lengths: 11-20cm	Compressed into GT283
GT151	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3 - 10mm Length: 21-49cm	Compressed into GT281
GT152	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3-10mm Lengths: 21-49cm	Compressed into GT281
GT157	Gore-Tex Vascular Graft	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameter 4 - 12mm, Lengths $\geq$ 50cm	Compressed into GT280
GT158	Gore-Tex Vascular Grafts	Vascular Grafts - Aorto-Pulmonary & Systemic-Pulmonary Shunts (ePTFE) Stretch & Non Stretch Standard Wall & Thin Wall.	Diameter 3 - 12mm, Length 10cm	Compressed into GT284
GT159	Gore-Tex Vascular Grafts	Thin Wall and Standard Wall (ePTFE)	Diameters: 5-12mm Lengths: 11-20cm	Compressed into GT283
GT160	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3-10mm Lengths: 21-49cm	Compressed into GT281
GT161	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Thin Wall Stretch (ePTFE)	Diameters: 3-10mm Length: 21-49cm	Compressed into GT281
GT164	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3-12mm Lengths: $\geq$ 50cm	Compressed into GT279
GT179	Gore-Tex Vascular Graft removable Ringed	Thin Walled Removable Ringed Stretch	Diameters: 5 - 8mm Lengths: $\geq$ 50cm	Compressed into GT278
GT180	Gore-Tex Vascular Graft Removable Ringed	Thin Walled Removable Ringed Stretch	Diameter: 5 - 6mm Length: $\geq$ 50cm	Compressed into GT278
GT182	Gore-Tex Vascular Graft Removable Ringed	Thin Walled Removable Ringed Stretch	Diameters: 5-8mm Lengths: $\geq$ 50cm	Compressed into GT278
GT183	Gore-Tex Vascular Graft Removable Ringed	Thin Walled Removable Ringed Stretch	Diameters: 5-8mm Lengths: $\geq$ 50cm	Compressed into GT278
GT185	Gore-Tex Stretch Vascular Graft - Removable Rings	Thin Walled Removable Ringed Stretch	Diameters: 5-8mm Lengths: $\geq$ 50cm	Compressed into GT278
GT186	Gore-Tex Stretch Vascular Graft - Removable Rings	Thin Walled Removable Ringed Stretch	Diameters: 5-8mm Lengths: $\geq$ 50cm	Compressed into GT278
GT187	Gore-Tex Stretch Vascular Graft - Removable Rings	Thin Walled Removable Ringed Stretch	Diameters: 5 - 8mm Lengths: $\geq$ 50cm	Compressed into GT278
GT200	Gore-Tex Vascular Grafts	Thin Wall and Standard Wall (ePTFE)	Diameters: 5-12mm Lengths: 11-20cm	Compressed into GT283
GT236	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3-12mm Lengths: $\geq$ 50cm	Compressed into GT279
GT237	Gore-Tex Vascular Graft	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3-12mm Lengths: $\geq$ 50 cm	Compressed into GT279
GT238	Gore-Tex Vascular GraftS	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 4-12mm Lengths: $\geq$ 50cm	Compressed into GT279
GT239	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 4-12mm Lengths: $\geq$ 50cm	Compressed into GT279
GT240	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Thin Wall Stretch (ePTFE)	Diameters: 3-10mm Length: 21-49cm	Compressed into GT281

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
GT241	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Thin Wall Stretch (ePTFE)	Diameters: 3-10mm Length: 21-49cm	Compressed into GT281
GT242	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3-12mm Lengths: ≥ 50cm	Compressed into GT280
GT243	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3-12mm Lengths: ≥ 50cm	Compressed into GT280
GT244	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3-12mm Lengths: ≥ 50cm	Compressed into GT280
GT245	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Tecnology (ePTFE)	Diameters: 4-12mm Lengths: ≥ 50cm	Compressed into GT280
GT246	Gore-Tex Vascular Graft	Standard Wall, Thin Wall and Stretch tecnology (ePTFE)	Diameters: 4-12mm Lengths: ≥ 50cm	Compressed into GT280
GT247	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Tecnology (ePTFE)	Diameters: 3-12mm Lengths: ≥ 50cm	Compressed into GT280
GT248	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3-12mm Lengths: ≥ 50cm	Compressed into GT279
GT249	Gore-Tex Vascular GraftS	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters 4-12mm , Length ≥ 50cm	Compressed into GT279
GT250	Gore-Tex Stretch Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3-12mm Lengths: ≥ 50cm	Compressed into GT279
GT251	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters 3-12mm Lengths ≥ 50cm	Compressed into GT279
GT253	Gore-Tex Stretch Vascular Graft - Removable Rings	Thin Walled Removable Ringed Stretch	Diameters: 5-8mm Lengths: ≥ 50cm	Compressed into GT278

## Zimmer Pty Ltd

### 06 - Specialist Orthopaedic

ZI551	Zimmer Universal Locking System	2.7 mm Locking T & L Plate Sterile and Non-Sterile	2 hole head 3 hole shaft 39mm length; 2 hole head 5 hole shaft 62mm length; 3 hole shaft left 39mm; 3 hole shaft right 39mm; 3 hole shaft oblique left 42mm; 3 hole shaft oblique right 42mm; 5 hole shaft left 62mm; 5 hole shaft right 62mm; 5 hole shaft obl	Deleted
-------	---------------------------------	--	---	---------

### 13 - Spinal

ZI625	SEQUOIA PEDICLE SCREW SYSTEM	Closure Top	One size only	Deleted
-------	------------------------------	-------------	---------------	---------

**Grand Total: 426 Records**