

Deleted Items for Prostheses List

February 2016

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Abbott Australasia Pty Ltd				
08 - Cardiac				
AY038	Coherex FlatStent EF PFO Closure System	In-tunnel PFO closure device and delivery system	13mm & 19mm	Deleted
Advanced Bionics Australia Pty Ltd				
02 - Ear, Nose & Throat				
BD021	HiRes90K Advantage Cochlear Implant with the HiFocus Helix Electrode	The HiRes90K Advantage Cochlear Implant with the implanted component of the HiResolution Bionic Ear System. It receives information through an RF transmission coil, processes the information and then sends the resulting signal to an electrode array implanted in the cochlea. It consists of receiving/transmitting coil, Stimulator electrodes and HiFocus Helix Electrode array	Implant Size: 56mm (L) x 28mm (w) x 5.7mm (thickness). Electrode size: Active length 13mm, Tip diameter 0.6mm, Basal diameter 1.1mm. Total length of electrode array 24.5mm	Deleted
Allegra Orthopaedics Pty Ltd				
06 - Specialist Orthopaedic				
AE131	HemiCAP Contoured Articular Resurfacing Shoulder System	Articular Component - Chrome Cobalt	Articular Component 25mm - 2.5mm x 2.5mm to 5.0mm x 5.0mm offset; Articular Component 30mm - 4.5mm x 4.5mm to 7.0mm x 7.0mm offset; Articular Component 35mm - 6.0mm x 6.0mm to 9.5mm x 9.5mm; Articular Component 40mm - 8.0mm x 8.0mm to 12.0mm x 12.0mm	Manual amendment for Feb 2016 List
AE132	HemiCAP Contoured Articular Resurfacing Shoulder System	Fixation Screw - Titanium	10.5mm, 12.5mm, 13.7mm, 15.6mm,	Manual amendment for Feb 2016 List
12 - Knee				
AE133	HemiCAP Contoured Articular Knee System Resurfacing Component	Articular resurfacing component - CoCr with titanium plasma spray	Articular Component 15mm - 0.5mm x 0.5mm to 2.0mm x 2.0mm offset; Articular Component 20mm - 1.0mm x 1.0mm to 4.0mm x 4.0mm offset; 6 x 2mm to 10 x 3mm Offset	Manual amendment for Feb 2016 List
AE134	HemiCAP Contoured Articular Knee System Fixation component	Proximal Morse taper, fully cannulated, tapered, threaded fixation component - Titanium with titanium plasma spray	Component for 15mm & 20mm Articular Components Screw 9.5mm Dia x 20mm; 11mm x 22mm	Manual amendment for Feb 2016 List
AE135	HemiCAP Patello-Femoral Resurfacing System - Fixation Stud	A titanium-alloy fixation stud	8.5mm x 17.0mm	Manual amendment for Feb 2016 List
AE136	HemiCAP Patello-Femoral Resurfacing System - Patella Component	An all-polyethylene patella resurfacing device used alone or in conjunction with a femoral trochlear component Available in 2 configurations Button and Anatomic	20mm,25mm,30mm	Manual amendment for Feb 2016 List

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Allergan Australia Pty Limited				
07 - Plastic and Reconstructive				
AW009	Allergan styles CML, CMH, TSL, TSM, TSF, TSX	Silicone Cohesive Gel-Filled Breast Implant	80 - 800 grams	Deleted
AW010	Allergan Style 40, 45, SSL, SSM, SSF, SSX Intrashiel Gel-Filled Round Mammary Implant	Round: low, medium, high & extra high profile	110 - 800 grams	Deleted
AW011	McGhan Style 110 & 120 Biocell Textured, Intrasheid barrier Gel-Filled Mammary Implant	Round: Moderate or high profile	90 - 650 grams	Deleted
Austofix				
06 - Specialist Orthopaedic				
AX051	Tectona Hip Plate - Cortical Screw	Cortical Screw, self tapping	4.5mm, lengths 28-46mm	Deleted
AX052	Tectona Hip Plate - Compression Screw	Comprssion screw, sterile packed	Length 36mm. For compression with Tectona Lag Screw	Deleted
AX053	Tectona Hip Plate - Locking Screw	Locking screw, self tapping	5.0mm, lengths 28-46mm	Deleted
AX054	Tectona Hip Plate - Standard Lag Screw	Hip Lag Screw, sterile packed	12.5mm, 14.5mm	Deleted
AX055	Tectona Hip Plate - Lag Screw HA coated	Hip Lag Screw HA coated, sterile packed	12.5mm - lengths 50-145mm	Deleted
AX056	Tectona Hip Plate	Hip plate, locking with removable targeting jig, sterile packed	135 degree, 3 hole	Deleted
AX066	Graftys BCP - Preformed 5cc	Biphasic Calcium Phosphate Granules	0-5cc	Deleted
AX069	Graftys Bone Cement - Quickset Bone Cement	Macroporous Calcium Phosphate Cement	8cc	Deleted
AX071	Graftys Bone Cement - HBS Bone Cement	Macroporous Calcium Phosphate Cement	8cc	Deleted
AX073	Graftys Bone Cement - HBS Bone Cement	Macroporous Calcium Phosphate Cement	5cc	Deleted
AX078	Graftys Bone Cement - Quickset Bone Cement	Macroporous Calcium Phosphate Cement	5cc	Deleted
AX079	Graftys BCP - Granules 10cc	Biphasic Calcium Phosphate Granules	10cc	Deleted
AX080	Graftys BCP - Granules 5cc	Biphasic Calcium Phosphate Granules	0.5-5cc	Deleted
11 - Hip				
AX045	Hyperion Moonstone Bipolar Cup	Stainless Steel Shell, UHMWPE liner with locking ring	Sizes 39 - 59	Deleted
AX046	Hyperion Emergence Cemented Cup	Acetabular Cup, UHMWPE	Sizes 42 - 54	Deleted
AX050	Hyperion Captiv Bone Screw	Titanium, cancellous self tapping bone screw	6mm, 20 to 45 mm lengths	Deleted
AX063	Austofix Ceramic System	Captiv ceramic liner - Biolox	48-69mm	Deleted
AX068	Experion Hip System	Polished, stainless steel, tapered stem	Sizers 1-4, Offsets 35.5 - 44mm	Deleted
AX070	Plasmaloc Ceramic Liner	Biolox Forte	46mm to 66mm	Deleted
AX072	Plasmaloc Poly Liner	UHMWPE	46mm to 66mm, Neutral & 10 degree	Deleted
AX074	Experion Head	Stainless Steel	28mm and 32mm, various sizes	Deleted
AX075	Experion Head	Stainless Steel	36mm, various sizes	Deleted
AX076	Experion Cement Restrictor	UHMWPE	Universal, one size	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
AX077	Experion Distal Centraliser	PMMA	Universal	Deleted
AX081	Plasmaloc Acetabular Screws	6.5mm Cancellous Bone Screws	25-60mm	Deleted
AX082	Plasmaloc Acetabular Cup	Titanium, plasma spray, HA	46-66mm	Deleted
AX091	Plasmaloc Hole Occluder	Plasmaloc Acetabular Cup Screw Hole Occluder	Screw hole size	Deleted
		Plasmaloc Acetabular Cup Polar Hole Occluder	Polar hole size	
AX093	C2 Acetabular Shell	titanium Cup with sintered titanium coating	48 - 68mm	Transferred to LI099
AX094	C2 Cancellous Screws	titanium, Cancellous Screws	15mm - 50mm	Transferred to LI093
AX095	C2 XL2 Polyethylene Liner	XL2 Polyethylene Liner	32-48mm, 32-50mm, 32-52mm, 32-54mm, 32-56mm, 32-58mm, 32-60mm, 32-62mm, 32-64mm, 32-66mm, 36-68mm, 36-52mm, 36-54mm, 36-56mm, 36-58mm, 36-60mm, 36-62mm, 36-64mm, 36-66mm, 36-68mm.	Transferred to LI097
AX096	C2 Hole Eliminator	Titanium Screw Hole Plug	6.3 x 3.2mm, 11.3 x 4.2mm	Transferred to LI102
AX097	CL2 Cementless Femoral Stem	Titanium, grit plast full HA coating	8 - 18	Transferred to LI095
AX098	E2 Cemented Stem	Cemented Femoral Stems	size 0 - 4	Transferred to LI100
AX099	F2 Large Femoral Head	Femoral heads, CoCr	Diameter 36mm, -4, 0, +4, +8	Transferred to LI096
AX100	DC2 Large Femoral Head	Delta Ceramic Femoral Heads	Diameter 36mm, 40mm, 44mm, S, M, L, XL	Transferred to LI101
AX101	P2 Cemented Cup	Cemented Acetabular Cup	Size 49 - 61	Transferred to LI103
AX104	E2 PMMA Centraliser	PMMA distal Centraliser	20mm	Transferred to LI092
AX105	F2 Femoral Head	Femoral Heads, CoCr	Diameter 32mm, -4, 0, +4, +8	Transferred to LI094
AX106	DC2 Femoral Head	Delta Ceramic Femoral Heads	Diameter 28mm, 32mm, S, M, L, XL	Transferred to LI098

Australian Pacific Medical Pty Ltd

13 - Spinal

PB010	DPS Spine System - Locking Nut	Locking nut for pedicle screw.	One size	Expanded into PB038, PB039
-------	--------------------------------	--------------------------------	----------	----------------------------

Baxter Healthcare Pty Ltd

03 - General Miscellaneous

BX276	Floseal Curved Applicator TIP 8 cm	FLOSEAL, which is listed on the Prostheses List, is used as an adjunct to haemostasis when control of bleeding by ligature or conventional surgical procedures is ineffective or impractical.	An 8cm long curved metal applicator tip	Deleted
BX278	Floseal Curved Applicator Tip 10 cm	FLOSEAL is used as an adjunct to haemostasis when control of bleeding by ligature or conventional surgical procedures is ineffective or impractical. This applicator is an 10 cm curved metal tip, which is attached to the FLOSEAL syringe (sold separately) for hard to reach anatomy.	A 10cm long curved metal applicator tip	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Biomet Australia Pty Ltd				
06 - Specialist Orthopaedic				
BH056	Lactosorb Suture Anchor	Threaded with 1 suture, PGA/PLA, polyethylene	(3.5, 5.5, 6.8)mm dia anchor	Deleted
BH057	Lactosorb Suture Anchor	Threaded with 2 suture, PGA/PLA, polyethylene	(3.5, 5.5, 6.8)mm dia anchor	Deleted
BH298	ALPS Hand Fracture System - Locking Plate	1.0 - 2.5mm titanium hand plates	7 to 15 holes	Expanded into BH366, BH367
BH351	EPAK	Sterile Distal Radius Fracture Procedure Pack	Narrow Mini, Mini, Narrow, Standard, Medium	Deleted
BI979	Hitch suture anchor	Suture anchor with maxbraid sutures, PEEK	2.4mm	Deleted
13 - Spinal				
BH068	Synergy/Polaris Spinal System	Sliders	4.75 - 6.35mm dia	Deleted
BH069	Synergy/Polaris Spinal System	Hex Nut / Cap Nut	3mm	Deleted
BH071	Synergy Spinal System	Open/Closed Offset Hooks	4mm	Deleted
BH072	Synergy Spinal System	Open/Closed Hooks Pedicle/Laminar	4.75 - 6.35mm dia	Deleted
BH077	Synergy Spinal System	C-Ring	4.75 - 6.35mm	Deleted
BH078	Synergy Spinal System	Washers Single/Double	16mm - 21mm	Deleted
BH080	Synergy/Polaris Spinal System	Variable Locking Screw Seat	5.5-6.35mm	Deleted
BH081	Synergy/Polaris Spinal System	Variable Locking Screw Nut	13.8mm	Deleted
BH082	Synergy/Polaris Spinal System	Variable Locking Screw Reduction Seat	4.75-6.35mm	Deleted
BH083	Synergy Spinal System	Iliac Screw	6.0 - 10.0mm	Deleted
BH085	Array Spinal System	Titanium Alloy Modular Spinal System - Alloy rod	5.5mm x 510mm	Deleted
BH086	Array/Ballista Spinal System	Titanium Alloy Modular Spinal System - Pre-Bent Rod	5.5mm x 30 - 100mm	Deleted
BH090	Altius Occipito-Cervico-Thoracic (OCT) System	Rod	8 to 24cm x 3.5mm Occipital and Curved Rod	Deleted
BH091	Altius Occipito-Cervico-Thoracic (OCT) System	Locking and CAP Nuts	one size only	Deleted
BH092	Altius Occipito-Cervico-Thoracic (OCT) System	Domino Adjustable CC Left & Right	One size only	Deleted
BH093	Altius Occipito-Cervico-Thoracic (OCT) System	Connector	15, 30, 45 L&R	Deleted
BH094	Altius Occipito-Cervico-Thoracic (OCT) System	Screws	8mm to 32mm	Deleted
BH095	Altius Occipito-Cervico-Thoracic (OCT) System	Hook and OC Screws	Hook: 12mm to 14mm (L&R), OC Screws: 6mm to 20mm	Deleted
BH096	Altius Occipito-Cervico-Thoracic (OCT) System	TI Occipital Plate	35-45mm, 40-50mm, 45-55mm	Deleted
BH107	Anterior Cervical Plate System	Titanium Locking Plate	20 - 140mm	Deleted
BH114	Solitare Anterior Spinal System	Interbody fusion cage	Narrow (28mm), medium (34mm), and wide (40mm) 12 to 20mm heights. 6 deg and 12 deg angles	Deleted
BH115	Solitare Anterior Spinal System	Fixation screw	20-35mm	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Biotronik Australia Pty Ltd				
08 - Cardiac				
BT082	PRO-Kinetic	Coronary Cobalt Chromium stent system	Diameters: 2 -5mm, Lengths: 8 - 40mm	Deleted
BT134	VIGILA 2 CR	Fractal coated and steroid electrode, active fixation quadrapolar	65, 75cm length, 16, 18mm electrode spacing	Deleted
BT137	VIGILA 1 CT	Single-shock coil ICD lead with passive fixation	65, 75cm length	Deleted
BT140	VIGILA 1 CR	Single shock coil ICD lead with active fixation, fractal coating and steroid elution	Lengths 65, 75cm	Deleted
BT142	VIGILA 2 CT	Fractal coated and steroid electrode, active fixation, quadrapolar	Lengths: 65, 75cm; Diameter: 7.8Fr	Deleted
Boston Scientific Australia Pty Ltd				
03 - General Miscellaneous				
BS171	Resolution II Haemostasis Clip	Pre-loaded endoscopically applied clip, radiopaque stainless steel & cobalt chrome.	7Fr, 11mm jaw opening	Deleted
08 - Cardiac				
BS132	Teligen 100 HE VR 4-SITE	Single chamber ICD, high energy with RF	30.5cc, 9.9mm	Deleted
BS134	TELIGEN 100 HE DR 4-SITE	Dual Chamber ICD, high energy with RF IS4	31.55cc, 9.9mm	Deleted
BS135	Teligen 100 DR DF-1/IS-1	Dual chamber ICD, high energy with RF	31.5cc, 9.9mm	Deleted
BS136	TELIGEN 100 HE VR DF-1/IS-1	Single chamber ICD, High Energy with RF	31.5cc, 9.9mm	Deleted
BS138	COGNIS 100 HE 4-SITE	CRT-D high energy with RF IS4	32cc, 9.9mm	Deleted
BS139	COGNIS 100 HE (DF-1/IS-1 & DF-1/LV-1)	CRT-D high energy with RF	32.5cc, 9.9mm	Deleted
BS144	Altrua 20 DR	Dual chamber rate responsive pacemaker	10cc - 15cc	Deleted
BS145	Altrua 20 SR	Single chamber rate responsive pacemaker	10cc - 15cc	Deleted
BS146	Altrua 40 DR	Dual chamber rate responsive pacemaker	10cc - 15cc	Deleted
BS147	Altrua 40 SR	Single chamber rate responsive pacemaker	10cc - 15cc	Deleted
BS148	Altrua 50 DR	Dual chamber rate responsive pacemaker	10cc - 15cc	Deleted
BS149	Altrua 50 SR	Single chamber rate responsive pacemaker	10cc - 15cc	Deleted
BS152	Altrua 60 SR	Single chamber rate responsive pacemaker	10cc - 15cc	Deleted
BS175	PROMUS Element	Platinum chromium alloy stent coated with a blended polymer mixed with everolimus.	8mm to 38mm with a reference vessel diameter of 2.25mm - 4.0mm.	Deleted
BS176	Taxus Element	Platinum chromium alloy stent coated with a blended polymer mixed with Paclitaxel	(8mm to 38mm) with a reference vessel diameter of 2.25mm - 4.5mm	Deleted
BS199	ENERGEN DF-4 VR ICD	High energy single chamber ICD with DF-4 RV connector	30.5cc, 9.9mm, 72g	Deleted
BS200	ENERGEN DR ICD	High energy dual chamber ICD with DF-1 RV connector	32cc, 9.9mm, 72g	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
BS201	ENERGEN DF-4 DR ICD	High energy dual chamber ICD with DF-4 RV connector	31.5cc, 9.9mm, 72g	Deleted
BS202	ENERGEN DF-4 CRT-D	High energy CRT-D with DF-4 RV connector and IS-1 LV connector	32cc, 9.9mm, 72g	Deleted
BS203	ENERGEN CRT-D	High energy CRT-D with DF-1 RV connector and IS-1 LV connector	32.5cc, 9.9mm, 72g	Deleted
BS204	ENERGEN VR ICD	High energy single chamber ICD with DF-1 RV connector	31.5cc, 9.9mm, 72g	Deleted
BS207	INCEPTA DF-4 DR ICD	High energy dual chamber ICD with DF-4 RV connector	31.5cc, 9.9mm, 72g	Deleted
BS210	INCEPTA DF-4 VR ICD	High energy single chamber ICD with DF-4 RV connector	30.5cc, 9.9mm, 72g	Deleted
BS216	INVIVE LV-1	Cardiac Resynchronization Therapy Pacemaker	15cc	Deleted
BS217	INVIVE IS-1	Cardiac Resynchronization Therapy Pacemaker	15cc	Deleted
BS218	INGENIO EL DR	Dual Chamber Pacemaker, extended life	14cc	Deleted
BS219	INGENIO DR	Dual Chamber Pacemaker	12cc	Deleted
BS220	INGENIO SR	Single Chamber Pacemaker	11.5cc	Deleted
BS221	ADVANTIO EL DR	Dual Chamber Pacemaker, Extended Life	14cc	Deleted
BS222	ADVANTIO DR	Dual Chamber Pacemaker	12cc	Deleted
BS223	ADVANTIO SR	Single Chamber Pacemaker	11.5cc	Deleted
BS224	PROMUS Element Plus	Platinum chromium alloy stent coated with a blended polymer mixed with everolimus.	8mm to 38mm in length, diameter of 2.25mm to 4mm.	Deleted
BS231	ADVANTIO MRI EL DR	Dual Chamber Pacemaker, Extended Life, MRI Conditional	14cc	Deleted
BS232	ADVANTIO MRI DR	Dual Chamber Pacemaker, MRI Compatible	12cc	Deleted
BS233	ADVANTIO MRI SR	Single Chamber Pacemaker, MRI Compatible	11.5cc	Deleted
BS264	FORMIO DR	Dual Chamber Pacemaker, Compatible	12cc	Deleted
BS265	VITALIO EL DR	Dual Chamber Pacemaker, extended life, Compatible	14cc	Deleted
BS266	VITALIO DR	Dual Chamber Pacemaker, Compatible	12cc	Deleted
BS267	VITALIO SR	Single Chamber Pacemaker, Compatible	11.5cc	Deleted
BS270	VITALIO MRI DR	Dual Chamber Pacemaker, MRI Compatible	12cc	Deleted

Danex Medical Pty Ltd

06 - Specialist Orthopaedic

XD023	Trilliant Gridlock Screw & Plate System	Trilliant Gridlock Plates	2-6 holes	Deleted
XD024	Trilliant Gridlock Screw & Plate System	Trilliant Gridlock Standard Screw	10-40mm in 2mm increments	Deleted
XD025	Trilliant Gridlock Screw Plate System	Trilliant Gridlock Locking Screw	10-40mm in 2mm increments	Deleted
XD026	Trilliant Tiger Cannulated Screw System	Trilliant Tiger Cannulated Screw	8-56mm in 2mm increments	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
--------------	--------------	---------------------	------	-------------------------

XD027	Trilliant Tiger Headless Cannulated Screw System	Trilliant Tiger Headless Cannulated Screw	10-34mm in 2mm increments	Deleted
-------	--	---	---------------------------	---------

Ellex Australia Pty Ltd

01 - Ophthalmic

XE001	Staar Toric foldable silicone intraocular lens: Model AA4203TF; Model AA4203TL	Plate haptics 6.0mm optic	10.8mm - 11.2mm length	Deleted
XE005	Staar KS-Xs Preloaded Acrylic Intraocular Lens	Preloaded acrylic lens with anterior and posterior edge modification	Optic diameter 6.0mm, overall length 12.5mm, diopter range +10 to +28.0	Deleted

Euros Orthopaedics Australia Pty Ltd

06 - Specialist Orthopaedic

EU019	SCULTRA II Reverse Humeral cemented stem	Humeral cemented stem	Length: short (124 mm) or long (188 mm); Diameters: 6.5, 9, 12 mm	Deleted
EU020	SCULTRA II Reverse Humeral uncemented stem	Humeral uncemented stem	Length: short (124 mm); Diameters: 6.5, 9, 10.5, 12 mm	Deleted
EU021	SCULTRA II Reverse Neutral Insert	Shoulder Reverse polyethylene Insert	Height: 0, +3 mm, +6 mm	Deleted
EU022	SCULTRA II Reverse Retentive Insert	Shoulder Reverse polyethylene Insert	Height: 0, +3 mm, +6 mm	Deleted
EU023	SCULTRA II Reverse raising block	Shoulder Reverse titanium humeral spacer (provided with its locking screw)	Height: +9mm	Deleted
EU024	SCULTRA II Reverse Glenoid base	Shoulder Glenoid base in titanium	One-size	Deleted
EU025	SCULTRA II Reverse centered (standard) Glenoid sphere	Shoulder glenoid sphere	One size: centered (standard)	Deleted
EU026	SCULTRA II Reverse Offset (eccentric) Glenoid sphere	Shoulder glenoid sphere	One size: offset (eccentric)	Deleted
EU027	SCULTRA II Reverse Glenoid base screw	Shoulder titanium glenoid base screw	Diameters: 4.5 and 6.5 mm; Lengths: 15, 20, 25, 30, 35, 40 and 45 mm	Deleted

13 - Spinal

EU007	SENEGAS SELF-TAPPING CANCELLOUS SCREW	Titanium self-tapping cancellous screw	Diameter: 4mm - Length: 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30 and 32mm	Deleted
-------	---------------------------------------	--	---	---------

Fusion Healthcare

02 - Ear, Nose & Throat

FH001	Sophono Alpha Bone Conduction Hearing System, Sound Processor	Alpha Sound Processor	-	Transferred to MI193
FH002	Sophono Alpha Bone Conduction Hearing System, Implant	Alpha Implant	-	Transferred to MI194

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
--------------	--------------	---------------------	------	-------------------------

Galderma Australia Pty Ltd

05 - Urogenital

GD001	Deflux	Deflux is a sterile, highly viscous gel of dextranomer microspheres and non-animal stabilised hyaluronic acid constituting a biocompatible and biodegradable implant for the treatment of vesicoureteral reflux. The stabilised hyaluronic acid acts mainly as a carrier, leaving the dextranomer microspheres at the implant site. They are gradually surrounded by host connective tissue.	1ml in syringe	Transferred to LD002
GD002	Deflux and Metal needle kit	Deflux is a sterile, highly viscous gel of dextranomer microspheres and non-animal stabilised hyaluronic acid constituting a biocompatible and biodegradable implant for the treatment of vesicoureteral reflux. The stabilised hyaluronic acid acts mainly as a carrier, leaving the dextranomer microspheres at the implant site. They are gradually surrounded by host connective tissue. 3.7FR x 23G x 350mm Metal Needle.	1 ml syringe and needle size 3.7FR x 23G x 350mm	Transferred to LD001

Global Orthopaedic Technology

06 - Specialist Orthopaedic

GO168	Iso-Elastic™ Cerclage System	Iso-Elastic™ Cerclage Cable Assembly	One Size Only	Transferred to SQ115
GO197	SuperCable Trochanteric Grips and Cable Plate System	Trochanteric Grips - Titanium	Short 50mm, 2 Hole Plate 135mm, 4 Hole Plate 190mm, 6 Hole Plate Straight, Right, Left 245mm	Transferred to SQ114
GO198	SuperCable Trochanteric Grips and Cable Plate System	Locking Screw Titanium	5.0mm diameter 10mm to 50mm length	Transferred to SQ116
GO199	SuperCable Trochanteric Grips and Cable Plate System	Compression Screws Titanium	4.5mm Diameter 10mm to 50 mm length	Transferred to SQ113
GO245	Iso-Elastic SuperCable Trochanteric Grips and Cable-Plates System	Cable Plates Titanium	6 Hole 185mm	Transferred to SQ111
GO246	Oso-elastic SuperCable Trochanteric Grips and Cable-Plates System	Cable Plates Titanium	6 Hole 185mm	Transferred to SQ112

Globus Medical Australia

13 - Spinal

LB105	SI-LOK™ Stabilization System	The SI-LOK Sacroiliac Joint Fixation System offers lag, fixation and slotted screw options with HA coating in a variety of lengths to provide the security of a fully threaded connection, strength of a threaded cage, with a graft slot designed to promote fusion, and cinching effect of a lag screw.	10mm - 12mm diameter, 25mm - 60mm length	Deleted
-------	------------------------------	---	--	---------

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Guidant Australia Pty Ltd				
08 - Cardiac				
GU122	Flexlend Lead Models 4086, 4087 & 4088	Bipolar, active fixation	45,52,59cm	Deleted
GU142	Contact Renewal TR2 CRT - P Model H140, Model H145	CRT-P	45x54x8.5mm, 14cc, 26gm	Deleted
Henry Schein-Halas Pty Ltd				
06 - Specialist Orthopaedic				
HD001	Bio-Oss Bone Natural Bone Mineral	Derived from bovine bone	0.25g, 0.5cc volume	Deleted
HD002	Bio-Oss Bone Natural Bone Mineral	Derived from bovine bone	0.5g, 1cc volume	Deleted
HD003	Bio-Oss Bone Natural Bone Mineral	Derived from bovine bone	2.0gm	Deleted
HD007	Bio-Oss Collagen	The product consists of Bio-Oss granules, embedded in 10% porcine collagen. The collagen component is resorbed within a few weeks. The properties of the Bio-Oss granules remain unchanged. Facilitates handling.	1 preformed block of cancellous-bone granulate and collagen, block sizes 500mg	Deleted
HD008	Bio-Oss Collagen	The product consists of Bio-Oss granules, embedded in 10% porcine collagen. The collagen component is resorbed within a few weeks. The properties of the Bio-Oss granules remain unchanged. Facilitates handling.	1 preformed block of cancellous-bone granulate and collagen, block size 250mg	Deleted
HD009	Bio-Oss	This bone block consists of anorganic bovine bone matrix sterilised by gamma-irradiation. Bio-Oss is a natural bone mineral for filling of bone defects in maxillofacial surgery, implantology, and periodontology.	approx 1.4-1.6g, 2cc	Deleted
HD014	Bio-Oss Collagen	The product consists of Bio-Oss granules, embedded in 10% porcine collagen. The collagen component is resorbed within a few weeks. The properties of the Bio-Oss granules remain unchanged. Facilitates handling.	1 preformed block of cancellous-bone granulate and collagen, block size 100mg	Deleted
HD017	Bio-Oss	Natural bone mineral derived from bovine bone	1 to 2mm; 2.0g (6cc)	Deleted
07 - Plastic and Reconstructive				
HD010	Bio-Gide	Bio-Gide & Bio-Gide Perio are collagen membranes containing porcine collagen in a bilayer structure. They are used for guided bone regeneration and peridental tissue regeneration in oral and maxillofacial surgery.	30mm x 40mm	Deleted
HD011	Bio-Gide	Bio-Gide & Bio-Gide Perio are collagen membranes containing porcine collagen in a bilayer structure. They are used for guided bone regeneration and peridental tissue regeneration in oral and maxillofacial surgery.	25mm x 25mm	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
HD012	Bio-Gide	Bio-Gide & Bio-Gide Perio are collagen membranes containing porcine collagen in a bilayer structure. They are used for guided bone regeneration and peridental tissue regeneration in oral and maxillofacial surgery.	13 x 25mm	Deleted
HD013	Bio-Gide Perio	Bio-Gide & Bio-Gide Perio are collagen membranes containing porcine collagen in a bilayer structure. They are used for guided bone regeneration and peridental tissue regeneration in oral and maxillofacial surgery.	Bio-Gide perio - 16mm x 22mm	Deleted
HD015	Southern Zygomatic and Oncology Implants	Zygomatic Titanium dental implants with 45 or 55 degree angulation	4 to 6mm diameter, 27 to 52.5mm length	Transferred to IC002
HD016	Southern Dental Implants	Titanium dental implants in External-Hex, Tri-Nex or Internal Octagon (IT) connection	3.25 to 6.0mm diameter, 6.0 to 52.5mm length	Transferred to IC001
HD018	Bio-Oss	Natural bone mineral derived from bovine bone	1 to 2mm: 0.5g (1.5cc)	Deleted
HD019	Bio-Oss Pen	Pen applicator with natural bone mineral derived from bovine bone	0.25 to 1mm; 0.25g (0.5125cc)	Deleted
HD020	Bio-Oss Pen	Pen applicator with natural bone mineral derived from bovine bone	0.25 to 1mm; 0.5g (1.025cc)	Deleted
HD021	Bio-Oss Pen	Pen applicator with natural bone mineral derived from bovine bone	1 to 2mm; 0.5g (1.5cc)	Deleted
HD022	Mucograft	Collagen Matrix	15mm x 20mm, 20mm x 30mm	Deleted

Hospira Pty Ltd

03 - General Miscellaneous

HO001	GemStar Infusion Pump	Infusion pump, general purpose	Approx. 14.0 cm H x 9.7 cm W x 5.1cm D	Deleted
HO002	Crono Pump	Ambulatory infusion pump - Models: Crono 50, Crono PCA and Crono APO-go II	10-50 ml	Deleted
HO003	Gemstar infusion system administration cassette and set	Administration cassette and set for use with Gemstar infusion pump series	2.2 micron filter	Deleted
HO005	Crono infusion system syringes	Infusion syringes for use with the Crono pump	10-50 ml	Deleted

04 - Neurosurgical

HO004	Gemstar rechargeable system	Rechargeable battery, docking station, AC adaptor and carry case for use with the Gemstar infusion system.	One size	Deleted
-------	-----------------------------	--	----------	---------

Johnson & Johnson Medical Pty Ltd

06 - Specialist Orthopaedic

DP573	Neuflex Finger	Neuflex MCP implant - Anasil Silicone	Size 0-60	Compressed into MN187
DY400	Neuflex Finger	Neuflex PIP	1 to 20	Compressed into MN187

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Johnson & Johnson Medical Pty Ltd t/a DePuy Synthes				
06 - Specialist Orthopaedic				
SY253	AO/ASIF Plates	Foot & hand plates - steel - titanium multiple hole	1 - 4mm	Expanded into SY817, SY818
SY605	AO/ASIF Plates	Non Locking Fragment Plates	7 - 15 holes	Expanded into SY813, SY814
SY620	AO/ASIF Plates	Pre-contoured locking plates	7-15 holes	Expanded into SY806, SY807, SY808
SY621	AO/ASIF Plates	Pre-contoured Locking plate	≥ 16 holes	Expanded into SY819, SY820
SY626	AO/ASIF Plates	Anatomic Locking Hand Plates	2-12 holes	Expanded into SY821, SY822
SY718	AO/ASIF Plates	Locking Specialty Plate	≥16 Holes	Expanded into SY809, SY810
SY760	AO/ASIF Plates	LCP Distal Fibula; lateral, Posterolateral	7 to 15 Holes	Expanded into SY811, SY812
SY761	AO/ASIF Plates	LCP Lateral Distal Fibula	7 to 15 Holes	Expanded into SY815, SY816

KH NXGEN (AUS) Pty Limited

06 - Specialist Orthopaedic

KH006	NeoGen Nail System Femoral Nail	Intramedullary Nail for Femoral	9-11mm Diameter, 170-200mm Length	Deleted
KH007	NeoGen Nail System Tibial Nail	Intramedullary Nail for Tibia	8-9mm Diameter, 260-420mm Length	Deleted
KH008	NeoGen Nail System Femoral Nail	Intramedullary Nail for Femoral	9-13mm Diameter, 240-440mm Length	Deleted
KH009	NeoGen Nail System Lag Screw	Lag Screw for Intramedullary Nail	10.5mm diameter, 75 to 120 length	Deleted
KH010	NeoGen Reconstruction Screw	Reconstruction screw	6.4mm diameter, 65 to 125mm length	Deleted
KH011	NeoGen Nail System End Cap	End Cap for Intramedullary Nail	10.3mm to 15.5mm diameter	Deleted
KH012	NeoGen Nail System Lag Screw	Blade for Intramedullary Nail	10.3mm diameter, 70 to 120mm Length	Deleted
KH013	NeoGen Locking Screw	Locking Screw	4.5 to 5.0mm diameter, 25 to 110mm length	Deleted
KH014	MonoLoc Humeral Plate	Periarticular Anatomic Humeral Plate	7-15 Hole	Deleted
KH015	MonoLoc Locking Screw	Locking Screw	3.5mm diameter, 10 to 80mm length	Deleted
KH016	KCS Cannulated Screw	Cannulated Screw	4.5 to 7.3mm diameter, 20 to 120mm length	Deleted
KH017	KCS Cannulated Screws	Cannulated Screw	4.0mm diameter, 25 to 70mm length	Deleted

13 - Spinal

KH032	G5 Monoaxial Pedicle Screws	Monoaxial pedicle screw, titanium alloy	Diameter: 4.5 - 7.5mm Length: 25- 55mm	Deleted
KH040	G5 Double Locking Cap	Double locking set screw	One size only	Deleted

Lifehealthcare Pty Ltd

04 - Neurosurgical

LH466	Hydrofix Spine Shield Large	The Hydro Fix Spine shield is indicated for use in specific locations as a cover of the spine to provide a plane of dissection during revision surgery	6cmX10cmX1.0mm 6cmX10cmX0.6mm	Deleted
-------	-----------------------------	--	----------------------------------	---------

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
LH467	HydroFix Spine Shield medium	The HydroFix Spine Shield is indicated for use in specific locations as a cover of the spine to provide a plane of dissection during revision surgery.	5cmx6cmx1.0mm 5cmx6cmx0.6mm	Deleted

13 - Spinal

LH386	Blackstone Medical ACP - 3 Level	Titanium Alloy Anterior Cervical Plate - 3 Level	56mm - 90mm	Deleted
LH398	Blackstone Medical ACP Bone Screw	Titanium Alloy Bone Screw	4.1mm x 10mm - 18mm. 4.5mm x 10mm - 18mm	Deleted
LH430	Blackstone Medical ACP - Level 1 & 2	Titanium Alloy ACP L1-L2	22mm - 54mm	Deleted

Lima Orthopaedics Australia Pty Ltd

06 - Specialist Orthopaedic

LC124	TwinLock Screw - Small	TwinLock Screw - Small	3.5/3.6mm to 4.0/4.1mm Dia x 16 to 34 mm length	Transferred to SF115
LC125	Twinlock Screw - Standard	Twinlock Screw - Standard	5.2/5.5mm to 6.0/7.0mm Dia x 25 to 120 mm Length	Transferred to SF114

Link Orthopaedics Australia

11 - Hip

LO015	LINK Lubinus SPII Hip Prosthesis	Stem	Left & right 01-5	Deleted
LO028	LINK Partial Pelvis Replacement	Acetabular reconstruction cage	48-67mm	Deleted
LO030	LINK Partial Pelvis Replacement	Hook for Obturator Foramen Width	6-12mm	Deleted
LO136	Link MP Reconstruction Hip Prosthesis	Stem	12 x 160, 180, 210, 250 - MP; 14 x 160, 180 - MP; 16 x 160, 180 - MP; 18 x 160, 180 - MP; 20 x 160, 180 - MP; 22.5 x 160, 180 -MP; 25 x 160, 180 - MP	Deleted
LO138	Link MP Reconstruction Hip Prosthesis	Stem, titanium, grit blast, HA	14 - 25mm x 210, 250, 290 & 330mm; 12 x 160, 180, 210, 250 - MP; 14 x 160, 180 -MP; 16 x 160, 180 - MP; 18 x 160, 180 - MP; 20 x 160, 180 - MP; 22.5 x 160, 180 -MP; 25 x 160, 180 - MP	Deleted

12 - Knee

LO057	LINK Lubinus Total Patella Glide Replacement (patella component)	Patella Component, UHMWPE, cemented	Small, medium & large	Deleted
-------	--	-------------------------------------	-----------------------	---------

LMT Surgical Pty Ltd

06 - Specialist Orthopaedic

LM011	Ascension Finger Joint Replacement	Pyrocarbon, distal or proximal	05D/05P/10D/10P 20D/20P, 30D/30P, 40D/40P/50D/50P	Expanded into LM293, LM294, LM295, LM296
LM028	Ascension pyrocarbon carpal implant	Pyrocarbon carpal prostheses	Multiple sizes	Expanded into LM297, LM298
LM109	NewClip Compression Screws	Compression Screw	3.5mm x 10-18mm	Deleted
LM110	NewClip Distal Radius Screws	Cortical Bone Screw	2.0mm x 14-28mm	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
LM115	Newclip Bone Screws	Newclip Locking Bone Screws	2.8 - 4.5mm diameter to 10-60mm in length.	Deleted
LM116	Newclip Bone Screws	NewClip Non - Locking Bone screws	2.8 - 4.5mm diameter to 10-60mm in length	Deleted
LM137	'NewClip Variable Angle Distal Radius Plate	Distal Radius narrow and wide plates	4 and 6 hole	Deleted
LM138	Newclip Proximal Humerus Plate	Proximal Humerus Plate	1/2/3	Deleted
LM139	NewClip Clavicle Plate	Locking medial & lateral Clavicle plates	1 and 2	Deleted
LM181	Cannulated Self Tapping Compression Screws	Cannulated Self Tapping Compression Screws	Diameter 2.25 -2.6mm, Length: 10 -34mm	Deleted
LM182	Chevron Screw	Non-Cannulated Self Tapping Screws	Diameter: 2.8mm Length: 16- 28mm	Deleted
LM186	Foot Motion - self-drilling cannulated compression screws	Self-drilling auto-compressive cannulated screw	3.0mm diameter, length 8mm-40mm	Deleted
LM187	Foot Motion - weil screws	Weil screw is a titanium self tapping, self-cutting screw	2.0mm diameter, length 8mm - 15mm	Deleted
LM188	Newclip Distal Humerus Plates 16+ hole	Plates for the fixation of fractures of the elbow	16+ holes	Deleted
LM189	Newclip Distal Humerus Plates - Periarticular 7-15 holes	Plates for the fixation of fractures of the elbow	7 - 15 holes	Deleted
LM190	Newclip Disal Humerus Plates - Perarticular 16+ holes	Plates for the fixation of fractures of the elbow	≥ 16 holes	Deleted
LM191	Newclip Olecranon Plates ≤6 holes	Plates for the fixation of fractures of the elbow	≤6 holes	Deleted
LM192	Newclip Olecranon Plates 7-15 holes	Plates for the fixation of fractures of the elbow	7 -15 holes	Deleted
LM193	Newclip Distal Humerus Plates 7 - 15 holes	Plates for the fixation of fractures of the elbow	7 - 15 holes	Deleted
LM194	ACTIVMOTION HTO plate	Fixation plates for high tibial osteotomy (HTO)	Right and left, 4- 6 holes	Deleted
LM195	ACTIVMOTION HTO screws	Bine screws for plate fixation	Diam 4.5mm, length 30 - 75mm	Deleted
LM200	Activ Ankle Distal Fibula Plates	Plates for fixation of distal fibula fractures.	Right and Left; Length 75–187mm; Standard and Narrow width.	Deleted
LM201	Activ Ankle Diaphyseal Fibula Plate	Activ Ankle Diaphyseal Fibula Plate	One size only	Deleted
LM202	Alians Ulna Plate	Fixation plates for ulnar shortening	Size 1 only	Deleted
LM203	Foot Motion - Straight Plates ≤ 6 holes	Straight plates for fixation of bone fractures in the foot	Sizes 1 - 5	Deleted
LM204	Foot Motion - Straight Plates ≥ 7 to ≤ 15 holes	Straight plates for fixation of bone fractures in the foot	Size 6	Deleted
LM205	Foot Motion Plates - Complex ≤ 6 holes	Anatomically shaped plates for foot basal wedge osteotomy, MTP arthrodesis, and Lapidus arthrodesis	Right and left; Sizes 1 – 3; Offset 3/5/7mm	Deleted
LM206	Foot Motion Plates - Lisfranc Arthrodesis Plate	Anatomically shaped plates for Lisfranc arthrodesis.	Narrow, standard, wide	Deleted
LM234	MBCP Bone graft substitute wedge	Pre formed bone substitute	Angles 6 - 16 degrees	Deleted
LM270	Bio-Action Great Toe Implant	Bio-Action Phalangeal Implant, Titanium Alloy and UHMWPE.	Small neutral/ small modified/ large modified.	Deleted
LM271	Bio-Action Great Toe System	Bio-Action Metatarsal Implant Cobalt Chrome	Small neutral / small left/ small right/ large neutral	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Mathys Orthopaedics Pty Ltd				
06 - Specialist Orthopaedic				
MA520	RM Finger	Interphalangeal thumb, titanium coated PEEK Optima, includes expansion screw	L24.5, diam 6-7	Deleted
MA521	RM Finger	Interphalangeal-distal proximal, small, standard, large titanium coated PEEK, Optima, Semi-constrained	L18 D4.0 - L26 D6.0	Deleted
MA540	Reconstruction Cerclage Band	Cerclage Band,Titanium	260x6x0.5 mm	Deleted
12 - Knee				
MA511	Balansys Revision Knee, Sealing Cap	Sealing cap	61	Deleted
MatOrtho Australia Pty Ltd				
06 - Specialist Orthopaedic				
MJ019	PIPR Finger Joint	Proximal Interphalangeal Replacement Joint	Sizes 7 through to 11	Expanded into MJ022, MJ023
MD Solutions Australasia Pty Ltd				
10 - Vascular				
MB009	ArchStent Ostial System	The ArchStent Ostial System is a 0.14" guidewire-compatible, rapid exchange balloon expandable stent system for the treatment of atherosclerotic stenosis at the renal-ostial junction. It consists of a 316L stainless steel stent with flaring of the proximal 1/5 segment, and a dual balloon delivery catheter featuring a Locator balloon that enables the operator to precisely position and conform the stent to aorto-ostial anomalies.	7Fr: 5mm x 16mm x 135mm. 7Fr: 6mm x 16mm x 135mm	Deleted
Medacta Australia Pty Ltd				
11 - Hip				
MU006	Quadra Hip Ceramic Femoral Head	Ceramic, Biolox Forte	Dia 28mm (S,M,L) 32mm (S,M,L)	Deleted
MU007	Quadra Hip Large Ceramic Femoral Head	Ceramic, Biolox Forte, larger	36mm (S,M,L)	Deleted
MU012	Versafitcup Ceramic Insert	Ceramic, Biolox Forte	Head dia 28mm (48 to 64) or 32mm (52 to 64) or 36mm (54 to 64)	Deleted
MU015	Versafitcup Attachable Proximal Flange	Stainless Steel attachable flange/lug with screw	4.5 L 35-40-45-50-55mm	Deleted
MU016	Versafitcup Attachable Obturator Hook	Stainless Steel Obturator Hook	.	Deleted
MU023	Versafitcup UHMWPE Liner	Fixed UHMWPE Liner for Versafitcup Dual Mobility Acetabular Shell	For head diameter 22.2mm sizes 46 - 48mm ; for head diameter 28mm sizes 48 - 64mm	Deleted
MU025	Quadra S Femoral Stem	Titanium, grit blast, non HA,	Standard #0 to #10 and #0 to #3 with a shorter neck. Lateralized #1 to #7 and #1 to #3 with a shorter neck.	Deleted
MU054	ROMAX Resurfacing Femoral Head	Cemented resurfacing femoral head	From diameter 38-60mm, every 2mm	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
MU055	ROMAX Acetabular Cup	Cementless Acetabular Cup, HA coated	From diameter 44-66mm, every 2mm	Deleted
MU056	Romax Neck Adaptor	Adaptor for Large Heads	Adaptor 12/14: size S, size M, size L and size XL	Deleted
MU057	ROMAX Resurfacing System - Large Femoral Head	Large femoral head for metal-metal articulation	From diameter 38mm to diameter 60mm, every 2mm	Deleted
MU079	BIOLOX OPTION	Ceramic Biolox Delta with Titanium sleeve	Diameter 28 S,M,L,XL, diameter 32 S,M,L,XL	Deleted
MU080	BIOLOX OPTION	Ceramic Biolox Delta with Titanium Sleeve	Diameter 36 S.M.L.XL	Deleted

12 - Knee

MU041	Cinétique Knee System Patella Component	All Poly Patella, UHMWPE, cemented, dome with 3 pegs	3 sizes: Size#1-2; #3-4; #5-6	Deleted
MU043	Cinétique Knee System Femoral Component	Femoral component, cemented, CoCr	Sizes 1 to 6, Left and Right	Deleted
MU045	Cinétique Knee System Patella Component	Patella component, metal backed, CoCr cemented, with mobile poly	3 Sizes: Size #1-2; #3-4; #5-6	Deleted
MU046	Cinétique Knee System Patella Component	Patella component, metal backed, CoCr cemented, with mobile poly and TiNi (TiNbN) insert surface treatment	3 sizes: Size #1-2; #3-4; #5-6	Deleted
MU047	Cinétique Knee System Tibial Baseplate	Tibial Baseplate, cemented, with polished insert surface for mobile insert	Sizes 1 to 7, Left and Right	Deleted
MU048	Cinétique Knee System Tibial Baseplate	Tibial Baseplate, cemented, titanium, with TiNi (TiNibN) surface coating of insert surface for mobile insert	Sizes 1 to 7, Left and Right	Deleted
MU049	Cinétique Knee System Tibial Insert	Tibial Insert, UHMWPE, mobile bearing, standard,	Size 1 to 6, 7/9/11/13/15mm thicknesses	Deleted
MU051	Cinétique Knee System Femoral Component	Femoral component, uncemented, CoCr, with titanium micro beads, with HA, posterior stabilised	Sizes 1 to 6, Left and Right	Deleted
MU052	Cinétique Knee System Patella Component	Patella component, metal backed, CoCr uncemented, with titanium micro beads	Size #1-2; #3-4; #5-6	Deleted
MU053	Cinétique Knee System Tibial Baseplate	Tibial Baseplate, uncemented, CoCr, with titanium micro beads, with HA, with polished insert surface for mobile insert	Sizes 1 to 7, left and right	Deleted
MU083	UC mobile insert for Cinetique femoral revision	Polyethylene ultra-congruent insert for Cinetique femoral revision (using a GMK revision femur)	Size 1 to 6 each one available in 3 thicknesses (14, 17, 20mm)	Deleted
MU084	GMK Revision System	Polyethylene minimally stabilised fixed insert for evolvis tibial revision (using a GMK tibia)	Size 1 to 6, each one available on 5 thicknesses: 10, 12, 14, 17, 20 mm	Deleted
MU093	UC mobile insert for Cinetique tibial revision	Polyethylene ultra-congruent insert for GMK and Cinetique tibial revision (using a GMK tibia)	Size 1 to 6 each one available in 3 thicknesses (14, 17, 20mm)	Deleted
MU119	GMK Full-PE UC Tibial Component	Tibial baseplate, All UHMWPE, cemented, ultra congruent	sizes 1 - 6. 10 - 17mm	Deleted
MU120	GMK Full-PE Tibial Component	Tibial baseplate, All UHMWPE, cemented, postero stabilized	Sizes 1 -6. 10 -17mm	Deleted

Medartis

06 - Specialist Orthopaedic

EO071	APTUS Wrist	2.0 Four Corner Fusion Plate	2.0mm diameter system	Compressed into EO094
-------	-------------	------------------------------	-----------------------	-----------------------

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
EO083	APTUS Hand and Foot	TriLock Plates	1.2 - 2.3	Compressed into EO094
Medical & Optical Instruments Australia Pty Ltd				
06 - Specialist Orthopaedic				
MO419	ACUMED Hand Fracture System, plates	Hand plating system, including plates and screws	Plates available in 1 and 6 hole configurations	Expanded into MO432, MO433, MO434
Medtronic Australasia Pty Ltd				
09 - Cardiothoracic				
MC709	Posterior Annuloplasty Band; Colvin - Galloway Future Band Model 638B; Duran Ancore Band 620B; Duran Ancore Chordal Model 620BG	Annuloplasty - Model 610B & 620B Silicone / Barium Sulphate, Dacron. Models 638B semi-rigid metal alloy core, silicone coating, polyester knit fabric, kit includes-band, malleable handle, template with suture markers, sizers	Model 610B: 25-35mm; Models 620B & 620BG: 23-35mm, Model 638B - 26-38mm	Expanded into MI191, MI192
N Stenning & Co Pty Ltd				
09 - Cardiothoracic				
NG070	Atriclip LAA Exclusion System	The Atriclip is a Titanium / Nitinol clip enclosed in knitted Dacron graft material set on a deployment device which enables precise delivery of the clip to the Left Atrial Appendage base. The parallel closure of the Nitinol / Titanium bars (clip) allows for an atraumatic placement with consistent tissue compression corresponding to the anatomical anatomy of the LAA.	35mm/40mm/45mm/50mm	Deleted
National Surgical Pty Ltd				
13 - Spinal				
NK032	Silex Sacroiliac Joint Fusion System	The Silex Sacroiliac Joint Fusion System consists of different diameter bone screws in various lengths and thread configurations to accommodate variations in patient anatomy.	7mm – 12.5mm (diameter) and 30mm -70mm (length)	Expanded into NK045, NK046, NK047
Nobel Biocare Australia Pty Ltd				
07 - Plastic and Reconstructive				
NR006	Branemark Novum System	Titanium - Kit Fixture System	One size only	Deleted
NR009	NobelDirect Implant	Dental Implant Endosseous incorporating abutment, Titanium	10mm, 13mm, 16mm	Deleted
NR011	NobelPerfect Implant	Dental Implant Edosseous, Titanium	10mm, 13mm, 16mm	Deleted
Nuvasive Australia and NZ Pty Ltd				
13 - Spinal				
NV005	Triad Facet Screw	Cannulated	3.5 - 4.5mm diameter 20-70mm length	Deleted
NV006	Triad Facet Screw	Washer	One size	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
NV042	Helix Plate	Anterior cervical plate	56mm-90mm	Deleted
NV043	Helix Plate	Anterior cervical plate	18-54mm	Deleted
NV050	SpheRx II Anterior (Staple - Single Hole)	Staple (single hole)	Small, Medium & Large	Deleted
NV097	Archon Plate (18 -55mm) plus Locking Cover	The Archon ACP system, of which the plate (18-55mm) and locking cover are components, is intended for anterior screw fixation of the cervical spine. These implants have been designed to provide stabilisation as an adjunct to cervical fusion.	Plate 18-55mm plus Locking Cover standard, wide	Deleted
NV098	Archon Plate (56 - 110mm) plus Locking Cover	The Archon system, of which the plate (56-110mm) and locking cover are components, is intended for anterior screw fixation of the cervical spine. These implants have been designed to provide stabilisation as an adjunct to cervical fusion.	Plate 56-110mm plus Locking Cover standard, wide	Deleted

Pacing Importers Pty Ltd - Life Systems

08 - Cardiac

PI023	Refino™ ER Series	Passive fixation, bi-polar, permanent pacing leads with a steroid eluting ring.	44, 48, 52 and 58cm length	Deleted
-------	-------------------	---	----------------------------	---------

Ranier Technology Pty Ltd

13 - Spinal

RU004	Anatom-C Cervical Interbody Cage	The Anatom-C™ Anterior Cervical Inter-Body Fusion Cage comprises of a polycarbonate urethane polymer with a calcium phosphate coating. The design features a lordotic curvature and angled fixation features to prevent migration and expulsion.	Small: W15mm, D11.8mm, H4-8mm Medium: W17mm, D13.3mm, H4-8mm Large: W19mm, D14.9mm, H4-8mm	Deleted
-------	----------------------------------	--	--	---------

RQSolutions Medical Devices Distribution Support

06 - Specialist Orthopaedic

RQ004	Orthomed Metallic Suture Screwed Anchors	Metallic screwed anchors are made of a titanium, with one or two sutures of braided ultra-high molecular weight polyethylene (UHMWPE) with or without needles. This anchor is placed on a single use insertion device. The ORTHOMED single-use insertion device is composed of a stainless steel axis and a polymer handle.	A total of 4 sizes 4mm 5mm 5.5mm with needles 5.5mm without needles	Deleted
RQ005	Orthomed ACF Femoral Cortical Anchors	The ACF Femoral Cortical Anchor is used for ACL reconstruction, in accordance with the hamstring tendon method to fasten the graft on the femoral cortex.	10 sizes: 15mm to 60mm in 5mm increments	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Signature Orthopaedics				
13 - Spinal				
SF009	Centaur Monoaxial Screw	Monoaxial screw	Diameter 4mm-10mm, lengths 20mm-110mm	Deleted
SF017	Pegasus Plate System, Pegasus Plate	Anterior Cervical Plate	1 level plate (13mm-22mm), 2 level plate (28mm-40mm)	Deleted
SF055	Australis Spine System	Thoracolumbar Cage IF	extra small - extra large	Deleted
SF056	Australis Spine System	Bone Screw	15mm-45mm	Deleted
SF058	Centaur Screw System, Centaur Washer	Washer	1 size	Deleted
SF059	Centaur Screw System, Centaur Staple	Staple	small - extra large	Deleted
SF064	Aurora Screw	Bone Screw	24mm - 32mm	Deleted
SF067	Pegasus Plate System	Bone Screw	12-26mm	Deleted
SF068	Pegasus Plate System	Bone Screw	12-26mm	Deleted
SF070	Centaur Screw System	Cannulated Polyaxial Screw	4mm - 10mm	Deleted
SF072	Centaur Screw System	Percutaneous Rods	30mm-480mm	Deleted
SF081	Centaur Screw System	Polyaxial Screw HA Coated	4mm - 10mm	Transferred to PZ054
SF086	Australis Spine System	Thoracolumbar Cage PC	Small to extra large	Transferred to PZ055
Slater International Pty Ltd				
13 - Spinal				
LA010	Fuse It	Titanium alloy fusion cage - to use in situations such as anterior cervical fusion surgery	6mm x 1cm, 8mm x 1cm, 10mm x 1cm, 12mm x 1cm, 6mm x 1cm, 8mm x 2cm, 10mm x 2cm, 12mm x 2cm	Transferred to IT018
Smith & Nephew Pty Ltd				
06 - Specialist Orthopaedic				
SL034	VLP	VAL mini plates - Hand	Mini Plates \leq 2.7mm	Expanded into SL068, SL069
St Jude Medical Australia Pty Ltd				
04 - Neurosurgical				
SJ149	Libra Deep Brain Stimulation System - Lead Extensions 6345 and 6346	4 Channel DBS Lead Extension	50-60cm	Compressed into SJ373
SJ273	Deep Brain Stimulation extensions - eXtend Technology	Stretch coil extension for use with all Neuro SJM Implantable pulse generators	50cm, 60cm, 90cm	Compressed into SJ373
09 - Cardiothoracic				
SJ088	SJM Tailor Annuloplasty Band	Flexible double-velour, polyester fabric	25 - 35mm	Deleted
SJ195	Attune Flexible Adjustable Annuloplasty Ring	Flexible annuloplasty ring	25mm - 43mm	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Straumann Pty Ltd				
07 - Plastic and Reconstructive				
SB001	Straumann Pty Ltd	Straumann Dental Implant NNC/NNI/RN/WN	Diameter 3.3 - 4.8mm Length 6 - 16mm	Compressed into SB008
SB003	Straumann Bone Level Implants NC/RC	Straumann Bone Level Implants NC/RC	Diameter 3.3 - 4.8 mm Length 8-14 mm	Compressed into SB008
Stryker Australia Pty Ltd				
06 - Specialist Orthopaedic				
SK038	Leibinger Titanium Implant system	Profyle hand and small fragment plate system	2.3mm system L, compr 10 hole T bar	Expanded into HW563, HW564
SK575	VariAx Plate	Volar Plate, Polyaxial Locking	9-15 Hole	Expanded into SK632, SK633
SK610	SR Hand Implant System	SR Hand MCP Distal or proximal, CoCr - Titanium Alloy, UHMWPE	XS/S/M/L/XL	Expanded into HW565, HW566
Surgeons Choice Australia Pty Ltd				
03 - General Miscellaneous				
SH010	INTRA-SWING	Intraperitoneal Prosthesis for wall reinforcement / composite structure /polyester multifilaments (Polyethylene terephthalate PET), coated with, on one side, a thin membrane of aliphatic polyurethylene (PEU) / Precut and entirely macro-perforated prosthesis. This mesh also has pre-attached sutures used to hold the mesh in place until it is fixated	20cm x 15cm	Deleted
Tornier Pty Ltd				
12 - Knee				
TO016	HLS Evolution Uni Tibial insert	Uni Tibial Insert All Polyethylene, Cemented	1 - 6 UHMWPE	Deleted
W L Gore & Associates				
10 - Vascular				
GT212	Gore-Tex Stretch Interling Vascular Graft	Stretch Thin Walled ePTFE graft with Integrated Rings	Dia 6-8mm, 60cm radial supported length x 60cm length	Compressed into GT286
GT213	Gore-Tex Interling Vascular Graft	ePTFE integrated rings in the wall of a stretch thin walled graft	Dia 6-8mm, 80cm radial supported length x 80cm length	Compressed into GT286
GT234	Gore-Tex Stretch Propaten with Removable Rings Vascular Graft	Stretch Thin Walled (ePTFE), Heparin Bonded, Graft with Removable Rings	6mm diameter, 70cm length, 60cm ringed section	Compressed into GT285
GT254	Gore-Tex Stretch Propaten Vascular Graft	Stretch Thin Walled Graft, Removable Rings (ePTFE), Heparin Bonded	6-8mm diameter, 80cm length, 60-70cm Ringed Section	Compressed into GT285
GT265	Stretch Thin Walled Graft, Removable Rings (ePTFE) Heparin Bonded	Stretch Thin Walled Graft, Removable Rings (ePTFE) Heparin Bonded	50cm	Compressed into GT285

Billing Code Product Name

Further Description

Size

Explanation of Deletion

Zimmer Pty Ltd

Orthopaedic

ZI265 Continuum hip system

Hedrocel AVN Rod

3mm - 12mm block

Deleted

Grand Total: 334 Records