

Deleted Items for Prostheses List

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Austofix				
Specialist Orthopaedic				
AX003	Austofix Intramedullary Screws	Humeral Head Screw, stainless steel	4.3mm	Transferred to DZ008
AX013	Proximal Humeral Nail	Stainless Steel	Diameter 8 mm, Length 170 mm	Transferred to DZ016
AX022	Austofix Femoral and Tibial Nailing System	Universal Tibial Nail (UTN) 4.0/4.8, stainless steel or titanium	Diameter 8 \u2013 11mm, Lengths 260mm \u2013 420mm	Transferred to DZ012
AX023	Austofix Femoral and Tibial Nailing System	4.0/4.8 Screws, Locking, stainless steel or titanium	Diameter 4.0-4.8mm, Lengths 20-90mm	Transferred to DZ024
AX024	Austofix Femoral & Tibial Nailing System	F2 Femoral Nail 4.8/6.2; s-s	Dia 9 - 12mm; Lengths 320 - 460mm	Transferred to DZ018
AX025	Austofix Femoral and Tibial Nailing System	6.2/6.5 Hip Screw, stainless steel or titanium	Diameter 6.2-6.5mm, Lengths 70-120mm	Transferred to DZ011
AX026	Austofix Femoral and Tibial Nailing System	H2 Hip Nail 4.8/6.5, stainless steel or titanium	Dia 11mm, Lengths 170mm \u2013 240mm	Transferred to DZ019
AX027	Austofix Femoral & Tibial Nailing System	Washer for screws; s-s	Dia 11mm & 13mm	Transferred to DZ023
AX029	Austofix Femoral and Tibial Nailing System	M8 End Cap, Intramedullary Nails, stainless steel or titanium	1mm-20mm	Transferred to DZ021
AX040	VRP Distal Radius Fixation System	Volar Distal Radius Plate	Standard, 3, 4, 7 and 12 hole, left and right Wide, narrow, long, short, universal	Transferred to DZ022
AX041	VRP Distal Radius Fixation System Volar Distal Radius Plate - Standard	Volar Distal Radius Plate - Standard	Standard, 3 and 4 hole, left and right	Transferred to DZ009
AX042	VRP Distal Radius Fixation System, 3.5mm Cortical Screw, Titanium	3.5mm Cortical Screw, Titanium	3.5mm diameter, 10mm-20mm lengths	Transferred to DZ020
AX043	VRP Distal Radius Fixation System	VRP Distal Radius Fixation System, Variable Angle, Threaded, non-threaded, partially threaded locking, non-locking screw, peg, titanium	Standard, 3, 4, 7 and 12 hole, left and right Wide, narrow, long, short, universal	Transferred to DZ010
AX083	VRP Distal Radius Fixation System - VRP VA locking Screw	Variable Angle Locking Screw, Cobalt Chrome	2.5mm, 10-30mm	Transferred to DZ026
AX086	Austofix Proximal Humeral Plating System - Austofix PHP Locking Screw	Locking Screw Titanium	3.5mm, 20-100mm	Transferred to DZ014
AX087	Austofix Proximal Humeral Plating System - Austofix Cortical Screw	Cortical Screw, Titanium	3.5mm, 20-40mm	Transferred to DZ015
AX088	Austofix Proximal Humeral Plating System - Austofix Proximal Humeral Plate	Anatomic Periarticular Humeral Variable Angle Locking Plate, Titanium	3-15 Hole	Transferred to DZ025
AX089	Austofix Proximal Humeral Plating System - Austofix VA Locking Screw	Variable Angle Locking Screw, Cobalt Chrome	3.5mm 20-100mm	Transferred to DZ017
AX090	Austofix Proximal Humeral Plating System - Austofix PHP Cancellous Screw	Cancellous Screw, Titanium	4mm 20-40mm	Transferred to DZ013
AX107	F3 Femoral Nail	F3 Femoral Nail Titanium	Length 320mm to 440mm, left and right	Transferred to DZ007

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
B Braun Australia Pty Ltd				
Neurosurgical				
BB114	Neuropatch Dura Substitute	Polyurethane	6 x 8cm	Compressed into BB363
BB115	Neuropatch Dura Substitute	Polyurethane	4 x 10cm	Compressed into BB363
BB116	Neuropatch Dura Substitute	Polyurethane	4 x 5cm	Compressed into BB363
BB117	Neuropatch Dura Substitute	Polyurethane	2 x 10cm	Compressed into BB363
Bard Australia Pty Ltd				
General Miscellaneous				
BA088	Memotherm Stents	Colorectal, Nitinol, Self-expanding	25-30mm D, 60-100mm Length	Deleted
BA124	Memotherm Biliary Stent	Nitinol. Includes deployment system	Sizes - Diameter 8 - 10mm, Length 40 - 100mm	Deleted
Urogenital				
BA041	Contigen Cross Linked Collagen	Contigen Bard Collagen Implant for Stress Urinary Incontinence	2.5cc per syringe	Deleted
BA042	Memotherm Prostatic Stents	Memotherm Prostatic Urethral wall Stent	36Fr, 20mm to 60mm in 5mm increments; 42Fr, 20mm to 60mm in 5mm increments	Deleted
Vascular				
BA199	Lifestent	Laser cut nitinol self expanding stent, used to treat peripheral disease	Diameter: 6-8mm, Length: 120mm	Deleted
Biotronik Australia Pty Ltd				
Cardiac				
BT108	Entovis SR-T	Fully automatic, single chamber pacemaker with Closed Loop Stimulation, Home Monitoring and extended longevity	Size: 53mm x 39mm x 6.5mm (W x H x D), Volume: 11cc, Mass: 24g	Deleted
BT115	Entovis DR-T	Fully automatic, dual chamber pacemaker with Closed Loop Stimulation, Home Monitoring, Vp suppression and extended longevity	Size: 53mm x 43mm x 6.5mm (W x H x D), Volume: 11cc, Mass: 26g	Deleted
BT143	Ilesto 7 VR-T	Single Chamber ICD, rate adaptive pacing, max. 40J shock energy, Home Monitoring, MRI conditional, IS-1/DF-1 connector	W x H x D (mm) 65 x 55 x 11, Volume: 31cc, Mass: 80g	Deleted
BT144	Ilesto 7 VR-T DX	Single Chamber ICD, rate adaptive, additional atrial detection, max. 40J shock energy, Home Monitoring, MRI conditional, IS-1/DF-1 connector	W x H x D (mm) 65 x 55 x 11, Volume: 31cc, Mass: 80g	Deleted
BT145	Ilesto 7 DR-T	Dual Chamber ICD, rate adaptive, Max. 40J shock energy, Home Monitoring, MRI conditional, IS-1/DF-1 connector	W x H x D (mm) 65 x 55 x 11, Volume: 31cc, Mass: 80g	Deleted
BT146	Ilesto 7 HF-T	Triple Chamber CRT-D device, rate adaptive, max. 40J shock energy, Home Monitoring, MRI conditional, IS-1/DF-1 connector	W x H x D (mm) 65 x 58.5 x 11, Volume: 33 cc, Mass: 80g	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
BT150	Ilesto 7 VR-T DF-4	Single Chamber ICD, rate adaptive, max. 40J shock energy, Home Monitoring, MR conditional, IS-1/DF4 connector	W x H x D (mm) 65 x 55 x 11, Volume: 31cc, Mass: 80g	Deleted
BT151	Ilesto 7 DR-T DF-4	Dual chamber ICD, rate adaptive, max. 40J shock energy, Home Monitoring, MR conditional, IS-1/DF4 connector	W x H x D (mm) 65 x 55 x 11, Volume: 31 cc, Mass: 80g	Deleted
BT152	Ilesto 7 HF-T DF-4	Triple Chamber CRT-D device, rate adaptive, max. 40J shock energy, Home Monitoring, MR conditional, IS-1/DF4 connector.	W x H x D (mm) 65 x 56 x 11, Volume: 33 cc, Mass: 80g	Deleted

Carl Zeiss Pty Ltd

Ophthalmic

CZ029	CT 53N	Foldable, 3-piece, monofocal, square-edged, hydrophilic acrylic (with hydrophobic surface properties) intraocular lens for capsular bag or sulcus fixation.	Diopter range: 0.0 to 40.0, Optic size: 6.0mm, Overall length: 13.0mm	Deleted
CZ032	AT TORBI 709MP (high cyl)	Bitoric, preloaded, micro incision, aspheric (aberration neutral), foldable, square-edged, single-piece IOL for capsular bag fixation	Diopter range: Sph -10.0 to 32.0, Cyl +7.0 to 12.0, Optic size: 6.0mm. Overall Length 11.0mm	Deleted

CK Surgitech Pty Ltd

General Miscellaneous

AK002	Stent, oesophageal, dudodenal, rectal, biliary	self expandable nitinol stent with introducer system	20,30,40,50,60,70,80,90,100,110,120mm	Expanded into AK009, AK010
-------	--	--	---------------------------------------	----------------------------

Cochlear Limited

Ear, Nose & Throat

CO056	Cochlear\u2122 Baha\u00AE BP110 sound processor	Fully programmable head worn sound processor for the Baha implantable bone conduction hearing system	One size	Deleted
-------	---	--	----------	---------

Designs for Vision Pty Ltd

Ophthalmic

DV247	HOYA AF-1 iMics1 NY-60	Mini Incision, Aspheric, Blue-blocker, Single-piece, Hydrophobic	+6.0D to 30.0D (0.5 steps)	Deleted
DV251	HOYA AF - 1 311 Toric T3/T4/T5	Correct Corneal Astigmatism, Micro-incision, Aspheric, Blue-Blocker, Single Piece, Hydrophobic	IOL Power: 6.0D to 30.0D (0.5 steps) IOL Cylinder Power: 1.50D (311T3), 2.25D (311T4), 3.00D (311T5)	Deleted

Device Technologies Australia Pty Ltd

Ophthalmic

DE389	Oculentis LENTIS Mplus LU-313MFT	Patient specific one-piece multifocal-toric acrylic plate haptic IOL	Overall Length 11.0mm and Optic size 6.0mm +/- 0.0D to +36.0D inclusive in 0.01D increments. Cyl +6.99D to +12.0D inclusive in 0.01D increments	Expanded into DE521, DE522
-------	----------------------------------	--	---	----------------------------

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
DE390	Oculentis LENTIS Tplus LU-313T	Patient Specific: Foldable one-piece monofocal toric acrylic IOL	Optic Size 6.0mm, overall length 11.0mm. Sph +/- 10.0D to +35.0D (in 0.01D increments) Cyl +0.25 to +6.99D cyl (in 0.01D increments)	Expanded into DE515, DE516
DE391	Oculentis LENTIS Tplus LU-313T	Patient Specific: Foldable one-piece monofocal toric acrylic IOL	Optic Size: 6.0mm, overall length 11.00mm. Sph +/-10.0D to +35.0D (in 0.01D increments) Cyl +6.99D to +12.0D cyl (in 0.01D increments)	Expanded into DE519, DE520
DE393	Oculentis LENTIS T plus LU-313-TY	Patient Specific: Foldable one-piece monofocal toric acrylic IOL. Violet Light Filter.	Optic Size: 6.0mm, overall length 11.00mm. - 10.0D to +35.0D (0.01D increments) Available diopters: Cyl +7.00D to +12.0D inclusive in 0.01D increments.	Expanded into DE511, DE512
DE394	Oculentis LENTIS Mplus Toric LU-313 MF30TY	Patient specific one-piece multifocal-toric plate haptic acrylic IOL.	Overall Length 11.0mm and Optic Size 6.0mm, +- 0.0D to +36.0D inclusive in 0.01D increments. Cyl +0.25D to +6.99D inclusive in 0.01D increments.	Expanded into DE523, DE524
DE395	Oculentis LENTIS Mplus LU-313 MFTY	Patient specific one-piece multifocal toric plate haptic acrylic IOL. Violet Light Filter	Overall Length 11.00mm and Optic Size 6.0mm +-0.0D to +36.0D inclusive in 0.01D increments. Cyl +7.00D to +12.0D inclusive in 0.01D increments.	Expanded into DE513, DE514
DE397	Oculentis LENTIS Tplus LS-313 T1-T6	Foldable one-piece monofocal toric acrylic IOL.	Optic Size 6.0mm, Overall Length 11.00mm. Available diopters: +10.0D to +30.0D (0.5D). Cyl: (T1 +1.5D) (T2 +2.25D) (T3 +3.0D) (T4 +3.75D) (T5 +4.5D) (T6 +5.25D)	Expanded into DE517, DE518

Plastic and Reconstructive

DE316	Calf Implants	Asymmetrical shape, silicone gel smooth surface	85-180cc	Deleted
DE320	Facial Implant Chin	Anatomical chin	Small, medium, large/left, right	Deleted
DE321	Facial Implant Chin	Chin	Small, medium, large/left, right	Deleted
DE322	Facial Implant Nasal	Zygomatic	Right, left	Deleted
DE325	Calf Implants	Symmetrical shape, silicone gel	12-140cc	Deleted
DE327	Gluteal Implants filled with Gel	Oval Shape, Silicone Gel, Textured Surface	200-400cc	Deleted
DE328	Gluteal Implants filled with Gel	Round Shape, Silicone Gel, Smooth Surface	200-300cc	Deleted
DE333	Facial Implant Malar	Malar Anatomical	Small, medium, large/left or right	Deleted
DE334	Pectoral Implants	Gel - Smooth surface	190cc - 300cc	Deleted
DE335	Silimed Tissue Expander	Double chamber, textured, magnetic, with suture tabs. Catalogue number: 20799	470mm-780mm	Deleted
DE336	Silimed Tissue Expander	various shapes, textured, magnetic port	150ml-1000ml	Deleted
DE337	Silimed Tissue Expander	Anatomical superior-pole/inferior-pole shape, textured, magnetic	200ml-840ml	Deleted
DE338	Silimed Anatomical Textured Mammary Implant	Anatomical shape, textured surface, silicone gel filled mammary implant	115cc to 600cc	Deleted
DE340	Silimed Polyurethane Breast Implant	Polyurethane coated silicone gel breast implant	40cc to 695cc	Deleted
DE341	Silimed Anatomical Polyurethane Breast Implant	Polyurethane coated silicone gel breast implant	115cc to 640cc	Deleted
DE362	Silimed Textured Mammary Implant	Silimed Textured Mammary Implant	40cc - 499cc	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
DE363	Silimed Textured Mammary Implant	Silimed Textured Mammary Implant	500cc - 695cc	Deleted
EIT Emerging Implant Technologies Pty Ltd				
Spinal				
EQ001	EIT TLIF Cage	Titanium Lumbar Cage	Length: 28, 32mm Width: 10, 12mm Height: 7, 9, 11, 13, 15mm Lordosis Angle: 0, 8 degrees	Transferred to LH573
EQ002	EIT PLIF Cage	Lumbar Cage with Titanium	Length: 22, 26, 30mm Width: 9, 11mm Height: 7, 9, 11, 13, 15mm Lordosis Angle: 4, 8 degrees	Transferred to LH571
EQ003	EIT Cervical Cage	Cervical cage with medical grade biocompatible titanium	4, 5, 6, 7, 8mm Small 4, 5, 6, 7, 8mm Large	Transferred to LH575
Ellex Australia Pty Ltd				
Ophthalmic				
XE002	Staar foldable silicone intraocular lens: Model AQ 5010V	Polyimide haptics 6.3mm optic - low diopters	14.0mm length	Transferred to EJ001
XE003	Staar foldable silicone IOLs: Models AQ2010V, AQ2017V and AO2003V	Plate haptics 6.0mm; Polymide haptics 5.5 or 6.3mm optic;	10.8mm 0 13.5mm length	Transferred to EJ003
XE004	Preloaded Aspheric Intraocular Lens	Silicone intraocular lens	6.0mm	Transferred to EJ002
Emergo Asia Pacific Pty Ltd				
General Miscellaneous				
ER145	TheraStrand Rx with AgX100 Brachytherapy Kit	The TheraStrand RX brachytherapy kit is prescription-loaded and supplied sterile. The prescription generally comprises 25 needles containing the brachytherapy I-125 sources (80-100 seeds) sequenced per the physician's treatment plan. All sources are of the same activity/strength.	The seed includes a silver rod with I 125 contained in a sealed titanium capsule of 4.5 mm length and 0.8 mm in diameter.	Transferred to RQ078
ER146	I-Seed AgX100 Cartridge Brachytherapy Kit	The I-Seed AgX100 Cartridge brachytherapy kit comprises 8 or fewer cartridges (max. 20 seed) in a vertical seed magazine, VSM20. The kit is supplied sterile and is compatible with the Mick applicator.	The I-Seed AgX100 Cartridge Brachytherapy Kit generally contains 8 or fewer cartridges, each a max. 20 seeds, a total of 80-100 seeds. Each seed comprises a silver rod with the source within 4.5 x 0.8mm sealed titanium capsule.	Transferred to RQ079
Vascular				
ER203	Endologix AFX Endovascular AAA Stent Graft System-Bifurcated Stent Graft	Endologix AFX Endovascular AAA Stent Graft System-Bifurcated Stent Graft	Aortic main body diameter (22-28 mm) x length (60-120 mm); iliac limb diameter (13-20 mm)x length (30-55 mm)	Transferred to ZZ030
ER204	Endologix AFX Endovascular AAA Stent Graft System-Aortic extensions	Endologix AFX Endovascular AAA Stent Graft System-Aortic extensions	Covered diameter (22-28 mm) x length (55-100 mm); open length 20 mm.	Transferred to ZZ028
ER205	Endologix AFX Endovascular AAA Stent Graft System-Iliac limb extensions	Endologix AFX Endovascular AAA Stent Graft System-Iliac limb extensions	Covered diameter straight or flared or stepped (16-25 mm) x length (55-88 mm)	Transferred to ZZ029

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Endotherapeutics Pty Ltd				
Ear, Nose & Throat				
ET032	Serenocem Granules	Reaction bonded polymer composite formed by the neutralisation gelletation of a basic inorganic ionomer	0.5 - 1mm granules, 1gm or 5gm; 2 - 3mm granules, 1gm or 5gm - 3 pouches	Deleted
Urogenital				
ET078	RocaJJ Silicone Stent	A 100% silicone Ureteral Double J Stent, Radiopaque, which provides an excellent patient tolerance and a high encrustation resistance.	Fr 4.8 - 8, Lengths from 24cm to 30cm.	Deleted
ET079	RocaJJ Soft Stent	A 100% thermo sensitive, radiopaque polyurethane urethral double J stent which provides an excellent patient tolerance and a high resistance to encrustation	Fr 4.8-8, lengths from 24 - 30 cm	Deleted
ET080	RocaJJ Soft Hydrophilic Multi Length Stent	A hydro-coated 100% thermo sensitive radiopaque polyurethane urethral multi Length Double J stent which provides an excellent patient tolerance and a high resistance to encrustation.	Fr6-7, Length 21-30cm	Deleted
Fresenius Kabi Australia Pty Ltd				
General Miscellaneous				
FK004	Accumate 1100 Infusion Pump	Ambulatory infusion pump	One size only	Deleted
FK005	Accumate 1100 Tubing Set	A-type (Luer type) tubing set, B-type (spike type) tubing set	160.5 cm, 174cm	Deleted
FK006	Accumate 1100 Reservoir Bag	Reservoir bag	150ml, 250ml, 500ml	Deleted
Gallay Medical & Scientific				
General Miscellaneous				
GR001	EndoChoice Autoband Ligator	Endoscopic band ligation device including seven pre-loaded bands to fit gastroscopes with an outer diameter of 8.6-11.5mm	One size (7 bands) to fit gastroscopes with an outer diameter of 8.6-11.5mm	Deleted
GE Healthcare				
General Miscellaneous				
GC001	Iodine 125 - 'Rapid Strand' Brachytherapy Implant, Iodine 125 - 'OncoSeeds' Brachytherapy Implant	Rapid Strand consists of 10 welded titanium capsules containing iodine-125 absorbed onto a silver rod. OncoSeeds consists of the loose seeds only. Per Patient up to 120 seeds.	One size each	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
GC002	Iodine 125 - Rapid Strand Brachytherapy Implant; OncoSeeds Brachytherapy Implant	I-125 Rapid Strand, code IMC 7000, consists of 10 welded titanium capsules containing iodine 125. This assembly is sterile, the activity of the capsules "seeds" is available from 0.18mCi to 0.70mCi. Individual I-125 capsules (seeds) are also available as OncoSeeds IMC6711. To be used only if more than 120 seeds are used per patient.	One size only	Deleted
GC003	RAPID Strand Rx Seeds	I-125 RAPID Strand Rx, pre-loaded titanium capsules containing iodine 125. To be used only if more than 100 seeds are used per patient. Benefit is per seed.	Custom	Deleted
GC004	RAPID Strand Rx\u2122	Pre-loaded, variable per patient prescription version of RAPID Strand. \u00A0Price as shown is for up to 100 seeds.	The number of seeds per needle, the spacing between seeds (suture length) and number of needles required is customised per patient. Seed size is standard as is the needle gauge	Deleted

Global Manufacturing Technology Pty Ltd

Hip

GM108	BioBall Delta Femoral Head	Femoral Head Biolox Delta	36mm, 38mm, 40mm, 44mm, 48mm	Expanded into GM165, GM166
-------	----------------------------	---------------------------	------------------------------	----------------------------

HELEX-A PTY. LTD.

Cardiac

HE001	BioMatrix Flex Drug Eluting Coronary Stent System	Coronary Artery Stent, Drug Eluting	(8 - 38)mm length x (2.25 - 4.0)mm diameter	Transferred to DO005
-------	---	-------------------------------------	---	----------------------

Johnson & Johnson Medical Pty Ltd

General Miscellaneous

JJ576	Ethicon Omnex Surgical Sealant	Omnex Surgical Sealant	0.5 ml	Deleted
JJ892	Endopath Linear Cutter	Metal/plastic cutter-stapler with titanium staples	45mm; short shaft	Compressed into MN206
JJ894	Endopath Linear Cutter	Metal/plastic cutter-stapler with titanium staples	45mm; long shaft	Compressed into MN206

Vascular

JJ305	Palmaz Genesis Peripheral Stent on Opta Pro (Medium)	Stainless steel balloon expandable stent mounted on an Opta Pro Balloon	Diameter 4-8mm, length 12-39mm	Transferred to DO016
JJ306	Palmaz Genesis Peripheral Stent on Opta Pro (Large)	Stainless steel balloon expandable stent mounted on an Opta Pro Balloon.	Diameter 4-12mm, length 11-79mm	Transferred to DO007
JJ419	SMART Control Peripheral Stent System	SMART Control is a laser cut nitinol self expanding stent, used to treat peripheral vessel disease.	Dia 6 \u2013 14mm; Length 20 \u2013 100mm	Transferred to DO011
JJ423	OPTEASE retrievable vena cava filter	OPTEASE is a laser cut nitinol vena cava filter, used to treat patients at high risk of pulmonary embolisation	Suitable for vessels up to 30mm	Transferred to DO017
JJ480	Angioguard RX Emboli Capture Guidewire System	Distal protection device and delivery system	Length 180cm, Diameter 0.014"; basket sizes 4mm, 5mm, 6mm, 7mm and 8mm	Transferred to DO008

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
JJ567	PALMAZ\u00AE BLUE\u2122 .018 Peripheral Stent System	L605 Cobalt Chromium Alloy Balloon Expandable Stent	12, 15, 18, 24mm length 4, 5, 6, 7mm diameter	Transferred to DO003
JJ592	SMART Nitinol Stent System	Long 120mm Stent, 6F compatible	6-8mm diameter, 120mm stent length, 120cm delivery system	Transferred to DO015
JJ617	SMART Nitinol Stent System	Long 150mm stent, 6F compatible	6-8mm diameter, 150mm length, 120cm delivery system	Transferred to DO013
JJ646	Precise Pro Rx Nitinol Stent System	Nitinol self expanding stent	Diameter: 5, 6, 7, 8, 9, 10mm; Length: 20, 30, 40mm	Transferred to DO010
JJ688	Palmaz Blue .014 Renal Stent System (on Aviator Plus)	CoCr balloon expandable stent	12, 15, 18, 24mm Lengths 40, 50, 60, 70mm diameters 80, 142cm shaft lengths	Transferred to DO018
JJ823	EXOSEAL (TM) Vascular Closure Device	Vascular Closure Device	5 - 7F	Transferred to DO012
MN173	S.M.A.R.T. Flex Vascular Stent System	A fully connected, laser cut nitinol stent	5-8mm diameter, 30-120mm length	Transferred to DO002
MN174	S.M.A.R.T. Flex Vascular Stent System	A fully connected, laser cut nitinol stent	5-8mm diameter, 150-200mm length	Transferred to DO004
MN178	InCraft AAA Stent-Graft System - Aortic	Bifurcated main body	22-34mm diameter, 86-94mm length	Transferred to DO006
MN179	InCraft AAA Stent-Graft System - Iliac Limb/Extension	Contralateral/Ipsilateral Iliac limbs and extensions	10-24mm diameter, 80-140mm length	Transferred to DO014

Johnson & Johnson Medical Pty Ltd t/a DePuy Synthes

Specialist Orthopaedic

JJ805	Global CAP CTA	Global CAP CTA Head	40 - 56 x 15 - 21mm	Deleted
-------	----------------	---------------------	---------------------	---------

Spinal

SY306	Pangea Spinal System	Pedicle and Lamina Hooks	Extra small to Extra Large	Deleted
SY461	Pangea Spinal System	Preassembled Polyaxial Pedicle Screw - Thoracic, Lumbar and Sacral Spine, Cannulated	Diameter, 4.0mm to 10mm.Length, 20mm to 120mm	Deleted
SY548	Pangea Spinal System	Preassembled Polyaxial Pedicle Screw - Thoracic, Lumbar and Sacral Spine	Diameter, 4.0mm to 10mm, Length, 20mm to 120mm	Deleted
SY549	Pangea Spinal System	Preassembled Monoaxial Pedicle Screw - Thoracic, Lumbar and Sacral Spine	Diameter, 4.0mm to 10mm, Length, 20mm to 120mm	Deleted

Joint Research Australia

Hip

JR001	DC2 System: DC2 Head 36mm	Femoral head, Biolox Delta, >32mm	-4mm, +0mm, +4mm, +8mm	Deleted
JR002	DC2 System: DC2 Head 32mm	Femoral head, Biolox Delta, \u226432mm	-4mm, +0mm, +4mm, +8mm	Deleted

Lifehealthcare Pty Ltd

Specialist Orthopaedic

LH323	ITS Cancellous Screws	Cancellous Screws	D=3.5mm & 4.2mm, Length = 14mm - 60mm (with incremental of 2)	Deleted
-------	-----------------------	-------------------	---	---------

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
LH324	ITS Cortical Screws	Cortical Screws	D=3.5mm & 4.2, 4.5mm, Length =14mm - 60 mm (with incremental of 2)	Deleted
LH443	I.T.S. Distal Humeral Locking Plates	Humeral Plates, Distal	4-7 holes, dorsolateral, left and right; 8-10 holes, medial, left and right (Screw diameter 3.5mm)	Deleted
LH458	I.T.S. Pilon Plate	Locking Pilon Plates	4.6 and 8-holes (Screw diameter: Cancellous 4.2mm; Cortical 4.5mm)	Deleted
LH459	I.T.S. Olecranon Plate	Locking Olecranon Plates	6, 8, 10 and 12-holes (Screw diameter: Cancellous 4.2mm; Cortical 3.5mm)	Deleted

Spinal

LH532	MAGEC Spinal Bracing and Distraction System	Magnetically controlled growing rods	Actuator length: 70-90.mm	Transferred to NV147
-------	---	--------------------------------------	---------------------------	----------------------

Lima Orthopaedics Australia Pty Ltd

Hip

LC194	BioBall Femoral Head	Femoral Head Vivium < 32mm	28mm, 32mm	Expanded into LC195, LC196
-------	----------------------	----------------------------	------------	----------------------------

Specialist Orthopaedic

LC040	Randelli/SMR Total Shoulder	Randelli/SMR Neutral Taper	0 - 6mm	Deleted
-------	-----------------------------	----------------------------	---------	---------

LMT Surgical Pty Ltd

Plastic and Reconstructive

LM226	Bioplate Plating System	Plates of various shape	Less than 4 holes	Deleted
LM227	BIOPLATE Plating System	Titanium cranial compression plate	2 holes	Deleted
LM228	Bioplate Plating System	Plates of various shape	4 to 7 holes	Deleted
LM229	Bioplate Plating System	Titanium Burr Hole Covers	4 to 7 holes	Deleted
LM230	Bioplate Plating System	Plates of various shape	8 to 32 holes	Deleted
LM233	Bioplate ZIP	Titanium Clamp	11 to 20 mm	Deleted

Specialist Orthopaedic

LM075	Screws	Screws	2.7mm diameter/8-12mm	Compressed into LM326
LM249	OsteoMed FPS	Bone screw - std	2/2.7mm x 8-22mm	Compressed into LM325
LM250	OsteoMed FPS	Bone Screws - Locking	2/2.7m x 8-22mm	Compressed into LM324
LM251	OsteoMed FPS	Bone screws	3.5/4mm x 10-60mm	Compressed into LM326
LM259	OsteoMed HPS	Bone screws - cannulated headless	2.4mm x 10-36mm	Compressed into LM327
LM260	OsteoMed HPS	Bone screws - angled locking	2.4mm x 6-36mm	Compressed into LM324
LM261	OsteoMed HPS	Bone screws - threaded/lag	2.4mm x 4-36mm	Compressed into LM325
LM269	ExtremiFix Screws	Headless Cannulated Compression Screw	Diameter 2.0mm, 2.4mm. Length 10mm to 52mm; Diameter 2.01mm - 2.7mm	Compressed into LM327

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Mathys Orthopaedics Pty Ltd				
Hip				
MA427	CBH Non Cemented Femoral Stem	Titanium, grit blast, non HA,	00-12	Deleted
MD Solutions Australasia Pty Ltd				
General Miscellaneous				
MB001	Vari-Strand	Vari-Strand consists of variable stranded seed configurations in pre-loaded needles for the purpose of delivering radioactive seeds for the treatment of prostate cancer. Varistrand Multiple is delivered in a sterilized tray opened in the operating theatre	Variable (individually prescribed) stranded seed configurations in pre-loaded needles delivered in a sterilized tray.	Deleted
MB002	Vari-Strand	Vari-Strand consists of a single stranded seed in a pre-loaded needle for the purpose of delivering a radioactive seed for the treatment of prostate cancer. Varistrand Single is delivered in a sterilized tray.	Single (individually prescribed) seed in a pre-loaded needle delivered in a sterilized tray.	Deleted
Vascular				
MB008	Myx Vascular Closure Device	Water-soluble synthetic sealant made of a polyethylene glycol (PEG) The sealant is resorbed by the body within 30 days	5F, 6/7F	Transferred to DO009
Medical Vision Australia Cardiology Thoracic Pty Ltd				
Ear, Nose & Throat				
MY001	Endoxane	Silicone tracheal and bronchial stents - Dumon	10 - 20mm diameter, 20 - 60mm length	Transferred to LH574
MY002	Tracheobronxane Silmet	Nitinol wire - tracheal and bronchial stents - Dumon	12 - 20mm diameter, 20 - 90mm length	Transferred to LH576
General Miscellaneous				
MY003	Steritalc	Sterile granules of talc implanted in pleural space to act as permanent adhesive	3 grams & 4 grams	Transferred to LH572
Medtronic Australasia Pty Ltd				
General Miscellaneous				
AS006	Ligation Clips - Disposable clip applicator and ligating clips	Surgiclip	Small	Compressed into MI217
AS011	GIA*, ILA* Staplers	Titanium	75mm (3.8mm, 4.8mm)	Compressed into MI214
AS013	ILA* 52 Reloading Unit	Titanium. Multifire 60 Cartridge 90 Premium Disposable Loading Unit with Titanium Staples, 50 Premium Disposable Loading Unit with Titanium Staple, Inverted Linear Anastomosis Cartridges 3944, 3943, 3978, 3946, 3945, 3976, 3977	50 - 60mm (2.5mm, 3.8mm)	Compressed into MI216

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
AS016	GIA*, ILA* Reloading Unit	Titanium. Multifire 60 Cartridge, Inverted Linear Anastomosis Cartridges 3944, 3943, 3978, 3946, 3945, 3976, 3977	90mm (3.8, 4.8mm)	Compressed into MI216
AS017	GIA*, ILA* Reloading Unit	Titanium. Multifire 60 Cartridge, Inverted Linear Anastomosis Cartridges 3944, 3943, 3978, 3946, 3945, 3976, 3977	100mm (3.8,4.8mm)	Compressed into MI216
AS018	TA* Stapler; DST Series* Linear Staplers	Premium Multifire TA* Disposable Surgical Stapler and Loading Unit; Titanium staples used for hemostatic closure of specific organs and blood vessels (ex bowel, stomach and lung).	DST TA60-3.5; DST TA60-4.8	Compressed into MI212
AS019	PI*, Stapler	Premium Multifire TA* Disposable Surgical Stapler and Loading Unit	30mm (2.5, 3.5, 4.8mm)	Compressed into MI212
AS025	TA* Reloading Units; DST Series* Linear Stapler Disposable Loading Units	Premium Multifire TA* Disposable Surgical Stapler and Loading Unit; Titanium staples used for hemostatic closure of specific organs and blood vessels (ex bowel, stomach and lung)	30mm (2.5, 3.5, 4.8mm); DST TA90-3.5 DLU; DST TA90-4.8 DLU; DST TA45-3.5 DLU; DST TA45-4.8 DLU; DST TA60-3.5 DLU; DST TA60-4.8 DLU; DST TA30-3.5 DLU; DST TA30-4.8 DLU; DST TA30V3 DLU.	Compressed into MI215
AS026	PI*, Reloading Unit	Premium Multifire TA* Disposable Surgical Stapler and Loading Unit	30mm (2.5, 3.5, 4.8mm)	Compressed into MI215
AS030	TA* Reloading Units	Premium Multifire TA* Disposable Surgical Stapler and Loading Unit	90mm (3.5mm, 4.8mm)	Compressed into MI215
AS035	Roticulator*	Roticulator 30	30mm (3.5, 4.8mm)	Compressed into MI218
AS036	Roticulator*	Roticulator 55	55mm (3.5, 4.8mm)	Compressed into MI218
AS037	ROVICULATOR*	Polysorb 55 Disposable Loading Unit	55mm (3.5, 4.8mm)	Compressed into MI218
AS072	Staples and Disposable Stapler Applier and staples; PPCEEA*.	Titanium, curved, PPCEEA*; Titanium Surgical Stapler.	21-34mm; 21, 25, 28, 31, 34mm.	Compressed into MI219
AS073	ENDOCLIP*; Acuclip Single use Endoscopic Multiple Clip Applier.	Titanium Surgical Stapler	5mm (12 clips); One size only.	Compressed into MI213
AS102	DST Series* Linear Staplers	Titanium staples used for hemostatic closure of specific organs and blod vessels (ex bowel, stomach and lung)	DST TA90-3.5; DST TA90-4.8	Compressed into MI212
AS113	DST Series* GIA* Linear Cutter Stapler and single use loading units	single use, reloadable stapler	60mm length: sizes 2.5mm, 3.8mm, 4.8mm	Compressed into MI214
AS114	DST Series* GIA* Linear Cutter Stapler and single use loading units	Single Use Loading Units	60mm length: Sizes 2.5mm, 3.8mm, 4.8mm	Compressed into MI216
AS115	DST Series* GIA* Linear Cutter Stapler and single use loading units	Single use, reloadable stapler	80mm length; Sizes 3.8 and 4.8mm	Compressed into MI214
AS116	DST Series* GIA* Linear Cutter Stapler and single use loading units	Single Use Loading Units	80mm length: Sizes 3.8 and 4.8mm	Compressed into MI216
AS117	DST Series* GIA* Linear Cutter Stapler and single use loading units	Single use, reloadable stapler	100mm length: Sizes 3.8 and 4.8mm	Compressed into MI214
AS118	DST Series* GIA* Linear Cutter Stapler and single use loading units	Single use loading units	100mm length: Size 3.8 and 4.8mm	Compressed into MI216
AS119	DST Series* EEA* Circular Stapler	Circular staplers	21mm to 33mm	Compressed into MI219

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
AS131	Ligation Clips - Disposable clip applicator and ligating clips	Surgiclip	Medium	Compressed into MI217
AS132	Ligation Clips - Disposable clip applicator and ligating clips	Surgiclip	Large	Compressed into MI217
AS133	TA* Stapler; DST Series* Linear Staplers	Premium Multifire TA* Disposable Surgical Stapler and Loading Unit; Titanium staples used for hemostatic closure of specific organs and blood vessels (ex bowel, stomach and lung).	30mm (2.5, 3.5, 4.8mm); DST TA45-3.5; DST TA45-4.8; DST TA30-3.5; DST TA30-4.8; DST TA30V3.	Compressed into MI212
AS135	DST\u2122 Series EEA\u2122 XL	Circular Stapler	5 sizes	Compressed into MI219
AS137	Endo Clip III	Laparoscopic 5mm Clip Applier	5mm	Compressed into MI213
AS175	Parietene-Monofilament Polypropylene Mesh	Parietene-Monofilament Polypropylene standard mesh/light mesh	15 x 10cm	Deleted

Newclip Technics Australia Pty Ltd

Specialist Orthopaedic

TN024	NewClip Distal Radius Screws	Cortical Bone Screw	2.0mm x 14-28mm	Deleted
-------	------------------------------	---------------------	-----------------	---------

Oceania Orthopaedics

Hip

OO164	Omnia Tipor Revision Acetabular Cup	Omnia Tipor Cup is a press fit acetabular shell with screw holes, augments and stems.	50-66mm diameter	Deleted
OO165	Omnia Tipor Revision Acetabular Cup - Augments	Omnia revision cup bone reconstruction augments	Mini, Small, Medium, Large, X-Large	Deleted
OO167	Omnia Tipor Revision Acetabular Cup- Wings	Omnia Revision cup bone reconstruction - wings	Small, Medium, Large	Deleted
OO172	MUTARS RS Cup - Apical Hole Plug	Acetabulum reconstruction cup, flange multiple screw holes - Apical hole plug	One Size	Deleted

Orthofix Australia Pty Limited

Spinal

OF034	Firebird Phoenix Rods	Titanium Rods, straight and lordotic with hex end. CoCr 450mm	35-600mm	Compressed into OF073
OF035	Spinal Fixation System	Rod - Titanium	40mm to 100mm in 10mm increments	Compressed into OF073
OF036	Spinal Fixation System	Rod - Titanium	110 to 450mm (110, 120, 140, 160, 180, 200, 450mm)	Compressed into OF073
OF039	Spinal Fixation System	Pre Lordosed Rods	40mm to 100mm in 10mm increments	Compressed into OF073
OF041	Blackstone - Washer	Titanium	2/4/6mm	Compressed into OF072
OF042	Blackstone - Spacer	Titanium	3/5mm	Compressed into OF072

Orthotech Pty Ltd

Hip

OH291	JRI Reconstruction Ring	Acetabular reconstruction cage	44mm, 47mm, 50mm, 54mm	Deleted
-------	-------------------------	--------------------------------	------------------------	---------

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
OH299	JRI Total Hip System	JRI Austin Moore Standard Stems Hemiarthroplasty. These prusct has an all-in-one head and stem	Head Sizes range from 39mm - 56mm	Deleted
OH512	Furlong Hemi range, cement plug	Cement Plug	10-20mm	Deleted
Specialist Orthopaedic				
OH166	Mendec Spine	Bone Cement	20g sterile powder / 9.4g sterile liquid	Deleted
OH171	Mendec Spine	Bone Cement	20g powder / 9.4g sterile liquid	Deleted
OH258	Songer cable system	Double loop titanium spinal cable plus crimps	One size only	Deleted
OH259	Songer Cable System - 2 Crimps	Titanium	One size only	Deleted
OH260	Hartshill	Wire (packet 10) stainless steel	1.2mm diam & 0.9mm dia	Deleted
OH516	KLS Martin Hand fracture system - periarticular plate	Various size and shaped hand plates	08-12mm depth x 10.5-45mm length	Expanded into OH531, OH532, OH533, OH534
Spinal				
OH254	Intext Cervical Plate/Intext Screws	Intext cervical plate, including (2-part) fixation screws	Screws/Revision Screws - dia 4.4mm, length 11 - 18mm - Pack of 3	Deleted
OH263	Intext Cervical Plate/Intext Screws	Intext cervical plate, including (2 - part) fixation screws	Plates - width 13mm, Height 4mm - 9mm, width 17mm, height 4mm - 9mm	Deleted
OH264	Hartshill: Ransford	Occipito-cervical - Titanium loop	100 degree 9mm - 20mm	Deleted
OH265	Hartshill: Ransford	Extra long cross linked - titanium loop	100 degree 45cm x 15mm	Deleted
OH266	Hartshill Rectangle	Stainless steel posterior lumbar fusion system	5mm diam 3-5cm length	Deleted
OH270	Hartshill Rectangle	Stainless steel posterior thoracic/thoracolumbar fusion system	6mm diam 15 - 19cm length	Deleted
OH316	Impix-C+ - Cervical Cage	Impix-C+ Pre-filled Cervical Cage	12.5mm x 14mm x 5mm, 12.5mm x 14mm x 6mm, 12.5mm x 14mm x 7mm, 14.5mm x 16mm x 5mm, 14.5mm x 16mm x 6mm, 14.5mm x 16mm x 7mm, 14.5mm x 16mm x 8mm, 14.5mm x 16mm x 9mm	Deleted
OH317	IMPIX-LR	IMPIX - Ir Lumbar Ramp	8x20x0DEG, 13X20X0DEG, 14X20X0DEG, 9X20X4DEG, 10X20X4DEG, 11X20X4DEG, 12X20X4DEG, 13X20X4DEG, 14X20X4DEG, 10X20X8DEG, 11X20X8DEG, 12X20X8DEG, 13X20X8DEG, 14X20X8DEG, 12X20X12DEG, 13X20X12DEG, 14X20X12DEG, 8X25X0DEG, 9X25X0DEG, 10X25X0DEG, 11X25X0DEG, 12X2	Deleted
OH365	AxialIF Facet Screw	Percutaneous 360 degree fusion at L5 - S1	4/5mm x 25-40mm	Deleted
OH408	C Jaws	Cervical compressive staple	12-17mm	Deleted
OH441	Axialif Rod	Integral fixated spacer for lumbar spine.	25-65mm	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Pyramed Pty Limited				
Vascular				
PY028	Sinus-XL Stent	Self-expanding Nitinol stent	Diameter 14mm - 24mm, Length 30-100mm nominal; 32-100mm expanded.	Expanded into PY041, PY042, PY043, PY044
Reid Healthcare				
Cardiac				
RH010	Avantgarde Chrono Carbostent	The Avantgarde Chrono Carbostent device consists of a coronary stent firmly held on the distal end of a semi compliant balloon catheter. The coronary stent is a flexible implantable device that can be expanded using a PTCA catheter. The stent is made of cobalt chromium alloy coated with Carbofilm. Two radio-opaque platinum markers are located at either end of the stent.	Lengths: from 7mm to 31 mm; Sizes: from 2.25mm to 4.5mm	Deleted
RH015	CRE8 Coronary Stent	Coronary Artery Drug Eluting Stent	The stent is available in 6 diameters: 2.5mm; 2.75mm; 3.0mm; 3.5mm; 4.0mm; 4.5mm and 5 lengths: 12mm; 16mm; 20mm; 25mm and 31mm.	Deleted
Smith & Nephew Pty Ltd				
Knee				
SM092	RT (Rotating Hinge) PLUS Knee System Tibial Baseplate	Tibial Baseplate, CoCr, cemented, for fixed insert	0-10	Deleted
Smiths Medical Australasia Pty Ltd				
General Miscellaneous				
SI029	Extension Set (30" & 60")	Pump	152 cm	Expanded into SI047, SI048
Spectrum Surgical				
Ophthalmic				
SO061	HumanOptics Torica Add-On IOL	Toric Add-On IOL for sulcus fixation in pseudophakic eyes, 3-piece, foldable, UV absorber, blue light filter, Iris protection, safety profile technology and undulated haptics	Sphere: -4.0 to +1.5 in 0.5D steps, Cylinder < 7D	Expanded into SO078, SO079
St Jude Medical Australia Pty Ltd				
Cardiac				
SJ254	Accent ST RF PM2222	Dual Chamber Pacemaker with ST Segment Monitoring and RF Telemetry	23g, 12.9cc	Deleted
SJ255	Accent ST PM1122	Single Chamber Pacemaker with ST segment monitoring	21g, 9.5cc	Deleted
SJ256	Accent ST PM2122	Dual Chamber Pacemaker with ST segment monitoring	10.5cc, 19g	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
SJ257	Accent ST RF PM1222	Single Chamber Pacemaker with ST Segment Monitoring and RF Telemetry	12.8g, 23g	Deleted
SJ296	Ellipse VR CD1277-36	Single chamber cardioverter defibrillator with 36J delivered energy and ST segment monitoring	66g, 31cc	Deleted
SJ297	Fortify Assura DR CD2259-40	Dual chamber cardioverter defibrillator with 40J delivered energy and ST segment monitoring	35cc, 76g	Deleted
SJ299	Fortify Assura VR CD1259-40	Single chamber cardioverter defibrillator with 40J delivered energy and ST segment monitoring	76g, 35cc	Deleted
SJ300	Ellipse DR CD2277-36	Dual chamber cardioverter defibrillator with 36J delivered energy and ST segment monitoring	66g, 31cc	Deleted
SJ309	Fortify Assura VR CD1259-40Q	Single chamber cardioverter defibrillator with 40J delivered energy and ST segment monitoring and DF4 connector	35cc, 75g	Deleted
SJ310	Fortify Assura DR CD2259-40Q	Dual Chamber cardioverter defibrillator with 40J delivered energy and ST segment monitoring with DF4 connector	35cc, 75g	Deleted
SJ313	Ellipse DR CD2277-36Q	Dual chamber cardioverter defibrillator with 36J delivered energy and ST segment monitoring with DF4 connector	68g, 31cc	Deleted

Neurosurgical

SJ171	ANS Spinal Cord Stimulation System (SCS) GENESIS	Implantable Pulse Generator - Genesis Model 3608	One size only	Deleted
SJ172	ANS Spinal Cord Stimulation System (SCS) GENESIS	Patient Programmer Model 3850	One size only	Deleted
SJ303	Dual Quad Trial Adaptor	A tool used to connect two four-contact leads to a single port of a non-sterile external power source.	One size	Deleted

Vascular

SJ014	Angio-Seal Vascular Closure Device - STS Platform and STS Plus	Angio-Seal Haemostatic Puncture Closure Device, Models 6F-STS Platform and 6F STS Plus	6F	Transferred to TU058
SJ015	Angio-Seal Vascular Closure Device - STS Platform and STS Plus	Angio-Seal Haemostatic Puncture Closure Device, Models 8F-STS Platform and 8F STS Plus	8F	Transferred to TU060
SJ094	Angio-Seal VIP	Angio-Seal Haemostatic Puncture Closure Device Models 6F STS Platform, 6F STS Plus and 7F VIP	6F	Transferred to TU059
SJ095	Angio-Seal VIP	Angio-Seal Haemostatic Puncture Closure Device Models 8F STS Platform, 8F STS Plus and 8F VIP	8F	Transferred to TU062
SJ155	Angio-Seal Evolution	Haemostatic Puncture Closure Device 6F-8F	6F and 8F	Transferred to TU063
SJ218	FemoSeal Vascular Closure System	Haemostatic Puncture Closure Device	One Size	Transferred to TU061

Surgical Specialties

General Miscellaneous

SQ072	HaemoCer Haemostatic Powder	Absorbable Polysaccharide Haemostat	2gms	Transferred to RH026
SQ073	HaemoCer Haemostatic Powder	Absorbable Polysaccharide Haemostat	5gms	Transferred to RH027

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Specialist Orthopaedic				
SQ044	BME Nitinol Osteosynthesis Staple	Dynamic Compression Implants OSS Staple - Biocompatible Nitinol	Large wire 2.0-3.0 - Sizes 20x20x20, 22x25x22, 30x30x30, 12x15x12	Deleted
SQ045	BME Nitinol Osteosynthesis staple	Dynamic Compression Implants OSS Staple - Biocompatible Nitono	Small Wires	Deleted
SQ046	OSSStaple Osteosynthesis Staple	Dynamic Compression Implants OSS Staple - Asymmetric Staples - Biocompatible Nitinol Construction	Asymmetric - 11x15x13, 11x17x15, 11x17x19 & 18x18x15	Deleted
SQ047	BME Nitinol Osteosynthesis Staple	Dynamic Compression Implants OSS Plate Staple - Biocompatible Nitinol Construction	Plate Staple - 15x6, 15x8, 15x10	Deleted
SQ048	Step/Barb OSStaple	Dynamic Compression Implant, Calcaneal Step OSStaple, Nitinol Memory Alloy	2mm, 4mm, 6mm 9mm & 12mm offsets	Deleted
SQ068	Hammerlock	Nitinol Intramedullary Fixation System - Straight and Angled	16, 19 and 22mm	Deleted
SQ108	Aperfix Tibial Fixation System	Aperfix Tibial Fixation System	9x24mm,10x24mm,9x29mm,10x29mm,11x29mm,8x30mm,9x30mm,10x30mm,11x30mm,7x20mm,7x25mm,8x20mm,8x25mm,8x30mm,9x20mm,9x25mm,9x30mm,10x25mm,10x30mm,11x30mm,12x30mm	Transferred to ZI972
SQ109	Aperfix Femoral Fixation System	Aperfix Femoral Fixation System	9x24mm,10x24mm,9x29mm,10x29mm,11x29mm	Transferred to ZI973
SQ110	Soft Tissue Anchor	All-Suture, UHMWPE	1.4-2.2mm, Single & Double Loaded	Transferred to ZI974

Teleflex Medical Australia

Ear, Nose & Throat

TX001	MatriX	Stapes Prosthesis	Diameters: 4mm, 5mm, 6mm Lengths: 3.50mm, 3.75mm, 4.00mm, 4.25mm, 4.50mm, 4.75mm, 5.00mm, 5.25mm, 5.50mm.	Transferred to LM331
TX002	NitiFlex	Stapes Prosthesis	Diameters: 4mm, 6mm Lengths: 3.50mm, 3.75mm, 4.00mm, 4.25mm, 4.50mm, 4.75mm, 5.00mm, 5.50mm.	Transferred to LM330
TX045	Stapes	a) NiTiBOND b) Soft CliP c) K-Piston d) Angular Piston e) CliP Piston aWengen f) CliP Piston MVP g) Lenticle Cup	a) Diameter - 0.4 or 0.6mm in lengths - 3.5 to 5.5mm b) Diameter - 0.4 or 0.6mm in lengths 3.5 to 5.5mm c) Diameter - 0.4 or 0.6mm in lengths 3.5 to 10mm d) Diameter 0.4 or 0.6mm in lengths 4.25, 4.5, 4.75mm e) Diameter - 0.4mm or 0.6mm in lengths 3.5 to 5.5mm f) Diameter 0.4 or 0.6mm in lengths - 5 to 6.25mm g) lengths - 3 to 4.5mm	Transferred to LM332

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
TX046	Partial Ossicle Replacement	a) TTP Tuebingen Type bell b) CliP Dresden Type c) Malleus d) Angular Plester e) Angular CliP f) TTP - Vario Bell TTP - Variac System, Partial g) CliP Partial FlexBAL h) Duesseldorf Type Partial	a) length - 1.75 to 3.5mm b) Length 1.75 to 3.5mm c) 1075 to 3.5mm d) length 2.25 or 3.25mm e) length 2.25 or 3.25mm f) one size g) lengths - 1.75 to 3.5mm h) lengths - 1.75 to 4.5mm	Transferred to LM329
TX047	Total Ossicle Replacement	a) TTP Tuebingen Type Aerial Type b) TTB-Vario Aerial c) TTP Variac System Total d) Malleus Notch Prosthesis e) Regensburg Type Titanium Prosthesis f) Malleus Replacement g) Regensburg Type Total h) Duesseldorf Type Total	a) Length - 3 to 7mm b) one size only d) Length - 3 to 7mm e) Length - 4 to 5mm f) one size only g) lengths - 4 to 5mm h) lengths - 3 to 7mm	Transferred to LM328

Terumo Australia

Vascular

TU040	Rapidax\u2122 Rapid Access Haemodialysis Graft	Triple layered self sealing haemodialysis Access Graft. ePTFE internal and external layer with proprietary elastomer inner layer - Straight and Per-curved	6mm x 45-50cm	Deleted
-------	--	--	---------------	---------

Tornier Pty Ltd

Hip

TO082	Dynacup Insert Ceramic	Hip Acetabular Insert, BioloX Delta Ceramic	32mm or 36mm Head	Transferred to CR233
TO083	Meije Duo Femoral Heads Delta Ceramic >32	Femoral Head Delta Ceramic >32	short, med, long, extra long, 36mm	Transferred to CR234
TO085	Dual Mobility Cup, shell uncemented	Acetabular shell titanium Plasma spray + HA, flanges and/or hook.	42 to 68mm	Transferred to CR242
TO086	Dual Mobility Cup, Shell Cemented	Acetabular Shell, Cemented stainless steel with groove, internal mirror polished	42mm to 60mm	Transferred to CR232
TO087	Dual Mobility Cup, Liner	Acetabular Liner UHMWPE	Head 22.2mm or 28mm, Diameter 42 mm to 68mm	Transferred to CR228
TO088	Dynacup Hole Oturator	Hole plug for dynacup shell, Ti, HA coated	One size only	Transferred to CR229
TO152	Meije Duo \u2013 Cementless Femoral Stem	Titanium Alloy Femoral Stem, Grit-blasted, fully HA coated, with or without collar	Standard 130\u00B0 neck option without collar \u2013 sizes 1 to 9 Standard 130\u00B0 neck option with collar \u2013 sizes 1 to 10 Lateralized 123\u00B0 neck option without collar \u2013 sizes 1 to 9 Lateralized 123\u00B0 neck option with collar \u2013 sizes 1 to 10	Transferred to CR236

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
TO153	Dynacup \u2013 Shell	Titanium acetabular shell, with or without holes, coated with titanium plasma spray and HA	Shell without holes: \u00D842mm to \u00D852mm (2mm increments) Shell with holes: \u00D842mm to \u00D868mm (2mm increments)	Transferred to CR230
TO154	Tornier CoCr Femoral Head \u2013 Femoral Head \u226432mm	CoCr Femoral Head	Dia 22.2mm, 28mm and 32mm, Short, Medium, Long and Extra-Long Necks	Transferred to CR245
TO155	Tornier CoCr Femoral Head \u2013 Femoral Head >32mm	CoCr Femoral Head	Dia 36mm, Short, Medium, Long and Extra-Long Necks	Transferred to CR246

Knee

TO009	HLS Noetos System patella	Patella, cemented, UHMWPE	small, medium, large	Transferred to CR248
TO021	HLS Noetos Revision Femoral Component	Femoral Component, cemented, CoCr, posterior stabilised using midline condyle	1 to 6 right and left	Transferred to CR238
TO024	HLS Noetos Revision Stem Extender, Sleeve and other Couplings	Stem Adaptor (Femoral Sledge) CoCr	5, 7 and 9 degrees	Transferred to CR237
TO025	HLS Hoetos Revision Knee	Sleeve stem adaptor (flange piece) CoCr	5, 7 and 9 degrees, right and left	Transferred to CR239
TO026	HLS Noetos Revision Tibial Baseplate	Tibial Tray, CoCr, cemented,	1 to 6	Transferred to CR235
TO028	HLS Noetos Revision Stems	Femoral and Tibial extension stems CoCr	1 to 6 Length 75 and 150mm	Transferred to CR247
TO060	HLS Kneetec - Femoral Implant	Femoral implant of the HLS Kneetec System, cemented, CoCr, Posterior Stabilised	Left and Right, 10 sizes each: 7 standard (1 to 7) and 3 "narrow" (3 to 5)	Transferred to CR227
TO061	HLS Kneetec - Mobile Tibial Tray	Mobile Tibial Tray for HLS Kneetec System, CoCr, Cemented	Sizes 1 to 8	Transferred to CR241
TO062	HLS Kneetec - Fixed Tibial Tray	Fixed Tibial Tray for HLS Kneetec System, CoCr, Cemented	Sizes 1 to 8	Transferred to CR243
TO063	HLS Kneetec - Mobile Tibial Insert	Mobile Tibial Insert for HLS Kneetec System, UHMWPE, posterior stabilised	4 thicknesses: 9, 11, 13 and 15 mm. 7 sizes for each thickness: from 1 to 7/8	Transferred to CR244
TO064	HLS Kneetec - Fixed Tibial Insert	Fixed Tibial part of the HLS Kneetec system, UHMWPE, posterior stabilised	6 thicknesses: 9, 11, 13, 15, 18 and 21 mm. 7 sizes for each thickness: from 1 to 7/8	Transferred to CR240
TO065	HLS Kneetec - Patella	Patellar implant of the HLS Kneetec system, UHMWPE, Cemented dome design and anchoring pegs	Extra-small, Small, Medium, Long	Transferred to CR231

W L Gore & Associates

Vascular

GT272	Gore-Tex Vascular Grafts	Vascular Grafts - Aorto-Pulmonary & Synthetic-Pulmonary Shunts (ePTFE) Stretch & Non Stretch Standard wall & Thin Wall	Diameter 3.5 - 5mm, Length 5-10cm	Compressed into GT287
GT279	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 3-12mm Lengths: \u2265 50cm	Compressed into GT288
GT280	Gore-Tex Vascular Grafts	Standard Wall, Thin Wall and Stretch Technology (ePTFE)	Diameters: 4-12mm Lengths: \u2265 50cm	Compressed into GT288
GT284	Gore-Tex Vascular Grafts	Vascular Grafts - Aorto - Pulmonary and Systemic Pulmonary Shunts (ePTFE) Stretch & Non Stretch Standard Wall & Thin Wall.	Diameter 3 - 12mm, Length 10cm	Compressed into GT287

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
Zimmer Biomet Pty Ltd				
Hip				
BH032	ARCOS Revision Hip System - Broached proximal body	Broached proximal body porous plasma spray	Standard or High Offset A B C D E and F	Compressed into ZI971
BH034	ARCOS Calcar Proximal Body	Calcar Proximal Body porous plasma spray	Calcar body 50mm Std +10 +20 bodies, Std or high offset Body A To E	Compressed into ZI971
BH038	Bi Metric Hip	Femoral Stem, HA coated, porous plasma spray, titanium	(7 to 21) mm diameter, Standard or lateralised	Deleted
BH043	Exception Femoral Stem	Standard or Varised, Left or Right Titanium Alloy, HA coated	Sizes 1-9	Deleted
BH130	ARCOS Revision Hip System Cone Proximal Body	Cone Proximal Body Porous plasma sprayed coated	50mm body	Compressed into ZI971
BI015	Reach Revision Hip System	Modular Reach Proximal Body - Collared/Collarless; Titanium, Chrome Cobalt	Proximal Body #1-6	Deleted
BI051	Bi-Metric Hip System	Head Neck calcar Femoral Stem, Chrome Cobalt, Cemented, unpolished 200 and 250 lengths	9-15mm	Deleted
BI052	Bi-Metric Hip System	Revision 200 Stem, Titanium, plasma non HA	9-17mm	Deleted
BI057	M2A taper	Metal Acetabular Insert, Chrome Cobalt	Standard	Deleted
BI060	Austin Moore Self Locking Hip Prosthesis System	Straight Standard Femoral Prostheses, Titanium	38-55mm	Deleted
BI066	Stanmore Total Hip System	Polished Femoral Stem - Standard and Straight, Chrome Cobalt	Size 1-5	Deleted
BI067	Stanmore Total Hip System	Acetabular Cup, unmodified UHMWPE	25-32mm x size 40-53mm	Deleted
BI069	Biomet Taperloc Hip System	Titanium unpolished	7.5mm to 20mm diameter	Deleted
BI127	Modular Calcar Mallory Head Revision Hip System	Femoral Component, Distal. Titanium	170-300mm	Deleted
BI692	Reach Revision Hip System	Titanium plasma no HA	Sizes 13 - 19 (L&R) by 200 - 250mm)	Deleted
BI704	Par 5 Protrusio Acetabular System	Acetabular reconstruction Shells - Titanium Metal, no HA	56 - 72mm	Deleted
BI778	PLR Splined Revision Stem	Splined Straight Stem, Ti, grit blast, non HA	14-24mm x 270mm	Deleted
BI837	Reach Revision Hip System	Modular Reach Proximal Body - Collared/Collarless, Ti, HA Coated	Proximal Body #1 - 6	Deleted
BI842	Resurfacing Hip System	Acetabular Shell CoCr, Ti, HA Coated	44 - 66mm	Deleted
BI944	M2a 38 Femoral Head	Metal on Metal Femoral Head, Cobalt Chrome	38mm	Deleted
BI960	Regenerex revision cup	acetabular augment, Porous Ti Alloy	48 to 58mm, small medium or large version	Deleted
BI970	Regenerex Revision Shell	Acetabular support component Porous Ti Alloy	54 to 76mm OD, 44 to 66 ID	Deleted
BI980	Echo Hip System	Press Fit Femoral Component, titanium	7 - 17mm	Deleted
BI982	Mainstream Burch/Schneider Reinforcement Ring	Burch/Schneider Reinforcement Ring Cemented	44/50 Left and Right, 50-56 Left and Right	Deleted
ZI042	Trilogy Acetabular Cup	Titanium mesh (fibre metal) non HA for ceramic insert	48 - 70	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
ZI390	Acetabular Reinforcement	Roof Ring - Ti alloy	44 to 58mm	Deleted
ZI491	Trabecular Metal Acetabular Revision System Liner	Highly cross-linked (Longevity) PE Liners (various)	28mm x 48mm-80mm - 0deg & 10deg; 32mm x 54-80mm - 0deg & 10 deg; 36mm x 58mm-80mm - 0deg & 10deg; 40mm x 62-80mm - 0deg & 10 deg	Deleted
ZI495	Zimmer Anatomic II	Titanium, plasma spray with HA	Sizes 1 - 12, left and right	Deleted
ZI500	Femoral Head	Head - Metal (Zweymuller Allopro) - CoCr	36mm, 38mm	Deleted
ZI520	Alloclassic Zweymuller Hip Stem HA Coated	Titanium, grit blast, with HA	1 - 12	Deleted
ZI557	Fitmore Stem	Curved uncemented MIS Stem with TiVPS coating	A 140\00B0 size 1-14 ; B137\00B0 size 1-14 ; B extended offset 129\00B0 size 1-14 ; C127\00B0 size 1-14	Deleted
ZI618	Trilogy IT HA/TCP Acetabular System	Titanium mesh (fibre metal) with HA	40CC; 42DD; 44EE; 46FF,; 48GG; 50HH; 52II; 54JJ; 56KK' 58LL' 60MM' 62NN; 64OO; 66PP; 68QU; 70RR; 72SS; 74TT	Deleted
Knee				
BH121	RHK Knee - Patella	Patella	Small (31mm), Medium (34mm), Large (37mm)	Deleted
BI159	AGC System femoral component	Femoral Component, uncemented, CoCr with titanium plasma sprayed surface (Porous plasma spray PPS) left and right sided (anatomic),	55-80mm	Deleted
BI172	Maxim Complete Knee System Tibial Insert	Tibial Insert, UHMWPE, fixed with locking pin	59-91mm	Deleted
BI195	Vanguard Rotating Platform Femoral Component	Femoral Component, Cemented, CoCr, Posterior Stabilised	60-75mm	Deleted
BI810	Vanguard Complete Knee System	Tibial bearing & tray, 'Mono Lok' Cruciate Retaining or Posterior Stabilised, CoCr UHMWPE	59 -91mm	Deleted
BI863	AGC Knee System Tibial Baseplate	Tibial baseplate, titanium, Moulded, V2 (version 2), uncemented with titanium plasma sprayed surface (Porous plasma spray PPS)	(63-91) x (8-22)mm	Deleted
BI905	AGC Total Knee System Tibial Insert	Tibial Insert 'Tradition', Posterior Stabilised with peg, UHMWPE with locking pin	59-91mm	Deleted
BI910	Vanguard Rotating Platform Femoral Component	Femoral Component, uncemented, CoCr, Titanium plasma sprayed surface (Porous plasma spray PPS), Posterior Stabilised	60 - 75mm	Deleted
BI911	Vanguard Rotating Platform Femoral Component	Femoral Component, uncemented, CoCr, Titanium plasma sprayed surface (Porous plasma spray PPS) with HA, Posterior Stabilised	60 -75mm	Deleted
BI958	Vanguard Total Knee System	Femoral Component, Posterior Stabilised, Anatomic, HA, Plasma Porous Coated, CoCr & Ti Alloy	55-80	Deleted
ZI139	NexGen Tibial Insert	Tibial Insert, UHMWPE, 'anatomically rotated'	9 - 23mm	Deleted
ZI404	Natural Knee Tibial Augments	Tibial hemi blocks, titanium, lug fixation	4 to 8mm Size 00 to 5	Deleted
ZI408	Natural Knee Tibial Insert	Tibial Insert, UHMWPE, mobile insert	00 to 5, 9 to 22mm	Deleted
ZI417	Natural Knee Tibial Stem	Tibial Stem, Titanium, cemented including locking bolt	60 to 215mm	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
ZI418	Natural Knee Femoral Component CSTi	Femoral Component, uncemented, CoCr, with Cancellous Structured Titanium ingrowth surface	Size 00 to 5	Deleted
ZI420	Natural Knee Femoral Component	Femoral Component, Cemented, CoCr	Size 00 to 5	Deleted
ZI432	Natural Knee Patella	All poly patella, cemented, UHMWPE	Size 0/7mm to 3/10 mm	Deleted
ZI502	Natural Knee	Primary Tibial Baseplate - Mobile Bearing Non Porous - CoCr alloy	Size 00 to 5	Deleted
ZI521	NexGen LPS Prolong Tibial Insert	Tibial Insert, Highly Crosslinked - UHMWPE (prolong), fixed posterior stabilised	Sizes A - G, 9mm to 20mm	Deleted
ZI560	Nexgen complete knee solution	Rotating hinge knee cement shield servicing kit	B, C, D, E & F	Deleted
ZI585	NexGen Prolong Flex Articulating Surface	Highly Crosslinked - Ultra High Molecular Weight Polyethylene - Mobile Bearing - CR	Sizes 1 to 10, 9mm to 23mm	Deleted
ZI730	Zimmer Segmental System, Variable Stiffness Stems	Variable Stiffness Stem Extensions - Straight/Bowed and Precoat for Segmental System in various sizes.	9 to 19mm diameter, 130mm and 190mm length	Deleted
ZI732	Zimmer Segmental System, Intercalary Segments	Trabecular Metal Intercalary Segments for various lengths	45mm, 55mm, 65 mm length	Deleted

Plastic and Reconstructive

BH002	Lactosorb Resorbable Craniomaxillofacial Fixation System	Lactosorb Plates, 2mm System, All shapes PGA/PLA	8 - 15 hole	Deleted
BH027	Mandibular Fracture System	Plates, Angled or Curved, 2.0 Mandibular System, Titanium	8 hole	Compressed into ZI970
BH029	Mandibular Fracture System	Plates, matrix shape, 2.0 mandibular system. Titanium	8 to 16 hole	Compressed into ZI970
BI427	Lactosorb Resorbable Craniomaxillofacial Fixation System	Mesh, Mandibular Lactosorb 2.5mm System. PGA/PLA	1.42mm x 42x42mm	Deleted
BI767	Mandibular Fracture System	Plates, Straight, 2.0 Mandibular Fracture System, Titanium	8-15 hole	Compressed into ZI970
BI774	W Lorenz Osteosynthesis System	Lefort plate, 1.5mm system, 0.6mm thickness, titanium	Flat, 2-11mm	Deleted
BI823	Alveolar Ridge Distraction System - titanium	distraction device, single tooth	10-20mm	Deleted
BI825	Alveolar Ridge Distraction System - titanium	Shim plate, titanium	1-3mm	Deleted
BI987	Lorenz 2.4mm Locking Reconstruction System	Plates Plate, Angled 2.4mm System, Ti	5 x 11 hole	Deleted
BI988	W Lorenz Osteosynthesis System	Plate Straight 2mm System	4 - 7 hole	Deleted
BI990	Lactosorb Resorbable CMF System	Lactosorb Plates, 1.5mm System	4 - 7 hole	Deleted
BI991	Lactosorb Resorbable CMF System	Lactosorb Plates, 1.5mm System	8 - 15 hole	Deleted
BI993	Lactosorb Resorbable CMF System	Lactosorb Plates, 1.5mm System	32+ holes-	Deleted
BI997	Lactosorb Resorbable Craniomaxillofacial Fixation System	Bone Screw Lactosorb, single screw (multiple screws per pack) PGA/PLA	2.8mm dia	Deleted
BI998	Lactosorb Resorbable Craniomaxillofacial Fixation System	Panel or Sheet, Solid or Holed, PGA/PLA	0.25mmx100x100mm	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
B1999	Lactosorb Resorbable Craniomaxillofacial Fixation System	Panel or Sheet, Solid or Holed, PGA/PLA	(0.5 or 0.8)mm 100x100mm	Deleted
Specialist Orthopaedic				
BH149	EBI XFIX Dynafix System	Distraction mechanism	Male female	Deleted
BH164	EBI XFIX Dynafix System	Fixator Body	Small, Extra Small	Deleted
BH200	Small / Large Fragment Set	Bone Screw	4.5-6.5mm diameter	Deleted
BH201	Ace External Fixator	Olive wire bayonet point - stainless steel, packet of 3	1.5 or 1.8mm	Deleted
BH333	Small / Large Fragment Set	Cannulated Bone Screw	4.5 to 8.0mm diameter	Deleted
BH334	Small / Large Fragment Set S/S	CHS Compression Screw - Stainless Steel	Neutral to +2	Deleted
BH336	Small / Large Fragment Set S/S	CHS Lag Screw Stainless Steel	Length 50-145mm	Deleted
BH353	TEMPFIX External Fixation System -transfixing pin sterile kit	Sterile pack for external fixation of lower extremity periarticular fractures	Sterile transfixing pin lower leg frame kits	Deleted
BH354	TEMPFIX External Fixation System - half pin sterile kit	Sterile pack for external fixation of lower extremity periarticular fractures	Sterile half pin lower leg frame kits	Deleted
BI218	Bio-Modular Shoulder System	Modular Head, Chrome Cobalt	Std, +2, +4mm	Deleted
BI222	Bio-Modular Shoulder System	Shoulder Offset Head, Chrome Cobalt	40-54mm	Deleted
BI256	BMP Cable System	Cable, Stainless Steel	1.6mm or 2.0mm	Deleted
BI343	Copeland Shoulder System	Humeral Resurfacing head, macrobond coated	small, med large, xlarge 1-8	Deleted
BI850	EBI XFIX DynaFix System	Hip Distractor Aluminium, Stainless Steel, Titanium	One Size Only	Deleted
BI936	GPS Bone Biologics	TCP Granules/GPS, TCP	10ml	Deleted
BI948	Calcibon	Granules or paste, TCP	50ml	Deleted
ZI328	Coonrad/Morrey Elbow Cement Restrictor	PMMA/Plastic Cement Restrictor	Extra Small, Small, Regular	Deleted
ZI329	CPT Impaction Grafting Mesh	Titanium Femoral or acetabular mesh	6 sizes acetabular rim (small and large), medial wall (small and large), flat and femoral meshes	Deleted
ZI448	Cannulated Screw	Ti alloy	One size only	Deleted
ZI596	NCB System	NCB Screw Self Tapping	5.00mm x 14-85; 4.00mm x 14-48,	Deleted
ZI598	NCB System	NCB Cancellous Screws	4.5mm x 30-65, 5.0mm x 32-90, 4.5mm x 30-65 C/FT	Deleted
ZI600	NCB System	NCB Cannulated Screws	14mm to 65mm	Deleted
ZI601	NCBSystem	NCB Cannulated Cancellous Screws	4.5mm x 30-90mm	Deleted
ZI709	Zimmer Natural Nail System	Cortical Nuts and Washers	Cortical Nut for the 6mm Cancellous Screw	Deleted
ZI712	Zimmer Natural Nail System	Humeral Nail Caps (Titanium) Antegrade & Retrograde	Height: 0mm, 5mm, 10mm & 15mm (Antegrade), 0mm, 5mm, 10mm (Retrograde)	Deleted
ZI714	Zimmer Natural Nail System	Cortical Screws (Partially Threaded) Titanium	4.0mm & 5.30mm x 20mm to 60mm (2.5mm increments); 4.0mm & 5.0mm x 65 to 100 mm (5mm increments)	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
ZI716	Zimmer Natural Nail System	Antegrade Humeral Nail - Titanium	7, 8, 9 & 10mm x 15, 18, 19.5, 21, 22.5, 24, 25.5, 27, 28.5 & 30cm. Left & Right.	Deleted
ZI757	Zimmer Pty Ltd	3.5 & 4.5mm Periarticular Plates - Humerus	Over 16 holes	Deleted
ZI796	ZPS-Zimmer Plate and Screw System	4.5mm Broad Compression Plate	2-6 holes	Deleted
ZI807	ZPS-Zimmer Plate and Screw System	Standard DC Plate	7-15 holes	Deleted
ZI812	Zimmer Universal Locking System	2.7mm Universal Locking System Reconstruction Plates, Straight - Sterile & Non Sterile	2 holes - 6 holes	Deleted
ZI813	Zimmer Universal Locking System	2.7mm Universal Locking System Reconstruction Plates, Straight - Sterile & Non Sterile	7 holes - 15 holes	Deleted
ZI814	Zimmer Universal Locking System	2.7mm Universal Locking System Reconstruction Plates, Straight - Sterile & Non Sterile	Over 16 holes	Deleted
ZI815	Zimmer Universal Locking System	2.7mm Locking One-Quarter Tubular Plate-Sterile and Non-Sterile	2 holes - 6 holes	Deleted
ZI816	Zimmer Universal Locking System	2.7mm Locking One-Quarter Tubular Plate-Sterile and Non-Sterile	7 holes - 15 holes	Deleted
ZI817	Zimmer Universal Locking System	2.7mm Locking Dual Compression Plate Sterile and Non Sterile	2 holes - 6 holes	Deleted
ZI818	Zimmer Universal Locking System	2.7mm Locking Dual Compression Plate Sterile and Non Sterile	7 holes - 15 holes	Deleted
ZI819	Zimmer Universal Locking System	2.7mm Locking Dual Compression Plate Sterile and Non Sterile	16 holes	Deleted
ZI820	Periarticular Plates	Periarticular Femoral Condylar Plates - Stainless Steel	2-6 Holes Left and Right	Deleted
ZI821	Periarticular Plates	Periarticular Femoral Condylar Plates - Stainless Steel	7 - 15 holes	Deleted
ZI822	Periarticular Plates	Periarticular Femoral Condylar Plates - Stainless Steel	Over 16 holes Left and Right	Deleted
ZI834	NCB Polyaxial Locking System	NCB Variable Angle Locking Spacer Pegs	1 - 3mm	Deleted
ZI894	Zimmer Pins	Stainless steel, unthreaded	Length 230mm, Diameter 2.0mm - 4.8mm	Deleted
ZI899	Zimmer\u00AE Distal Radius Plating System	Distal Radius Plates	8-13 holes	Deleted
Spinal				
ZI476	Silhouette Spinal System Implants	Fixed Screw with Tab Extensions	5.5 x 25mm to 8.5 x 60mm	Deleted
ZI659	Nex-Link	Spinal Fixation System, Closed Screw Set Screw	4.0mm	Deleted
ZI668	Incompass	Thoracolumbar Fixation System, Polyaxial Screw Open	5.5 - 7.5	Deleted
ZI678	InFix Interbody Fusion System	Endplate	Small - Large	Deleted
ZI679	InFix Interbody Fusion System	Strut	Small - Large	Deleted
ZI680	InFix Interbody Fusion System	Endcap	8-10mm	Deleted
ZI683	NexLink	Occipital Cervical Plating System	Occipital Plate	Deleted
ZI684	NexLink	Occipital Cervical Plating System	Closed Screw 4mm	Deleted

Billing Code	Product Name	Further Description	Size	Explanation of Deletion
ZI686	NexLink	Occipital Cervical Plating System	Primary Bone Screw 3.5mm and 4mm	Deleted
ZI687	NexLink	Occipital Cervical Plating System	Bone Screw 3.5 - 4.0mm	Deleted
ZI689	Cadence Peek - Optima (sterile)	Vue Radiolucent Implant	9-13mm	Deleted
ZI691	Fortitude Peek-Optima (sterile)	Vue Radiolucent Implant	12mm	Deleted
ZI693	InFix Interbody Fusion System	Strut	Small - Large	Deleted
ZI893	APEX Spine System - Rod Connectors (offset)	Tandem rod connectors	5.5mm to 6mm diameter	Deleted

Grand Total: 405 Records