

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Maquet Australia Pty Ltd	03 - General Miscellaneous	MQ034	C-QUR Film	C-QUR™ Film Adhesion Barrier is intended as an adjunct in abdominal and pelvic surgery for reducing the incidence, extent and severity of postoperative adhesions at the site of placement.	>100cm2	March 2019	DELETE
Maquet Australia Pty Ltd	10 - Vascular	MQ036	Nellix EndoVascular Aneurysm Sealing System - Nellix Catheter	Nellix EndoVascular Aneurysm Sealing System - Aorto-uni-Iliac CoCr stent grafts with attached polymer endobag	8-10mm x 100-200mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO118	Nexfix MTP Fusion System	Unique low profile stainless steel locking screw for use with NexFix MTP Fusion plates, indicated for use in osteoporotic bone	3.2mm x 12mm, 14mm, 16mm, 18mm, 20mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO119	NexFix MTP Fusion System	A bendable stainless steel bone plate and screw system with unique low profile locking screw option. Indicated for use in primary MTP fusion	Left 2 + 3; Right 2 + 3	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO120	Nexfix MTP Fusion System	Unique low profile stainless steel locking screw for use with NexFix MTP Fusion plates, indicated for use in normal bone	2.7mm x 12mm, 14mm, 16mm, 18mm, 20mm, 24mm, 28mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO123	NexFix 4.5MM Compression Screw	The NexFix Compression Screw is a stainless steel, cannulated, self tapping, and self drilling fixation device for osteotomies, fusions and fracture fixation of small bones	4.5mm diameter x 14-40mm in 2mm increments, 40-65mm in 5mm increments, with short and long thread options	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Livanova Australia Pty Limited	08 - Cardiac	SA179	Platinum CRT-D SonR 1841 DF4	<p>PLATINIUM SonR CRT-D is an implantable cardioverter defibrillator for the recognition and treatment of ventricular tachycardia and fibrillation, with ventricular resynchronization, in patients with spontaneous or inducible tachyarrhythmias. PLATINIUM SonR CRT-D is equipped with an accelerometer to allow adaptation of pacing to suit the patient's activity. PLATINIUM SonR CRT-D is also equipped with the RF wireless technology which enables remote monitoring of patients who have the Sorin SMARTVIEW Monitor installed at home, wireless interrogation and device programming by Orchestra Plus programmer equipped with ORCHESTRA PLUS LINK accessory. If used in conjunction with a dedicated atrial lead featuring the SonR sensor, PLATINIUM SonR CRT-D can analyze micro-accelerations of the heart walls to derive information pertaining to cardiac contractility. The signal picked-up by the SonR sensor can be processed by PLATINIUM SonR CRT-D in order to automatically adjust AV and VV delays for optimal resynchronization therapy. PLATINIUM</p>	<p>1841 MODEL: Dimensions 72.3 x 54.3 x 11.1 mm Weight 87 g Volume 33 cm3 Active surface area of casing 62.8cm2 Connector Atrium: SonR (IS-1 bipolar compatible). Right ventricle: DF4. Left ventricle: IS-1 bipolar (unipolar compatible).</p>	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
				SonR CRT-D provides a range of therapeutic and diagnostic functions: high energy shocks atrial tachyarrhythmia prevention automatic lead measurements advanced diagnostic functions automatic AV and VV delay optimization PLATINIUM SonR CRT-D is protected against high-frequency signals emitted by cellular telephones.			

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Livanova Australia Pty Limited	08 - Cardiac	SA180	Platinum CRT-D 1741	<p>PLATINIUM CRT-D 1741 is an implantable cardioverter defibrillator for the recognition and treatment of ventricular tachycardia and fibrillation, with ventricular resynchronization, in patients with spontaneous or inducible tachyarrhythmias. PLATINIUM CRT-D 1741 is equipped with an accelerometer to allow adaptation of pacing to suit the patient's activity. PLATINIUM CRT-D 1741 is also equipped with the RF wireless technology which enables remote monitoring of patients who have the Sorin SMARTVIEW Monitor installed at home and wireless interrogation and device programming by Orchestra Plus programmer equipped with ORCHESTRA PLUS LINK accessory. PLATINIUM CRT-D 1741 provides a range of therapeutic and diagnostic functions including high energy shocks, atrial tachyarrhythmia prevention, automatic lead measurements, and advanced diagnostic functions. PLATINIUM CRT-D is protected against high-frequency signals emitted by cellular telephones.</p>	<p>Dimensions 72.3 x 54.3 x 11.1 mm Weight 87 g Volume 33 cm3 Active surface area of casing 62.8cm2 Connector Atrium: IS-1 bipolar. Right ventricle: DF4. Left ventricle: IS-1 bipolar (unipolar compatible).</p>	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Livanova Australia Pty Limited	08 - Cardiac	SA181	Platinum DR 1540	<p>PLATINIUM DR is an implantable dual-chamber cardioverter defibrillator. It is equipped with an accelerometer to allow adaptation of pacing to suit the patient's activity. PLATINIUM DR is also equipped with the RF wireless technology which enables remote monitoring of patients who have the Sorin SMARTVIEW Monitor installed at home, wireless interrogation and device programming by Orchestra Plus programmer equipped with ORCHESTRA PLUS LINK accessory. PLATINIUM DR provides high energy shocks (42 J) for enhanced safety, as well as automatic lead measurements to monitor system integrity. The PLATINIUM DR can serve as a defibrillation electrode (active housing) with a total surface area of 63 cm². The PLATINIUM DR is designed to recognize and treat slow or fast VT and VF by continuously monitoring atrial and ventricular activity to identify persistent ventricular arrhythmias and to deliver appropriate therapies. PLATINIUM DR features the PARAD/PARAD+ algorithm, which is specifically designed to differentiate ventricular tachycardias from fast rhythms of supraventricular origin.</p>	<p>Dimensions 72.3 x 54.3 x 11.1 mm Weight 86 g Volume 33 cm³ Active surface area of casing 62.8cm² Connector Atrium: IS-1 bipolar. Ventricle: DF4.</p>	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
				PARAD/PARAD+ continuously monitors R-R interval stability, searches for long cycles, assesses the degree of P-R association, evaluates sudden onset and determines the chamber of arrhythmia acceleration. In addition to the advanced detection scheme, PLATINIUM DR offers programmable dual or single-chamber pacing			

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Livanova Australia Pty Limited	08 - Cardiac	SA182	Platinum CRT-D SonR 1811	<p>PLATINIUM SonR CRT-D is an implantable cardioverter defibrillator for the recognition and treatment of ventricular tachycardia and fibrillation, with ventricular resynchronization, in patients with spontaneous or inducible tachyarrhythmias. PLATINIUM SonR CRT-D is equipped with an accelerometer to allow adaptation of pacing to suit the patient's activity. PLATINIUM SonR CRT-D is also equipped with the RF wireless technology which enables remote monitoring of patients who have the Sorin SMARTVIEW Monitor installed at home, and wireless interrogation and device programming by Orchestra Plus programmer equipped with ORCHESTRA PLUS LINK accessory. If used in conjunction with a dedicated atrial lead featuring the SonR sensor, PLATINIUM SonR CRT-D can analyze micro-accelerations of the heart walls to derive information pertaining to cardiac contractility. The signal picked-up by the SonR sensor can be processed by PLATINIUM SonR CRT-D in order to automatically adjust AV and VV delays for optimal resynchronization therapy. PLATINIUM</p>	<p>1811 MODEL: Dimensions 73 x 54.3 x 11.1 mm Weight 86 g Volume 33 cm3 Active surface area of casing 62.7cm2 Connector Atrium: SonR (IS-1 bipolar compatible). Right ventricle: IS-1 bipolar, 2*DF-1. Left ventricle: IS-1 bipolar (unipolar compatible).</p>	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
				SonR CRT-D provides a range of therapeutic and diagnostic functions: high energy shocks atrial tachyarrhythmia prevention automatic lead measurements advanced diagnostic functions automatic AV and VV delay optimization PLATINIUM SonR CRT-D is protected against high-frequency signals emitted by cellular telephones.			
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO002	Aequalis Primary Shoulder Prostheses	Aequalis Primary stem, Ti Ta	6.5-15mm - 1mm increm wide, 66-167mm long	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO003	Aequalis Primary Shoulder Prostheses	Aequalis Primary Eccentric Humeral Head, CoCr	Diameter: 37, 39, 41, 43, 46, 48, 50, 52, 54mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO006	Bone Plug	UHMWPE - Cement Plug	13mm and 24mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO011	Aequalis Shoulder Prostheses Reverse	CoCr Reverse Humeral Neck	diameter 36 & 42mm wide x 9mm high	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO013	Tornier Latitude Total Elbow Prosthesis	Ulnar component, CoCr + UHMWPE	Small, Medium, Large	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO015	Aequalis Pegged Glenoid USA	Pegged Glenoid Polyethylene (UHMWPE)	Small, Medium, Large, Extra Large	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO029	Aequalis Fracture Shoulder HA Coated	Fracture shoulder humeral stem Cobalt Chrome, HA coated	Diam 6.5mm - 130mm and 170mm lengths, Diam 9mm - 130mm, 180mm and 210mm lengths. Diam 12mm - 130mm, 180mm and 210mm lengths	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO031	Aequalis Resurfacing Shoulder	Resurfacing humeral head	12 head sizes from 37mm x 13.5mm to 54mm x 27mm, 3 stem lengths: 30, 35 and 40mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO040	Aequalis Reversed Shoulder Eccentric humeral Insert (High Mobility Cup)	Eccentric Humeral Insert (High Mobility Cup) for Aequalis Reversed Shoulder	36mm and 42mm, 2mm eccentric +6mm and +9mm, 4mm eccentric +9mm and +12mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO043	Aequalis Reversed Shoulder -Metaphysis (Cemented or Cementless)	Cemented: CoCr and UMWHPPE, Cementless: CoCr, HA Coated and UMWHPPE	D.36mm & 42mm	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO045	Aequalis Reversed Shoulder - Lateralized Insert	The humeral cup is made of UHMWPE. It comes in two diameters (36 + 42mm) to correspond with the humeral metaphyseal components with the following heights 6, 9, 12 and 15mm.	D. 36mm +6mm, D.36mm +9mm, D.36mm +12mm, D.36mm +15mm, D.42mm +6mm, D. 42mm +9mm, D.42mm +12mm D.42mm +15mm	March 2019	DELETE
Penumbra Neuro Australia Pty Ltd	10 - Vascular	PN016	Penumbra POD Occlusion Device	The Peripheral Occlusion Device (POD) is comprised of a platinum embolisation coil attached to a composite pusher with a radiopaque positioning marker. The coil is transferred onto the microcatheter and the coil should be advanced under fluoroscopic guidance. The detachment handle is attached and advanced over the proximal end of the delivery pusher and then the coil is detached by using the retraction button on the handle into the preferred site.	30cm Length 3.25-4mm diameter, 30cm Length 4-5mm diameter, 50 cm Length 5-6mm diameter, 60 cm Length 6-8 mm diameter	March 2019	DELETE
Precise Medical Supplies	07 - Plastic and Reconstructive	PR007	ContourFlex Calf Implant	Calf implant	70-170cc	March 2019	DELETE
Precise Medical Supplies	07 - Plastic and Reconstructive	PR008	ContourFlex Gluteal Implant	Gluteal Implant	280-460cc, Round and Anatomical	March 2019	DELETE
Precise Medical Supplies	07 - Plastic and Reconstructive	PR009	PowerFlex Pectoralis Implant	Pectoralis Implant	Length: 14.2-17.6cm, Width: 9.0-13.5cm, Depth: 1.6-3.2cm, Shape: Symmetrical or Asymmetrical.	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO124	NexFix 3.0mm Compression Screw	The NexFix Compression Screw is a stainless steel, cannulated, self tapping, and self drilling fixation device for osteotomies, fusions and fracture fixation of small bones	3.0mm diameter x 10 - 34mm length in 2mm increments	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO125	NexFix 2.5mm Compression Screw	The NexFix Compression Screw is a stainless steel, cannulated, self tapping, and self drilling fixation device for osteotomies, fusions and fracture fixation of small bones	2.5mm diameter x 10 - 34mm length in 2mm increments	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO126	NexFix 6.5mm Compression Screw	The NexFix Compression Screw is a stainless steel, cannulated, self tapping, and self drilling fixation device for osteotomies, fusions and fracture fixation of small bones	6.5mm diameter x 40-120mm in 5mm increments with short and long thread options	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO127	NexFix Washer	The NexFix Washer is a threaded circular piece of stainless steel through which is inserted a NexFix Compression Screw. The Compression Screw is locked to the washer to form a headed screw that will increase bone coverage and prevent the screw from sinking	9mm, 11mm, 13mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO128	NexFix Compression Pin	The NexFix Compression Pin is a tapered stainless steel compression pin for use in maintaining alignment and providing interfragmentary compression of small bones in osteotomies, fusions and fractures until a stable bony union occurs. It is self drilling	2.0mm x 10mm, 2.0mm x 12mm, 2.0mm x 14mm, 2.0mm x 16mm, 2.7mm x 20mm, 2.7mm x 24mm, 3.5mm x 25mm, 3.5mm x 30mm	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO131	NexFix Compression Staples	The NexFix Compression Staple is made of stainless steel and is used for internal fixation of fractures, fusions, bone grafts and osteotomies in the bones of the hand and foot. It is designed so the surgeon can control the amount of compression depending on the type of osteotomy and on the patient's bone quality	10 mm in width, leg length varies 13 mm - 20 mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO132	NexFix Closing Wedge Osteotomy Staples	The NexFix Closing wedge osteotomy staples are made of stainless steel and are intended to be used for internal fixation of fusions, bone grafts and osteotomies in the bones of the hand and foot following alignment correction	8mm x 90 deg, 8mm x 64 deg	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO133	NexFix Snap-Off Screw	The NexFix Snap-Off Screw System is a self-drilling and self-tapping screw system for fixation of fractures, fusions and osteotomies. The design allows the holding device to break off once the screw head is in contact with the distal cortex.	2.0mm x 11mm, 2.0mm x 12mm, 2.0mm x 13mm, 2.7mm x 13mm, 2.7mm x 15mm, 2.7mm x 17 mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO134	BioProfile Pyrocarbon Total Wrist Replacement (Capitate Resurfacing)	Low Temperature Isotropic Pyrolytic Carbon Implants for capitate resurfacing (reverse total wrist arthroplasty)	Medium, Large	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO135	BioProfile Pyrocarbon Carpal Implants	Low temperature Isotropic Pyrolytic Carbon Implants for carpal replacement/interposition, includes Proximal Scaphoid, Scapho/Trapezio/Trapezoid & Trapezium	Small, Medium, Large & Extra Large	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO136	Eclipse Modular Pyrocarbon Ulnar Head	A modular pyrocarbon ulnar head prosthesis	14, 16, 18mm	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO137	Eclipse Modular Pyrocarbon Ulnar Head	A modular titanium stem for ulnar head prostheses	6, 7.5, 9mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO138	MoPyC-Modular Pyrocarbon Radial head Prosthesis	A modular pyrocarbon radial head / neck prosthesis	18mm, 20mm, 22mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO182	Aequalis Ascend Flex Reversed Tray	Reverse humeral tray - Titanium	Thickness: 0mm, 6mm, 12mm Offset: 0mm, 1.5mm, 3.5mm	March 2019	DELETE
Smith & Nephew Pty Ltd	06 - Specialist Orthopaedic	SN982	Double-spiked plate	Low-profile washer for tibial fixation system	10-25mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO094	Salto Talaris Ankle Prosthesis - Tibial insert	Tibial insert, fixed, UHMWPE	Sizes 0,1,2,3, Left and Right, each size available in the following thicknesses, 8mm, 9mm,10mm,11mm, 13mm,15mm, 17mm, 19mm, 21mm. Sizes 00, Left and Right, available in the following thicknesses, 8mm,9mm,10mm,11m m.	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO095	ArthroTunneler TunnelPro System	Lateral button, PEEK	10mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO096	MaxLock Extreme System - CalcLock Extreme Plate	Calcaneal variable angle locking plate, Titanium	Standard, Large, Extra Large, Right and Left	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO097	MaxLock Extreme System - DRLock Extreme Distal Radius Plate	Distal radius variable angle locking plate, Titanium	Short, Short Narrow, Standard, Standard Narrow, Right and Left	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO183	Aequalis PerFORM Pegged Glenoid	UHMWPE pegged glenoid	Small - backside radius: 30mm, 35mm, 40mm Medium - backside radius: 30mm, 35mm, 40mm Large - backside radius: 40mm, 50mm, 60mm Extra large - backside radius: 40mm, 50mm, 60mm	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO179	Aequalis Ascend Flex PTC Humeral Stem	Convertible humeral stem with proximal PTC titanium plasma spray coating	Length: 66mm, 70mm, 74mm, 78mm, 82mm, 86mm, 88mm, 90mm, 93mm, 94mm, 98mm, 104mm, 109mm, 115mm, 120mm, 125mm, 130mm Sizes: 1 to 9 Angulation: 127.5°, 132.5°, 137.5°	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO180	Aequalis Ascend Flex Humeral Head	Cobalt chrome humeral head	Diameter: 37mm, 39mm, 41mm, 43mm, 46mm, 48mm, 50mm, 52mm, 54mm Height: 13.5mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 23mm, 27mm Offset: 1.5mm, 3.5mm, 4mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO181	Aequalis Ascend Flex Reversed Insert	Reversed insert/retentive reversed insert - UHMWPE and Ti Alloy	Diameter: 33mm, 36mm, 39mm, 42mm Thickness: 6mm, 9mm Angulation: 7.5°, 12.5°, 17.5°	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO184	Aequalis PerFORM Keeled Glenoid	UHMWPE keeled glenoid	Small - backside radius: 30mm, 35mm, 40mm Medium - backside radius: 30mm, 35mm, 40mm Large - backside radius: 40mm, 50mm, 60mm Extra large - backside radius: 40mm, 50mm, 60mm	March 2019	DELETE
Livanova Australia Pty Limited	08 - Cardiac	SA171	KORA 100 DR	KORA 100 DR is a Dual Chamber MRI conditional, Rate Responsive Pacemaker	41.2 x 41.5 x 6.1mm	March 2019	DELETE
Livanova Australia Pty Limited	08 - Cardiac	SA172	KORA 100 SR	KORA 100 SR is a Single Chamber MRI conditional rate-responsive pacemaker.	Dimensions 37.4 x 41.5 x 6.1mm, Weight 19g. Volume 7.5cm ³ . Connector IS-1. Sensors Minute Ventilation (MV) and Accelerometer (G).	March 2019	DELETE
WILLIAM A COOK AUSTRALIA PTY LTD	05 - Urogenital	WC018	C-Flex Endoureterotomy Stent Set	C-Flex Endoureterotomy Stent Set	6.0/10.0 Fr, & 7.0/14.0 Fr, Multiple Length	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
PX 210 PTY LTD	03 - General Miscellaneous	PK001	BioProtect Balloon Implant System	The BioProtect Balloon Implant is indicated for prostate cancer patients undergoing radiation therapy. The biodegradable balloon separates the prostate and rectum, allowing physicians to radiate prostate tumors while sparing healthy rectal tissue. With the balloon implant, safe dose escalation and hypofractionation are finally made possible, dramatically decreasing the chances of rectal toxicity and improving biochemical tumor control.	1 size, up to 20c.c.	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO098	MaxLock Extreme System - DRLock Extreme Locking Peg	Locking Peg, Titanium	Ø2.0mm, Length 10-30mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO099	MaxLock Extreme System - Medial Malleolous Plate	Medial malleolous variable angle locking plate, Titanium	5 holes	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO100	MaxLock Extreme System - Medial Distal Tibia Plate	Medial distal tibia variable angle locking plate, Titanium	Short, Medium, Long, Left and Right	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO101	MaxLock Extreme System - Distal Fibula Plate	Distal Fibula variable angle locking plate, Titanium	Long, Medium, Short, Right and Left	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO102	Mini MaxLock Extreme System - Mini Plates 6 holes	Mini variable angle locking plates, Titanium, 6 holes	6 holes	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Livanova Australia Pty Limited	08 - Cardiac	SA177	Platinum CRT-D 1711	<p>PLATINIUM CRT-D is an implantable cardioverter defibrillator for the recognition and treatment of ventricular tachycardia and fibrillation, with ventricular resynchronization, in patients with spontaneous or inducible tachyarrhythmias. PLATINIUM CRT-D is equipped with an accelerometer to allow adaptation of pacing to suit the patient's activity. PLATINIUM CRT-D is also equipped with the RF wireless technology which enables remote monitoring of patients who have the Sorin SMARTVIEW Monitor installed at home and wireless interrogation and device programming by Orchestra Plus programmer equipped with ORCHESTRA PLUS LINK accessory. PLATINIUM CRT-D provides a range of therapeutic and diagnostic functions including high energy shocks, atrial tachyarrhythmia prevention, automatic lead measurements, and advanced diagnostic functions. PLATINIUM CRT-D is protected against high-frequency signals emitted by cellular telephones.</p>	<p>Dimensions 73 x 54.3 x 11.1 mm Weight 86 g Volume 33 cm³ Active surface area of casing 62.7cm² Connector Atrium: IS-1 bipolar. Right ventricle: IS-1 bipolar, 2*DF-1. Left ventricle: IS-1 bipolar (unipolar compatible).</p>	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Livanova Australia Pty Limited	08 - Cardiac	SA178	Platinum VR 1240	<p>PLATINIUM VR 1240 is an implantable single-chamber cardioverter defibrillator. It is equipped with an accelerometer to allow adaptation of pacing to suit the patient's activity. PLATINIUM VR is also equipped with the RF wireless technology which enables remote monitoring of patients who have the Sorin SMARTVIEW Monitor installed at home, wireless interrogation and device programming by Orchestra Plus programmer equipped with ORCHESTRA PLUS LINK accessory. PLATINIUM VR provides high energy shocks (42 J) for enhanced safety, as well as automatic lead measurements to monitor system integrity. PLATINIUM VR is protected against high-frequency signals emitted by cellular telephones. The PLATINIUM VR can serve as a defibrillation electrode (active housing) with a total surface area of 63 cm². The PLATINIUM VR is designed to recognize and treat slow or fast VT and VF by continuously monitoring ventricular activity to identify persistent ventricular arrhythmias and to deliver appropriate therapies. PLATINIUM VR features DISCRIMINATION algorithm, which is specifically designed to</p>	<p>Dimensions 65.8 x 54.3 x 11.1 mm Weight 84 g Volume 31.2 cm³ Active surface area of casing 62.9cm² Connector DF4.</p>	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
				differentiate ventricular tachycardias from fast rhythms of supraventricular origin. DISCRIMINATION continuously monitors R-R interval stability, searches for long cycles and evaluates sudden onset.			
Stryker Australia Pty Ltd	13 - Spinal	SK250	Trio Spinal Fixation System	Titanium - Offset Connector, Two Step Locking Connector, Variable Offset Connector	Offset Connector - Small, Medium, Large	March 2019	DELETE
Maquet Australia Pty Ltd	09 - Cardiothoracic	MQ001	TigerPaw System II	A compliant, implantable occlusion fastener to be placed on the Ostium of the Left Atrial Appendage (LAA).	35mm, 45mm	March 2019	DELETE
WILLIAM A COOK AUSTRALIA PTY LTD	05 - Urogenital	WC140	Filiform Multi-Length Silicone Stent Set	Stent, Wire, Positioner	Multiple French Sizes and Lengths	March 2019	DELETE
WILLIAM A COOK AUSTRALIA PTY LTD	05 - Urogenital	WC162	Tarkington Urethral Stent Set	Stent, Wire	8 Fr	March 2019	DELETE
Smith & Nephew Pty Ltd	06 - Specialist Orthopaedic	SN839	Trigen InterTAN Nail	Lag/Compression Screw, Titanium	30-120	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	ZI389	Metasul Liner for CLS, Fitmore and Allofit	UHMPE unmodified with metal insert	28mm	March 2019	DELETE
Zimmer Biomet Pty Ltd	12 - Knee	ZI403	Allegretto Unicompartmental Knee	Tibial Baseplate Monoblock - Ti alloy / PE	7.5/38 to 15/48mm	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	ZI611	Revitan Modular Straight Stem	Titanium, grit blast, non HA, cobalt chrome junction	14 x 175, 140mm; 18 x 140mm; 20, 22, 24 x 195mm	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	ZI612	Revitan Modular Straight Stem	Titanium, grit blast, non HA, cobalt chrome junction	14, 16, 18, 20, 22, 24, 26, 28 x 255mm; 16, 18, 20, 22, 24, 26 x 315mm	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	ZI619	Continuum Acetabular System	Metasul Taper Liners	28mm DD28 to GG28; 32mm FF32 to II32; 36mm HH36 to TT36; 40mm JJ40 to W40	March 2019	DELETE
Smith & Nephew Pty Ltd	06 - Specialist Orthopaedic	SL062	Magnum M Suture Implant	Anchor fixating soft tissue to bone	2.8mm	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Biotronik Australia Pty Ltd	08 - Cardiac	BT177	Inventra 7 HF-T QP	Triple Chamber ICD, ventricular capture control, physiological rate adaption, automatic event (IEGM) & trend triggered transmission. Wandless telemetry, Home Monitoring, MRI conditional, DF-4, IS-4 quadripolar connector	65mm x 58.5mm x 12.5mm, 38cm ³ , 91grams	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO139	MoPyC-Modular Pyrocarbon Radial head Prosthesis	A modular titanium stem for radial head prosthesis	7mm, 8mm, 9mm, 10mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO140	'Nexfix MTP Fusion System	A bendable stainless steel bone plate and screw system with unique low profile locking screw option. Indicated for use in primary and revision MTP fusion	6 hole	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO141	'Nexfix MTP Fusion System	A bendable stainless steel bone plate and screw system with unique low profile locking screw option. Indicated for use in primary and revision MTP fusion	9 hole	March 2019	DELETE
Smith & Nephew Pty Ltd	06 - Specialist Orthopaedic	SL077	VLP	Locking Screws	2.71mm – 4.49mm	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	ZI030	Trilogy Constrained Liner - Polyethylene	UHMPE unmodified	50 - 80	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	ZI033	Trilogy Oblique liner	UHMPE unmodified	38 - 62	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	ZI037	Trilogy liner	UHMPE unmodified	38 - 80 in 22, 28, 32	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	ZI044	Trilogy AB Ceramic Liner	Bilox forte	48 - 70	March 2019	DELETE
Zimmer Biomet Pty Ltd	12 - Knee	ZI071	Insall-Burstein II Patella Component	All poly, cemented, patella, UHMWPE	32 - 41mm	March 2019	DELETE
Zimmer Biomet Pty Ltd	12 - Knee	ZI077	Miller Galante I Tibial Insert	Tibial Insert, UHMWPE, fixed	8 - 22mm	March 2019	DELETE
Zimmer Biomet Pty Ltd	12 - Knee	ZI088	Miller Galante II Tibial Insert	Tibial Insert, UHMWPE, fixed	9 - 23mm	March 2019	DELETE
Zimmer Biomet Pty Ltd	12 - Knee	ZI093	Miller Galante II Patella	All poly Patella, cemented, UHMWPE	32 - 41mm	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	ZI492	Trabecular Metal Femoral Stem	Titanium, porous tantalum	Sizes 9 to 18 with standard and extended offsets	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Zimmer Biomet Pty Ltd	13 - Spinal	ZI510	Optima Spinal System - Transverse Link Assembly	Transverse Link Assembly	Small, Medium, Large	March 2019	DELETE
Zimmer Biomet Pty Ltd	13 - Spinal	ZI511	Optima Spinal System - Set Screw	Screw set	One size only	March 2019	DELETE
Smith & Nephew Pty Ltd	06 - Specialist Orthopaedic	SM010	PLUS Endoprothetik Cerclage Systems	CCG Band - Pure Titanium	Length 27cm	March 2019	DELETE
CareFusion Australia 316 Pty Ltd	03 - General Miscellaneous	ZQ005	Pleurx	Pleurx Pleural Catheter Mini Kit	Catheter 24cm x 15.5Fr	March 2019	DELETE
CareFusion Australia 316 Pty Ltd	03 - General Miscellaneous	ZQ008	Denver Ascites Shunt, (PAK), Double-valved	Ascite Shunt - Double Valved Percutaneous Access Kit (PAK). A fenestrated peritoneal catheter, a venous catheter, and a flexible pump chamber containing two miter valves, provided with a Percutaneous Access Kit.	Double-valved, 42-2050	March 2019	DELETE
CareFusion Australia 316 Pty Ltd	03 - General Miscellaneous	ZQ009	Denver Ascites Shunt, (PAK), Single-valved	Ascites Shunt - Single Valved Percutaneous Access Kit (PAK). A fenestrated peritoneal catheter, a venous catheter, and a flexible pump chamber containing one miter valve, provided with a Percutaneous Access Kit (PAK).	Single valved, 42-2055	March 2019	DELETE
CareFusion Australia 316 Pty Ltd	03 - General Miscellaneous	ZQ010	Safe-T-Centesis Drainage system	Safe-T-Centesis drainage for para/thoracentesis	6FR and 8FR pigtail catheter with Veress technology	March 2019	DELETE
CareFusion Australia 316 Pty Ltd	03 - General Miscellaneous	ZQ011	Paracentesis/Thoracentesis Catheter Drainage	Thora/Paracentesis kit	8FR, 12cm polyurethane catheter	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	ZI734	Metasul Femoral Head	Wrought forged High Carbon Cobalt Chrome metal on metal	36 - 60mm	March 2019	DELETE
Stryker Australia Pty Ltd	13 - Spinal	SK488	THOR Anterior Plate	Anterior Plate,	22mm to 100mm	March 2019	DELETE
Stryker Australia Pty Ltd	13 - Spinal	SK489	THOR Anterior Screw	Anterior Plate Screw: Standard and Compression	Dia: 6 - 6.5mm	March 2019	DELETE
Stryker Australia Pty Ltd	13 - Spinal	SK502	Trio Spinal Fixation System	Screw	Diameter: 4.5 - 8.5mm Length: 25 - 60mm Standard and Long Post	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO103	Mini MaxLock Extreme System - Mini Plates > 6 holes	Mini Variable angle locking plates, Titanium, > 6 holes	> 6 holes	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO104	Mini MaxLock Extreme System - 2.4/2.7mm Locking Screws	Bone screws, Titanium, fixed or variable angle locking	Ø2.4/2.7mm Fixed angle locking, Length 6-40mm Ø2.4mm Variable angle locking, Length 6-30mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO105	MaxLock Extreme System - Small Plates 6 holes	Small variable angle locking plates, titanium, 6 holes	6 holes	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO106	MaxLock Extreme System - Small Plates > 6 holes	Small variable angle locking plates, Titanium, > 6 holes	> 6 holes	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO107	MaxLock Extreme System - 2.4/2.7mm Non locking screws	Bone screws, Titanium, Non locking	Ø 2.4/2.7mm, length 6-40mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO108	MaxLock Extreme System - 3.5/4mm Non Locking Screws	Bone screws, Titanium, non locking	Ø 3.5mm, length 8-50mm Ø 4mm, length 8-60mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO109	MaxLock Extreme System - 3.5mm locking screws	Bone screws, titanium, fixed or variable angle locking	Ø 3.5mm Fixed angle, Length 8-45mm Ø 3.5mm Variable angle, Length 10-50mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO110	MaxLock Extreme System - PEEK ring	Locking Ring, PEEK, Pre - assembled on inserter	Ø 2.4/3.5mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO111	MaxLock Extreme System - Clavicle Plates	Clavicle Variable angle locking plates, Titanium	9 to 13 holes	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO112	MaxTorque Cannulated Screw System - Mini Cannulated Screws	Bone screws, Titanium, Cannulated, Short or Long Thread	Ø2.5mm Short Thread, Length 18-30mm Ø2.5mm Long Thread, Length 10-30mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO113	MaxTorque Cannulated Screw System - Small Screws	Bone screws, Titanium, Cannulated, Short or Long Thread	Ø3.2mm Short Thread, Length 12-30mm Ø3.2mm Long Thread, Length 12-38mm Ø3.8mm Short Thread, Length 16-50mm Ø4.0mm Long Thread, Length 14-50mm Ø4.0mm Long Thread, Length 24-50mm	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO114	MaxTorque Cannulated Screw System - Standard screws	Bone screws, Titanium, Cannulated, Short or Long Thread	Ø5.5mm Short Thread, Length 26-70mm Ø5.5mm Long Thread, Length 45-70mm Ø7.0mm Short thread, Length 40-130mm Ø7.0mm long Thread, Length 45-130mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO115	MaxTorque Cannulated Screw System-Washers	Screw washer, Titanium, Contoured or Flat	Ø4.0 to 7.0mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO116	Futura Conical Subtalar Implant	The Conical Subtalar Implant (CSI) is designed to treat hyperpronated foot and to stabilize the subtalar joint. It is intended to block forward, downward and medial displacement of the talus, allowing for normal subtalar joint motion while simultaneously	7 - 12	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO117	Stayfuse	Titanium inter-digital fusion device	Prox 2.8mm Blue; Mid 3.8mm x 6mm Blue; Mid 4.3mm x 6mm Blue; Prox 3.3mm Grey; Prox 3.8mm Grey; Mid 3.8 x 6mm Grey; Mid 4.3 x 6mm Grey; Mid 5.0 x 5mm Grey; Mid 5.0 x 6mm Grey; Prox 6.5mm Gold; Distal 5.5 x 10mm Gold; Distal 6.5 x 10mm Gold	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Livanova Australia Pty Limited	08 - Cardiac	SA176	Platinum VR 1210	<p>PLATINIUM VR is an implantable single-chamber cardioverter defibrillator. It is equipped with an accelerometer to allow adaptation of pacing to suit the patient's activity. PLATINIUM VR is also equipped with the RF wireless technology which enables remote monitoring of patients who have the Sorin SMARTVIEW Monitor installed at home, wireless interrogation and device programming by Orchestra Plus programmer equipped with ORCHESTRA PLUS LINK accessory. PLATINIUM VR provides high energy shocks (42 J) for enhanced safety, as well as automatic lead measurements to monitor system integrity. PLATINIUM VR is protected against high-frequency signals emitted by cellular telephones. The PLATINIUM VR ICD device and programming system. The programming system includes the Sorin dedicated programmer with the SMARTVIEW programming software connected to a CPR3 programming head. The programming system is configured and furnished by Sorin. The PLATINIUM VR can serve as a defibrillation electrode (active housing) with a total surface area of 63 cm². PLATINIUM VR</p>	<p>Dimensions 73 x 54.3 x 11.1mm Weight 85 g Volume 33 cm³ Active surface area of casing 62.7cm² Connector IS-1 bipolar, 2*DF-1.</p>	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
				1210 has two DF-1 and one IS-1 connector ports. The PLATINIUM VR is designed to recognize and treat slow or fast VT and VF by continuously monitoring ventricular activity to identify persistent ventricular arrhythmias and to deliver appropriate therapies. PLATINIUM VR features DISCRIMINATION algorithm.			
Getz Healthcare Pty Ltd	03 - General Miscellaneous	ME202	Purple Surgical Ultimate circular stapler	The Purple Surgical Ultimate circular staplers can be applied throughout the alimentary tract to create end-to-end, end-to-side, and side-to-side anastomosis. The Purple Surgical Ultimate circular stapler places a staggered circular, double row of titanium staples in the tissue and resects the excess tissue, to create a circular anastomosis. The instrument can be activated when the handle is squeezed firmly as far as it can go. There are 5 diameters available, 24mm, 26mm, 29mm, 32mm, and 34mm with colour coded anvil heads.	24mm, 26mm, 29mm, 32mm, and 34mm.	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Getz Healthcare Pty Ltd	03 - General Miscellaneous	ME203	Purple Surgical Ultimate reloadable linear stapler with indicator	The Purple Surgical Ultimate linear stapler with indicator can be applied in abdominal, thoracic, and further surgical procedures for transection or resection of tissue. The Purple Surgical Ultimate linear stapler with indicator places a double staggered row of titanium staples and is available in 30mm, 45mm, 60mm, and 90mm staple line lengths for use in different applications. Two staple sizes (3.5mm and 4.8mm) are available to accommodate different tissue thicknesses. Each linear stapler with indicator can be reloaded up to 7 times for a total maximum 8 firings on one patient.	30mm, 45mm, 60mm, and 90mm staple line lengths. 3.5mm and 4.8mm staple sizes .	March 2019	DELETE
Biotronik Australia Pty Ltd	08 - Cardiac	BT182	Etrinsa 8 SR-T	Single Chamber Pacemaker, ventricular capture control, physiological rate adaption, automatic event (IEGM) & trend triggered transmission. Wandless telemetry, Home Monitoring, MRI conditional, IS-1 connector	53 x 39 x 6.5 mm, 11cm3, 24grams	March 2019	DELETE
Zimmer Biomet Pty Ltd	06 - Specialist Orthopaedic	BI253	BMP Cable System	Cable Chrome Cobalt	1.6mm or 2.0mm	March 2019	DELETE
Zimmer Biomet Pty Ltd	06 - Specialist Orthopaedic	BI254	BMP Cable System	Cable Sleeve, Chrome Cobalt, Stainless Steel	One Size only	March 2019	DELETE
Zimmer Biomet Pty Ltd	06 - Specialist Orthopaedic	BI255	BMP Cable System	Trochanteric Grip, Chrome Cobalt	1.6mm or 2.0mm	March 2019	DELETE
Zimmer Biomet Pty Ltd	06 - Specialist Orthopaedic	BI260	BMP Cable System	Dynamic Compression Plate, 7 hole, stainless steel	One size only	March 2019	DELETE
Zimmer Biomet Pty Ltd	06 - Specialist Orthopaedic	BI261	BMP Cable System	Dynamic Compression Plate, 9 hole, Stainless Steel	One size only	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Biotronik Australia Pty Ltd	08 - Cardiac	BT169	Iperia 7 HF-T	Triple Chamber ICD, ventricular capture control, physiological rate adaption, automatic event (IEGM) & trend triggered transmission. Wandless telemetry, Home Monitoring, MRI conditional, DF-4, IS-1 connector	65mm x56mm x 11 mm, 33cm3, 82grams	March 2019	DELETE
Getz Healthcare Pty Ltd	03 - General Miscellaneous	ME199	Purple Surgical Ultimate reloadable linear cutter stapler - reloads	These are the reloads for the Purple Surgical Ultimate reloadable linear cutter stapler (Prostheses List application ref. #YAKI-ES5W). The reloads are available in 60mm, 80mm, and 100mm staple line lengths for use in different applications. Two staple sizes (3.8mm and 4.8mm) are available to accommodate different tissue thicknesses.	60mm, 80mm, and 100mm staple line lengths. 3.8mm and 4.8mm staple sizes.	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Getz Healthcare Pty Ltd	03 - General Miscellaneous	ME200	Purple Surgical Ultimate haemorrhoidal circular stapler	The Purple Surgical Ultimate haemorrhoidal circular stapler and accessories have application throughout the anal canal to perform the surgical treatment of haemorrhoidal disease. The Purple Surgical Ultimate haemorrhoidal circular stapler places a circular staggered double row of titanium staples in the tissue and resects excess tissue to create a circular anastomosis. Each Purple Surgical Ultimate haemorrhoidal circular stapler comes with 5 accessories: clear circular anal dilator, clear butterfly anal dilator, anal dilator obturator, purse-string suture anoscope, and a suture threader. There are 2 stapler diameters available; 32/33mm and 33/34mm.	32/33mm and 33/34mm.	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Getz Healthcare Pty Ltd	03 - General Miscellaneous	ME201	Purple Surgical Ultimate endoscopic linear cutter stapler reloading units, straight	The Purple Surgical Ultimate endoscopic linear cutter stapler reloading units, straight, are for single patient use only, and are used in conjunction with the Purple Surgical Ultimate endoscopic linear cutter stapler universal handles. A single use reloading unit can be replaced up to 24 times on the same universal handle, during the same procedure. The endoscopic linear cutter stapler straight reloading unit is compatible with the endoscopic linear cutter stapler universal handles and are available in 30mm, 45mm, and 60mm staple length options, and in three staple sizes, 2.5mm, 3.5mm, and 4.8mm, to accommodate various tissue thicknesses. Each endoscopic linear cutter stapler reloading unit is single use.	30mm, 45mm, and 60mm staple lengths. 2.5mm, 3.5mm, and 4.8mm staple sizes.	March 2019	DELETE
Emergo Asia Pacific Pty Ltd	06 - Specialist Orthopaedic	ER456	CelgenTek iN3 Bone Graft Substitute/Cement	CelgenTek iN3 Calcium Phosphate Bone Graft Substitute	10 cc	March 2019	DELETE
Zimmer Biomet Pty Ltd	07 - Plastic and Reconstructive	BI824	Alveolar Ridge Distraction System - titanium	distraction device, multi tooth	10-20mm	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	BI836	Par 5 Protrusio Acetabular System	Acetabular reconstruction Shell CrCo, Ti, HA Coated	56 - 72mm	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Getz Healthcare Pty Ltd	03 - General Miscellaneous	ME198	Purple Surgical Ultimate reloadable linear cutter stapler	The Purple Surgical Ultimate reloadable linear cutter stapler can be applied in abdominal, gynecological, and thoracic surgical procedures for resection, transection, and creation of anastomosis. The Purple Surgical Ultimate reloadable linear cutter staplers are single patient use devices and are supplied sterile. The Purple Surgical Ultimate reloadable linear cutter stapler places two double staggered rows of titanium staples and simultaneously cuts and divides the tissue between the two double rows. The Purple Surgical Ultimate reloadable linear cutter stapler is available in 60mm, 80mm, & 100mm staple length options, and in two staple sizes, 3.8mm and 4.8mm, to accommodate various tissue thicknesses. Each Purple Surgical Ultimate reloadable linear cutter stapler may be reloaded up to 7 times for a maximum total of 8 firings on one patient.	60mm, 80mm, and 100mm staple line lengths. 3.8mm and 4.8mm staple sizes.	March 2019	DELETE
Lifehealthcare Pty Ltd	04 - Neurosurgical	LH523	ADHERUS Dural Sealant	Dural sealant	6ml	March 2019	DELETE
Lifehealthcare Pty Ltd	04 - Neurosurgical	LH525	Adherus AutoSpray	Hydrogel sealant with automatic applicator.	6mL	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO171	Aequalis Reversed Fracture - Humeral Insert	Polyethylene Insert	Height 6.25 -13.5mm, Width 6mm-12mm, Articular Diameter-36mm & 42mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO172	Aequalis Reversed Fracture - Humeral Spacer	Lateralized Spacer	9mm	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO173	Aequalis Reversed Fracture - Hemi-prosthesis Adaptor	Hemi-prosthesis Adaptor including union screw	One size only	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO174	Latitude EV Humeral Stem	Cobalt-chromium humeral stem with Ti Plasma spray	Stem length: Standard, 150mm, 200mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO175	Latitude EV Ulnar Stem	Chromium cobalt ulnar stem with Ti Plasma spray	Stem length: Short, Standard, 70mm, 125mm, 150mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO176	Simpliciti - Humeral Head	Anatomic humeral head, centred, CoCr	39 x 14, 41 x 15, 43 x 16, 46 x 17, 48 x 18, 50 x 16, 50 x 19, 52 x 19, 52 x 23	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO177	Simpliciti - Nucleus	Uncemented humeral component, titanium, coated with a sintered titanium CP Ti bead coating	1,2,3	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO178	Aequalis PerFORM Glenoid - CortiLoc	UHMWPE pegged glenoid with CortiLoc central peg	Small - backside radius of 30mm, 35mm and 40mm Medium - backside radius of 30mm, 35mm and 40mm Large - backside radius of 40mm, 50mm and 60mm Extra large - backside radius of 40mm, 50mm and 60mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO170	Aequalis Primary Shoulder Prostheses - Keeled Glenoid	UHMWPE Keeled Glenoid Component	Small (31.5mm), medium (34mm), large (36mm), extra large (38.5mm)	March 2019	DELETE
Heraeus Medical Australia Pty Ltd	06 - Specialist Orthopaedic	HK010	Palacos R+G Pro	Single Mix PMMA with Gentamicin and Complex Delivery System	55g, 75g	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Getz Healthcare Pty Ltd	03 - General Miscellaneous	ME205	Purple Surgical Ultimate endoscopic linear cutter stapler reloading units, articulating	The Purple Surgical Ultimate endoscopic linear cutter stapler reloading units, articulating, are for single patient use only, and are used in conjunction with the Purple Surgical Ultimate endoscopic linear cutter stapler universal handles. A single use reloading unit can be replaced up to 24 times on the same universal handle, during the same procedure. The endoscopic linear cutter stapler articulating reloading unit is compatible with the endoscopic linear cutter stapler universal handles and are available in 30mm, 45mm, and 60mm staple length options, and in three staple sizes, 2.5mm, 3.5mm, and 4.8mm, to accommodate various tissue thicknesses. Each endoscopic linear cutter stapler reloading unit is single use.	30mm, 45mm, and 60mm staple lengths. 2.5mm, 3.5mm, and 4.8mm staple sizes.	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	BI700	Par 5 Protrusio Acetabular System	Obturator Hook or Blade or Flange, Ti	Short, Medium or Long	March 2019	DELETE
Biotronik Australia Pty Ltd	08 - Cardiac	BT183	Etrinsa 8 DR-T	Dual Chamber Pacemaker, ventricular capture control, physiological rate adaption, automatic event (IEGM) & trend triggered transmission. Wandless telemetry, Home Monitoring, MRI conditional, IS-1 connector	53 x 44.5 x 6.5 mm, 12cm3, 25grams	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Biotronik Australia Pty Ltd	08 - Cardiac	BT184	Iperia 7 HF-T QP	Triple Chamber ICD, ventricular capture control, physiological rate adaption, automatic event (IEGM) & trend triggered transmission. Wandless telemetry, Home Monitoring, MRI conditional, DF-4,IS-1, IS-4 quadripolar connector	65mm x 58.5mm x 11mm, 36cm ³ , 87grams	March 2019	DELETE
Biotronik Australia Pty Ltd	08 - Cardiac	BT189	Etrinsa 8 HF-T	Triple Chamber CRT-Pacemaker, capture management all chambers, physiological rate adaption, atrial overdrive pacing, event triggered IEMG transmission. Wandless telemetry, Home Monitoring, MRI conditional, IS-1 connector	53 x 49 x 6.5 mm, 14cm ³ , 25grams	March 2019	DELETE
Biotronik Australia Pty Ltd	08 - Cardiac	BT200	Protego DF-1 ProMRI S DX	Pentapolar, single-coil ICD lead with floating atrial dipole. Permanent, transvenous implantation in the right ventricle. MRI conditional use	Length: 65cm. Distance of dipole from tip: 15cm or 17cm	March 2019	DELETE
Biotronik Australia Pty Ltd	08 - Cardiac	BT194	Protego DF-1 ProMRI SD	Dual-shock coil ICD lead with active fixation helix and hydrophilic coating on lead body. MRI conditional use	LENGTHS: 65, 75CM; Diameter: 7.8Fr	March 2019	DELETE
AMO Australia Pty Ltd	01 - Ophthalmic	AO016	Verisyse AC IOL	Phakic Intraocular Lens: Model Myopia. Composition: PMMA	5mm Optic Diameter x 8.5 overall length; 6mm Optic Diameter x 8.5 overall length	March 2019	DELETE
AMO Australia Pty Ltd	01 - Ophthalmic	AO017	Verisyse AC IOL	Phakic Intraocular Lens: Model Hyperopia. Composition: PMMA	5mm Optic Diameter x 8.5 overall length	March 2019	DELETE
AMO Australia Pty Ltd	01 - Ophthalmic	AO019	Verisyse AC IOL	Aphakic Model	5mm Optic Diameter x 8.5 overall length	March 2019	DELETE
AMO Australia Pty Ltd	01 - Ophthalmic	AO025	VeriFlex Foldable Phakic IOL	Anterior chamber foldable phakic silicone intraocular lens	-2 to -14.5d in 0.5d increments. Overall diameter 8.5mm. Optic 6.0mm	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Biotronik Australia Pty Ltd	08 - Cardiac	BT201	Protego DF-1 ProMRI S	Single shock coil ICD lead with active fixation, fractal coating and steroid elution. Coated in SilGlide coating for improved gliding. MRI condional use	Lengths: 65cm, 75cm	March 2019	DELETE
Getz Healthcare Pty Ltd	03 - General Miscellaneous	ME204	Purple Surgical Ultimate reloadable linear stapler with indicator - reloads	These are the reloads for the Purple Surgical Ultimate reloadable linear stapler with indicator (Prostheses List application ref. #U5HR-3R6S). The reloads are available in 30mm, 45mm, 60mm, and 90mm staple line lengths for use in different applications. Two staple sizes (3.5mm and 4.8mm) are available to accommodate different tissue thicknesses.	30mm, 45mm, 60mm, and 90mm staple line lengths. 3.5mm and 4.8mm staple sizes.	March 2019	DELETE
Device Technologies Australia Pty Ltd	01 - Ophthalmic	DE188	Acrylic Implant	Acrylic	12, 14, 16, 18, 20mm.	March 2019	DELETE
Device Technologies Australia Pty Ltd	01 - Ophthalmic	DE201	Labtician Tantalum Clips	Tantalum	2, 2.5mm	March 2019	DELETE
Device Technologies Australia Pty Ltd	01 - Ophthalmic	DE202	John Weiss Glass Mule Globes	Glass	No: 12, 14, 16, 18, 20mm	March 2019	DELETE
Device Technologies Australia Pty Ltd	01 - Ophthalmic	DE228	LSO Silicone Oil	Silicone oil for tamponade use in vitreoretinal surgery	10ml, vial or syringe	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Device Technologies Australia Pty Ltd	13 - Spinal	DE387	C-Plate - Fixed and Variable Screws	C-Plate Anterior Cervical Plates are inserted via an anterior approach to the cervical spine, in order to fix one or two levels of vertebrae together. Such fixation is performed to cause bony fusion between the levels and is done in order to address pain, instability, and/or a range of other indications. The C-Plate system consists of low-profile (1.6mm thick) pre-contoured plates of varying sizes and a full range of screws. The plates themselves contain an innovative screw-locking mechanism utilising an elastic locking ring which allows the surgeon choice between semi-fixed or variable-angle self-tapping screws.	Diameters: 3.5mm and 4.0mm, with lengths ranging from 10mm to 20mm in 1 mm increments	March 2019	DELETE
Device Technologies Australia Pty Ltd	13 - Spinal	DE411	Mobi-C Cervical Disc Prosthesis	A cervical intervertebral disc replacement consisting of superior and inferior spinal plates and a mobile bearing insert.	Depth (13-19mm) x width (15-19mm) x height (4.5-7mm)	March 2019	DELETE
SPIRAN PTY. LTD.	07 - Plastic and Reconstructive	BY010	Biopore Nasal Dorsum Shape	An implantable device intended to support, contour, and provide structure for the nose and zygoma. Made of high-density polyethylene material with an interconnecting pore structure that supports tissue ingrowth. The device is available in various shapes and can be cut by the surgeon to meet the patient's specific needs.	53 x 5mm, 66 x 6 mm, 76 x 15mm, 40 x 9mm	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Device Technologies Australia Pty Ltd	13 - Spinal	DE379	Spine Tune TL - Cross Connector	This component is a connector that links/fixates two rods together.	Cross Connector - 33-40mm Cross Connector - 40-50mm Cross Connector - 50-60mm Cross Connector - 60-70mm Cross Connector - 70-80mm	March 2019	DELETE
Device Technologies Australia Pty Ltd	13 - Spinal	DE378	SpineTune TL - Set Screw	This component is a screw set that is inserted within the rod housing of the monoaxial and polyaxial screws to secure the rod to the screw.	One size only	March 2019	DELETE
Device Technologies Australia Pty Ltd	13 - Spinal	DE380	SpineTune TL - Monoaxial Screws	These components are monoaxial pedicle screws	Diameters 4.5mm to 9.5mm in steps of 0.5mm Lengths 30mm to 100mm in steps of 5mm	March 2019	DELETE
Device Technologies Australia Pty Ltd	13 - Spinal	DE381	SpineTune TL - Polyaxial Screws	These components are Polyaxial Screws that insert into the pedicles of the spine. The polyaxial heads allow a rod to connect to the screw in at angles varying up to +/- 30 degrees from neutral alignment (60 degree range)	Length 30mm to 100mm in steps of 5mm Diameter 4.5mm to 8.5mm in steps of 0.5mm	March 2019	DELETE
Device Technologies Australia Pty Ltd	13 - Spinal	DE382	SpineTune TI - Cannulated Polyaxial Screws	These products are cannulated Polyaxial Screws that insert into the pedicles of the spine. The polyaxial heads allow a rod to connect to the screw in at angles varying up to +/-30 degrees from neutral alignment (60 degree range) and the cannulation allows the screws to be placed into minimally-invasive incisions along a guide wire.	Length 30mm to 100mm in steps of 5mm Diameter 5.5mm to 8.5mm in steps of 0.5mm	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Device Technologies Australia Pty Ltd	13 - Spinal	DE383	SpineTune TL - Rod	This component is a rod that is inserted within the rod housing of the monoaxial and polyaxial screws in each pedicle, linking and fixing the vertebrae together. This group of components includes pre-curved rods.	Straight Rods: Diameter 6mm Lengths 30 to 600mm	March 2019	DELETE
Device Technologies Australia Pty Ltd	13 - Spinal	DE384	SpineTune TL - Curved Rod	This component is a pre-curved rod that is inserted within the rod housing of the monoaxial and polyaxial screws in each pedicle, linking and fixing the vertebrae together	Diameter 6mm Lengths 30 to 150mm	March 2019	DELETE
Device Technologies Australia Pty Ltd	13 - Spinal	DE385	C-Plate Cervical Plates 22-54mm	C-Plate Anterior Cervical Plates are inserted via an anterior approach to the cervical spine, in order to fix one or two levels of vertebrae together. Such fixation is performed to cause bony fusion between levels and is done in order to address pain, instability, and/or a range of other indications. The C-Plate System consists of low-profile (1.6mm thick) pre-contoured plates of varying sizes and a full range of screws. The plates themselves contain an innovative screw-locking mechanism utilising an elastic locking ring which allows the surgeon choice between semi-fixed or variable-angle self-tapping screws.	Lengths 22 to 54mm in increments of 2mm	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Device Technologies Australia Pty Ltd	13 - Spinal	DE349	ROI-A ALIF Cage	The ROI-A implant is an ALIF interbody/fusion cage manufactured from PEEK-Optima. If the surgeon so chooses, additional stability can be added to the construct by inserting optional self-guided, locking anchoring plates into the cage and the adjacent vertebral bodies.	Footprints 23x26mm, 30x33mm, 33x36m, 27x36mm, 30x39mm. Lordosis angles 2, 6, 10, 14 degrees. Heights 9-19mm. 1 cage per pack.	March 2019	DELETE
Device Technologies Australia Pty Ltd	13 - Spinal	DE386	C-Plate - Cervical Plates 56-70mm	C-Plate Anterior Cervical Plates are inserted via an anterior approach to the cervical spine, in order to fix one or two levels of vertebrae together. Such fixation is performed to cause bony fusion between levels and is done in order to address pain, instability, and/or a range of other indications. The C-Plate System consists of low-profile (1.6mm thick) pre-contoured plates of varying sizes and a full range of screws. The plates themselves contain an innovative screw-locking mechanism utilising an elastic locking ring which allows the surgeon choice between semi-fixed or variable-angle self-tapping screws.	Lengths: 56 to 70mm in increments of 2mm	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Emergo Asia Pacific Pty Ltd	06 - Specialist Orthopaedic	ER294	Orthomed Metallic Compression Screw	The compression screw is indicated for fixation of bone fragments for forefoot surgery. The compression screws are self-tapping cannulated screws, which present two types of thread diameter (one on the screw head and a body part of the screw). They are particularly intended to repair the 1st metatarsal in the foot. The pitch difference between the proximal and the distal part allows creating a compression are between the upper and lower bone fragment of 1st metatarsal improving the healing process.	10 sizes Head diameter: 3.8mm Proximal diameter: 3mm Internal diameter: 1.10mm Different length from 10mm to 34mm by pitch of 2mm between each reference	March 2019	DELETE
Emergo Asia Pacific Pty Ltd	11 - Hip	ER295	Spacer-G	Temporary implantable device for the treatment of infected total hip replacement, Composition - stainless steel core surrounded by PMMA impregnated with Gentamicin	Short Stems, Head size 46mm, 54mm, 60mm	March 2019	DELETE
Emergo Asia Pacific Pty Ltd	11 - Hip	ER296	Spacer-G	Temporary implantable device for the treatment of infected total hip replacement, Composition - stainless steel core surrounded by PMMA impregnated with Gentamicin	Long Stems, Head size 46mm, 54mm, 60mm	March 2019	DELETE
Emergo Asia Pacific Pty Ltd	12 - Knee	ER297	Spacer-K	Temporary implantable device for the treatment of infected total knee replacement, Composition - stainless steel core surrounded by PMMA impregnated with Gentamicin	Small, Medium, Large	March 2019	DELETE
Emergo Asia Pacific Pty Ltd	06 - Specialist Orthopaedic	ER302	Cemex-genta bone cement	1 mix Methylmethacrylate/ Polymethylmethacrylate with gentamiacin	1 mix 40g powder and 13.3g liquid	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Emergo Asia Pacific Pty Ltd	06 - Specialist Orthopaedic	ER304	Cemex® System Genta	Bone Cement with Gentamicin packaged in a complex delivery system	40, 60, 70 and 80 grams	March 2019	DELETE
Zimmer Biomet Pty Ltd	06 - Specialist Orthopaedic	BH260	HI S3 Shoulder Fixation System	Peg, Standard Stainless Steel	4mm	March 2019	DELETE
Zimmer Biomet Pty Ltd	06 - Specialist Orthopaedic	BH262	HI S3 Shoulder Fixation System	Bone screw	3.8 to 4.0mm	March 2019	DELETE
Zimmer Biomet Pty Ltd	06 - Specialist Orthopaedic	BH263	HI S3 Shoulder Fixation System	Set Screw, 90 Deg Locking	One size	March 2019	DELETE
Zimmer Biomet Pty Ltd	06 - Specialist Orthopaedic	BH258	HI S3 Shoulder Fixation System	S3 Shoulder Plate	7 to 15 holes	March 2019	DELETE
LMT Surgical Pty Ltd	06 - Specialist Orthopaedic	LM299	Elite SPK	PEEK Suture Anchor with sutures.	7,9mm	March 2019	DELETE
LMT Surgical Pty Ltd	06 - Specialist Orthopaedic	LM301	Sharc FT	Anchors without sutures.	4mm	March 2019	DELETE
LMT Surgical Pty Ltd	06 - Specialist Orthopaedic	LM302	Elite SPK	PEEK Suture Anchor	7,9mm	March 2019	DELETE
LMT Surgical Pty Ltd	06 - Specialist Orthopaedic	LM303	Sharc FT	Anchors with sutures.	Sharc FT is 4mm	March 2019	DELETE
Lima Orthopaedics Australia Pty Ltd	11 - Hip	LC165	Delta One TT Acetabular Cup	Delta One TT Acetabular Cup Ti6Al4V	44 - 66mm	March 2019	DELETE
Lima Orthopaedics Australia Pty Ltd	11 - Hip	LC169	Delta Liner - Biolox Forte	Delta Liner - Biolox Forte + Ti6Al4V	28 - 40mm ID x Size A to E	March 2019	DELETE
Zimmer Biomet Pty Ltd	06 - Specialist Orthopaedic	BH345	Comprehensive Segmental Revision System (SRS)	Comprehensive SRS PPS Augment	Small, Large	March 2019	DELETE
Zimmer Biomet Pty Ltd	06 - Specialist Orthopaedic	BH364	BMP Cable Plate	Dynamic, compression plate, stainless steel	110mm - 160mm	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	BI062	FR Thompson Hip Prosthesis System	Modular Curved Femoral Stem, Titanium.	38mm - 55mm	March 2019	DELETE
Boston Scientific Australia Pty Ltd	03 - General Miscellaneous	BS355	Agile Biliary RX Stent System	Self-expanding nitinol biliary stent, fully covered with Permalume™ translucent silicone polymer	Diameter 6-8mm, Length 40-60mm	March 2019	DELETE
Biotronik Australia Pty Ltd	08 - Cardiac	BT066	Selox ST	Transvenous Bipolar Passive Steroid Ventricular Pacing Lead, fractal coated	53 and 60cm lengths	March 2019	DELETE
Biotronik Australia Pty Ltd	08 - Cardiac	BT067	Selox JT	Bipolar, passive fixation, steroid eluting pacing lead with fractal coating and J-shape	Lengths: 45, 53 cm	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Biotronik Australia Pty Ltd	08 - Cardiac	BT119	Linix SMART TD	Dual-shock coil ICD lead with passive fixation and hydrophilic coating on lead body.	Lengths: 65, 75 cm, Diameter: 7.8Fr	March 2019	DELETE
Zimmer Biomet Pty Ltd	12 - Knee	BI186	Maxim Complete Knee System Tibial Baseplate	Tibial baseplate, uncemented, Titanium plasma sprayed surface (Porous plasma spray PPS) with HA	59 - 91mm	March 2019	DELETE
Biotronik Australia Pty Ltd	08 - Cardiac	BT110	Evia SR-T	Fully automatic, single chamber pacemaker with Closed Loop Stimulation, Home Monitoring and extended longevity	Size: 53mm x 39mm x 6.5mm (W x H x D), Volume: 11cc, Mass: 24g	March 2019	DELETE
Biotronik Australia Pty Ltd	08 - Cardiac	BT114	Evia DR-T	Fully automatic, dual chamber pacemaker with Closed Loop Stimulation, Home Monitoring, Vp suppression and extended longevity	Size: 53mm x 43mm x 6.5mm (W x H x D), Volume: 11cc, Mass: 26g	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	BI129	Mallory Head Hip System	Acetabular cup, UHMWPE	40-80mm	March 2019	DELETE
Biotronik Australia Pty Ltd	08 - Cardiac	BT147	Evia HF-T	MRI conditional Multiprogrammable biventricular pacemaker with Home Monitoring	53mm x 49mm x 6.5mm (W x H x D), Volume: 14cm ³ Mass: 26 grams	March 2019	DELETE
Biotronik Australia Pty Ltd	08 - Cardiac	BT149	Linix Smart T	Single-shock coil ICD lead with passive fixation, and SilGlide technology	65 cm length	March 2019	DELETE
Livanova Australia Pty Limited	08 - Cardiac	SA158	PARADYM™ RF CRT-D 9750	Implantable Cardioverter Defibrillator, for resynchronisation of heart failure, high output extended longevity and home monitoring.	69.5 x 73.4 x 11mm 38.6cc 95g	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Livanova Australia Pty Limited	08 - Cardiac	SA159	PARADYM™ RF CRT-D SonR 9770	Implantable Cardioverter Defibrillator for resynchronisation of heart failure, high output, extended longevity and home monitoring, and in conjunction with a dedicated atrial lead with SonR sensor provides automatic adjustment of AV/VV delays for optimisation of resynchronisation therapy.	69.5 x 73.4 x 11mm 38.6cc 95g	March 2019	DELETE
Livanova Australia Pty Limited	08 - Cardiac	SA160	REPLY™ 200 DR	REPLY™ 200 DR is a DDDR-type dual chamber rate-responsive pacemaker. It is equipped with a physiological sensor (minute ventilation) and an accelerometer to allow adaption of pacing to suit the patients activity.	Dimensions 41.2 x 41.5 x 6.1mm, Weight 20g, Volume 8cm ³ .	March 2019	DELETE
Livanova Australia Pty Limited	08 - Cardiac	SA161	REPLY 200™ SR	REPLY 200™ SR is a Single Chamber rate-responsive pacemaker.	Dimensions 37.4 x 41.5 x 6.1mm, Weight 19g, Volume 7.5cm ³ . Connector IS-1, Sensors Minute Ventilation (MV) and Accelerometer (G).	March 2019	DELETE
Livanova Australia Pty Limited	08 - Cardiac	SA156	PARADYM™ RF DR 9550	Dual Chamber Implantable Cardioverter Defibrillator with rate response, high output extended longevity and remote monitoring.	69.5 x 73.4 x 11mm 38.6cc 95g	March 2019	DELETE
Livanova Australia Pty Limited	08 - Cardiac	SA157	PARADYM™ RF VR 9250	Single Chamber, High Energy, Implantable Cardioverter Defibrillator with rate response and remote monitoring.	69.5 x 73.4 x 11mm 38.6cc 95g	March 2019	DELETE
Livanova Australia Pty Limited	08 - Cardiac	SA166	INTENSIA DR MODEL 154	INTENSIA DR MODEL 154 is a Dual Chamber ICD with 39J output, RF, Home Monitoring, DF-4 connectivity.	68.4 x 73.4 x 11mm	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Livanova Australia Pty Limited	08 - Cardiac	SA167	INTENSIA VR MODEL 124	INTENSIA VR MODEL 124 is a Single Chamber ICD with 39J output, RF, Home Monitoring, DF-4 connectivity	61.9 x 73.4 x 11mm	March 2019	DELETE
Smith & Nephew Pty Ltd	06 - Specialist Orthopaedic	SN570	TC 100 Plate	Cloverleaf Plate	3-4 hole	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Livanova Australia Pty Limited	08 - Cardiac	SA183	Platinum DR 1510	<p>PLATINIUM DR 1510 is an implantable dual-chamber cardioverter defibrillator. It is equipped with an accelerometer to allow adaptation of pacing to suit the patient's activity. PLATINIUM DR 1510 is also equipped with the RF wireless technology which enables remote monitoring of patients who have the Sorin SMARTVIEW Monitor installed at home and wireless interrogation and device programming by Orchestra Plus programmer equipped with ORCHESTRA PLUS LINK accessory. The PLATINIUM DR 1510 is designed to recognize and treat slow or fast VT and VF by continuously monitoring atrial and ventricular activity to identify persistent ventricular arrhythmias and to deliver appropriate therapies. PLATINIUM DR 1510 features the PARAD/PARAD+ algorithm, which is specifically designed to differentiate ventricular tachycardias from fast rhythms of supraventricular origin. PARAD/PARAD+ continuously monitors R-R interval stability, searches for long cycles, assesses the degree of P-R association, evaluates sudden onset and determines the chamber of arrhythmia acceleration.</p>	<p>Dimensions 73 x 54.3 x 11.1 mm Weight 86 g Volume 33 cm3 Active surface area of casing 62.7cm2 Connector Atrium: IS-1 bipolar. Ventricle: IS-1 bipolar, 2*DF-1.</p>	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Livanova Australia Pty Limited	08 - Cardiac	SA184	SonR tip PS55D Lead	The SonR tip™ lead is an atrial endocardial pacemaker lead equipped with a hemodynamic sensor embedded in the tip of a straight, bipolar RA pacing lead · Unlike other automatic optimisation strategies, the signal recorded by the SonR sensor reflects global ventricular contractility · Optimisation by SonR is similar to continuous AV and VV optimisation by echocardiography.	Length - 520mm, Diameter 2.6mm, 7.8 F	March 2019	DELETE
Zimmer Biomet Pty Ltd	12 - Knee	ZI423	Natural Knee Femoral Component	Femoral component, cemented, CoCr, posterior stabilised	Size 00 to 4 (left & right),	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	ZI467	Durom resurfacing cup	CoCr and Titanium, plasma spray, non HA	A - V	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	ZI472	Durom (Metasul) Resurfacing System - Ballhead	Forged CoCr femoral head	A1 to L1	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	ZI473	APR Conversion Ring	Titanium ring	39 to 71	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	ZI474	Durom Hip Resurfacing System - Adaptor Sleeves	Forged CoCr allo	A1 to L1	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO142	611 Ankle Fusion Nail	The 611 ankle arthrodesis nail is made out of titanium alloy (Ti6Al4V) and is associated with self locking screws, a plug and an internal screw. The nail is delivered sterile. The self locking screws, plug and internal locking screw are delivered non-sterile with the instrumentation	10mm x 180mm, 6 deg left, 10mm x 180mm, 6 deg right 12mm x 180mm, 6 deg left, 12mm x 180mm, 6 deg right 10mm x 180mm, 11 deg left, 10mm x 180mm, 11 deg right 12mm x 180mm, 11 deg left, 12mmx180mm, 11 right	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO143	611 Ankle Fusion Nail - Component : LOCKING SCREWS	The 611 ankle arthrodesis nail, self locking screws are made out of titanium alloy (Ti6Al4V) and incorporate a unique anti-backout design feature to ensure optimal fixation	5mm x100mm, 5mmx95mm, 5mmx90mm, 5mmx85mm, 5mmx80mm, 5mmx75mm, 5mmx70mm, 5mmx65mm, 5mmx60mm, 5mmx55mm, 5mmx50mm, 5mmx45mm, 5mmx40mm, 5mmx35mm, 5mmx32mm, 5mmx29mm, 5mmx26mm, 5mmx23mm, 5mmx20mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO144	611 Ankle Fusion Nail - Component: PLUGS	The 611 ankle arthrodesis nail, 2mm & 7mm plugs are made out of titanium alloy (Ti6Al4V). They are delivered non-sterile	0mm - 7.5mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO145	WAVE Calcaneal Fracture System - Fully Threaded Screw	The WAVE Calcaneal Fracture System is a low profile, anatomical plate and screws system designed for the fixation of calcaneal fractures. The plate and associated locking and non- locking screws facilitate the reconstruction of the height and width of the calcaneus, and possible remodelling of the lateral calcaneal wall. The WAVE calcaneal Fracture System is provided non-sterile. The Fully Threaded Screw is used with the WAVE Calcaneal Plate	Screws Diameter = 4.0mm; Length = 26-50mm in 2mm increments & 55-90mm in 5mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO046	Aequalis Reversed Shoulder - Fixation Screw for Articular Implant	Titanium, sterile and non-sterile	D4.5mm, L20 to 50mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO047	Fixation Screw for Articular Implant	Titanium, sterile and non-sterile	D 4.5mm, L 18mm to 50mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO048	Aequalis Reversed fracture-standard	Monobloc Humeral Stem CoCr cemented	Length 130mm Dia 7 9 11 13 15	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO049	Aequalis Reversed Fracture Shoulder - Revision	Monobloc Humeral Stem CoCr and HA coated proximally	Length 170, 180 or 210mm Dia 7 9 11 13mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO050	Aequalis Humeral Nail	Humeral Nail, straight, cannulated, Ti	Right/Left, dia 7mm and 8mm, Lg 130mm, 210mm, 230mm, 250mm and 270mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO146	WAVE Calcaneal Fracture System - Cannulated Lag Screw	The WAVE Calcaneal Fracture System is a low profile, anatomical plate and screws system designed for the fixation of calcaneal fractures. The plate and associated locking and non-locking screws facilitate the reconstruction of the height and width of the calcaneus, and possible remodelling of the lateral calcaneal wall. The WAVE Calcaneal Fracture System is provided non-sterile. The Cannulated Lag Screw is used with the WAVE Calcaneal Fracture Plate or with the washer for optional off plate use.	Screws: Diameter: 4mm; Length = 26mm - 90mm (for lag screws) in 2mm increments up to 50mm and 5mm increments up to 90mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO147	WAVE Calcaneal Fracture System - Locking Screw	The WAVE Calcaneal Fracture System is a low profile, anatomical plate and screw system designed for the minimally invasive fixation of the calcaneal fractures. The plate and associated locking and non-locking screws facilitate the reconstruction of the height and width of the calcaneus, and remodelling of the lateral calcaneal wall. The WAVE calcaneal System is provided non-sterile. The Locking Screw is used with the WAVE Calcaneal Fracture Plate	Screws: Diameter = 4.0mm, Length - 14-44 in 2mm increments	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO148	WAVE Calcaneal Fracture System PLATE	The WAVE Calcaneal Fracture System is a low profile, anatomical plate and screw system designed for the minimally invasive fixation of calcaneal fractures. The plate and associated locking and non-locking screws facilitate the reconstruction of the height and width of the calcaneus, and the remodelling of the lateral calcaneal wall. The WAVE calcaneal Fracture System Plate has 7 screw holes (6 are threaded) and the plates are 2 - 3mm thick and are available in 3 sizes. The WAVE Calcaneal Fracture System Plate also has two bending zones for a customised anatomical fit	Plates: Large Plates (Left or Right): Length = 71mm Width = 10-11mm Medium Plates (Left or Right): Length = 67mm Width = 10-11mm Small Plates: (Left or Right): Length = 63mm Width = 10-11mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO149	BIOProfile Pyrocarbon Carpometacarpal Implants	Low Temperature Isotropic Pyrolytic Carbon Implants for carpometacarpal resurfacing (arthroplasty)	Small, Medium, Large & Extra Large	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO150	Insite FT Biocomposite Suture Anchor	Absorbable suture anchor preloaded with or without needles.	4.5mm, 5.5mm, 6.5mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO151	MaxLock Extreme System - Small Complex VAL Plates >6 holes	Small complex variable angle lockig plates, Titanium, >6 holes	> 6 holes	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO156	Insite FT Suture Anchor	Titanium suture anchor, fully threaded, preloaded with sutures	2.5mm - 3.5mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO157	Insite FT PEEK Knotless Suture Anchor	PEEK knotless suture anchor, fully threaded	4.5mm to 6.5mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO159	MaxLock Extreme System – Edgelock II STP Plate	Calcaneal displacement osteotomies locking plate, Titanium.	6 holes	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO160	Latitude Total Elbow Prosthesis – Ulnar Bushing	Ultra-high molecular weight polyethylene ulnar bushing	Small, Medium, Large – Right and Left	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO161	Latitude Elbow Prosthesis – Humeral Screw	Humeral Screw for revision surgery	Small, Medium and Large	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO162	Piton 2.8mm	Soft Tissue Fixation Implant	2.8mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO163	Aequalis Reversed Shoulder - Hemi Prosthesis Adaptor	Hemi Prosthesis Adaptor including union screw	36mm and 42mm diameter	March 2019	DELETE
Stryker Australia Pty Ltd	13 - Spinal	SR038	Techtonix	Plate, titanium	22mm-58mm	March 2019	DELETE
Stryker Australia Pty Ltd	13 - Spinal	SR039	Techtonix System	Screw, titanium	5-6mm x 25mm-60mm	March 2019	DELETE
Zimmer Biomet Pty Ltd	06 - Specialist Orthopaedic	ZI132	NexGen Knee High Tibial Osteotomy System	Plate - Ti	1 - 6 Holes	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO051	Aequalis Humeral Nail Screws	Screws for Aequalis Humeral Nail. Cannulated Proximal screws: 5mm Diameter cannulated Ti, PE insert with thread inside. Distal screws 4.5mm Diameter, Ti. Sterile and non sterile.	Proximal Screws length: From 36 to 60 every 4mm Distal Screws length: From 20 to 32 every 2mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO052	Piton Knotless Fixation Implant System	System includes Piton Knotless anchors (single) NiTi and two Force Fiber sutures size #2 UHMWPE	Anchor: one size. Suture: size 2 in the system, options: blue/white or black/white	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO066	Aequalis Reversed Shoulder, Glenoid Base Plate	Glenoid Base Plate (Metaglens) with Long Post option for revision	Standard or Revision (Long Post) dia 25mm and dia 29mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO067	Aequalis Reversed Shoulder, Glenoid Sphere	Glenoid Sphere, standard, eccentric, wear compensation or lateralised	Diameter 33, 36, 39 and 42mm Centre, or Eccentricity +2mm, or Wear Compensations 10deg, or Lateralised +6mm / +8mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO068	Latitude Elbow Prosthesis	Latitude Humeral Stem component, CoCr	Small, Medium, Large for both left and right	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO069	Latitude Elbow Prosthesis	Latitude Humeral Spool component, standard or anatomic, CoCr + PEEK	Standard spool: Small, Medium, Large, Large +, anterior, posterior or centered, Anatomic Spool: Small, Medium, Large, Large +, Left and Right, Anterior Centred and Posterior Offset	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO070	Latitude Elbow Prosthesis	Latitude Ulnar Stem CoCr + UHMWPE	Small , Medium, Large Left and Right specific for both long and short stem option	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO071	Cheville Salto Ankle Prostheses	Tibial component mobile bearing CoCr, Ti, HA	Sizes 0,1,2,3 left and right	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO072	Salto Ankle Prostheses	Talar component mobile bearing CoCr, Ti, HA	Sizes 0,1,2,3 left and right	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO073	Cheville Salto Ankle Prostheses	Mobile insert UHMWPE	Sizes 0,1,2,3. Each size has thickness 4,5,6 & 7mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO074	RHS Radial Head System, Radial Stem	RHS Elbow prosthesis, Proximal Radial Stem, Press-fit Short Stems or Long Cemented Stems, Ti Co	Press-Fit Short Stems: 6 to 10mm , neck 13mm or 16mm. Cemented Long Stems: 6.5 or 8mm, neck 19 or 22mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO075	RHS Radial Head System, Radial Head	RHS Elbow prosthesis, Radial Head, Ti Co	18mm to 24mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO076	Latitude Elbow Prosthesis	Latitude Radial Head component	Small, Medium, Large, Large +	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO077	Latitude Elbow Prosthesis	Latitude Radial Stem component	Diam 6.5mm or 5mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO078	Aequalis Reversed Shoulder, Cemented Stem	Aequalis Reversed Shoulder prosthesis, Cemented Stem, CoCr	Diam 6.5mm to 15mm, Length 100 to 210mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO079	Aequalis Reversed Shoulder, Cementless Stem	Aequalis Reversed Shoulder prosthesis, Cementless stem Ti, HA Coated	Diam 6.5mm to 154mm, Length 100mm to 210mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO080	Ascend Shoulder, Humeral Component	Anatomic humeral heads, low and high offset, CoCr	Low offset: 9 diameters from 38mm to 54mm, 8 thicknesses from 15mm to 21mm, offset 1.5mm High offset: 9 diameters from 38mm to 54mm, 8 thicknesses from 15mm to 21mm, offset 3.5mm to 4mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO090	Insite FT anchors	Bone anchors Ti or PEEK, preloaded with suture with or without needle.	4.5mm, 5.5mm or 6.5mm	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO092	Salto Talaris Ankle Prosthesis - Talar component	Talar component, CrCo + Ti	Sizes 0, 1, 2, 3, Left and Right	March 2019	DELETE
Tornier Pty Ltd	06 - Specialist Orthopaedic	TO093	Salto Talaris Ankle Prosthesis - Tibial component	Tibial component, fixed bearing, CrCo + Ti	Sizes 0, 1,2,3	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
WILLIAM A COOK AUSTRALIA PTY LTD	03 - General Miscellaneous	WC265	Biodesign Surgisis Inguinal Hernia Graft	Biodesign Surgisis Inguinal Hernia Graft is a biologically derived [porcine] sis collagen, non cross-linked graft, that remodels into strong host tissue reinforcement for the inguinal floor	10cm x 15cm	March 2019	DELETE
Smith & Nephew Pty Ltd	06 - Specialist Orthopaedic	SM011	PLUS Endoprothetik Cerclage Systems	CCG-GF Band with fixation spikes - Pure Titanium	Length 27cm	March 2019	DELETE
Smith & Nephew Pty Ltd	11 - Hip	SM055	Universal Femoral Head	Chrome Cobalt	=< 32mm	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	ZI296	Anatomic II Hip System Femoral Stems	Titanium, plasma Spray, no HA	Sizes 9 - 19	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	ZI337	Natural Hip System	Unpolished, straight, Femoral Stem, CoCr	140 - 160mm	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	ZI347	Femoral Head	CoCr femoral head	42 to 60	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	ZI360	Converge	Durasul Insert - Special UHMWPE	22/39 to 38/81mm	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	ZI365	Natural Hip System	Titanium stem with cancellous spray titanium coating with HA, standard and high offset	00 to 7	March 2019	DELETE
AMO Australia Pty Ltd	01 - Ophthalmic	AO030	Verisyse Toric (Custom)	Phakic intraocular lens: Model toric	5mm Optic Diameter x 7.5mm overall length	March 2019	DELETE
Biotronik Australia Pty Ltd	08 - Cardiac	BT205	Protego ProMRI S	Tripolar ICD lead with active fixation. MRI Conditional	Length: 65cm, 75cm	March 2019	DELETE
Zimmer Biomet Pty Ltd	07 - Plastic and Reconstructive	BI949	Neurological Packs	Plate & screws: Neuro pack - single plate or thinflip 2 hole plate set	1.5mm or 2mm system	March 2019	DELETE
Euros Orthopaedics Australia Pty Ltd	13 - Spinal	EU008	E.2S anterior cervical Plate	Titanium anterior cervical plate	15 lengths of plates from 24mm to 94mm 24mm 4 holes 26mm 4 holes 29mm 4 holes 32mm 4 holes 35mm 6 holes 39mm 6 holes 43mm 6 holes 49mm 6 holes 55mm 6 holes 60mm 8 holes 66mm 8 holes 69mm 8 holes 77mm 10 holes 89mm 10 holes 94mm 12 holes	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Euros Orthopaedics Australia Pty Ltd	13 - Spinal	EU009	E.2S Cervical Screw	Titanium self-tapping cervical screws	Diameter: 3.5 and 4mm Length 10, 12, 14, 16, 18, 20 and 22mm	March 2019	DELETE
Euros Orthopaedics Australia Pty Ltd	13 - Spinal	EU010	Posterior Interbody Cage PIC	PEEK posterior interbody cage	6 thickness available: 8, 9, 10, 11, 12 and 13mm 3 type of angulation: 0, 4, 8° 2 lengths available: 20 and 25mm	March 2019	DELETE
Euros Orthopaedics Australia Pty Ltd	13 - Spinal	EU001	e.Spine PEDICULAR SCREW	spine Pedicular Screw for sacral-thoraco-lumbar osteosynthesis	Pedicle or Reduction pedicle; Diameter 4.35 Length 25 to 55 mm, Diameter 5 Length 25 to 60 mm, Diameter 6 Length 25 to 65 mm, Diameter 6.5 Length 25 to 70 mm, Diameter 7 Length 30 to 80 mm.	March 2019	DELETE
Euros Orthopaedics Australia Pty Ltd	13 - Spinal	EU002	e.Spine Rod	Spine straight or pre-bend rods	Diameter 5.5mm; Lengths: Titanium or CoCr Straight rods 40, 50, 60, 70, 80, 90, 110, 130, 160, 220, 440, 500, 600mm; Titanium Pre-bend rods: 40, 50, 60, 70, 80, 90mm	March 2019	DELETE
Euros Orthopaedics Australia Pty Ltd	13 - Spinal	EU003	e.Spine Hook	Titanium Spine hook	Transverse process. Pedicular, Lumbar laminar, Thoracic laminar, Right offset lumbar laminar, Left offset lumbar laminar and raised body lumbar laminar hook, Progressive blade (small, medium, large), Pedicle (small, medium, large), Reduced blade (small, medium, large), Large blade (small, medium, large), and Laminar (Left offset - Reduced, Right offset - Reduced)	March 2019	DELETE
Euros Orthopaedics Australia Pty Ltd	13 - Spinal	EU004	e.Spine Transverse Link	Titanium spine transverse link	Lengths 35, 46, 60, 70, 80 mm	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Euros Orthopaedics Australia Pty Ltd	13 - Spinal	EU005	Cervical Interbody Cage E.C.C	PEEK cervical interbody cage	7 cage sizes: -3 possible heights: 5, 6 and 7mm -2 possible widths: 16 and 19mm -2 possible depths: 12 and 14mm	March 2019	DELETE
Morton Surgical Pty Ltd ta Matrix Surgical Company	03 - General Miscellaneous	MG020	Surgimesh XB non-adherent	Intra-abdominal implant biface	Tintra R 12.5cm, 15cm	March 2019	DELETE
Morton Surgical Pty Ltd ta Matrix Surgical Company	03 - General Miscellaneous	MG021	Surgimesh XB non-adherent	Intra-abdominal implant biface	Tintra M 22x15x10cm	March 2019	DELETE
Morton Surgical Pty Ltd ta Matrix Surgical Company	03 - General Miscellaneous	MG022	Surgimesh XB non-adherent	Intra-abdominal implant biface	Tintra L 30x30x20cm	March 2019	DELETE
AMO Australia Pty Ltd	01 - Ophthalmic	AO029	Verisyse Toric (Custom)	Phakic intraocular lens: Model toric	5mm Optic Diameter x 7.5mm overall length	March 2019	DELETE
Zimmer Biomet Pty Ltd	06 - Specialist Orthopaedic	BI857	Kirschner Wires	Stainless Steel wire	(1-3.2mm) diameter x (100 to 310mm) length	March 2019	DELETE
Euros Orthopaedics Australia Pty Ltd	13 - Spinal	EU006	e.Spine connector	Titanium connector for rods of diameter 5.5 mm	Straight (axial connexion), Open domino (parallel connexion), Closed domino (parallel connexion)	March 2019	DELETE
Euros Orthopaedics Australia Pty Ltd	13 - Spinal	EU017	e.Spine locking screw	Titanium locking screw for e.Spine hooks and e.Spine pedicular screws	One size	March 2019	DELETE
Device Technologies Australia Pty Ltd	01 - Ophthalmic	DE177	Lester Jones Tear Duct Tubes	Glass	3 x 9 to 16mm, 3.5 x 9 to 18mm, 4.0 x 9 to 24mm, 5.0 x 9mm	March 2019	DELETE
Device Technologies Australia Pty Ltd	01 - Ophthalmic	DE178	Silicon Retinal Implant	Sponge	2.5 x 4.0 x 80mm, 3.0 x 5.0 x 100mm, 3.25 x 7.0 x 80mm, 5.5 x 7.5 x 80mm, 1.5 x 80mm, 2.0 x 80mm, 2.5 x 80mm, 3.0 x 80mm, 4.0 x 80mm, 5.0 x 80mm, 7.0 x 80mm	March 2019	DELETE
Device Technologies Australia Pty Ltd	01 - Ophthalmic	DE180	Silicon Retinal Implant	Sleeve	1mm, .76mm, 1.5mm	March 2019	DELETE
Device Technologies Australia Pty Ltd	01 - Ophthalmic	DE181	Silicon Retinal Implant	Band	0.75 x 2.0 x 125mm, 0.60 x 2.5 x 125mm, 0.75 x 2.5 x 125mm	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Device Technologies Australia Pty Ltd	01 - Ophthalmic	DE179	Silicon Retinal Implant	Tire	7.0, 9.0, 12.5, 6.0, 8.5, 10.0mm	March 2019	DELETE
Amplitude Australia	11 - Hip	LI073	Ball Heads 12 - 14 Taper (Alumina)	Ceramic femoral head, bilox forte	32mm	March 2019	DELETE
Device Technologies Australia Pty Ltd	13 - Spinal	DE361	EasySpine - Transverse Connections, Evolution	Transverse connections that are adjustable and connect two rods together	30-49mm; 50-69mm; 70-89mm	March 2019	DELETE
Device Technologies Australia Pty Ltd	13 - Spinal	DE377	ROI-T TLIF Cage	ROI-T is a TLIF (Transforaminal Lumbar Interbody Fusion) interbody fusion cage manufactured from PPEK-Optima, designed for ease of insertion and graft maximisation. The transforaminal approach allows for exposure of the disc space by removing the facet joints and protecting the nerve roots. The disc space is entered and disc material is removed. The ROI-T cage is filled with bone graft material and is placed into the cage space to maintain the disc height and impart additional stability to the construct. Note that ROI-T cages must be used in conjunction with a posterior screw and rod system to properly stabilise the segments and enable fusion to occur.	Lordotic angles 0, 5 and 9 degrees. Length 30mm. Heights: 8 to 16mm in increments of 1 mm.	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
SPIRAN PTY. LTD.	07 - Plastic and Reconstructive	BY001	Su-Por Chin Two Piece Anatomical contour.	An implantable device intended to support, contour, and provide structure for the chin. Made of high density polyethylene material with an interconnecting pore structure that supports tissue ingrowth. The device is available in various shapes and can be cut by the surgeon to meet the patient's specific needs.	3mm, 5mm, 7mm, 9mm	March 2019	DELETE
SPIRAN PTY. LTD.	07 - Plastic and Reconstructive	BY002	Su-Por Ultra thin Sheet	An implantable device intended to support, contour, and provide structure for the craniofacial anatomy during reconstructive and plastic surgery procedures. Made of high-density polyethylene material with an interconnecting pore structure that supports tissue ingrowth. The device is available in various shapes and can be cut by the surgeon to meet the patient's specific needs.	2.5mm, 3.5mm. 4.0mm, 0.85mm, 1.5mm, 3.0mm	March 2019	DELETE
SPIRAN PTY. LTD.	07 - Plastic and Reconstructive	BY003	Su-Por Flexible Block	An implantable device intended to support, contour, and provide structure for the craniofacial anatomy during reconstructive and plastic surgery procedures. Made of high density polyethylene material with an interconnecting pore structure that supports tissue ingrowth. The device is available in various shapes and can be cut by the surgeon to meet the patient's specific needs.	13 x 38 x 3mm, 25 x 50 x 6mm, 13 x 38 x 9.5mm 25 x 50 x 3mm, 25 x 50 x 6mm, 25 x 50 x 9.5mm 38 x 63 x 3mm, 38 x 63 x 6mm, 38 x 63 x 9.5mm	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
SPIRAN PTY. LTD.	07 - Plastic and Reconstructive	BY004	Su-Por Malar Implant	An implantable device intended to support, contour and provide structure for the face including the cheeks and eye sockets. Made of high-density polyethylene material with an interconnecting pore structure that supports tissue ingrowth. The device is available in various shapes and can be cut by the surgeon to meet the patient's specific needs.	Left and Right (47mm x 24mm x 4mm)	March 2019	DELETE
SPIRAN PTY. LTD.	01 - Ophthalmic	BY005	Su-Por Sphere	An implantable device made of high-density polyethylene material with an interconnecting pore structure that supports tissue ingrowth. The device is available in sizes to meet the patient's specific needs. Used for orbital reconstruction following enucleation and evisceration procedure.	14mm, 16mm, 18mm, 20mm, 22mm, 24mm (diameter)	March 2019	DELETE
SPIRAN PTY. LTD.	07 - Plastic and Reconstructive	BY006	Su-Por Orbital Rim, Extended	An implantable device intended to support, contour, and provide structure for the face including the cheeks and eye socket. Made of high-density polyethylene material with an interconnecting pore structure that supports tissue ingrowth. The device is available in various shapes and can be cut by the surgeon to meet the patient's specific needs.	Left and Right (44mm x 38mm)	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
SPIRAN PTY. LTD.	07 - Plastic and Reconstructive	BY007	Su-Por Custom Made Implant	An implantable device made of high-density polyethylene material with an interconnecting pore structure that supports tissue ingrowth. The device is custom made/biomodelled from individual patient's CT scan, on doctors prescription, used for correction and reconstruction of any facial, head or any non weight bearing bone structure.	Custom designed and biomodelled from patient's CT scan image.	March 2019	DELETE
Device Technologies Australia Pty Ltd	13 - Spinal	DE350	ROI-C Cervical Cage	A cervical cage for anterior approaches to cervical spine	Footprints 12x14, 12x15.5, 14x14, 14x15.5; 14x17mm; Heights 4.5mm to 10mm	March 2019	DELETE
Device Technologies Australia Pty Ltd	13 - Spinal	DE351	ROI PLIF Cages	The ROI PLIF cages are manufactured from PEEK-Optima and are implanted from the posterior approach for interbody fusion. The cages are supplied in pairs (2 per pack) as is standard for this procedure.	Lordotic angles, 0, 5 & 8 degrees, posterior heights 6 to 11mm, anterior heights 7 to 13mm.	March 2019	DELETE
SPIRAN PTY. LTD.	07 - Plastic and Reconstructive	BY009	Su-Por Mandible (Left / Right)	An implantable device intended to support, contour, and provide structure for the mandible. Made of high-density polyethylene material with an interconnecting pore structure that supports tissue ingrowth. The device can be cut by the surgeon to meet the patient's specific needs.	74 x 33 x5mm	March 2019	DELETE
Device Technologies Australia Pty Ltd	13 - Spinal	DE353	EasySpine - Alpha Pedicle Screws	Side-entry pedicle screws for EasySpine system allowing +/- degrees of angular variation in the axial and sagittal plane	Diameters 4.25 to 8mm; lengths 30mm to 70mm	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Device Technologies Australia Pty Ltd	13 - Spinal	DE354	EasySpine - LP Multiaxial Pedicle Screws	Pedicle screws with 10mm of offset and allow 70 degrees of head motion and +/-20 degrees of screw motion in a 360 degrees arc.	Packs of 1 only: 5, 6 and 7mm; lengths 30mm to 55mm.	March 2019	DELETE
Device Technologies Australia Pty Ltd	13 - Spinal	DE352	EasySpine - Laminar and Pedicle Hooks	Right under laminar hook, left under laminar hook, right alpha pedicle hook and left alpha pedicle hook for EasySpine spinal fusion system.	1 size only for Right under laminar hook, left under laminar hook, right alpha pedicle hook and left alpha pedicle hook	March 2019	DELETE
Device Technologies Australia Pty Ltd	13 - Spinal	DE355	EasySpine - Spacers	Spacers that work to stabilise/take up length of the screw to enable secure fixation - EasySpine is a spinal fusion system	Single packs: diameters 5,6 and 7mm, lengths 5 to 10mm	March 2019	DELETE
Device Technologies Australia Pty Ltd	13 - Spinal	DE356	EasySpine - Standard Pedicle Screws	The standard Pedicle screws allow for 20 degrees of angular variation between the screw axis and the rod in the axial plane; EasySpine is a spinal fusion system.	Diametres 4.25 to 7mm; lengths 30 to 50mm	March 2019	DELETE
Device Technologies Australia Pty Ltd	13 - Spinal	DE357	EasySpine - LDR Rods	Rods in 3 cross-sectional profiles: regular, medium and small	small, medium and regular; lengths 35mm to 500mm	March 2019	DELETE
Device Technologies Australia Pty Ltd	13 - Spinal	DE358	EasySpine - Transverse Connections	Connectors with open or closed ends connecting two rods together; can slide for full adjustability	Transverse connection, open; transverse connection closed.	March 2019	DELETE
Device Technologies Australia Pty Ltd	13 - Spinal	DE359	EasySpine - Axial Rod Connector	A connector to join two rods together end-to-end	One size only	March 2019	DELETE
Device Technologies Australia Pty Ltd	13 - Spinal	DE360	EasySpine - Lateral Connector	A connector to connect the pedicle screw and a rod in an offset position	1 size only	March 2019	DELETE
Stryker Australia Pty Ltd	13 - Spinal	HW515	GIZA vertebral Body Replacement System	A Titanium expandable Vertebral Body Replacement System with integral variable angled endplates	14mm diameter, 18mm -54mm length, 2 deg to 10deg angulation.	March 2019	DELETE
Emergo Asia Pacific Pty Ltd	06 - Specialist Orthopaedic	ER290	Tecres CAL-CEMEX bone void filler	CAL-CEMEX bone void filler with optional mixing device	10 grams	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Emergo Asia Pacific Pty Ltd	06 - Specialist Orthopaedic	ER291	Tecres CAL-CEMEX Bone Void Filler	CAL-CEMEX Bone Void Filler with delivery system	10 gram	March 2019	DELETE
Device Technologies Australia Pty Ltd	13 - Spinal	DE467	ROI-A Anchoring Plates	A pair of titanium anchoring plates to serve as integral fixation within the ROI-A ALIF Cage	Large - Plate length 27mm Medium - Plate length 24mm Small - Plate length 20mm	March 2019	DELETE
Device Technologies Australia Pty Ltd	13 - Spinal	DE468	ROI-C Anchoring Plates	A pair of titanium plates to serve as integral fixation within the ROI-C Cervical Cage	Short Long	March 2019	DELETE
Emergo Asia Pacific Pty Ltd	13 - Spinal	ER347	Renovis S128 ALIF Fusion Cage System-Fusion Cage	Renovis S128 ALIF Fusion Cage System-Fusion Cage (Peek or Titanium)	Foot print (30-38mm)x(26-30mm); height 11-21mm, lordosis 7-12 degrees	March 2019	DELETE
Emergo Asia Pacific Pty Ltd	13 - Spinal	ER348	Renovis S128 ALIF Fusion Cage System-Screws	Renovis S128 ALIF Fusion Cage System-Screws (for Peek or Titanium fusion cage)	dia (4.5-5.0) mm; length (20-35) mm	March 2019	DELETE
Emergo Asia Pacific Pty Ltd	13 - Spinal	ER349	Renovis S128 ALIF Fusion Cage System-Cover Plate	Renovis S128 ALIF Fusion Cage System-Cover Plate	N/A	March 2019	DELETE
Medical & Optical Instruments Australia Pty Ltd	06 - Specialist Orthopaedic	MO154	Polarus Proximal Humeral Fixation System	Polarus Proximal Humeral Rod Standard/Plus Titanium	150 - 300mm length	March 2019	DELETE
Medical & Optical Instruments Australia Pty Ltd	06 - Specialist Orthopaedic	MO243	Polarus Proximal Humeral Plate	Titanium Humeral Plate	7 to 15 holes.	March 2019	DELETE
Oceania Orthopaedics	11 - Hip	OO168	Omnia Tipor Revision Acetabular Screw	Omnia Tipor cup screw for augments	One screw only, no sizes	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	ZI958	Avantage Reinforcement Plate	Acetabular Reconstruction Plate	44/54 - 56/66	March 2019	DELETE
Smith & Nephew Pty Ltd	06 - Specialist Orthopaedic	SN107	TC 100 4.5mm Condylar Buttress plates	Sterile, right, 11 - 15 hole	221 - 285mm	March 2019	DELETE
Smith & Nephew Pty Ltd	06 - Specialist Orthopaedic	SN141	T-Bar Suture Retention System	Fastfix	One size only	March 2019	DELETE
Rollex Group Australia (2009) Pty Ltd	03 - General Miscellaneous	RX001	Medical Specialties "Walkmed Infusion Pump System" Powered Drug Infusion System and Ancillary Equipment (McKinley, USA)	Ambulatory Infusion Pump System, Administration Sets and Accessories	Walkmed Infusion Pump System	March 2019	DELETE
SWISSMED PTY LTD	01 - Ophthalmic	TW005	Basis Z Preloaded Hydrophyllic IOL	Hydrophyllic preloaded IOL	6mm Optic Diameter and 13mm Length	March 2019	DELETE
SWISSMED PTY LTD	01 - Ophthalmic	TW006	Basis Z Preloaded Hydrophobic IOL	Hydrophobic preloaded IOLs	6mm Optic Diameter and 13mm Length	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
SWISSMED PTY LTD	01 - Ophthalmic	TW007	Basis Z Progressive IOL	Progressive Hydrophilic IOL	Optic Diameter: 6mm Length: 13mm	March 2019	DELETE
SWISSMED PTY LTD	01 - Ophthalmic	TW008	AddOn SML	Add-on hydrophilic lens for macular degeneration	Central Optic Diameter - 1.5mm Optic Diameter - 6mm Length - 13mm	March 2019	DELETE
SWISSMED PTY LTD	01 - Ophthalmic	TW009	Basis Z Hydrophilic Toric Progressive IOL	One piece foldable hydrophilic progressive toric intraocular lens	Available in spherical diopter powers from +10D to 35D in 0.5 steps Cylindrical powers range from 1.0-6.0D	March 2019	DELETE
SWISSMED PTY LTD	01 - Ophthalmic	TW010	Basis Z Hydrophilic Toric	Foldable hydrophilic toric intraocular lens	Available in spherical diopter powers from -10.0D to +35.0D in 0.5D steps from +10.0D to +30.0D and then 1.0D steps in the ranges of -10.0D to 9.0D and +31.0D to +35.0D. Cylinder Power range is 1.5-6.0D in 0.75D steps.	March 2019	DELETE
Livanova Australia Pty Limited	08 - Cardiac	SA141	Reply™ DR	Dual Chamber permanent Pacemaker with Rate Response Modulation	8cc, Weight: 20grams, Dimensions:41.2 x 41.5 x 6.1mm	March 2019	DELETE
Livanova Australia Pty Limited	08 - Cardiac	SA142	Reply™ SR	Single chamber permanent pacemaker with rate response modulation	37 x 41.5 x 6.1mm 19 Grams 7.5 cm ³	March 2019	DELETE
Livanova Australia Pty Limited	08 - Cardiac	SA143	ESPRIT SR	Single Chamber Permanent Pacemaker with Rate Response Modulation	Dimensions: 37.4 x 41.5 x 6.1mm Weight : 19grams. Volume: 7.5 cm ³	March 2019	DELETE
Livanova Australia Pty Limited	08 - Cardiac	SA144	ESPRIT DR	Dual Chamber Permanent Pacemaker with Rate Response Modulation	8cc, Weight: 20grams, Dimensions:41.2 x 41.5 x 6.1mm	March 2019	DELETE
Livanova Australia Pty Limited	08 - Cardiac	SA145	PARADYM CRT-D 8750	Implantable Cardioverter Defibrillator with Cardiac Resynchronisation therapy, High Energy	34cc, 94 grams; 61.8 x 73.4 x 11mm	March 2019	DELETE
Livanova Australia Pty Limited	08 - Cardiac	SA147	Paradym DR 8550	Dual Chamber, High Energy, Implantable Cardioverter Defibrillator with rate response	Weight: 90 grams; Volume: 32.6cc; Dimensions: 58.4 x 73.4 x 11mm	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
Livanova Australia Pty Limited	08 - Cardiac	SA149	PARADYM VR 8250	Single Chamber implantable cardioverter defibrillator with rate response	Dimensions: 58.4 x 73.4 x 11mm; Weight: 90 grams; Volume: 32.6cc	March 2019	DELETE
Smith & Nephew Pty Ltd	06 - Specialist Orthopaedic	SN432	ACL/PCL Reconstructions	Tibial Post Screw	Small, Standard	March 2019	DELETE
Smith & Nephew Pty Ltd	06 - Specialist Orthopaedic	SN442	Mini TAG	Suture Anchor 2.0mm	2.0mm	March 2019	DELETE
Smith & Nephew Pty Ltd	06 - Specialist Orthopaedic	SN496	Intramedullary Nailing System	Foresight Nail	4-5mm Diameter 20-26cm Length	March 2019	DELETE
Smith & Nephew Pty Ltd	06 - Specialist Orthopaedic	SN520	TriGen	Captured Screws Titanium	4.0mm, 4.5 & 5.0mm diameters, 10-130mm lengths	March 2019	DELETE
Smith & Nephew Pty Ltd	06 - Specialist Orthopaedic	SM155	InterTAN CHS-Integrated Interlocking Screws	Integrated Interlocking Screws	11mm x 7.0mm diameter, 65mm Lag Screw/60mm Compression Screw (65/60), 70/65, 75/70, 80/75, 85/80, 90/85, 100/95, 105/100, 110/105, 115/110, 120/115, 125/120, 130/125, 135/130, 140/135.	March 2019	DELETE
Smith & Nephew Pty Ltd	06 - Specialist Orthopaedic	SN008	Rotorloc Absorbable PLA Suture Anchor System	-	One size only	March 2019	DELETE
RTI Surgical Australia Pty Ltd	03 - General Miscellaneous	RI025	Fortiva Tissue Matrix 1.5mm	Porcine Patch	<200cm2	March 2019	DELETE
RTI Surgical Australia Pty Ltd	03 - General Miscellaneous	RI026	Fortiva Tissue Matrix 1.5mm	Porcine Patch	201-400 cm2	March 2019	DELETE
RTI Surgical Australia Pty Ltd	03 - General Miscellaneous	RI027	Fortiva Tissue Matrix 1.5mm	Porcine Patch	401 – 600cm2	March 2019	DELETE
RTI Surgical Australia Pty Ltd	03 - General Miscellaneous	RI028	Fortiva Tissue Matrix 1.5mm	Porcine Patch	601 – 800cm2	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	ZI001	Zimmer Acetabular roof ring	Acetabular reconstruction cage	46 - 60mm	March 2019	DELETE
Zimmer Biomet Pty Ltd	11 - Hip	ZI002	Zimmer Acetabular Reconstruction Cage	Acetabular Reconstruction Cage - Left, right	52, 58, 64mm OD	March 2019	DELETE
SWISSMED PTY LTD	01 - Ophthalmic	TW001	AddOn Spherical	Add on hydrophilic spherical intraocular lens	Optic Diameter: 6mm Length: 13mm	March 2019	DELETE
SWISSMED PTY LTD	01 - Ophthalmic	TW002	AddOn Progressive	Add on hydrophilic progressive lens	Optic Diameter: 6mm Length 13mm	March 2019	DELETE
SWISSMED PTY LTD	01 - Ophthalmic	TW003	AddOn Toric	Add on hydrophilic toric lens	Optic Diameter: 6mm Length:13mm	March 2019	DELETE
SWISSMED PTY LTD	01 - Ophthalmic	TW004	Basis Z Preloaded Hydrophobic IOL	Hydrophobic preloaded IOLs	6mm Optic Diameter and 13mm Length	March 2019	DELETE

Sponsor	Product Category	Billing Code	Product Name	Description	Size	End Cycle	Delete Comment
CareFusion Australia 316 Pty Ltd	03 - General Miscellaneous	ZQ004	Pleurx	Pleurx Peritoneal Catheter Mini Kit	Catheter 71.0cm x 15.5 Fr	March 2019	DELETE
Smith & Nephew Pty Ltd	12 - Knee	SN369	Mobile Bearing Knee System Tibial Baseplate	Tibial baseplate, cemented, CoCr, polished insert surface, for mobile insert,	Left & Right, Size 1-8	March 2019	DELETE
Smith & Nephew Pty Ltd	06 - Specialist Orthopaedic	SN413	Shoulder Reconstruction	3.7mm TAG & Wedge Suture Wedge	3.7mm	March 2019	DELETE
Smith & Nephew Pty Ltd	06 - Specialist Orthopaedic	SN414	Shoulder Reconstruction	Suretac Absorbable Staple	6-8 x 16mm	March 2019	DELETE
Smith & Nephew Pty Ltd	06 - Specialist Orthopaedic	SN415	Shoulder Reconstruction	TAG Bioabsorbable Anchor Wedge	3.7mm	March 2019	DELETE
Smith & Nephew Pty Ltd	06 - Specialist Orthopaedic	SN416	Shoulder Reconstruction	Fastentor Suture Anchor	One size only	March 2019	DELETE
Smith & Nephew Pty Ltd	06 - Specialist Orthopaedic	SN417	T-Bar Suture Retention System	T-Fix RCG	1.8mm	March 2019	DELETE
Smith & Nephew Pty Ltd	06 - Specialist Orthopaedic	SN468	Compression Hip Screw System	Ambi Standard Barrel Plates	60mm -80mm, 2-3 slot	March 2019	DELETE